


TIPS FOR LOGGING


June-2019

Who we are?




CRIF AT A GLANCE






Agenda

- What is logging in programming?
- Why logging is important?
- Not Good & Good habits in logging
- More practical tips
- Log analysis



Logging is the process of recording application actions and state to a secondary interface.



fine-grained informational events that are most useful to debug an application

informational messages that highlight the progress of the application at coarse-grained leve

potentially harmful situations

error events that might still allow the application to continue running

very severe error events that will presumably lead the application to abort



















"Logs are like car insurance. Nobody wants to pay for it, but when something goes wrong everyone wants the best available".


Pablo Kraan



Error happens on customers' side



No bug found on Dev's environments!!!




```
04-18 07:12:27.590 9224-9395/com.example.android.displayingbitmaps I/OpenGLRenderer: Initialized EGL, version 1.4
04-18 07:12:27.590 9224-9395/com.example.android.displayingbitmaps D/OpenGLRenderer: Swap behavior 1
04-18 07:12:27.827 9224-9229/com.example.android.displayingbitmaps I/art: Do partial code cache collection, code=29KB, data=28KB
04-18 07:12:27.827 9224-9229/com.example.android.displayingbitmaps I/art: After code cache collection, code=27KB, data=27KB
04-18 07:12:27.827 9224-9229/com.example.android.displayingbitmaps I/art: Increasing code cache capacity to 128KB
04-18 07:12:27.916 9224-9229/com.example.android.displayingbitmaps I/art: Do partial code cache collection, code=61KB, data=53KB
04-18 07:12:27.917 9224-9229/com.example.android.displayingbitmaps I/art: After code cache collection, code=61KB, data=53KB
04-18 07:12:27.917 9224-9229/com.example.android.displayingbitmaps I/art: Increasing code cache capacity to 256KB
04-18 07:12:28.098 9224-9224/com.example.android.displayingbitmaps I/art: Starting a blocking GC Explicit
04-18 07:12:28.121 9224-9224/com.example.android.displayingbitmaps I/art: Explicit concurrent mark sweep GC freed 1933(106KB)
 AllocSpace objects, 0(0B) LOS objects, 40% free, 13MB/21MB, paused 333us total 22.300ms
04-18 07:12:28.123 9224-9224/com.example.android.displayingbitmaps I/art: Starting a blocking GC Explicit
04-18 07:12:28.145 9224-9224/com.example.android.displayingbitmaps I/art: Explicit concurrent mark sweep GC freed 187(8KB)
 AllocSpace objects, 0(0B) LOS objects, 39% free, 13MB/21MB, paused 318us total 21.597ms
04-18 07:12:28.377 9224-9388/com.example.android.displayingbitmaps E/GRPC: tcp client posix.c:173] failed to connect to
  'ipv4:127.0.0.1:12389': socket error: connection refused
04-18 07:12:29.374 9224-9389/com.example.android.displayingbitmaps E/GRPC: tcp_client_posix.c:173] failed to connect to
 'ipv4:127.0.0.1:12389': socket error: connection refused
04-18 07:12:30.375 9224-9389/com.example.android.displayingbitmaps E/GRPC: tcp_client_posix.c:173] failed to connect to
  'ipv4:127.0.0.1:12389': socket error: connection refused
```


One more example












```
- - [10/Jan/2019:10:51:36 +0700] " User XTRCB38E login successfully...." - -
- - [10/Jan/2019:10:51:36 +0700] "User XTRCB92W login successfully...." - -
-- [10/Jan/2019:10:51:36 +0700] " [XTRCB38E] POST " 200 5103 10 "http://stdbank.com:8088/accountInfo" 537.36" --
- - [10/Jan/2019:10:51:36 +0700] " [XTRCB38E] POST " 200 5103 12 "http://stdbank.com:8088/accountInfo" 537.36" - -
-- [10/Jan/2019:10:51:36 +0700] " [XTRCB92W] POST " 200 5103 10 "http://stdbank.com:8088/withdrawal" 537.36" --
-- [10/Jan/2019:10:51:36 +0700] " [XTRCB38E] POST " 200 5103 18 "http://stdbank.com:8088/accountInfo" 537.36" --
- - [10/Jan/2019:10:51:36 +0700] " [XTRCB38E] POST " 200 5103 10 "http://stdbank.com:8088/accountInfo" 537.36" - -
-- [10/Jan/2019:10:51:36 +0700] " [XTRCB38E] POST " 200 5103 10 "http://stdbank.com:8088/accountInfo" 537.36" --
-- [10/Jan/2019:10:51:36 +0700] " [XTRCB92W] GET " 200 5103 11 "http://stdbank.com:8088/bill" 537.36" --
- - [10/Jan/2019:10:51:40 +0700] " [XTRCB38E] POST " 200 5103 10 "http://stdbank.com:8088/accountInfo" 537.36" - -
-- [10/Jan/2019:10:51:40 +0700] " [XTRCB38E] POST " 200 5103 22 "http://stdbank.com:8088/accountInfo" 537.36" --
-- [10/Jan/2019:10:51:40 +0700] " [XTRCB38E] POST " 200 5103 10 "http://stdbank.com:8088/accountInfo" 537.36" --
- - [10/Jan/2019:10:51:40 +0700] " [XTRCB92W] GET " 200 5103 12 "http://stdbank.com:8088/bill" 537.36" - -
- - [10/Jan/2019:10:51:40 +0700] "User XTRCB92W logout successfully...." " - -
-- [10/Jan/2019:10:51:40 +0700] " [XTRCB38E] POST " 200 5103 10 "http://stdbank.com:8088/accountInfo" 537.36" --
-- [10/Jan/2019:10:51:40 +0700] " [XTRCB38E] POST " 200 5103 10 "http://stdbank.com:8088/accountInfo" 537.36" --
- ...
- ..
```









- Save time
- Overview about process
- Control access

Not Good & Good habits in logging

Using Log framework




```
String logMessage = "This is a log message";

SomeWriter writer = new SomeWriter(filename);

writer.write(logMessage);

writer.close();
```



```
private static final log = Logger.getLog();

log.error("Error message");

log.info("Information");

log.debug("Debug purpose");

log.debug("Debug purpose");
```

Using log framework instead of writing your own code.



```
</>>
                                       if (id == null) {
4
      log.error("Invalid input.");
6
8
   if (name == null) {
10
      log.error("Invalid input.");
13
```



```
</>>
                                         if (id == null) {
      log.info("ID must not be null.");
6
   if (name == null) {
10
      log.info("Name must not be null.");
11
12
13 }
```




```
</>>
                                      2
  try {
     Connection c = server.connect();
    catch (Exception e) {
     log.error("Cannot connect to server.", e);
10
```



```
</>>
                                         try {
      Connection c = server.connect();
   } catch (Exception e) {
      log.error("Cannot connect to server " +
   host + ":" + port, e);
11
```



```
</>>
                                       try {
3
      Reader reader = new Reader("file.txt");
4
      while (c != null) {
         c = reader.readLine();
         processLine(c);
10
   } catch (Exception e) {
       log.error("Error occurred.", e);
```



```
</>>
   int i = 0;
   try {
       Reader reader = new Reader("file.txt");
       while (c != null) {
           c = reader.readLine();
           processLine(c);
           i++;
12
   } catch (Exception e) {
       log.error("Error occurred at line " + i, e);
```

Redundant information

2011-09-22 22:40:34,036 | ERROR | Thread-2 | o.s.w.s.DispatcherServlet | Context initialization failed org. springframework. beans. factory. BeanCreationException: Error creating bean with name 'org. springframework.web.servlet.mvc. annotation. DefaultAnnotationHapping#8': Initialization of bean failed; nested exception is org. springframework.beans. factory. BeanCreationException: Error creating bean with name 'bookControlle at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBean(AbstractAutowireCapableBeanFactory.java:527) -[spring-beans-3.0.5.RELEASE.jar:3.0 at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:456) - spring-beans-3.0.5.RELEASE.jar:3.0.5 at org.springframework.beans.factory.support.AbstractBeanFactory\$1.getObject(AbstractBeanFactory.java:291) -[spring-beans.3.0.5.RELEASE.jar:3.0.5.RELEASE] at org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(DefaultSingletonBeanRegistry.java:222) -[spring-beans-3.0.5.RELEASE.jar:3.0.5.RELEASE.j at org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanFactory.java:288) -[spring-beans-3.0.5.RELEASE.jar: at org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:190)
-[spring-beans-3.0.5.RELEASE.jar:3. at org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstantiateSingletons(DefaultListableBeanFactory.java:580) -[spring-beans-3.0.5.RELEASE.jar:3.0.5.RELEASE.jar: at org.springframework.context.support.AbstractApplicationContext.finishBeanFactoryInitialization(AbstractApplicationContext.java:895) - spring-context-3.0.5.RELEASE.jar:3.0. at org.springframework.context.support.AbstractApplicationContext.refresh(AbstractApplicationContext.java:425) -[spring-context.3.0.3.RELEASE jar:3.0.5.RELEASE] at org.springframework.web.servlet.FrameworkServlet.createWebApplicationContext(FrameworkServlet.java:442) -[spring-webmvc-3.0.5.RELEASE.jar:3.0.5.RELEASE] at org.springframework.web.servlet.FrameworkServlet.createWebApplicationContext(FrameworkServlet.java:438) -[spring-webmvc-3.0.5.RELEASE.jar:3.0.5.RELEASE.j at org.springframework.web.servlet.FrameworkServlet.initWebApplicationContext(FrameworkServlet.java:339) -[spring-webmvc-3.0.5.RELEASE.jar:3.0.5.RELEASE.jar at org.springframework.web.servlet.FrameworkServlet.initServletBean(FrameworkServlet.java:306) -[spring-webmvc-3.0.5.RELEASE.jar:3.0.5.RELEASE] at org.springframework.web.servlet.HttpServletBean.init(HttpServletBean.java:127)
[spring-webmvc-3.0.5.RELEASE.jar:3.0.5 at javax.servlet.GenericServlet.init(GenericServlet.java: 160) [servlet-api.jar:3.0.FR] at org.apache.catalina.core.StandardWrapper.initServlet(StandardWrapper.iava:1281) [catalina.iar:7.8.16] at org.apache.catalina.core.StandardWrapper.loadServlet(StandardWrapper.java:1114) (catalina.jar:7.0.16) at org.apache.catalina.core.StandardWrapper.load(StandardWrapper.java:1021) [catalina.jar:7.0.16] at org.apache.catalina.core.StandardContext.loadOnStartup(StandardContext.java:4957) [catalina.jar:7.0.16] at org.apache.catalina.core.StandardContexts3.call/StandardContext.iava:5284) [catalina.iar:7.0.16] at org.apache.catalina.core.StandardContext\$3.call(StandardContext.java:5279) [catalina.jar:7.0.16] at lava.util.concurrent.FutureTask\$Sync.innerRun(FutureTask.java:303) [na:1.6.0 26] at java.util.concurrent.FutureTask.run(FutureTask.java:138) [na:1.6.0 26] at java.util.concurrent.ThreadPoolExecutorsWorker.runTask(ThreadPoolExecutor.java:886) [na:1.6.9 26] at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:988) [na:1.6.0_26] at java.lang.Thread.run(Thread.java:662) [na:1.6.0 26] Caused by: org. springframework.beans.factory.BeanCreationException: Error creating bean with name 'bookController': Injection of resource dependencies failed; nested exception is org.springframework.beans.factory.BeanCreationException: Error creating bean with name 'bookService': Injection of resource dependencies failed; at org.springframework.context.annotation.CommonAnnotationBeanPostProcessor.postProcessPropertyValues(CommonAnnotationBeanPostProcessor.java:300) -[spring-context-3.0.5.RELEASE.jar:3.0.5.RELEASE.] at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.populateBean(AbstractAutowireCapableBeanFactory.java:1874) - [spring-beans-3.0.5.RELEASE.jar:3.0.5.RELEASE] at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBean(AbstractAutowireCapableBeanFactory.java:517) -[spring-beans-3.0.5.RELEASE.jar:3.0.5.RELEASE at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:456) = spring-beans-3.0.5.RELEASE.jar:3.0.5.RELEASE] at org.springframework.beans.factory.support.AbstractBeanFactory\$1.getObject(AbstractBeanFactory.java:291) -[spring-beans-3.0.5.RELEASE.jar:3.0.5.RELEASE.ja at org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(DefaultSingletonBeanRegistry.java:222) -[spring-beans-3.0.5.RELEASE.jar:3.0.5.RELEASE.j at org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanFactory.java:288)
-[spring-beans-3.0.5.RELEASE.jar:3.0.5.RELEASE.] at org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:190) -[spring-beans-3.0.5.RELEASE.jar:3.0.5.RELEASE.] at org.springframework.context.support.AbstractApplicationContext.getBean (AbstractApplicationContext.java:1875) -[spring-context-3.0.5.RELEASE.jar:3.0.5.RELEASE.jar:3.0.5.RELEASE.jar:3.0.5.RELEASE.jar:3.0.5.RELEASE.jar at org.springframework.web.servlet.handler.AbstractUrlHandlerMapping.registerHandler(AbstractUrlHandlerMapping.java:383) -[spring-webmvc-3.0.5.RELEASE.jar:3 at org.springframework.web.servlet.handler.AbstractUrlHandlerMapping.registerHandler(AbstractUrlHandlerMapping.java:362) -[spring-webmvc-3.0.5.RELEASE.jar:3 at org.springframework.web.servlet.handler.AbstractDetectingUrlHandlerMapping.detectHandlers(AbstractDetectingUrlHandlerMapping.java:82) -[spring-webmyc-3.0.5.RELEASE.jar:3.0.5.RELEASE at org.springframework.web.servlet.handler.AbstractDetectingUrlHandlerMapping.initApplicationContext(AbstractDetectingUrlHandlerMapping.java:58) = [spring-webmvc-3.0.5.ReLEASE.jar:3.0.5.ReLEASE.] at org.springframework.context.support.ApplicationObjectSupport.initApplicationContext(ApplicationObjectSupport.java:119) -[spring-context-3.0.5.RELEASE.jar:3.0.5.RELEASE.jar at org.springframework.web.context.support.WebApplicationObjectSupport.initApplicationContext(WebApplicationObjectSupport.java:72)
-[spring-web-3.0.5.RELEASE.jar:3.0.5.RELEAS at org.springframework.context.support.ApplicationObjectSupport.setApplicationObjectSupport.java:73) -[spring-context-3.0.5.RELEASE.jar:3.0.5.RELEASE] at org.springframework.context.support.ApplicationContextAwareProcessor.invokeAwareInterfaces(ApplicationContextAwareProcessor.java:186) -[spring-context-3.8.5.RELEASE.jar:3. at org.springframework.context.support.ApplicationContextAwareProcessor.postProcessBeforeInitialization(ApplicationContextAwareProcessor.java:85) = [spring-context-3.0.5.RELEASE.jar:3.0.5.RELE at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.applyBeanPostProcessorsBeforeInitialization(AbstractAutowireCapableBeanFactory.java:394) - spring-beans-3.0.5.RELEASE.jar:3.0.5.RE at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.initializeBean(AbstractAutowireCapableBeanFactory.java:1413)
-[spring-beans-3.0.5.RELEASE.jar: at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBean(AbstractAutowireCapableBeanFactory.java:519) - | spring-beans-3.0.5, RELEASE.jar:3.0.5, REL .. 25 common frames omitted Caused by: org. springframework.beans.factory.BeanCreationException: Error creating bean with name 'bookService': Injection of resource dependencies failed; nested exception is org.springframework.beans.factory.BeanCreationException: Error creating bean with name 'bookService': Injection of resource dependencies failed; nested at org.springframework.context.annotation.CommonAnnotationBeanPostProcessor.postProcessPropertyValues(CommonAnnotationBeanPostProcessor.java:300) -[spring-context-3.0.5.RELEASE.jar:3.0.5.RELEA at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.populateBean(AbstractAutowireCapableBeanFactory.java:1874) -[spring-beans-3.0.5.RELEASE.jar:3. at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBean(AbstractAutowireCapableBeanFactory.fava:517) - (spring-beans-3.0.5.RELEASE.far:3. at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:456)
-[spring-beans-3.0.5.RELEASE.jar:3.0.5 at org.springframework.beans.factory.support.AbstractBeanFactory\$1.getObject(AbstractBeanFactory.java:291) -[spring-beans.3.0.5.RELEASE.jar:3.0.5.RELEASE.] at org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(DefaultSingletonBeanRegistry.java:222) -[spring-beans-3.0.5.RELEASE.jar:3.0.5.RELEASE.j at org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanFactory.java:288) -[spring-beans-3.0.5.RELEASE.jar: at org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:194) -[spring-beans-3.0.5.RELEASE.jar:3. at org.springframework.context.annotation.CommonAnnotationBeanPostProcessor.autowireResource(CommonAnnotationBeanPostProcessor.java:435)
-[spring-context-3.0.5.RELEASE.jar:3. at org.springframework.context.annotation.CommonAnnotationBeanPostProcessor.java:409) -[spring-context-3.0.5.RELEASE.jar:3.0.5.RELEASE.jar at org.springframework.context.annotation.CommonAnnotationBeanPostProcessor;ResourceElement.getResourceToInject(CommonAnnotationBeanPostProcessor.java:541) -{spring-context-3.0.5.RELEASE.jar:3 at org.springframework.beans.factory.annotation.InjectionMetadata\$InjectedElement.inject(InjectionMetadata.java:147) -[spring-beans-3.0.5.RELEASE.jar:3.0.5. at org.springframework.beans.factory.annotation.InjectionMetadata.inject(InjectionMetadata.java:84) -[spring-beans-3.0.5.RELEASE.jar:3.0.5.RELEASE] at org.springframework.context.annotation.CommonAnnotationBeanPostProcessor.postProcessPropertyValues(CommonAnnotationBeanPostProcessor.java:297)
-[spring-context-3.0.5.RELEASE.jar:3.0.5.RELEA . 45 common frames omitted Caused by: org. springframework.beans.factory.MoSuchBeanDefinitionException: Error creating bean with name 'bookDao': Injection of resource dependencies failed; nested exception is org.springframework.beans.factory.MoSuchBeanDefinitionException: No matching bean of type [javax.sql.DataSource] found for dependency: expected at les at org.springframework.context.annotation.CommonAnnotationBeanPostProcessor.postProcessPropertyValues(CommonAnnotationBeanPostProcessor.java:300) -[spring-context-3.0.5.RELEASE.jar:3.0.5.RELEA at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.populateBean(AbstractAutowireCapableBeanFactory.java:1074) -[spring-beans-3.0.5.RELEASE.jar:3.0.5.RELEASE] at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBean(AbstractAutowireCapableBeanFactory.java:517) -[spring-beans-3.0.5.RELEASE.jar:3.0 at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:436) -[spring-beans-3.0.5.RELEASE.jar:3.0.5.RELEASE] $at org.springframework.beans.factory.support.AbstractBeanFactory \\ \pm 1.get0bject \\ (AbstractBeanFactory \\ \pm 1.get0bject \\ (AbstractBe$ at org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(DefaultSingletonBeanRegistry.java:222) -[spring-beans-3.0.5.RELEASE.jar:3.0.5.RELEASE.j at org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanFactory.java:288)
-[spring-beans-3.0.5.RELEASE.jar: at org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:194) -[spring-beans-3.0.5.RELEASE.jar:3. at org.springframework.context.annotation.CommonAnnotationBeanPostProcessor.autowireResource(CommonAnnotationBeanPostProcessor.java:435) = [spring-context-3.0.5.RELEASE.jar:3 at org.springframework.context.annotation.CommonAnnotationBeanPostProcessor.java:409) -[spring-context-3.0.5.RELEASE.jar:3.0.5.RELEASE.jar at org.springframework.context.annotation.CommonAnnotationBeanPostProcessorsResourceElement.getResourceToInject(CommonAnnotationBeanPostProcessor.java:541) -[spring-context-3.0.5.RELEASE.jar:3.0.5.RELEA at org.springframework.beans.factory.annotation.InjectionMetadata\$InjectedElement.inject(InjectionMetadata.java:147)
-[spring-beans-3.0.5.RELEASE.jar:3.0.5.RELEASE] at org.springframework.beans.factory.annotation.InjectionMetadata.inject(InjectionMetadata.java:84) -[spring-beans-3.0.5.RELEASE.jar:3.0.5 at org.springframework.context.annotation.CommonAnnotationBeanPostProcessor.postProcessPropertyValues(CommonAnnotationBeanPostProcessor.java:297) -[spring-context-3.0.5.RELEASE.jar:3.0.5.RELEA .. 58 common frames omitted Caused by: org. springframework.beans.factory.NoSuchBeanDefinitionException: No matching bean of type [javax.sqn.DataSource] found for dependency; expected at least 1 bean which qualifies as autowire candidate for this dependency annotations: {@javax.sqn.DataSource|shareable-true, mappedName-, description at org.springframework.beans.factory.support.DefaultListableBeanFactory.raiseNoSuchBeanDefinitionException(DefaultListableBeanFactory.java:920) -[spring-beans-3.0.5.RELEASE.jar:3.0.5.RELEASE.j at org.springframework.beans.factory.support.DefaultListableBeanFactory.doResolveDependency(DefaultListableBeanFactory.java:789) -[spring-beans-3.0.5.RELEASE.jar:3.0.5.RELEAS at org.springframework.beans.factory.support.DefaultListableBeanFactory.resolveDependency(DefaultListableBeanFactory.java:703)
-[spring-beans-3.0.5.RELEASE.jar:3.0.5.RELEASE. at org.springframework.context.annotation.CommonAnnotationBeanPostProcessor.autowireResource/CommonAnnotationBeanPostProcessor.iava:431) - Ispring-context-3.0.5.RELEASE.iar:3 at org.springframework.context.annotation.CommonAnnotationBeanPostProcessor.getResource(CommonAnnotationBeanPostProcessor.java:409) -[spring-context-3.0.5.RELEASE.jar:3.0.5.R at org.springframework.context.annotation.CommonAnnotationBeanPostProcessorsResourceTelent.getResourceToInject(CommonAnnotationBeanPostProcessor.java:541) -[spring.context.3.8.5.RELEASE.jar:3. at org.springframework.beans.factory.annotation.InjectionMetadataSInjectedElement.inject(InjectionMetadata.java:147) -
(spring-beans-3.0.5.RELEASE.jar:3.0.5 at org.springframework.beans.factory.annotation.InjectionMetadata.inject(InjectionMetadata.java:84) -[spring-beans-3.0.5.RELEASE.jar:3.0.5 at org.springframework.context.annotation.commonAnnotationBeanPostProcessor.postProcessor.postProcessor.java:297) -[spring-context-3.0.5.RELEASE.jar:3.0.5.R ... 71 common frames omitted

Redundant information

```
...
catch (ValidationException e) {
   log.error("Validation detail message here", e);
}
```

```
catch (PermissionException e) {
    log.error("Permission detail message here", e);
}
```

```
catch (EntityNotFoundException e) {
    log.error("Entity not found message here", e);
}
```




```
...
catch (ValidationException e) {
   log.info("Validation detail message here");
}
```

```
...
catch (PermissionException e) {
   log.info("Permission detail message here");
}
```

```
...
catch (EntityNotFoundException e) {
    log.info("Entity not found message here");
}
```

Sensitive information



LOG - INFO : username - dilbert

LOG - INFO: password - password

LOG - INFO: number - 5412-7501-2345-0987

LOG - INFO : name - Peter Hans Muller

LOG - INFO : validTill - 12/20

LOG - INFO : CVV - 696

Separated log file

16/6/2019

LOG - DEBUG - ... LOG - INFO - ...

LOG - ERROR - ...

17/6/2019

LOG - DEBUG - ... LOG - INFO - ...

LOG - ERROR - ...



16/6/2019

LOG - DEBUG - ...

LOG - INFO

LOG - ERROR - ...



log_2019_06_16



log_error_2019_06_

17/6/2019

LOG - DEBUG - ...

LOG - INFO - ...

LOG - ERROR - ...

18/6/2019

LOG - DEBUG - ...

LOG - INFO - ... LOG - ERROR - ...



log_2019_06_17



log_error_2019_06_

18/6/2019

LOG - DEBUG - ...

LOG - INFO - ...

LOG - ERROR - ...

19/6/2019

LOG - DEBUG - ...

LOG - INFO - ...

LOG - ERROR - ...

19/6/2019

LOG - INFO

LOG - ERROR - ...



log_2019_06_18



log_error_2019_06_ 18

LOG - DEBUG - ...




log_2019_06_19



log_error_2019_06_ 19

More practical tips

Using unique ID per request



16-6-2019-14:00:00 Process request coming... 16-6-2019-14:00:00 Process step 1 Process step 2 16-6-2019-14:00:01 16-6-2019-**14:00:01** Process request coming... Process step 1 16-6-2019-**14:00:01** 16-6-2019-**14:00:01** Process step 2 Process step 3 ???? 16-6-2019-**14:00:02** Process step 3 ???? 16-6-2019-**14:00:02**



16-6-2019-14:00:00	mary:x5Gd	Process request coming
16-6-2019-14:00:00	mary:x5Gd	Process step 1
16-6-2019-14:00:01	mary:x5Gd	Process step 2
16-6-2019-14:00:01	john:r4RN	Process request coming
16-6-2019-14:00:01	john:r4RN	Process step 1
16-6-2019-14:00:01	john:r4RN	Process step 2
16-6-2019-14:00:02	mary:x5Gd	Process step 3
16-6-2019-14:00:02	john:r4RN	Process step 3

Using unique ID per request



Using unique ID per request

16-6-2019-14:02:03 mary:x5Gd Validating input... 16-6-2019-14:02:04 mary:x5Gd Parse request to JSON 16-6-2019-14:02:05 mary:x5Gd Prepare message to send 16-6-2019-14:02:06 mary:x5Gd Message sent 16-6-2019-14:02:12 Received response mary:x5Gd 16-6-2019-14:02:13 mary:x5Gd Parse response to model 16-6-2019-14:02:14 mary:x5Gd Rendering 16-6-2019-14:02:15 mary:x5Gd Done









System A



System B

	_		
16-6-2019-14:02:07	- 1	mary:x5Gd	Received message
16-6-2019-14:02:08	-	mary:x5Gd	Convert to Object
16-6-2019-14:02:09	-	mary:x5Gd	Process data
16-6-2019-14:02:10	-	mary:x5Gd	Return result to client
16-6-2019-14:02:11		mary:x5Gd	Response sent

Using DEBUG log

```
String url = getUrl();
log.debug("Url: " + url);
HttpResponse response = getHttpClient().execute();
log.debug("Response: " + response);
try {
   getObjectMapper().readTree(response);
} catch (Exception e) {
   log.error("Error occurred while parsing response: " + e.getMessage(), e)
```

```
D - Url: http://www.google.com/search?q=developer
D - Response: <html>...</html>
E - Error occurred while parsing response: Unexpected character ('<' (code 60)) at [Source:
java.io.StringReader@39aeed2f; line: 1, column: 2]
          at...
          at...
          at...
```

Log process status while processing big data

```
public void processData() {
    int total = fileService.getTotalRecords();
    int bulkSize = 0;
    for (int i = 0; i < total; i++) {</pre>
         bulkRequest.add(createRequest(fileService.readLine(i));
         ++bulkSize;
         //process block 100 records
         if (bulkSize == 100 | | i == (total - 1)) {
              BulkResponse response = bulkRequest.execute();
              bulkSize = 0;
              int failedRecs = response.getFailedRecords();
              log.info(format("Total records: %d, processed records: %d, failed records: %d", total, i, failedRecs);
```

```
I - Start importing process.
I - Total records: 125000, processed records: 100, failed records: 0
I - Total records: 125000, processed records: 200, failed records: 6
I - Total records: 125000, processed records: 300, failed records: 9
...
I - Total records: 125000, processed records: 125000, failed records: 69
I - Finish processing file 'schools.txt'.
I - End importing process after 69 ms.
```

Log analysis

Why analyzing log is important?

Production monitoring and debugging

Resource usage


Tracking client requests

- Performance analysis
- Identifying key trends


...




Using Kibana for log analysis




Track client requests




Monitor application performance



Monitor web attack



Identify key trends







THANK YOU!