

Cos301 : Software Requirements Specification for the NavUP System

Mufamadi, Khodani 14197520 Burgers, Heinrich 150595538

Cheriyan, Midhun 17308632 Cilliers, Joshua 14267196

Leshaba, Harris 15312144

Van Hattum, Jason 15027458 Rambani, Unarine 14004489

February 21, 2017

Contents

1	Intr	oduction	1
	1.1	Purpose	1
	1.2	Scope	1
	1.3	Definition, Acronyms, and Abbreviations	1
	1.4	References	1
	1.5	Overview	1
2	Ove	rall Description	1
	2.1	Product Perspective	1
		2.1.1 System Interfaces	1
		2.1.2 User Interfaces	1
		2.1.3 Hardware Interfaces	1
		2.1.4 Software Interfaces	2
		2.1.5 Communications Interfaces	2
		2.1.6 Memory	2
		2.1.7 Operations	2
		2.1.8 Site Application Requirements	2
	2.2	Product Functions	2
	2.3	User Characteristics	2
	2.4	Constraints	3
	2.5	Assumptions and Dependencies	3
3	\mathbf{Spe}	cific Requirements	3
	3.1	External Interface Requirements	3
	3.2	Functional Requirements	4
	3.3	Performance Requirements	4
	3.4	Design Constraints	5
	3.5	Software System attributes	5
	3.6	Other Requirements	5

1	Introduction
1.1	Purpose
1.2	Scope
1.3	Definition, Acronyms, and Abbreviations
1.4	References
1.5	Overview
2	Overall Description
2.1	Product Perspective
2.1. 1	System Interfaces
2.1.2	2 User Interfaces

 $\bullet\,$ An android phone or tablet.

• An iPhone or iPad.

2.1.3 Hardware Interfaces

2.1.4 Software Interfaces

•••

2.1.5 Communications Interfaces

- Cellular networks
- Global Positioning Satellites (GPS)
- Wireless networking (WiFi)
- E-mail

2.1.6 Memory

..

2.1.7 Operations

...

2.1.8 Site Application Requirements

...

2.2 Product Functions

...

2.3 User Characteristics

NavUP should have three user groups: A student or staff member, a administrator, and a guest user.

Students and staff members

- Students and staff members are registered, and have student numbers.
- Students are likely to be young (Below the age of 30)
- Students and staff members are likely to have a high level of education.
- Students and staff members should have a relatively high level of technical experience, and therefore be able to use and navigate a relatively complex app.

Guest Users

- Guests are unregistered.
- The technical level and education of a guest is unknown. It might be difficult for them to navigate a complicated interface.

Administrators

- Administrators should have a high level of technical expertise.
- Administrators likely have some form of identification, such as a student number.

2.4 Constraints

- Cost We do not have the funds to pay for expensive libraries and tools.
- **Time** Most of us are third year and honours students, and so we do not have much time to work on the project. Additionally, we only have one semester to do this.
- Skills Our skills are varied, but mostly undeveloped, which limits the technical complexity of our solution.
- Scope Our scope is defined as a navigation system for the University of Pretoria, and so our solution should be limited as such.

2.5 Assumptions and Dependencies

...

3 Specific Requirements

• • •

3.1 External Interface Requirements

System Interfaces

User Interfaces

Hardware Interfaces

1. An android phone or tablet

Android will be the most common device used, and will likely be the only device we develop a solution for. There are android devices with many varying specs, but we will focus on newer models in order to simplify the prototype.

Tablets are not used often for navigation, but due to the nature of Android the app will work there as well.

2. An iPhone or iPad

It is possible but unlikely that we develop an app for iOS, as only a small percentage of staff and students use iPhones or iPads.

Software Interfaces

Communications Interfaces

1. Cellular networks

We will use cellular networks for downloading and uploading data and information required to use the app, such as user credentials, heat-maps, and routing.

2. Global Positioning Satellites (GPS)

We might use GPS to locate the device for heat-map generation and navigation.

3. Wireless networking (WiFi)

WiFi will be used where possible to download and upload data similar to cellular networks. WiFi will also be used to locate the device similar to GPS, especially inside where GPS connection may be poor.

4. E-mail

We may use email for registration and login, as well as passing information on to the user.

Input: The user's email address.

Output: An email to the user containing information.

3.2 Functional Requirements

...

3.3 Performance Requirements

...

3.4 Design Constraints

...

 $3.5 \quad {\bf Software~System~attributes}$

...

 ${\bf 3.6}\quad {\bf Other\ Requirements}$

• • •