




VALENCIANO, NICO IVAN T.
ACT-2A
10/10/26









File Edit Selection View Go Run Terminal Help
p6-backend
Update
Explorer
p6-backend
dist
node_modules
src
categories
database
items
dto
entities
items.controller.ts
items.module.ts
items.service.ts
users
dto
entities
users.controller.ts
users.module.ts
users.service.ts
app.controller.spec.ts
app.controller.ts
app.module.ts
app.service.ts
main.ts
test
.env
.gitignore
.oxlintrc.json
.prettierrc
jest.config.ts
nest-cli.json
package-lock.json
package.json
README.md
schema.sql
Outline
Timeline
database.module.ts
items.service.ts
items.controller.ts
app.module.ts
database.provider.ts
users.service.ts
src > users > users.service.ts > UsersService
import { Injectable, Inject, BadRequestException, NotFoundException } from '@nestjs/common';
import { CreateUserDto } from './dto/create-user.dto';
import { UpdateUserDto } from './dto/update-user.dto';
@Injectable()
export class UsersService {
constructor(@Inject('DATA_SOURCE') private readonly db: any) {}
async create(createUserDto: CreateUserDto) {
const { username, password } = createUserDto as any;
if (!username || !password) {
throw new BadRequestException('Username and password are required');
}
const [result]: any = await this.db.query(
'INSERT INTO users (username, password) VALUES (?, ?)',
[username, password],
);
return { id: result.insertId, username, message: 'User created successfully' };
}
async findAll() {
const [rows]: any = await this.db.query('SELECT id, username, created_at FROM users');
return rows;
}
async findOne(id: number) {
const [rows]: any = await this.db.query(
'SELECT id, username, created_at FROM users WHERE id = ?',
[id],
);
if (rows.length === 0) {
throw new NotFoundException(`User with id ${id} not found`);
}
return rows[0];
Problems Output Debug Console Terminal Ports
node
[Nest] 29344 - 10/10/2026, 10:13:25 AM LOG [NestApplication] Nest application successfully started +4ms
Chat
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
users.service.ts
Describe what to b...
Local
Ln 56, Col 2 Spaces: 2 UTF-8 CRLF TypeScript Go Live Prettier



File Edit Selection View Go Run Terminal Help
p6-backend
Update
Explorer
p6-backend
dist
node_modules
src
categories
database
items
dto
entities
items.controller.ts
items.module.ts
items.service.ts
users
dto
entities
users.controller.ts
users.module.ts
users.service.ts
app.controller.spec.ts
app.controller.ts
app.module.ts
app.service.ts
main.ts
test
.env
.gitignore
.oxlintrc.json
.prettierrc
jest.config.ts
nest-cli.json
package-lock.json
package.json
README.md
schema.sql
Outline
Timeline
database.module.ts
items.service.ts
items.controller.ts
app.module.ts
database.provider.ts
users.service.ts
src > users > users.service.ts > UsersService
export class UsersService {
async findOne(id: number) {
if (rows.length === 0) {
throw new NotFoundException(`User with id ${id} not found`);
}
return rows[0];
}
async update(id: number, updateUserDto: UpdateUserDto) {
const { username, password } = updateUserDto as any;
await this.findOne(id);
await this.db.query(
'UPDATE users SET username = COALESCE(?, username), password = COALESCE(?, password) WHERE id = ?',
[username || null, password || null, id],
);
return { message: `User with id ${id} updated successfully` };
}
async remove(id: number) {
await this.findOne(id);
await this.db.query('DELETE FROM users WHERE id = ?', [id]);
return { message: `User with id ${id} deleted successfully` };
}
}
Problems Output Debug Console Terminal Ports
node
[Nest] 29344 - 10/10/2026, 10:13:25 AM LOG [NestApplication] Nest application successfully started +4ms
Chat
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
users.service.ts
Describe what to b...
Local
Ln 56, Col 2 Spaces: 2 UTF-8 CRLF TypeScript Go Live Prettier



File Edit Selection View Go Run Terminal Help
p6-backend
Update
Explorer
p6-backend
dist
node_modules
src
categories
database
items
dto
entities
items.controller.ts
items.module.ts
items.service.ts
users
dto
entities
users.controller.ts
users.module.ts
users.service.ts
app.controller.spec.ts
app.controller.ts
app.module.ts
app.service.ts
main.ts
test
.env
.gitignore
.oxlintrc.json
.prettierrc
jest.config.ts
nest-cli.json
package-lock.json
package.json
README.md
schema.sql
Outline
Timeline
items.service.ts
items.controller.ts
app.module.ts
database.provider.ts
users.service.ts
users.controller.ts
src > users > users.controller.ts > ...
import { Controller, Get, Post, Body, Patch, Param, Delete } from '@nestjs/common';
import { UsersService } from './users.service';
import { CreateUserDto } from './dto/create-user.dto';
import { UpdateUserDto } from './dto/update-user.dto';
@Controller('users')
export class UsersController {
constructor(private readonly usersService: UsersService) {}
@Post()
create(@Body() createUserDto: CreateUserDto) {
return this.usersService.create(createUserDto);
}
@Get()
findAll() {
return this.usersService.findAll();
}
@Get(':id')
findOne(@Param('id') id: string) {
return this.usersService.findOne(+id);
}
@Patch(':id')
update(@Param('id') id: string, @Body() updateUserDto: UpdateUserDto) {
return this.usersService.update(+id, updateUserDto);
}
@Delete(':id')
remove(@Param('id') id: string) {
return this.usersService.remove(+id);
}
}
Problems Output Debug Console Terminal Ports
node
[Nest] 29344 - 10/10/2026, 10:13:25 AM LOG [NestApplication] Nest application successfully started +4ms
Chat
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
users.controller.ts
Describe what to b...
Local
Ln 1, Col 1 Spaces: 2 UTF-8 CRLF TypeScript Go Live Prettier



File Edit Selection View Go Run Terminal Help
p6-backend
Update
Explorer
p6-backend
dist
node_modules
src
categories
dto
entities
categories.controller.ts
categories.module.ts
categories.service.ts
database
items
dto
entities
items.controller.ts
items.module.ts
items.service.ts
users
app.controller.spec.ts
app.controller.ts
app.module.ts
app.service.ts
main.ts
test
.env
.gitignore
.oxlintrc.json
.prettierrc
jest.config.ts
nest-cli.json
package-lock.json
package.json
README.md
schema.sql
Outline
Timeline
items.controller.ts
app.module.ts
database.provider.ts
users.service.ts
users.controller.ts
categories.service.ts
src > categories > categories.service.ts > CategoriesService
import { Injectable, Inject, BadRequestException, NotFoundException } from '@nestjs/common';
import { CreateCategoryDto } from './dto/create-category.dto';
import { UpdateCategoryDto } from './dto/update-category.dto';
@Injectable()
export class CategoriesService {
constructor(@Inject('DATA_SOURCE') private readonly db: any) {}
async create(createCategoryDto: CreateCategoryDto) {
const { user_id, name } = createCategoryDto as any;
if (!user_id || !name) {
throw new BadRequestException('user_id and name are required');
}
const [result]: any = await this.db.query(
'INSERT INTO categories (user_id, name) VALUES (?, ?)',
[user_id, name],
);
return { id: result.insertId, user_id, name, message: 'Category created successfully' };
}
async findAll() {
const [rows]: any = await this.db.query('SELECT * FROM categories');
return rows;
}
async findOne(id: number) {
const [rows]: any = await this.db.query(
'SELECT * FROM categories WHERE id = ?',
[id],
);
if (rows.length === 0) {
throw new NotFoundException(`Category with id ${id} not found`);
}
return rows[0];
}
Problems Output Debug Console Terminal Ports
node
[Nest] 29344 - 10/10/2026, 10:13:25 AM LOG [NestApplication] Nest application successfully started +4ms
Chat
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
categories.service
Describe what to b...
Local
Ln 56, Col 2 Spaces: 2 UTF-8 CRLF TypeScript Go Live Prettier



File Edit Selection View Go Run Terminal Help
p6-backend
Update
Explorer
p6-backend
dist
node_modules
src
categories
dto
entities
categories.controller.ts
categories.module.ts
categories.service.ts
database
items
dto
entities
items.controller.ts
items.module.ts
items.service.ts
users
app.controller.spec.ts
app.controller.ts
app.module.ts
app.service.ts
main.ts
test
.env
.gitignore
.oxlintrc.json
.prettierrc
jest.config.ts
nest-cli.json
package-lock.json
package.json
README.md
schema.sql
Outline
Timeline
items.controller.ts
app.module.ts
database.provider.ts
users.service.ts
users.controller.ts
categories.service.ts
src > categories > categories.service.ts > CategoriesService
export class CategoriesService {
async findOne(id: number) {
throw new NotFoundException(`Category with id ${id} not found`);
}
return rows[0];
}
async update(id: number, updateCategoryDto: UpdateCategoryDto) {
const { name } = updateCategoryDto as any;
await this.findOne(id);
await this.db.query(
'UPDATE categories SET name = COALESCE(?, name) WHERE id = ?',
[name || null, id],
);
return { message: `Category with id ${id} updated successfully` };
}
async remove(id: number) {
await this.findOne(id);
await this.db.query('DELETE FROM categories WHERE id = ?', [id]);
return { message: `Category with id ${id} deleted successfully` };
}
}
Problems Output Debug Console Terminal Ports
node
[Nest] 29344 - 10/10/2026, 10:13:25 AM LOG [NestApplication] Nest application successfully started +4ms
Chat
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
Describe what to b...
Local
Ln 56, Col 2 Spaces: 2 UTF-8 CRLF TypeScript Go Live Prettier



File Edit Selection View Go Run Terminal Help
p6-backend
Update
Explorer
p6-backend
dist
node_modules
src
categories
dto
entities
categories.controller.ts
categories.module.ts
categories.service.ts
database
items
dto
entities
items.controller.ts
items.module.ts
items.service.ts
users
app.controller.spec.ts
app.controller.ts
app.module.ts
app.service.ts
main.ts
test
.env
.gitignore
.oxlintrc.json
.prettierrc
jest.config.ts
nest-cli.json
package-lock.json
package.json
README.md
schema.sql
Outline
Timeline
items.controller.ts
app.module.ts
database.provider.ts
users.service.ts
categories.service.ts
categories.controller.ts
src > categories > categories.controller.ts > ...
import { Controller, Get, Post, Body, Patch, Param, Delete } from '@nestjs/common';
import { CategoriesService } from './categories.service';
import { CreateCategoryDto } from './dto/create-category.dto';
import { UpdateCategoryDto } from './dto/update-category.dto';
@Controller('categories')
export class CategoriesController {
constructor(private readonly categoriesService: CategoriesService) {}
@Post()
create(@Body() createCategoryDto: CreateCategoryDto) {
return this.categoriesService.create(createCategoryDto);
}
@Get()
findAll() {
return this.categoriesService.findAll();
}
@Get(':id')
findOne(@Param('id') id: string) {
return this.categoriesService.findOne(+id);
}
@Patch(':id')
update(@Param('id') id: string, @Body() updateCategoryDto: UpdateCategoryDto) {
return this.categoriesService.update(+id, updateCategoryDto);
}
@Delete(':id')
remove(@Param('id') id: string) {
return this.categoriesService.remove(+id);
}
}
Problems Output Debug Console Terminal Ports
node
[Nest] 29344 - 10/10/2026, 10:13:25 AM LOG [NestApplication] Nest application successfully started +4ms
Chat
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
Describe what to b...
Local
Ln 1, Col 1 Spaces: 2 UTF-8 CRLF TypeScript Go Live Prettier



File Edit Selection View Go Run Terminal Help
p6-backend
Update
Explorer
p6-backend
dist
node_modules
src
categories
database
items
dto
entities
items.controller.ts
items.module.ts
items.service.ts
users
app.controller.spec.ts
app.controller.ts
app.module.ts
app.service.ts
main.ts
test
.env
.gitignore
.oxlintrc.json
.prettierrc
jest.config.ts
nest-cli.json
package-lock.json
package.json
README.md
schema.sql
tsconfig.build.json
tsconfig.build.tsbuildinfo
tsconfig.json
Outline
Timeline
items.service.ts
items.controller.ts
app.module.ts
database.provider.ts
users.service.ts
categories.service.ts
src > items > items.service.ts > ItemsService
export class ItemsService {
async findOne(id: number) {
return rows[0];
}
async update(id: number, updateItemDto: UpdateItemDto) {
const { name, status } = updateItemDto as any;
await this.findOne(id);
await this.db.query(
'UPDATE items SET name = COALESCE(?, name), status = COALESCE(?, status) WHERE id = ?',
[name || null, status || null, id],
);
return { message: `Item with id ${id} updated successfully` };
}
async remove(id: number) {
await this.findOne(id);
await this.db.query('DELETE FROM items WHERE id = ?', [id]);
return { message: `Item with id ${id} deleted successfully` };
}
}
Problems Output Debug Console Terminal Ports
node
[Nest] 29344 - 10/10/2026, 10:13:25 AM LOG [NestApplication] Nest application successfully started +4ms
Chat
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
items.service.ts
Describe what to b...
Local
Ln 63, Col 2 Spaces: 2 UTF-8 CRLF TypeScript Go Live Prettier


File Edit Selection View Go Run Terminal Help
p6-backend
Update
Explorer
p6-backend
dist
node_modules
src
categories
database
items
dto
entities
items.controller.ts
items.module.ts
items.service.ts
users
app.controller.spec.ts
app.controller.ts
app.module.ts
app.service.ts
main.ts
test
.env
.gitignore
.oxlintrc.json
.prettierrc
jest.config.ts
nest-cli.json
package-lock.json
package.json
README.md
schema.sql
tsconfig.build.json
tsconfig.build.tsbuildinfo
tsconfig.json
Outline
Timeline
items.service.ts
items.controller.ts
app.module.ts
database.provider.ts
users.service.ts
categories.service.ts
src > items > items.controller.ts > ItemsController
export class ItemsController {
@Get(':id')
findOne(@Param('id') id: string) {
return this.itemsService.findOne(+id);
}
@Put(':id')
update(@Param('id') id: string, @Body() updateItemDto: UpdateItemDto) {
return this.itemsService.update(+id, updateItemDto);
}
@Delete(':id')
remove(@Param('id') id: string) {
return this.itemsService.remove(+id);
}
}
Problems Output Debug Console Terminal Ports
node
[Nest] 29344 - 10/10/2026, 10:13:25 AM LOG [NestApplication] Nest application successfully started +4ms
Chat
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
items.controller.t
Describe what to b...
Local
Ln 34, Col 2 Spaces: 2 UTF-8 CRLF TypeScript Go Live Prettier


Home
Workspaces
Explore
Search Postman
Sign In
Create Account
You are using the Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.
History
New
Import
Today
GET http://localhost:3000/users
POST http://localhost:3000/users
POST http://localhost:3000/users
POST http://localhost:3000/users
POST http://localhost:3000/users
POST http://localhost:3000/users
http://localhost:3000/users
Save
GET
http://localhost:3000/users
Send
Params
Authorization
Headers (8)
Body
Pre-request Script
Tests
Settings
Cookies
none
form-data
x-www-form-urlencoded
raw
binary
JSON
Beautify
{
"username": "nico_admin",
"password": "password123"
}
Body
Cookies
Headers (7)
Test Results
Status: 200 OK
Time: 1007 ms
Size: 309 B
Save Response
Pretty
Raw
Preview
Visualize
[{"id":1,"username":"nico_admin","created_at":"2026-10-09T17:59:31.000Z"}]
Console
Not connected to a Postman account


Home
Workspaces
Explore
Search Postman
Sign In
Create Account
You are using the Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.
History
New
Import
Today
POST http://localhost:3000/items
POST http://localhost:3000/categories
POST http://localhost:3000/categories
GET http://localhost:3000/users
POST http://localhost:3000/users
POST http://localhost:3000/users
POST http://localhost:3000/users
POST http://localhost:3000/users
POST http://localhost:3000/users
http://localhost:3000/items
Save
POST
http://localhost:3000/items
Send
Params
Authorization
Headers (8)
Body
Pre-request Script
Tests
Settings
Cookies
none
form-data
x-www-form-urlencoded
raw
binary
JSON
Beautify
{
"category_id": 1,
"name": "Mechanical Keyboard",
"status": "pending"
}
Body
Cookies
Headers (7)
Test Results
Status: 201 Created
Time: 499 ms
Size: 351 B
Save Response
Pretty
Raw
Preview
Visualize
{"id":1,"category_id":1,"name":"Mechanical Keyboard","status":"pending","message":"Item created successfully"}
Console
Not connected to a Postman account


Home
Workspaces
Explore
Search Postman
Sign In
Create Account
You are using the Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.
History
New
Import
Today
PUT http://localhost:3000/items/2
POST http://localhost:3000/items
PUT http://localhost:3000/items/1
PUT http://localhost:3000/items/1
DEL http://localhost:3000/items/1
PATCH http://localhost:3000/items/1
GET http://localhost:3000/items
POST http://localhost:3000/items
POST http://localhost:3000/categories
POST http://localhost:3000/categeories
GET http://localhost:3000/users
POST http://localhost:3000/users
POST http://localhost:3000/users
POST http://localhost:3000/users
POST http://localhost:3000/users
POST http://localhost:3000/users
http://localhost:3000/items/2
Save
PUT
http://localhost:3000/items/2
Send
Params
Authorization
Headers (8)
Body
Pre-request Script
Tests
Settings
Cookies
none
form-data
x-www-form-urlencoded
raw
binary
JSON
Beautify
"status": "completed"
Body
Cookies
Headers (7)
Test Results
Status: 200 OK
Time: 331 ms
Size: 284 B
Save Response
Pretty
Raw
Preview
Visualize
{"message":"Item with id 2 updated successfully"}
Console
Not connected to a Postman account


Home
Workspaces
Explore
Search Postman
Sign In
Create Account
You are using the Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.
History
New
Import
Today
DEL http://localhost:3000/items/1
PATCH http://localhost:3000/items/1
GET http://localhost:3000/items
POST http://localhost:3000/items
POST http://localhost:3000/categories
POST http://localhost:3000/categeories
GET http://localhost:3000/users
POST http://localhost:3000/users
POST http://localhost:3000/users
POST http://localhost:3000/users
POST http://localhost:3000/users
POST http://localhost:3000/users
http://localhost:3000/items/1
Save
DELETE
http://localhost:3000/items/1
Send
Params
Authorization
Headers (8)
Body
Pre-request Script
Tests
Settings
Cookies
none
form-data
x-www-form-urlencoded
raw
binary
JSON
Beautify
"status": "completed"
Body
Cookies
Headers (7)
Test Results
Status: 200 OK
Time: 371 ms
Size: 284 B
Save Response
Pretty
Raw
Preview
Visualize
{"message":"Item with id 1 deleted successfully"}
Console
Not connected to a Postman account