


What is the Radi 4 Places



* What is the surface finish Requirement

250 or 280

Technical Review - Also known as Feasibility Analysis, is basically a review of the print and other applicable standards by the factory and their confirmation if or not they their current infrastructure and processes are able to meet all those requirements. Typically they will come to this meeting with a balloon print and their Yes/No for each dimension+ allowed tolerance called out on the print. Furthermore, this is a great time for them to ask questions about Porosity acceptance standards, weld requirements/ paint / plating/ surface finish requirements, packaging requirements/ testing requirements etc. The meeting also serves as an opportunity for Demco to share any past experiences/ lessons learned from the past that might make the product development phases easier for the factory .

Let me know when you think your factory can have a balloon drawing ready for both part and when we can discuss feasibility,

Good Morning Mishil

Thank you for the information and capability details.

Please help provide additional technical details for the feasibility review.

1. Forging Process

- * Please confirm whether this part will be produced by closed die forging.
- * Please share forging process pictures and similar forged parts if available.
- * Please confirm expected forging tolerance capability.

2. Material & Heat Treatment

- * Please confirm exact material grade proposed.
- * Please explain how hardness RC 22-32 will be controlled and verified.
- * Please confirm whether heat treatment is done in-house or outsourced.
- * Please share pictures of hardness testing equipment.

3. Machining

- * Please confirm which dimensions/features will be machined after forging.
- * Please share machining process flow.
- * Please share pictures of CNC/VMC machines planned for this part.
- * Please confirm how center hole position and consistency will be controlled.

4. Plating & Salt Spray

- * Please confirm whether yellow zinc plating supplier can meet 120-hour salt spray requirement.
- * Please share any available salt spray test reports for similar parts.
- * Please explain how plating quality will be controlled.

5. Inspection & Quality

- * Please prepare balloon drawing for the print.
- * Please identify critical dimensions and inspection method.
- * Please share pictures of inspection equipment and gauges.
- * Please confirm if dimensional reports will be provided with samples.



6. Production Control

- * Please advise any dimensions or areas you believe may create manufacturing risk during mass production.
- * Please confirm estimated rejection risk areas if any.

7. Similar Experience

- * Please share pictures of similar agricultural, hitch, clamp, or forged mechanical parts already manufactured.

Thank you,



Standard B633
Type 1 or - Glass / Blue
Type 2 or - Yellow

500 HOUR SALT SPRAY ZINC PLATED

DRAWING NO. 13765		REV D	
DESCRIPTION SQUARE CLAMP STEM		DATE 06/03/10	
DRAWN BY BVPD		DATE 04/14/25	
APPROV. BY NM		WEIGHT 0.11	
VOLUME 0.4		SCALE 1:1	
SHEET 1 OF 1			



MATERIAL: .375 SQUARE CR

UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN INCHES

THIRD ANGLE PROJECTION

TOLERANCES
 .XX = ±.040
 .XXX = ±.010 NON-MACHINED
 .XXX = ±.005 MACHINED
 MIN. MACHINE SURFACE 250
 BREAK ALL SHARP EDGES BEND AND DRAFT ≤ ±1°

Can beta vapor lock during cleaning prior to zinc plating



1/4-20 UNC - 2B ±.63 MIN



MACHINE OFF CORNERS what is the max for Break Edges

REV.	ECN #	DESCRIPTION	DATE	DTM
A	4740	ADDED CHAMFER TO BOTTOM OF STEM, ADDED SMOOTHED TRANSITION FROM SQUARE TO ROUND	3/8/2011	BVPD
B	4950	CHANGE CHAMFER DIMENSIONS	10/3/2011	JCN
C	5728	CHANGE PRINT TOLERANCE TO MATCH GROOVE PIN RANGE TOLERANCE	10/6/2014	GB
D	8053	CHANGED HOLE TOLERANCE FOR STANDARD 3/16" SPRING PIN AND ADDED .03 X 45° CHAMFER TO EACH SIDE OF PIN HOLE	4/10/2025	JK

13765: (EAU 300,000)

For the 13765 stem the print calls for [CR] Cold Roll / Cold drawn

So, I would like 1045 or equal yield strength .

So, in the US we have 1045 or 1117 or 1215 which are all equal or better than 1045. The 1117 & 1215 have better machinability but might not be available in some places.

You also have to make sure and knock the corners off the square section so that across corners is no more than .489

They are silver/ clear zinc plated . From pass experience you need to be careful that the acid wash does not stay in the threaded hole and cause rust on the threads . We have had this issue before and they get rejected

Technical Review - Also known as Feasibility Analysis, is basically a review of the print and other applicable standards by the factory and their confirmation if or not they their current infrastructure and processes are able to meet all those requirements. Typically they will come to this meeting with a balloon print and their Yes/No for each dimension+ allowed tolerance called out on the print. Furthermore, this is a great time for them to ask questions about Porosity acceptance standards, weld requirements/ paint / plating/ surface finish requirements, packaging requirements/ testing requirements etc. The meeting also serves as an opportunity for Demco to share any past experiences/ lessons learned from the past that might make the product development phases easier for the factory .

Let me know when you think your factory can have a balloon drawing ready for both part and when we can discuss feasibility,