

Problem 7: Coherence
Problem 11: Intermediate Concepts

Katarzyna Frackowski, Falko Hemstra

March 10, 2021

Coherence: Intuition

- ▶ Normative systems: Collection of norms
- ▶ Formal norm: Conditional statement
- ▶ Example: Given a situation, a law book tells you how to act correctly.
- ▶ Question: How can we determine if our rules make sense?



Coherence: Formalization

Definition (Normative System)

A *normative System* G is a set of norms.

Definition (Norm)

A *norm* $n = (c, s)$ consists of two PL formulas, a *condition* c and a *statement* s . It is fulfilled if either the condition is not satisfied or the statement holds.

Coherence: Formalization

Definition (Normative System)

A *normative System* G is a set of norms.

Definition (Norm)

A *norm* $n = (c, s)$ consists of two PL formulas, a *condition* c and a *statement* s . It is fulfilled if either the condition is not satisfied or the statement holds.

- Example: “If you are a guest, be polite.”

I/O-Logic

- ▶ Idea: Observe what, given a situation A , the system G suggests!
- ▶ Formalization: Check properties of $out(G, A)$.

I/O-Logic

- ▶ Idea: Observe what, given a situation A , the system G suggests!
- ▶ Formalization: Check properties of $out(G, A)$.
- ▶ Example:

$$A = \{..., guest, ...\}, \quad G = \{..., (guest, polite), ...\}$$

$$out(G, A) = \{..., polite, ...\}$$

I/O-Logic

- ▶ Idea: Observe what, given a situation A , the system G suggests!
- ▶ Formalization: Check properties of $out(G, A)$.
- ▶ Example:

$$A = \{..., guest, ...\}, \quad G = \{..., (guest, polite), ...\}$$

$$out(G, A) = \{..., polite, ...\}$$

- ▶ Note: A set of boolean variables can be termed *consistent*. For normative systems we use *coherence*, since norms do not hold truth values.

Coherence: Possible Solutions (1/3)

- ▶ Question: When is a system coherent?

Coherence: Possible Solutions (1/3)

► Question: When is a system coherent?

(1) *G is coherent iff $\perp \notin out(G, A)$*

Coherence: Possible Solutions (1/3)

- ▶ Question: When is a system coherent?
(1) G is coherent iff $\perp \notin out(G, A)$
- ▶ Problem: Unclear which situations A to examine.

Coherence: Possible Solutions (1/3)

- ▶ Question: When is a system coherent?
(1) G is coherent iff $\perp \notin out(G, A)$
- ▶ Problem: Unclear which situations A to examine.
(1a) G is coherent iff $\exists A: \perp \notin out(G, A)$

Coherence: Possible Solutions (1/3)

- ▶ Question: When is a system coherent?
(1) G is coherent iff $\perp \notin out(G, A)$
- ▶ Problem: Unclear which situations A to examine.
(1a) G is coherent iff $\exists A: \perp \notin out(G, A)$
- ▶ This definition seems too weak.
- ▶ Consider $G = \{(c, s), (c, \neg s)\}$. Since $\perp \notin out(G, \emptyset)$, the system is coherent.

Coherence: Possible Solutions (2/3)

- ▶ The dual of (1a) is:
(1b) G is coherent iff $\forall A: \perp \notin \text{out}(G, A)$
- ▶ This seems too strong.

Coherence: Possible Solutions (2/3)

- ▶ The dual of (1a) is:

(1b) *G is coherent* iff $\forall A: \perp \notin out(G, A)$

- ▶ This seems too strong.

- ▶ Idea: Consider only foreseeable situations!

(1c) *G is coherent* iff $\forall (c, s) \in G: \perp \notin out(G, c)$

Coherence: Possible Solutions (2/3)

- ▶ The dual of (1a) is:

(1b) *G is coherent* iff $\forall A: \perp \notin out(G, A)$

- ▶ This seems too strong.

- ▶ Idea: Consider only foreseeable situations!

(1c) *G is coherent* iff $\forall (c, s) \in G: \perp \notin out(G, c)$

- ▶ This requires too many norms to function.

- ▶ Let (c_1, s_1) and (c_2, s_2) be norms, then $c_1 \wedge c_2$ is not a situation we consider for coherence with (1c).

Coherence: Possible Solutions (3/3)

- ▶ Question: The norm $(c, \neg c)$ creates a conflict between input and output. Should this norm be allowed?

Coherence: Possible Solutions (3/3)

- ▶ Question: The norm $(c, \neg c)$ creates a conflict between input and output. Should this norm be allowed?

(2) G is coherent iff $out(G, A) \cup A \not\models \perp$

Coherence: Possible Solutions (3/3)

- ▶ Question: The norm $(c, \neg c)$ creates a conflict between input and output. Should this norm be allowed?

(2) G is coherent iff $out(G, A) \cup A \not\models \perp$

- ▶ With (2), norm violation causes incoherence.
- ▶ Example: An impolite guest

$$(guest, polite) \in G, \quad guest, \neg polite \in A$$
$$out(G, A) \cup A = \{..., polite, \neg polite, ...\} \models \perp$$

Coherence: Output under constraints

- Idea: To determine coherence we examine systems in specific situations and under certain constraints.

Definition (Output under constraints)

Let G be a normative system and A and C two sets of propositional formulas. Then G is *coherent* in A under constraints C iff $out(G, A) \cup C$ is consistent.

Coherence: Caveats

- ▶ Consider the norm $(broken, \neg broken)$ which commands agents to fix things they find to be broken. Is this a reasonable norm?

Coherence: Caveats

- ▶ Consider the norm $(broken, \neg broken)$ which commands agents to fix things they find to be broken. Is this a reasonable norm?
- ▶ Problem: Fixing takes time

$$out(G, A) \cup A = \{\neg broken\} \cup \{broken\} \models \perp$$

Coherence: Caveats

- ▶ Consider the norm $(broken, \neg broken)$ which commands agents to fix things they find to be broken. Is this a reasonable norm?
- ▶ Problem: Fixing takes time

$$out(G, A) \cup A = \{\neg broken\} \cup \{broken\} \models \perp$$

- ▶ Implication: The presented approach is *static*!
- ▶ We *can not* instruct agents on how to act.
- ▶ We *can* describe properties of still frames.

Problem 11:
Meaning Postulates and Intermediate
Concepts

Introduction

Definition (Meaning Postulates)

Stipulative definition, legal meaning.

Definition (Intermediate Concepts)

Relation between legal definitions and words describing natural facts.

Example - A Verdict

An act of theft is punished by a prison sentence not exceeding 5 years or a fine.

Example - A Verdict

An act of theft is punished by a prison sentence not exceeding 5 years or a fine.

Example - A Definition

Someone commits an act of theft if that person has taken a movable object from the possession of another person into his own possession with the intention to own it, and if the act occurred without the consent of the other person or some other legal authorization.

→ meaning postulate for the word *theft*

Example - A Definition


*Someone commits an act of theft if that **person** has taken a **movable object** from the possession of another person into his own **possession** with the intention to **own** it, and if the act occurred without the consent of the other person or some other legal authorization.*

*A **person** in the sense of the law is a **human being** that has been **born**.*


→ **meaning postulates** and **intermediate concepts**

Possible Solution 1: Relational Expressions

Facts




Consequences




Descriptive situation where
one person acquires
ownership of an object

Possible Solution 1: Relational Expressions



p x n implications are required to express that each fact has a particular consequence.

Possible Solution 1: Relational Expressions



p + n implications are required to express that each fact has a particular consequence.

Possible Solution 2: I/O-Logic

- ▶ enhance I/O logic with separate set of intermediates
- ▶ employ a *separate set T of intermediates (a, x)* with
 - ▶ a = facts
 - ▶ x = obtaining legal term
 - ▶ G = set of norms
- ▶ use $A \cup out(T, A)$ as input to derive an output along G

Possible Solution 2: I/O-Logic

► Example: I/O Logic

$$A = \{..., \textit{dog}, ...\}, \quad G = \{..., (\neg \textit{dog}, \textit{premises}), ...\}$$

$$\textit{out}(G, A) = \{..., \textit{no-dogs-on-premises}, ...\}$$

Possible Solution 2: I/O-Logic

- ▶ Example: I/O Logic

$$A = \{..., \textit{dog}, ...\}, \quad G = \{..., (\neg \textit{dog}, \textit{premises}), ...\}$$

$$\textit{out}(G, A) = \{..., \textit{no-dogs-on-premises}, ...\}$$

- ▶ Example: I/O Logic with intermediate concept T

$$A = \{..., \textit{dog}, ...\}, \quad G = \{..., (\neg \textit{dog}, \textit{premises}), ...\}$$

$$T = \{..., (\textit{blind-person}, \textit{guide-dogs}), ...\}$$

$$\textit{out}(T, A) \cup A = \{..., \textit{no-dogs-on-premises, except-blind-people}, ...\}$$

Critique

- ▶ Length
- ▶ Lack of analysis, abstraction and formalization