

Challenges with Obligations in Multiagent Deontic Logic

Challenges 2, 3 and 4

Raik Hipler and Mark Scheibner

11.03.2021

Outline

Introduction

Non-Deterministic Actions

Moral Luck

Procrastination

Summary

Introduction

Ought-to-be and Ought-to-do


- ▶ SDL and DSDL give us frameworks for handling how things *ought to be*
- ▶ Since we are interested in the actions of agents, we need to describe what agents *ought to do*
- ▶ Simply redefining *ought to do* as *ought to be done* leads to various problems

STIT logic

- ▶ STIT trees model possible decisions of (multiple) agents
- ▶ Inner node are sets of actions the agent has to decide between
- ▶ Each action may non-deterministically lead to different outcomes
- ▶ Leafs are histories with associated utility values


STIT logic

- ▶ STIT trees model possible decisions of (multiple) agents
- ▶ Inner nodes are sets of actions the agent has to decide between
- ▶ Each action may non-deterministically lead to different outcomes
- ▶ Leafs are histories with associated utility values




STIT logic

Semantics



- Consider moment-history pairs
- Does $m, h \models \varphi$ hold?




Atomic propositions

- ▶ $m, h_3 \models A?$
- ▶ $n, h_3 \models A?$

STIT logic


Semantics



Atomic propositions

► $m, h_3 \models A$

► $n, h_3 \not\models A$




Obligations

- $m, h_2 \models \bigcirc A?$
- $m, h_2 \models \bigcirc \neg A?$

STIT logic

Semantics




Obligations

- ▶ $m, h_2 \models \bigcirc A$
- ▶ $m, h_2 \models \bigcirc \neg A$


STIT logic

Semantics



Obligations

- $m, h_2 \models \bigcirc A$
- $m, h_2 \not\models \bigcirc \neg A$




See-To-It-That

- ▶ $m, h_3 \models [\alpha \text{ cstit}: A]$?
- ▶ $m, h_1 \models [\alpha \text{ cstit}: A]$?

STIT logic

Semantics



See-To-It-That

- ▶ $m, h_3 \models [\alpha \text{ cstit}: A]$
- ▶ $m, h_1 \not\models [\alpha \text{ cstit}: A]$

Challenge 2: Non-Deterministic Actions

Challenges with
Obligations in
Multiagent
Deontic Logic

Raik Hipler and
Mark Scheibner

Introduction

**Non-Deterministic
Actions**

Moral Luck

Procrastination

Summary

How can we deal with different possible outcomes caused by non-determinism?

Challenge 2: Non-Deterministic Actions


The gambling problem

- ▶ The agent is presented with two options
- ▶ If he gambles, he can either double or lose his bet
- ▶ If he does not gamble, he preserves his money

Challenge 2: Non-Deterministic Actions

The gambling problem

- ▶ The agent is presented with two options
- ▶ If he gambles, he can either double or lose his bet
- ▶ If he does not gamble, he preserves his money



How can we formulate that the agent should arrive at h_1 ?

Challenge 2: Non-Deterministic Actions

Optimality of non-deterministic actions

- ▶ The optimal path ends in h_1
- ▶ The agent should “ought to see to it that G ”
- ▶ Intuitive formulation $\bigcirc[\alpha \text{ cstit: } G]$ problematic since K_1^m is not necessarily better than K_2^m

Challenge 2: Non-Deterministic Actions

Optimality of non-deterministic actions

- ▶ The optimal path ends in h_1
- ▶ The agent should “ought to see to it that G ”
- ▶ Intuitive formulation $\bigcirc[\alpha \text{ cstit}: G]$ problematic since K_1^m is not necessarily better than K_2^m
- ▶ We cannot infer optimal actions from optimal histories
- ▶ An action may lead non-deterministically to worse histories

Challenge 2: Non-Deterministic Actions

More appropriate approach:

- ▶ Compare all possible histories
- ▶ K_1 is more optimal than K_2 if it has one history that is better than every history of K_2 and no worse history


Challenge 2: Non-Deterministic Actions

More appropriate approach:

- Compare all possible histories
- K_1 is more optimal than K_2 if it has one history that is better than every history of K_2 and no worse history

New operator: $\odot[\alpha \text{ cstit}: G]$

- Fulfilled if no action not leading to G is the optimal action
- Back to the gambling problem:
Neither $\odot[\alpha \text{ cstit}: G]$ nor $\odot[\alpha \text{ cstit}: \neg G]$ hold for m



Challenge 3: Moral Luck

Challenges with
Obligations in
Multiagent
Deontic Logic

Raik Hipler and
Mark Scheibner

Introduction

Non-Deterministic
Actions

Moral Luck

Procrastination

Summary

How do we deal with luck?

Challenge 3: Moral Luck

- ▶ Sometimes the consequences of our actions are outside of our control
- ▶ This may for example happen if the outcome is also dependent on someone else's actions

Challenge 3: Moral Luck

- ▶ Sometimes the consequences of our actions are outside of our control
- ▶ This may for example happen if the outcome is also dependent on someone else's actions
- ▶ How do we evaluate the formula $\odot[\alpha \text{ cstit}: A]$ if the outcome also depends on another agents decision?

Challenge 3: Moral Luck


The driving example

- ▶ Two cars are driving towards each other on a small road
- ▶ The drivers (α and β) both have to decide whether to swerve to the side (S) or drive straight ($\neg S$)

Challenge 3: Moral Luck

The driving example

- ▶ Two cars are driving towards each other on a small road
- ▶ The drivers (α and β) both have to decide whether to swerve to the side (S) or drive straight ($\neg S$)
- ▶ If both decide on the same action, they will crash
- ▶ How do we deal with $\odot[\alpha \text{ cstit}: S]$?



Challenge 3: Moral Luck

Challenges with
Obligations in
Multiagent
Deontic Logic

Raik Hipler and
Mark Scheibner

There are two views:

Introduction

Non-Deterministic
Actions

Moral Luck

Procrastination

Summary

Challenge 3: Moral Luck

Challenges with
Obligations in
Multiagent
Deontic Logic

Raik Hipler and
Mark Scheibner

There are two views:

- Dominance act utilitarianism:

Introduction

Non-Deterministic
Actions

Moral Luck

Procrastination

Summary

Challenge 3: Moral Luck

There are two views:

- ▶ Dominance act utilitarianism:
 - ▶ $\odot[\alpha \text{ cstit}: S]$ if all optimal outcomes guarantee S
 - ▶ In the example this is not the case, since $\neg S$ can also lead to an optimal outcome
 - ▶ The same goes for $\odot[\alpha \text{ cstit}: \neg S]$

Introduction

Non-Deterministic
Actions

Moral Luck

Procrastination

Summary

Challenge 3: Moral Luck

There are two views:

- ▶ Dominance act utilitarianism:
 - ▶ $\odot[\alpha \text{ cstit}: S]$ if all optimal outcomes guarantee S
 - ▶ In the example this is not the case, since $\neg S$ can also lead to an optimal outcome
 - ▶ The same goes for $\odot[\alpha \text{ cstit}: \neg S]$
- ▶ Orthodox perspective

Introduction

Non-Deterministic
Actions

Moral Luck

Procrastination

Summary

Challenge 3: Moral Luck

There are two views:

- ▶ Dominance act utilitarianism:
 - ▶ $\odot[\alpha \text{ cstit}: S]$ if all optimal outcomes guarantee S
 - ▶ In the example this is not the case, since $\neg S$ can also lead to an optimal outcome
 - ▶ The same goes for $\odot[\alpha \text{ cstit}: \neg S]$
- ▶ Orthodox perspective
 - ▶ We don't evaluate the formula at the time of m
 - ▶ We decide whether $\odot[\alpha \text{ cstit}: S]$ should be true based on the outcome
 - ▶ Intuitively, we ask whether α *should have* swerved

Introduction

Non-Deterministic
Actions

Moral Luck

Procrastination

Summary

Challenge 4: Procrastination

Challenges with
Obligations in
Multiagent
Deontic Logic

Raik Hipler and
Mark Scheibner

Introduction

Non-Deterministic
Actions

Moral Luck

Procrastination

Summary

How do we deal with actions that will never be taken?

Challenge 4: Procrastination

- ▶ Agents can put off on following through with obligations
- ▶ Since they can do so over and over, tasks need deadlines
 - ▶ See also: Thread Starvation
- ▶ But what if agents still procrastinate?

Challenge 4: Procrastination

The story of Professor Procrastinate

- ▶ Professor Procrastinate is requested to write a review
- ▶ He is the best person available for writing the review
- ▶ He is known to procrastinate and will not actually write the review
- ▶ Should Professor Procrastinate accept the request?

Challenge 4: Procrastination

The story of Professor Procrastinate

- ▶ Professor Procrastinate is requested to write a review
- ▶ He is the best person available for writing the review
- ▶ He is known to procrastinate and will not actually write the review
- ▶ Should Professor Procrastinate accept the request?

We now run into a paradox:

Challenge 4: Procrastination

The story of Professor Procrastinate

- ▶ Professor Procrastinate is requested to write a review
- ▶ He is the best person available for writing the review
- ▶ He is known to procrastinate and will not actually write the review
- ▶ Should Professor Procrastinate accept the request?

We now run into a paradox:

- ▶ He ought to accept since him writing the review is the best scenario

Challenge 4: Procrastination

The story of Professor Procrastinate

- ▶ Professor Procrastinate is requested to write a review
- ▶ He is the best person available for writing the review
- ▶ He is known to procrastinate and will not actually write the review
- ▶ Should Professor Procrastinate accept the request?

We now run into a paradox:

- ▶ He ought to accept since him writing the review is the best scenario
- ▶ He ought to decline since he will not actually write the review, which leads to the worst outcome

Challenges with Obligations in Multiagent Deontic Logic

Raik Hipler and
Mark Scheibner

Introduction

Non-Deterministic Actions

Moral Luck


Procrastination

Summary



Challenge 4: Procrastination

The solution: Just prune the branch!



Introduction

Non-Deterministic
Actions


Moral Luck

Procrastination

Summary

Challenge 4: Procrastination

The solution: Just prune the branch!



Introduction

Non-Deterministic
Actions

Moral Luck

Procrastination

Summary

Summary

- ▶ For the gambling problem we can circumvent the problem by modifying the semantics
 - ▶ Instead of considering only the best outcome we consider every possible outcome
- ▶ We we're unable to solve the driving example
 - ▶ Instead two perspectives on how the semantics should work were given
 - ▶ Which one is to be used is a design decision
- ▶ The problem of procrastination can be solved by using additional knowledge to cut branches from the STIT-tree