jQuery Form Binding

Overview

Richard Monson-Haefel
Software Architect

monsonhaefel.com   monsonhaefel@gmail.com

One-Way Data Binding

First Name

> Richard

Last Name

> Monson-Haefel

email

> foo@gmail.com

phone

> 555-555-5555

```
var jsonObject =
{
    firstName: "Richard",

    lastName: "Monson-Haefel",

    email: "foo@gmail.com"

    phone: "555-555-5555"
}

jsonObject.firstName = "Richard";
```

One-Way Data Binding

First Name

Richard

Last Name

Jones

email

foo@gmail.com

phone

555-555-5555

```javascript
var jsonObject =
{
    firstName: "Richard",

    lastName: "Jones",

    email: "foo@gmail.com"

    phone: "555-555-5555"
}

jsonObject.firstName = "Richard";

jsonObject.lastName = "Jones";
```

Two-Way Data Binding

First Name

Richard

Last Name

Jones

email

foo@gmail.com

phone

555-555-5555

```javascript
var jsonObject =
{
    firstName: "Richard",

    lastName:  "Jones",

    email: "foo@gmail.com"

    phone: "555-555-5555"
}
```

Data Binding Frameworks

AngularJS

KnockoutJS

Data Binding with KnockoutJS

Data Binding with AngularJS

Summary

Data binding concepts
- – One-way binding
- – Two-way binding

Demo of KnockoutJS data binding

Demo of AngularJS data binding

Handling Form Events using jQuery

Conclusion

Richard Monson-Haefel

Software Architect

www.monsonhaefel.com   monsonhaefel@gmail.com