

ECRI v6.0 — Detailed 132-Metric Diagnostic Report

Metropolitan Apex University · Synthetic demonstration dataset · Overall 74.80 / 100

D01 — Employer Demand Intelligence

Page 1 of 4 for this dimension · 12 canonical metrics

Dimension performance: 78.0 · Current maturity: 4 · Required: 3 · Gap: -1.0

Metric	Performance	Maturity	Evidence
D01-I01	78	4	E2
D01-I02	85	4	E2
D01-I03	77	4	E3
D01-I04	84	4	E2
D01-I05	76	4	E2
D01-I06	83	4	E3

D01 — Employer Demand Intelligence

Page 2 of 4 for this dimension · 12 canonical metrics

Metric	Performance	Maturity	Evidence
D01-I07	75	4	E2
D01-I08	82	4	E2
D01-I09	74	4	E3
D01-I10	81	4	E2
D01-I11	73	4	E2
D01-I12	80	4	E3

D01 — Employer Demand Intelligence

Page 3 of 4 for this dimension · 12 canonical metrics

Metric	Observed signal	Control / verification	Status
D01-I01	78.0 performance; M4	Anchor evidence + operating proof	Verified sample
D01-I02	85.0 performance; M4	Anchor evidence + operating proof	Verified sample
D01-I03	77.0 performance; M4	Anchor evidence + operating proof	Verified sample
D01-I04	84.0 performance; M4	Anchor evidence + operating proof	Verified sample
D01-I05	76.0 performance; M4	Anchor evidence + operating proof	Verified sample
D01-I06	83.0 performance; M4	Anchor evidence + operating proof	Verified sample
D01-I07	75.0 performance; M4	Anchor evidence + operating proof	Verified sample
D01-I08	82.0 performance; M4	Anchor evidence + operating proof	Verified sample
D01-I09	74.0 performance; M4	Anchor evidence + operating proof	Verified sample
D01-I10	81.0 performance; M4	Anchor evidence + operating proof	Verified sample
D01-I11	73.0 performance; M4	Anchor evidence + operating proof	Verified sample
D01-I12	80.0 performance; M4	Anchor evidence + operating proof	Verified sample

D01 — Employer Demand Intelligence

Page 4 of 4 for this dimension · 12 canonical metrics

Intelligence layer	Demonstration output
Strength	Structured capability exists in representative areas.
Gap	Integration and repeatability are the next maturity step.
Evidence	E2 operating evidence; E3 where outcome claims are made.
Anti-gaming	Policy-only claims cannot establish Level 3+.
Next action	Close the highest-distance metrics first and reassess with the same methodology version.

This section demonstrates the traceability expected from the live ECRI workspace; the live system stores assessor rationale, evidence links, applicability decisions and verification status.

D02 — Employability Capability Framework

Page 1 of 4 for this dimension · 12 canonical metrics

Dimension performance: 72.0 · Current maturity: 4 · Required: 3 · Gap: -1.0

Metric	Performance	Maturity	Evidence
D02-I01	72	4	E2
D02-I02	79	4	E2
D02-I03	71	4	E3
D02-I04	78	4	E2
D02-I05	70	4	E2
D02-I06	77	4	E3

D02 — Employability Capability Framework

Page 2 of 4 for this dimension · 12 canonical metrics

Metric	Performance	Maturity	Evidence
D02-I07	69	4	E2
D02-I08	76	4	E2
D02-I09	68	4	E3
D02-I10	75	4	E2
D02-I11	67	4	E2
D02-I12	74	4	E3

D02 — Employability Capability Framework

Page 3 of 4 for this dimension · 12 canonical metrics

Metric	Observed signal	Control / verification	Status
D02-I01	72.0 performance; M4	Anchor evidence + operating proof	Verified sample
D02-I02	79.0 performance; M4	Anchor evidence + operating proof	Verified sample
D02-I03	71.0 performance; M4	Anchor evidence + operating proof	Verified sample
D02-I04	78.0 performance; M4	Anchor evidence + operating proof	Verified sample
D02-I05	70.0 performance; M4	Anchor evidence + operating proof	Verified sample
D02-I06	77.0 performance; M4	Anchor evidence + operating proof	Verified sample
D02-I07	69.0 performance; M4	Anchor evidence + operating proof	Verified sample
D02-I08	76.0 performance; M4	Anchor evidence + operating proof	Verified sample
D02-I09	68.0 performance; M4	Anchor evidence + operating proof	Verified sample
D02-I10	75.0 performance; M4	Anchor evidence + operating proof	Verified sample
D02-I11	67.0 performance; M4	Anchor evidence + operating proof	Verified sample
D02-I12	74.0 performance; M4	Anchor evidence + operating proof	Verified sample

D02 — Employability Capability Framework

Page 4 of 4 for this dimension · 12 canonical metrics

Intelligence layer	Demonstration output
Strength	Structured capability exists in representative areas.
Gap	Integration and repeatability are the next maturity step.
Evidence	E2 operating evidence; E3 where outcome claims are made.
Anti-gaming	Policy-only claims cannot establish Level 3+.
Next action	Close the highest-distance metrics first and reassess with the same methodology version.

This section demonstrates the traceability expected from the live ECRI workspace; the live system stores assessor rationale, evidence links, applicability decisions and verification status.

D03 — Industry-Aligned Curriculum

Page 1 of 4 for this dimension · 12 canonical metrics

Dimension performance: 81.0 · Current maturity: 4 · Required: 4 · Gap: +0.0

Metric	Performance	Maturity	Evidence
D03-I01	81	4	E2
D03-I02	88	4	E2
D03-I03	80	4	E3
D03-I04	87	4	E2
D03-I05	79	4	E2
D03-I06	86	4	E3

D03 — Industry-Aligned Curriculum

Page 2 of 4 for this dimension · 12 canonical metrics

Metric	Performance	Maturity	Evidence
D03-I07	78	4	E2
D03-I08	85	4	E2
D03-I09	77	4	E3
D03-I10	84	4	E2
D03-I11	76	4	E2
D03-I12	83	4	E3

D03 — Industry-Aligned Curriculum

Page 3 of 4 for this dimension · 12 canonical metrics

Metric	Observed signal	Control / verification	Status
D03-I01	81.0 performance; M4	Anchor evidence + operating proof	Verified sample
D03-I02	88.0 performance; M4	Anchor evidence + operating proof	Verified sample
D03-I03	80.0 performance; M4	Anchor evidence + operating proof	Verified sample
D03-I04	87.0 performance; M4	Anchor evidence + operating proof	Verified sample
D03-I05	79.0 performance; M4	Anchor evidence + operating proof	Verified sample
D03-I06	86.0 performance; M4	Anchor evidence + operating proof	Verified sample
D03-I07	78.0 performance; M4	Anchor evidence + operating proof	Verified sample
D03-I08	85.0 performance; M4	Anchor evidence + operating proof	Verified sample
D03-I09	77.0 performance; M4	Anchor evidence + operating proof	Verified sample
D03-I10	84.0 performance; M4	Anchor evidence + operating proof	Verified sample
D03-I11	76.0 performance; M4	Anchor evidence + operating proof	Verified sample
D03-I12	83.0 performance; M4	Anchor evidence + operating proof	Verified sample

D03 — Industry-Aligned Curriculum

Page 4 of 4 for this dimension · 12 canonical metrics

Intelligence layer	Demonstration output
Strength	Structured capability exists in representative areas.
Gap	Integration and repeatability are the next maturity step.
Evidence	E2 operating evidence; E3 where outcome claims are made.
Anti-gaming	Policy-only claims cannot establish Level 3+.
Next action	Close the highest-distance metrics first and reassess with the same methodology version.

This section demonstrates the traceability expected from the live ECRI workspace; the live system stores assessor rationale, evidence links, applicability decisions and verification status.

D04 — Experiential & Practice-Based Learning

Page 1 of 4 for this dimension · 12 canonical metrics

Dimension performance: 67.0 · Current maturity: 3 · Required: 4 · Gap: +1.0

Metric	Performance	Maturity	Evidence
D04-I01	67	3	E2
D04-I02	74	3	E2
D04-I03	66	4	E3
D04-I04	73	3	E2
D04-I05	65	3	E2
D04-I06	72	3	E3

D04 — Experiential & Practice-Based Learning

Page 2 of 4 for this dimension · 12 canonical metrics

Metric	Performance	Maturity	Evidence
D04-I07	64	3	E2
D04-I08	71	4	E2
D04-I09	63	3	E3
D04-I10	70	3	E2
D04-I11	62	3	E2
D04-I12	69	3	E3

D04 — Experiential & Practice-Based Learning

Page 3 of 4 for this dimension · 12 canonical metrics

Metric	Observed signal	Control / verification	Status
D04-I01	67.0 performance; M3	Anchor evidence + operating proof	Verified sample
D04-I02	74.0 performance; M3	Anchor evidence + operating proof	Verified sample
D04-I03	66.0 performance; M4	Anchor evidence + operating proof	Verified sample
D04-I04	73.0 performance; M3	Anchor evidence + operating proof	Verified sample
D04-I05	65.0 performance; M3	Anchor evidence + operating proof	Verified sample
D04-I06	72.0 performance; M3	Anchor evidence + operating proof	Verified sample
D04-I07	64.0 performance; M3	Anchor evidence + operating proof	Verified sample
D04-I08	71.0 performance; M4	Anchor evidence + operating proof	Verified sample
D04-I09	63.0 performance; M3	Anchor evidence + operating proof	Verified sample
D04-I10	70.0 performance; M3	Anchor evidence + operating proof	Verified sample
D04-I11	62.0 performance; M3	Anchor evidence + operating proof	Verified sample
D04-I12	69.0 performance; M3	Anchor evidence + operating proof	Verified sample

D04 — Experiential & Practice-Based Learning

Page 4 of 4 for this dimension · 12 canonical metrics

Intelligence layer	Demonstration output
Strength	Structured capability exists in representative areas.
Gap	Integration and repeatability are the next maturity step.
Evidence	E2 operating evidence; E3 where outcome claims are made.
Anti-gaming	Policy-only claims cannot establish Level 3+.
Next action	Close the highest-distance metrics first and reassess with the same methodology version.

This section demonstrates the traceability expected from the live ECRI workspace; the live system stores assessor rationale, evidence links, applicability decisions and verification status.

D05 — Career Development Infrastructure

Page 1 of 4 for this dimension · 12 canonical metrics

Dimension performance: 76.0 · Current maturity: 4 · Required: 3 · Gap: -1.0

Metric	Performance	Maturity	Evidence
D05-I01	76	4	E2
D05-I02	83	4	E2
D05-I03	75	4	E3
D05-I04	82	4	E2
D05-I05	74	4	E2
D05-I06	81	4	E3

D05 — Career Development Infrastructure

Page 2 of 4 for this dimension · 12 canonical metrics

Metric	Performance	Maturity	Evidence
D05-I07	73	4	E2
D05-I08	80	4	E2
D05-I09	72	4	E3
D05-I10	79	4	E2
D05-I11	71	4	E2
D05-I12	78	4	E3

D05 — Career Development Infrastructure

Page 3 of 4 for this dimension · 12 canonical metrics

Metric	Observed signal	Control / verification	Status
D05-I01	76.0 performance; M4	Anchor evidence + operating proof	Verified sample
D05-I02	83.0 performance; M4	Anchor evidence + operating proof	Verified sample
D05-I03	75.0 performance; M4	Anchor evidence + operating proof	Verified sample
D05-I04	82.0 performance; M4	Anchor evidence + operating proof	Verified sample
D05-I05	74.0 performance; M4	Anchor evidence + operating proof	Verified sample
D05-I06	81.0 performance; M4	Anchor evidence + operating proof	Verified sample
D05-I07	73.0 performance; M4	Anchor evidence + operating proof	Verified sample
D05-I08	80.0 performance; M4	Anchor evidence + operating proof	Verified sample
D05-I09	72.0 performance; M4	Anchor evidence + operating proof	Verified sample
D05-I10	79.0 performance; M4	Anchor evidence + operating proof	Verified sample
D05-I11	71.0 performance; M4	Anchor evidence + operating proof	Verified sample
D05-I12	78.0 performance; M4	Anchor evidence + operating proof	Verified sample

D05 — Career Development Infrastructure

Page 4 of 4 for this dimension · 12 canonical metrics

Intelligence layer	Demonstration output
Strength	Structured capability exists in representative areas.
Gap	Integration and repeatability are the next maturity step.
Evidence	E2 operating evidence; E3 where outcome claims are made.
Anti-gaming	Policy-only claims cannot establish Level 3+.
Next action	Close the highest-distance metrics first and reassess with the same methodology version.

This section demonstrates the traceability expected from the live ECRI workspace; the live system stores assessor rationale, evidence links, applicability decisions and verification status.

D06 — Professional & Human Capabilities

Page 1 of 4 for this dimension · 12 canonical metrics

Dimension performance: 74.0 · Current maturity: 4 · Required: 3 · Gap: -1.0

Metric	Performance	Maturity	Evidence
D06-I01	74	4	E2
D06-I02	81	4	E2
D06-I03	73	4	E3
D06-I04	80	4	E2
D06-I05	72	4	E2
D06-I06	79	4	E3

D06 — Professional & Human Capabilities

Page 2 of 4 for this dimension · 12 canonical metrics

Metric	Performance	Maturity	Evidence
D06-I07	71	4	E2
D06-I08	78	4	E2
D06-I09	70	4	E3
D06-I10	77	4	E2
D06-I11	69	4	E2
D06-I12	76	4	E3

D06 — Professional & Human Capabilities

Page 3 of 4 for this dimension · 12 canonical metrics

Metric	Observed signal	Control / verification	Status
D06-I01	74.0 performance; M4	Anchor evidence + operating proof	Verified sample
D06-I02	81.0 performance; M4	Anchor evidence + operating proof	Verified sample
D06-I03	73.0 performance; M4	Anchor evidence + operating proof	Verified sample
D06-I04	80.0 performance; M4	Anchor evidence + operating proof	Verified sample
D06-I05	72.0 performance; M4	Anchor evidence + operating proof	Verified sample
D06-I06	79.0 performance; M4	Anchor evidence + operating proof	Verified sample
D06-I07	71.0 performance; M4	Anchor evidence + operating proof	Verified sample
D06-I08	78.0 performance; M4	Anchor evidence + operating proof	Verified sample
D06-I09	70.0 performance; M4	Anchor evidence + operating proof	Verified sample
D06-I10	77.0 performance; M4	Anchor evidence + operating proof	Verified sample
D06-I11	69.0 performance; M4	Anchor evidence + operating proof	Verified sample
D06-I12	76.0 performance; M4	Anchor evidence + operating proof	Verified sample

D06 — Professional & Human Capabilities

Page 4 of 4 for this dimension · 12 canonical metrics

Intelligence layer	Demonstration output
Strength	Structured capability exists in representative areas.
Gap	Integration and repeatability are the next maturity step.
Evidence	E2 operating evidence; E3 where outcome claims are made.
Anti-gaming	Policy-only claims cannot establish Level 3+.
Next action	Close the highest-distance metrics first and reassess with the same methodology version.

This section demonstrates the traceability expected from the live ECRI workspace; the live system stores assessor rationale, evidence links, applicability decisions and verification status.

D07 — Digital & AI-Era Work Readiness

Page 1 of 4 for this dimension · 12 canonical metrics

Dimension performance: 79.0 · Current maturity: 4 · Required: 3 · Gap: -1.0

Metric	Performance	Maturity	Evidence
D07-I01	79	4	E2
D07-I02	86	4	E2
D07-I03	78	4	E3
D07-I04	85	4	E2
D07-I05	77	4	E2
D07-I06	84	4	E3

D07 — Digital & AI-Era Work Readiness

Page 2 of 4 for this dimension · 12 canonical metrics

Metric	Performance	Maturity	Evidence
D07-I07	76	4	E2
D07-I08	83	4	E2
D07-I09	75	4	E3
D07-I10	82	4	E2
D07-I11	74	4	E2
D07-I12	81	4	E3

D07 — Digital & AI-Era Work Readiness

Page 3 of 4 for this dimension · 12 canonical metrics

Metric	Observed signal	Control / verification	Status
D07-I01	79.0 performance; M4	Anchor evidence + operating proof	Verified sample
D07-I02	86.0 performance; M4	Anchor evidence + operating proof	Verified sample
D07-I03	78.0 performance; M4	Anchor evidence + operating proof	Verified sample
D07-I04	85.0 performance; M4	Anchor evidence + operating proof	Verified sample
D07-I05	77.0 performance; M4	Anchor evidence + operating proof	Verified sample
D07-I06	84.0 performance; M4	Anchor evidence + operating proof	Verified sample
D07-I07	76.0 performance; M4	Anchor evidence + operating proof	Verified sample
D07-I08	83.0 performance; M4	Anchor evidence + operating proof	Verified sample
D07-I09	75.0 performance; M4	Anchor evidence + operating proof	Verified sample
D07-I10	82.0 performance; M4	Anchor evidence + operating proof	Verified sample
D07-I11	74.0 performance; M4	Anchor evidence + operating proof	Verified sample
D07-I12	81.0 performance; M4	Anchor evidence + operating proof	Verified sample

D07 — Digital & AI-Era Work Readiness

Page 4 of 4 for this dimension · 12 canonical metrics

Intelligence layer	Demonstration output
Strength	Structured capability exists in representative areas.
Gap	Integration and repeatability are the next maturity step.
Evidence	E2 operating evidence; E3 where outcome claims are made.
Anti-gaming	Policy-only claims cannot establish Level 3+.
Next action	Close the highest-distance metrics first and reassess with the same methodology version.

This section demonstrates the traceability expected from the live ECRI workspace; the live system stores assessor rationale, evidence links, applicability decisions and verification status.

D08 — Portfolio & Capability Signalling

Page 1 of 4 for this dimension · 12 canonical metrics

Dimension performance: 69.0 · Current maturity: 3 · Required: 3 · Gap: +0.0

Metric	Performance	Maturity	Evidence
D08-I01	69	3	E2
D08-I02	76	3	E2
D08-I03	68	4	E3
D08-I04	75	3	E2
D08-I05	67	3	E2
D08-I06	74	3	E3

D08 — Portfolio & Capability Signalling

Page 2 of 4 for this dimension · 12 canonical metrics

Metric	Performance	Maturity	Evidence
D08-I07	66	3	E2
D08-I08	73	4	E2
D08-I09	65	3	E3
D08-I10	72	3	E2
D08-I11	64	3	E2
D08-I12	71	3	E3

D08 — Portfolio & Capability Signalling

Page 3 of 4 for this dimension · 12 canonical metrics

Metric	Observed signal	Control / verification	Status
D08-I01	69.0 performance; M3	Anchor evidence + operating proof	Verified sample
D08-I02	76.0 performance; M3	Anchor evidence + operating proof	Verified sample
D08-I03	68.0 performance; M4	Anchor evidence + operating proof	Verified sample
D08-I04	75.0 performance; M3	Anchor evidence + operating proof	Verified sample
D08-I05	67.0 performance; M3	Anchor evidence + operating proof	Verified sample
D08-I06	74.0 performance; M3	Anchor evidence + operating proof	Verified sample
D08-I07	66.0 performance; M3	Anchor evidence + operating proof	Verified sample
D08-I08	73.0 performance; M4	Anchor evidence + operating proof	Verified sample
D08-I09	65.0 performance; M3	Anchor evidence + operating proof	Verified sample
D08-I10	72.0 performance; M3	Anchor evidence + operating proof	Verified sample
D08-I11	64.0 performance; M3	Anchor evidence + operating proof	Verified sample
D08-I12	71.0 performance; M3	Anchor evidence + operating proof	Verified sample

D08 — Portfolio & Capability Signalling

Page 4 of 4 for this dimension · 12 canonical metrics

Intelligence layer	Demonstration output
Strength	Structured capability exists in representative areas.
Gap	Integration and repeatability are the next maturity step.
Evidence	E2 operating evidence; E3 where outcome claims are made.
Anti-gaming	Policy-only claims cannot establish Level 3+.
Next action	Close the highest-distance metrics first and reassess with the same methodology version.

This section demonstrates the traceability expected from the live ECRI workspace; the live system stores assessor rationale, evidence links, applicability decisions and verification status.

D09 — Employer Engagement & Recruitment Ecosystem

Page 1 of 4 for this dimension · 12 canonical metrics

Dimension performance: 77.0 · Current maturity: 4 · Required: 4 · Gap: +0.0

Metric	Performance	Maturity	Evidence
D09-I01	77	4	E2
D09-I02	84	4	E2
D09-I03	76	4	E3
D09-I04	83	4	E2
D09-I05	75	4	E2
D09-I06	82	4	E3

D09 — Employer Engagement & Recruitment Ecosystem

Page 2 of 4 for this dimension · 12 canonical metrics

Metric	Performance	Maturity	Evidence
D09-I07	74	4	E2
D09-I08	81	4	E2
D09-I09	73	4	E3
D09-I10	80	4	E2
D09-I11	72	4	E2
D09-I12	79	4	E3

D09 — Employer Engagement & Recruitment Ecosystem

Page 3 of 4 for this dimension · 12 canonical metrics

Metric	Observed signal	Control / verification	Status
D09-I01	77.0 performance; M4	Anchor evidence + operating proof	Verified sample
D09-I02	84.0 performance; M4	Anchor evidence + operating proof	Verified sample
D09-I03	76.0 performance; M4	Anchor evidence + operating proof	Verified sample
D09-I04	83.0 performance; M4	Anchor evidence + operating proof	Verified sample
D09-I05	75.0 performance; M4	Anchor evidence + operating proof	Verified sample
D09-I06	82.0 performance; M4	Anchor evidence + operating proof	Verified sample
D09-I07	74.0 performance; M4	Anchor evidence + operating proof	Verified sample
D09-I08	81.0 performance; M4	Anchor evidence + operating proof	Verified sample
D09-I09	73.0 performance; M4	Anchor evidence + operating proof	Verified sample
D09-I10	80.0 performance; M4	Anchor evidence + operating proof	Verified sample
D09-I11	72.0 performance; M4	Anchor evidence + operating proof	Verified sample
D09-I12	79.0 performance; M4	Anchor evidence + operating proof	Verified sample

D09 — Employer Engagement & Recruitment Ecosystem

Page 4 of 4 for this dimension · 12 canonical metrics

Intelligence layer	Demonstration output
Strength	Structured capability exists in representative areas.
Gap	Integration and repeatability are the next maturity step.
Evidence	E2 operating evidence; E3 where outcome claims are made.
Anti-gaming	Policy-only claims cannot establish Level 3+.
Next action	Close the highest-distance metrics first and reassess with the same methodology version.

This section demonstrates the traceability expected from the live ECRI workspace; the live system stores assessor rationale, evidence links, applicability decisions and verification status.

D10 — Employment Outcome Quality

Page 1 of 4 for this dimension · 12 canonical metrics

Dimension performance: 73.0 · Current maturity: 3 · Required: 4 · Gap: +1.0

Metric	Performance	Maturity	Evidence
D10-I01	73	3	E2
D10-I02	80	3	E2
D10-I03	72	4	E3
D10-I04	79	3	E2
D10-I05	71	3	E2
D10-I06	78	3	E3

D10 — Employment Outcome Quality

Page 2 of 4 for this dimension · 12 canonical metrics

Metric	Performance	Maturity	Evidence
D10-I07	70	3	E2
D10-I08	77	4	E2
D10-I09	69	3	E3
D10-I10	76	3	E2
D10-I11	68	3	E2
D10-I12	75	3	E3

D10 — Employment Outcome Quality

Page 3 of 4 for this dimension · 12 canonical metrics

Metric	Observed signal	Control / verification	Status
D10-I01	73.0 performance; M3	Anchor evidence + operating proof	Verified sample
D10-I02	80.0 performance; M3	Anchor evidence + operating proof	Verified sample
D10-I03	72.0 performance; M4	Anchor evidence + operating proof	Verified sample
D10-I04	79.0 performance; M3	Anchor evidence + operating proof	Verified sample
D10-I05	71.0 performance; M3	Anchor evidence + operating proof	Verified sample
D10-I06	78.0 performance; M3	Anchor evidence + operating proof	Verified sample
D10-I07	70.0 performance; M3	Anchor evidence + operating proof	Verified sample
D10-I08	77.0 performance; M4	Anchor evidence + operating proof	Verified sample
D10-I09	69.0 performance; M3	Anchor evidence + operating proof	Verified sample
D10-I10	76.0 performance; M3	Anchor evidence + operating proof	Verified sample
D10-I11	68.0 performance; M3	Anchor evidence + operating proof	Verified sample
D10-I12	75.0 performance; M3	Anchor evidence + operating proof	Verified sample

D10 — Employment Outcome Quality

Page 4 of 4 for this dimension · 12 canonical metrics

Intelligence layer	Demonstration output
Strength	Structured capability exists in representative areas.
Gap	Integration and repeatability are the next maturity step.
Evidence	E2 operating evidence; E3 where outcome claims are made.
Anti-gaming	Policy-only claims cannot establish Level 3+.
Next action	Close the highest-distance metrics first and reassess with the same methodology version.

This section demonstrates the traceability expected from the live ECRI workspace; the live system stores assessor rationale, evidence links, applicability decisions and verification status.

D11 — Career Adaptability, Lifelong Readiness & Employability Intelligence

Page 1 of 4 for this dimension · 12 canonical metrics

Dimension performance: 77.7 · Current maturity: 3 · Required: 3 · Gap: +0.0

Metric	Performance	Maturity	Evidence
D11-I01	77.7	3	E2
D11-I02	84.7	3	E2
D11-I03	76.7	4	E3
D11-I04	83.7	3	E2
D11-I05	75.7	3	E2
D11-I06	82.7	3	E3

D11 — Career Adaptability, Lifelong Readiness & Employability Intelligence

Page 2 of 4 for this dimension · 12 canonical metrics

Metric	Performance	Maturity	Evidence
D11-I07	74.7	3	E2
D11-I08	81.7	4	E2
D11-I09	73.7	3	E3
D11-I10	80.7	3	E2
D11-I11	72.7	3	E2
D11-I12	79.7	3	E3

D11 — Career Adaptability, Lifelong Readiness & Employability Intelligence

Page 3 of 4 for this dimension · 12 canonical metrics

Metric	Observed signal	Control / verification	Status
D11-I01	77.7 performance; M3	Anchor evidence + operating proof	Verified sample
D11-I02	84.7 performance; M3	Anchor evidence + operating proof	Verified sample
D11-I03	76.7 performance; M4	Anchor evidence + operating proof	Verified sample
D11-I04	83.7 performance; M3	Anchor evidence + operating proof	Verified sample
D11-I05	75.7 performance; M3	Anchor evidence + operating proof	Verified sample
D11-I06	82.7 performance; M3	Anchor evidence + operating proof	Verified sample
D11-I07	74.7 performance; M3	Anchor evidence + operating proof	Verified sample
D11-I08	81.7 performance; M4	Anchor evidence + operating proof	Verified sample
D11-I09	73.7 performance; M3	Anchor evidence + operating proof	Verified sample
D11-I10	80.7 performance; M3	Anchor evidence + operating proof	Verified sample
D11-I11	72.7 performance; M3	Anchor evidence + operating proof	Verified sample
D11-I12	79.7 performance; M3	Anchor evidence + operating proof	Verified sample

D11 — Career Adaptability, Lifelong Readiness & Employability Intelligence

Page 4 of 4 for this dimension · 12 canonical metrics

Intelligence layer	Demonstration output
Strength	Structured capability exists in representative areas.
Gap	Integration and repeatability are the next maturity step.
Evidence	E2 operating evidence; E3 where outcome claims are made.
Anti-gaming	Policy-only claims cannot establish Level 3+.
Next action	Close the highest-distance metrics first and reassess with the same methodology version.

This section demonstrates the traceability expected from the live ECRI workspace; the live system stores assessor rationale, evidence links, applicability decisions and verification status.