

RAG deep dive

JUNE 2025



There are no magic! It is simple REST API!

Before we start:

- Raise your hand and ask questions if you have any
- It is better to ask questions when you have
- Also, type them in chat
- We will need DIAL API key for this session


Agenda:

- Presentation:
 - Embeddings
 - Search in Vector DB
 - top_k and score paramters for search
- Workshop:
 - Create MicrowaveRAG application



 $[0.026394594, 0.0014399963, -0.023680586, \dots, -0.019032994]$

< Application components overview>



□ text ▽

isk of electric shock. Note: 1. If you have any questio... be adjusted or repaired by anyone except qualified serv... dangerous to repair or maintain the appliance by no oth... r.⊄10. Do not fry food in the oven. Hot oil can damage … over, and then press START/QUICK START button to resume... ation, the oven must have sufficient airflow. Allow minim... ectly connected to a low voltage power supply network w... r.⇔AUTO COOK⇔For the following food or cooking mode, i... and 15% time⊄the oven will stop working in one cycle. U... trim⊄should not be used.⊄3. Do not use recycled paper p… e dial to select others food code. ♥2. Press START/QUICK... and the door or allow soil or⇔cleaner residue to accumu… l sound every two minutes⊄until user presses any button… dd more as⊄needed. Foods severely overcooked can smoke …)⊄1. Input the first microwave cooking program. Do not p... d heating of warming pads, slippers, sponges, damp clot... select 24- hour clock.⊄2. Turn MENU/TIME dial to set ho… . The microwave oven shall not be placed in a cabinet.⊲.. m(D)⊄25Litres⊄Approx.14kg⊄4Rated Microwave Power Output... fore using the appliance and keep for future reference... auto cooking menus. START/QUICK START (the dial) Press... re that they are suitable for use in microwave⊄oven.⊄16... or defrosting, cooking and steaming of food only.⊄35. U...)440% (40)430% (30)420% (20)410% (10)40% (00)44NOTE: Yo... mer or⊲separate remote-control system. 430. The microwav...

☐ embedding ▽ [0.007929899,-0.0103833815,-0.06096753,-0.0041557755,-0.042187788,0.01960363,-0.048827...

[0.019625312,0.07142368,-0.0130586205,-0.018416643,-0.053729743,0.0055418145,-0.053580... [0.007216289,0.049263548,-0.020450495,-0.012869484,-0.06486845,0.012693635,-0.01578726...

[0.022751395,0.030335193,0.016967906,-0.007043706,-0.013974892,0.002911436,-0.01603399...

[0.00082089123,0.0022738606,-0.031506665,-0.014780904,-0.033373725,-0.008920405,0.0358...

[0.009636983,0.023800073,-0.0062219356,-0.027741412,-0.02087623,0.02209255,-0.01481803...

[-0.007313127,0.037871324,-0.03555582,-0.018665519,-0.02153417,0.045306657,-0.03712521...

[-0.0016354206,-0.013394599,-0.042835053,-0.040621832,0.008080563,-0.018178385,0.01598...

[-0.01445577,0.02532314,-0.022590334,-0.055830944,-0.026038265,0.018963622,-0.00489733...

0.0144007770.020001247 0.01220700047 0.0000007447 0.012000022070.01207000127 0.00407700000

[0.025805177,0.016437544,0.0084770955,-0.011957668,0.008708227,0.017008575,6.410294e-0...

[-0.0048348736,-0.026497386,-0.012877011,-0.07045187,-0.045177445,-0.017325213,0.01469...

[0.011242517,0.041140627,-0.027245961,0.016288064,-0.012025224,0.002053797,0.009373076...

[-0.012621777, 0.002297385, 0.0051053, 0.005726547, -0.026842805, 0.025588008, 0.043130554, 0...]

[0.03621854,-0.023570212,-0.010781076,0.004781386,-0.046626166,-0.0075730784,0.0137625...

[-0.008847023,-0.021002412,-0.029569935,-0.030482586,-0.064433254,-0.009645594,0.01033...

[-0.007398685,0.051085625,-0.0047710882,-0.016767368,-0.023013156,-0.020438727,-0.0279...

[-0.0017236428,0.03179804,-0.002225171,-0.03276651,-0.064979605,-0.0032282274,0.016648...

[-0.01100224,0.0060034357,-0.01566008,0.008335399,-0.02978581,0.036069326,-0.018156435...

[0.026943313, 0.017219318, -0.012886474, -0.027789962, -0.059763357, 0.021788724, 0.01533926...]

[-0.0037010042,0.04981585,-0.024775151,-0.04551405,-0.011770189,-0.00916123,-0.0332725...

[-0.018388081, -0.0135191595, -0.024863113, -0.06292922, -0.02891001, -0.023560518, 0.031161...]

[0.039369497, 0.04368466, -0.03406439, -0.02761703, -0.06604735, 0.020116266, -0.027363198, 0...

[0.013555558,0.064180404,-0.0076864623,-0.023551071,0.0023152744,-0.0037841045,-0.0294...

[-0.01830597,-0.012414614,0.0066955937,-0.030407824,0.0057764654,0.0033318396,0.018025...

[0.015503083,0.023018092,-0.028411057,-0.011204931,-0.054389197,0.010772413,-0.0117928...

numerical representations
of data
(like text, images, or
audio)
in a high-dimensional
vector space
where semantic
similarities are preserved
as geometric

relationships.

Input Text

Start with the raw text you want to convert.

Example: "I love machine learning."

Input Text

Text Preprocessing (Optional but common)

Depending on the model, some preprocessing may be required:

- Lowercasing
- Removing punctuationExample after preprocessing: ["I", "love", "machine", "learning", "."]

Note: Most modern embedding models like OpenAI's or SentenceTransformers handle this internally.

Input Text

Text Preprocessing (Optional but common)

Tokenization

The text is split into tokens, usually using a tokenizer specific to the embedding model (e.g., BPE for OpenAI models).

Each token is mapped to an integer ID via a vocabulary.

Example:

```
"I" → 374
"love" → 1438
"machine" → 5826
"learning" → 8372
"." → 13
```

https://platform.openai.com/tokenizer

Input Text

Text Preprocessing (Optional but common)

Tokenization

Model Encoding

The token IDs are fed into a pre-trained embedding model, such as:

- OpenAI's embedding models (e.g., textembedding-3-small)
- Sentence-BERT (SBERT)
- HuggingFace transformer models

The model computes embedding vectors for the text.

Output: a vector of real numbers (floats), typically of size 1536, 768, 384, etc.

Example: [0.0213, -0.5732, 0.9981, ..., 0.0724]

Input Text

Text Preprocessing (Optional but common)

Tokenization

Model Encoding


Post-processing (optional)

Depending on the use case, you might:


- Normalize the embedding (e.g., L2 normalization)
- Average word embeddings for sentence-level tasks (if not already handled)
- Store the embedding in a vector database (e.g., PGVector, Pinecone, FAISS)

Application


< Application components overview>




Chat with RAG under the hood:



Chat with RAG under the hood:




Convert user request into embeddings



Convert user request into embeddings

Embeddings can be generated via neural models




Convert user request into embeddings

Embeddings can be generated via neural models

Open Al models:

text-embedding-3-small (1536)

text-embedding-3-large (3072)



Convert user request into embeddings


Embeddings can be generated via neural models

Open Al models:


text-embedding-3-small (1536) text-embedding-3-large (3072)

Hugging Face models: sentence-transformers/all-MiniLM-L6-v2

•••



Retrieval Augmented Generation



'Context' is some Vector DB with data and its embeddings and some API to communicate with such DB

As a Source for context generation can be taken:



.TXT, .PDF, .XLSX, .XML, .HTML DOCUMENTS



CONFLUENCE



GITHUB




DISCORD




WEB RESOURCE

Pipeline of data transformation:



Retrieval Augmented Generation




'document_name' contains some metadata related to document

□ document_name ▽ □ text ♡ files/microwave_manual.txt files/microwave manual.txt files/microwave_manual.txt files/microwave_manual.txt files/microwave_manual.txt files/microwave manual.txt files/microwave manual.txt files/microwave manual.txt files/microwave_manual.txt files/microwave_manual.txt files/microwave_manual.txt files/microwave_manual.txt files/microwave_manual.txt files/microwave manual.txt files/microwave_manual.txt files/microwave_manual.txt files/microwave_manual.txt files/microwave_manual.txt files/microwave_manual.txt mer or≎separate remote-control system.⊄30. The microwav…

isk of electric shock.⊄Note:⊄1. If you have any questio… dangerous to repair or maintain the appliance by no oth... r.⊄10. Do not fry food in the oven. Hot oil can damage … ation, the oven must have sufficient airflow. Allow minim... ectly connected to a low voltage power supply network w... and 15% time⇔the oven will stop working in one cycle. U... files/microwave_manual.txt trim@should not be used.@3. Do not use recycled paper p... e dial to select others food code. \$\alpha 2. Press START/QUICK... and the door or allow soil or⊄cleaner residue to accumu…)⊄1. Input the first microwave cooking program. Do not p… d heating of warming pads, slippers, sponges, damp clot… The microwave oven shall not be placed in a cabinet.⊄... m(D)⊄25Litres⊄Approx.14kg⊄Rated Microwave Power Output... auto cooking menus. #START/OUICK START (the dial) #Press... re that they are suitable for use in microwave⊄oven.⊄16…

[0.007929899, -0.0103833815, -0.06096753, -0.0041557755, -0.042187788, 0.01960363, -0.048827...][0.019625312, 0.07142368, -0.0130586205, -0.018416643, -0.053729743, 0.0055418145, -0.053580 ...][0.007216289, 0.049263548, -0.020450495, -0.012869484, -0.06486845, 0.012693635, -0.01578726...[0.022751395, 0.030335193, 0.016967906, -0.007043706, -0.013974892, 0.002911436, -0.01603399...[0.00082089123, 0.0022738606, -0.031506665, -0.014780904, -0.033373725, -0.008920405, 0.0358...][0.009636983, 0.023800073, -0.0062219356, -0.027741412, -0.02087623, 0.02209255, -0.01481803, -0.02087623, 0.02209255, -0.01481803, -0.02087624, -0.02087624, -0.02087624, -0.02087624, -0.02087624, -0.02087624, -0.02087624, -0.02087624, -0.02087624, -0.02087624, -0.02087624, -[-0.007313127, 0.037871324, -0.03555582, -0.018665519, -0.02153417, 0.045306657, -0.03712521...[-0.0016354206, -0.013394599, -0.042835053, -0.040621832, 0.008080563, -0.018178385, 0.01598...[-0.01445577, 0.02532314, -0.022590334, -0.055830944, -0.026038265, 0.018963622, -0.00489733...[0.025805177, 0.016437544, 0.0084770955, -0.011957668, 0.008708227, 0.017008575, 6.410294e-0...[-0.0048348736, -0.026497386, -0.012877011, -0.07045187, -0.045177445, -0.017325213, 0.01469...[0.011242517, 0.041140627, -0.027245961, 0.016288064, -0.012025224, 0.002053797, 0.009373076..., -0.012025224, 0.002053797, -0.009373076..., -0.012025224, -0.01202524, -0.012025224, -0.012025224, -0.012025224, -0.01202524, -0.012024,[-0.012621777, 0.002297385, 0.0051053, 0.005726547, -0.026842805, 0.025588008, 0.043130554, 0...[0.03621854, -0.023570212, -0.010781076, 0.004781386, -0.046626166, -0.0075730784, 0.0137625...[-0.008847023,-0.021002412,-0.029569935,-0.030482586,-0.064433254,-0.009645594,0.01033... [-0.007398685, 0.051085625, -0.0047710882, -0.016767368, -0.023013156, -0.020438727, -0.0279...[-0.0017236428, 0.03179804, -0.002225171, -0.03276651, -0.064979605, -0.0032282274, 0.016648...[-0.01100224, 0.0060034357, -0.01566008, 0.008335399, -0.02978581, 0.036069326, -0.018156435...[0.026943313, 0.017219318, -0.012886474, -0.027789962, -0.059763357, 0.021788724, 0.01533926...[-0.0037010042, 0.04981585, -0.024775151, -0.04551405, -0.011770189, -0.00916123, -0.0332725...[-0.018388081, -0.0135191595, -0.024863113, -0.06292922, -0.02891001, -0.023560518, 0.031161...][0.039369497, 0.04368466, -0.03406439, -0.02761703, -0.06604735, 0.020116266, -0.027363198, 0...[0.013555558, 0.064180404, -0.0076864623, -0.023551071, 0.0023152744, -0.0037841045, -0.0294...[-0.01830597,-0.012414614,0.0066955937,-0.030407824,0.0057764654,0.0033318396,0.018025... [0.015503083, 0.023018092, -0.028411057, -0.011204931, -0.054389197, 0.010772413, -0.0117928...

Retrieval Augmented Generation



'text' is chunk of document data


□ document_name ▽ files/microwave_manual.txt files/microwave manual.txt files/microwave_manual.txt files/microwave_manual.txt files/microwave_manual.txt files/microwave_manual.txt files/microwave manual.txt files/microwave manual.txt files/microwave_manual.txt files/microwave_manual.txt files/microwave manual.txt files/microwave_manual.txt files/microwave_manual.txt files/microwave_manual.txt files/microwave_manual.txt files/microwave_manual.txt files/microwave manual.txt files/microwave_manual.txt files/microwave_manual.txt files/microwave_manual.txt files/microwave_manual.txt files/microwave_manual.txt files/microwave manual.txt

files/microwave_manual.txt

 □ text ♡ isk of electric shock.⊕Note:⊕1. If you have any questio... be adjusted or repaired by anyone except qualified serv... dangerous to repair or maintain the appliance by no oth... r.⊄10. Do not fry food in the oven. Hot oil can damage ... over, and then press START/QUICK@START button to resume... ation, the oven must have sufficient airflow. Allow minim... ectly connected to a low voltage power supply network w... and 15% time⊕the oven will stop working in one cycle. U... trim@should not be used.@3. Do not use recycled paper p... e dial to select others food code. \$2. Press START/OUICK... and the door or allow soil ordcleaner residue to accumu... l sound every two minutes⊄until user presses any button...)⊄1. Input the first microwave cooking program. Do not p... d heating of warming pads, slippers, sponges, damp clot... select 24- hour clock. 42. Turn MENU/TIME dial to set ho... The microwave oven shall not be placed in a cabinet. 4... m(D) d25LitresdApprox.14kgdRated Microwave Power Output... fore using the appliance and keep for future reference... auto cooking menus. #START/OUICK START (the dial) #Press... re that they are suitable for use in microwave⊕oven. 416... or defrosting, cooking and steaming of food only.⇔35. U... mer or⇔separate remote-control system.⇔30. The microwav...

[0.007929899,-0.0103833815,-0.06096753,-0.0041557755,-0.042187788,0.01960363,-0.048827... [0.019625312, 0.07142368, -0.0130586205, -0.018416643, -0.053729743, 0.0055418145, -0.053580...[0.007216289,0.049263548,-0.020450495,-0.012869484,-0.06486845,0.012693635,-0.01578726... $[0.022751395, 0.030335193, 0.016967906, -0.007043706, -0.013974892, 0.002911436, -0.01603399 \dots]$ [0.00082089123, 0.0022738606, -0.031506665, -0.014780904, -0.033373725, -0.008920405, 0.0358...[0.009636983,0.023800073,-0.0062219356,-0.027741412,-0.02087623,0.02209255,-0.01481803... [-0.007313127, 0.037871324, -0.03555582, -0.018665519, -0.02153417, 0.045306657, -0.03712521...[-0.0016354206, -0.013394599, -0.042835053, -0.040621832, 0.008080563, -0.018178385, 0.01598...[-0.01445577, 0.02532314, -0.022590334, -0.055830944, -0.026038265, 0.018963622, -0.00489733... [-0.0048348736, -0.026497386, -0.012877011, -0.07045187, -0.045177445, -0.017325213, 0.01469...[0.011242517, 0.041140627, -0.027245961, 0.016288064, -0.012025224, 0.002053797, 0.009373076...[-0.012621777, 0.002297385, 0.0051053, 0.005726547, -0.026842805, 0.025588008, 0.043130554, 0...[0.03621854, -0.023570212, -0.010781076, 0.004781386, -0.046626166, -0.0075730784, 0.0137625...[-0.008847023, -0.021002412, -0.029569935, -0.030482586, -0.064433254, -0.009645594, 0.01033...][-0.007398685, 0.051085625, -0.0047710882, -0.016767368, -0.023013156, -0.020438727, -0.0279...[-0.0017236428, 0.03179804, -0.002225171, -0.03276651, -0.064979605, -0.0032282274, 0.016648...[-0.01100224, 0.0060034357, -0.01566008, 0.008335399, -0.02978581, 0.036069326, -0.018156435...[0.026943313, 0.017219318, -0.012886474, -0.027789962, -0.059763357, 0.021788724, 0.01533926...[-0.0037010042, 0.04981585, -0.024775151, -0.04551405, -0.011770189, -0.00916123, -0.0332725...[-0.018388081, -0.0135191595, -0.024863113, -0.06292922, -0.02891001, -0.023560518, 0.031161...][0.039369497, 0.04368466, -0.03406439, -0.02761703, -0.06604735, 0.020116266, -0.027363198, 0...[0.013555558,0.064180404,-0.0076864623,-0.023551071,0.0023152744,-0.0037841045,-0.0294... [-0.01830597, -0.012414614, 0.0066955937, -0.030407824, 0.0057764654, 0.0033318396, 0.018025...[0.015503083,0.023018092,-0.028411057,-0.011204931,-0.054389197,0.010772413,-0.0117928...

Retrieval Augmented Generation




'embedding' is is numerical representation of text chunk

□ document_name ▽ files/microwave manual.txt files/microwave_manual.txt files/microwave manual.txt files/microwave manual.txt files/microwave_manual.txt

 ⊕ embedding
 ▽ files/microwave_manual.txt isk of electric shock.@Note:@1. If you have any questio... be adjusted or repaired by anyone except qualified serv... dangerous to repair or maintain the appliance by no oth... files/microwave_manual.txt r.⊄10. Do not fry food in the oven. Hot oil can damage ... over, and then press START/QUICK@START button to resume... files/microwave_manual.txt ation, the oven must have sufficient airflow. Allow minim... ectly connected to a low voltage power supply network w... files/microwave manual.txt and 15% time⊕the oven will stop working in one cycle. U... files/microwave_manual.txt trim⇒should not be used.⇔3. Do not use recycled paper p... files/microwave_manual.txt e dial to select others food code. #2. Press START/OUICK... and the door or allow soil or@cleaner residue to accumu... files/microwave_manual.txt l sound every two minutes⊄until user presses any button… files/microwave_manual.txt dd more as⇔needed. Foods severely overcooked can smoke … files/microwave_manual.txt)41. Input the first microwave cooking program. Do not p... files/microwave_manual.txt d heating of warming pads, slippers, sponges, damp clot... select 24- hour clock. 42. Turn MENU/TIME dial to set ho… . The microwave oven shall not be placed in a cabinet.⊄... files/microwave_manual.txt m(D)&25Litres&Approx.14kg&Rated Microwave Power Output... fore using the appliance and keep for future reference... auto cooking menus. START/OUICK START (the dial) Press... files/microwave_manual.txt re that they are suitable for use in microwavedoven.416... or defrosting, cooking and steaming of food only.⇔35. U... files/microwave_manual.txt)440% (40)430% (30)420% (20)410% (10)40% (00)44NOTE: Yo... files/microwave_manual.txt mer or@separate remote-control system.@30. The microwav...

[0.007929899, -0.0103833815, -0.06096753, -0.0041557755, -0.042187788, 0.01960363, -0.048827...[0.019625312, 0.07142368, -0.0130586205, -0.018416643, -0.053729743, 0.0055418145, -0.053580...][0.007216289,0.049263548,-0.020450495,-0.012869484,-0.06486845,0.012693635,-0.01578726... [0.022751395, 0.030335193, 0.016967906, -0.007043706, -0.013974892, 0.002911436, -0.01603399...[0.00082089123, 0.0022738606, -0.031506665, -0.014780904, -0.033373725, -0.008920405, 0.0358...[0.009636983, 0.023800073, -0.0062219356, -0.027741412, -0.02087623, 0.02209255, -0.01481803...[-0.007313127, 0.037871324, -0.03555582, -0.018665519, -0.02153417, 0.045306657, -0.03712521...[-0.0016354206, -0.013394599, -0.042835053, -0.040621832, 0.008080563, -0.018178385, 0.01598...[-0.01445577,0.02532314,-0.022590334,-0.055830944,-0.026038265,0.018963622,-0.00489733... [-0.0048348736, -0.026497386, -0.012877011, -0.07045187, -0.045177445, -0.017325213, 0.01469...[0.011242517, 0.041140627, -0.027245961, 0.016288064, -0.012025224, 0.002053797, 0.009373076...[-0.012621777,0.002297385,0.0051053,0.005726547,-0.026842805,0.025588008,0.043130554,0... [0.03621854, -0.023570212, -0.010781076, 0.004781386, -0.046626166, -0.0075730784, 0.0137625...[-0.008847023,-0.021002412,-0.029569935,-0.030482586,-0.064433254,-0.009645594,0.01033... [-0.007398685, 0.051085625, -0.0047710882, -0.016767368, -0.023013156, -0.020438727, -0.0279...][-0.0017236428, 0.03179804, -0.002225171, -0.03276651, -0.064979605, -0.0032282274, 0.016648...[-0.01100224,0.0060034357,-0.01566008,0.008335399,-0.02978581,0.036069326,-0.018156435... [0.026943313, 0.017219318, -0.012886474, -0.027789962, -0.059763357, 0.021788724, 0.01533926..., -0.012886474, -[-0.0037010042,0.04981585,-0.024775151,-0.04551405,-0.011770189,-0.00916123,-0.0332725... [-0.018388081.-0.0135191595.-0.024863113.-0.06292922.-0.02891001.-0.023560518.0.031161... [0.039369497, 0.04368466, -0.03406439, -0.02761703, -0.06604735, 0.020116266, -0.027363198, 0...[0.013555558, 0.064180404, -0.0076864623, -0.023551071, 0.0023152744, -0.0037841045, -0.0294...[-0.01830597,-0.012414614,0.0066955937,-0.030407824,0.0057764654,0.0033318396,0.018025... [0.015503083, 0.023018092, -0.028411057, -0.011204931, -0.054389197, 0.010772413, -0.0117928...


Retrieval Augmented Generation



We retrieve here the chunks of information via search (similarity, semantic, etc...) by generated embedding from user request in DB


Augmentation:

Now, we join user request and with collected data (context)




Generation:

Retrieval Augmented Generation




Now, with user request and some retrieved context we generate some content with LLM



Search

<Let's explore how search is working>



Search:

Search can be performed in different ways

The most common are Similarity and Semantic searches

We will practice with Similarity search

Search:


Measures the straight-line (geometric) distance between two points in vector space.

The smaller the distance, the more similar the vectors

In Postgres use <-> operator for similarity search with Euclidean distance

Euclidean Distance


$$d(\mathbf{p,q}) = \sqrt{\sum_{i=1}^n (q_i - p_i)^2}$$



Search:

Cosine Similarity

$$\cos(heta) = rac{\mathbf{A} \cdot \mathbf{B}}{\|\mathbf{A}\| \|\mathbf{B}\|} = rac{\sum\limits_{i=1}^n A_i B_i}{\sqrt{\sum\limits_{i=1}^n A_i^2} \sqrt{\sum\limits_{i=1}^n B_i^2}}$$




Measures the cosine of the angle between two vectors

It ranges from -1 (opposite), 0 (no similarity), to 1 (similar)

In Postgres use <=> operator for similarity search with Cosine similarity


Search with top_k and score

<Let's explore how search with the top_k
and score filters>



Retrieval

Wash all the red clothes



Got it.

Here are all the red clothes that I was able to find



Augmentation

'Wash all the red clothes' + the clothes



Generation





Wash all the red clothes



Retrieval

Got it.

Now I'll

retrieve all

the red

clothes

from this

bucket.

top_k = 1

Here are

all the red

clothes

that I was

able to find

Augmentation



Generation



Wash all the red clothes



Retrieval

Got it. Now I'll retrieve all Here are the red all the red clothes clothes from this that I was bucket. able to find $top_k = 10$ <u>score</u> = 0.1

Augmentation



Generation



Wash all the red clothes



Retrieval

Got it. Now I'll retrieve all Here are the red all the red clothes clothes from this that I was bucket. able to find $top_k = 10$ score = 0.6

Augmentation



Generation



Wash all the red clothes



Retrieval

Got it.
Now I'll
retrieve all
the red
clothes
from this
bucket.

 $top_k = 10$ score = 0.9 Here are all the red clothes that I was able to find



Augmentation





Generation





Join us:







Subscribe to WeAreCommuntiy

https://wearecommunity.io/communities/dial

Keep in touch with our latest updates. Here you find webinars, workshops and articles about DIALX features and products.

Subscribe to YouTube

https://www.youtube.com/@TeamDIALX

Here we publish videos about our newest products and features.

Join our Discord community

https://discord.gg/jvTCQv4E4q

AI DIALX Community is the place where you can find help with your questions about DIALX, direct communication with DIALX team and contributors.

POWERED BY (C)am> Thank you!