RESULTATER

1),1,(1

Numeriske Simuleringer og Eksperimenter med STEKING AV BACON I MIKROBØLGEOVN

 $\frac{1}{1}$

EiT - Matematikk Innen Anvendelser
gruppe 5 - FUÞARK - 『↑↑*∤℟Լ - ፲ン፲ィ፲

ÅSMUND ERVIK, JOAKIM JOHNSEN, KNUT HALVOR SKREDE, TURID SCHOONDERBEEK SOLBERG, PAUL VO

Sammendrag

Text in abstract


Forord

Text in foreword

Åsmund Ervik, Joakim Johnsen, Paul Vo, Knut Halvor Skrede, Turid Schoonderbeek Solberg March 20, 2011

Contents

1	Introduction		
	1.1	Introduction	1
2	Theory		
	2.1	The physical system	3
	2.2	Our approach	
	2.3	The heat equations	4
		The transport equations	4
3	Numerikk		
	3.1	Von Neumann analysis of the Crank-Nicolson-scheme	5
	3.2	Truncation error in the Crank-Nicolson scheme	
4	Eksperimenter		
		Eksperimenter	9
5	Numerikkresultater		11
	5.1	Numerikkresultater	11
6	Konklusjon 13		
		Konklusion	13




Introduction

1.1 Introduction

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Kap. 1 2 $\overline{\Gamma}$



Theory

2.1 The physical system

The physical system to be modeled is a thin, rectangular strip of bacon which is subjected to approx. 750 watts of microwave radiation at the frequency of 2.4 GHz. To be modeled is the heat in the strip, phase transitions and transport.

2.2 Our approach




Figure 2.1: Our initial approach to the problem

Initially, our approach to modelling was to use a staggered approach: first solve the heat equation for the three media meat, solid fat, and liquid fat, thus giving the temperature at step n. Then at step n+1, the temperature is regarded as known, and we solve the transport equation for liquid fat out of the bacon. Then we know the distribution of liquid fat at step n+2, where we solve the heat equations again, and we repeat ad nauseam.

2.3 The heat equations

The differential equations governing the heat transport are all variations of the heat equation, with various source terms, eq. (2.1):

$$(\rho c_p)_m \frac{\partial T}{\partial t} - \alpha_m \nabla^2 T = J^{MW} \quad m,$$
 (2.1)

$$\eta_s(\rho c_p)_s \frac{\partial T}{\partial t} - \eta_s \alpha_s \nabla^2 T = J^{MW} - J^{Melt} \quad \text{s}, \qquad (2.2)$$

$$\eta_l(\rho c_p)_l \frac{\partial T}{\partial t} - \eta_s \alpha_l \nabla^2 T - \eta_l(\rho c_p)_l (\mathbf{v} \cdot \nabla) T = J^{MW} \quad 1.$$
(2.3)

Here the subscript m denotes meat, s denotes solid fat, and l denotes liquid fat. J^{MW} is the source term representing the microwave oven. In the initial approach, this is modelled as a cylindrically symmetric term, with the radial power distribution on the form eq. (2.4),

$$J^{MW}(r) = 0.5 + 2.55008x - 0.588013x^2 + 0.032445x^3 + 0.00124411x^4 - 0.0000973516x^5,$$
(2.4)

i.e. a fifth degree polynomial, interpolated from the results in [1].

Furthermore, there is the term J^{Melt} which represents heat loss due to latent heat in the solid-liquid phase transition. This can be written as

$$\frac{L\rho}{T_2 - T_1} \frac{\partial T}{\partial t}, \quad T \in (T_1, T_2),$$

where the fat is melting between the temperatures T_1 and T_2 . For fat these are typically around 30-50°C. For $T \notin (T1,T2)$ this term is zero, and it is readily seen that this is equivalent to a modification of the constant $c_{p,l}$ in eq. (2.1) when $T \in (T1,T2)$, thus it is not a serious complication.

In the last of the heat equations, there also appears what is called a convective derivative, on the form $(\mathbf{v} \cdot \nabla)T$. This is a somewhat more complicated term, and is essentially a modification due to transport of liquid fat implying an implicit transport of heat. However, in the staggered approach used here, the velocity field is considered as known when it comes to the heat equations.

2.4 The transport equations

Kap. 2 4 $\frac{\text{In} \cdot \text{rel}^{1}}{\text{In} \cdot \text{rel}^{2}}$

Chapter 3

Numerikk

3.1 Von Neumann analysis of the Crank-Nicolsonscheme

Consider the heat equation,

$$\frac{\partial u}{\partial t} = \alpha \frac{\partial^2 u}{\partial^2 x} \tag{3.1}$$

By applying Crank-Nicolson the following iteration scheme is attained,

$$u_i^{n+1} = u_i^n (1 - 2D) + D \left(u_{i+1}^{n+1} - 2u_i^{n+1} + u_{i-1}^{n+1} \right) + D \left(u_{i+1}^n + u_{i-1}^n \right)$$
 (3.2)

$$D = \frac{1}{2} \frac{\alpha \Delta t}{(\Delta x)^2} \tag{3.3}$$

Using the approximation $u_j^n \approx E_j^n$ where $E_j^n = G^n e^{i\beta x_j}$, and n is a power, inserted into eq. (3.1), this gives

$$G^{n+1}e^{i\beta x_j} = G^n e^{i\beta x_j} (1-2D) + G^{n+1}D\left(e^{i\beta x_{j+1}} - 2e^{i\beta x_j} + e^{i\beta x_{j-1}}\right) + G^nD\left(e^{i\beta x_{j+1}} + e^{i\beta x_{j-1}}\right)$$

Dividing eq. (3.3) by $G^n e^{i\beta x_j}$, and using $x_{j+1} \approx x_j + h$ one obtains

$$G\left[1 - D\left(2\cos\beta h - 2\right)\right] = 1 - 2D\left(1 - \cos\beta h\right)$$

$$\cos\beta h = \frac{1}{2}\left(1 - \sin^2\frac{\beta h}{2}\right)$$

$$G\left(1 + 4D\sin^2\frac{\beta h}{2}\right) = 1 - 4D\sin^2\frac{\beta h}{2}$$

$$G = \frac{1 - 4D\sin^2\frac{\beta h}{2}}{1 + 4D\sin^2\frac{\beta h}{2}}$$

As the maximum value of $\sin^2 x$ is 1, and since the iteration scheme is stable if $|G| \leq 1$, this implies stability,

$$|G| = \left| \frac{1 - 4D}{1 + 4D} \right| \tag{3.4}$$

A typical Courant-Friedrichs-Lewy condition is an inequality of the form $\frac{\Delta x}{\Delta t} < C$, with C a constant.

It is noteworthy that $D>0 \Rightarrow |G|\leq 1$, so the Crank-Nicolson scheme is unconditionally stable. There is, however, a caveat: if the time steps and space steps do not fulfill a CFL-condition, the scheme may present oscillations.

3.2 Truncation error in the Crank-Nicolson scheme

The Crank-Nicholson method is based on the trapezoidal rule. From the trapezoidal rule the truncation error is represented by

$$\int_0^k f(t)dt = \frac{1}{2}k(f(0) - f(k)) - \frac{1}{12}k^3f''(\frac{k}{2}) + \dots$$

Using the formula

$$u(x_m, t_{n+1}) - u(x_m, t_n) = \int_{t_n}^{t_{n+1}} u_t(x_m, t) dt$$

and approximating the integral by the trapezoidal rule, and abbreviate the notation $u_m^{n+1/2} = u(x_m, t_n + \frac{1}{2}k)$, one obtain

$$\begin{array}{ll} u_m^{n+1} & = & u_m^n + \frac{1}{2}k(\partial_t u_m^n + \partial_t u_m^{n+1}) - \frac{1}{2}k^3\partial_t^3 u_m^{n+\frac{1}{2}} \\ & \stackrel{\mbox{\tiny heat eq.}}{=} & u_m^n + \frac{1}{2}k(\partial_x^2 u_m^n + \partial_y^2 u_m^n + \partial_z^2 u_m^n + \partial_x^2 u_m^{n+1} + \partial_y^2 u_m^{n+1} + \partial_z^2 u_m^{n+1}) - \frac{1}{2}k^3\partial_t^3 u_m^{n+\frac{1}{2}} \end{array}$$

Discretizing the double derivative with central differences, and denoting the step sizes in x, y, z direction by h, f, g respectively, gives

$$\begin{array}{ll} u_m^{n+1} & = & u_m^n + \frac{1}{2}k(\frac{1}{h^2}\delta_x^2u_m^n + \frac{1}{f^2}\delta_y^2u_m^n + \frac{1}{g^2}\delta_z^2u_m^n + \frac{1}{h^2}\delta_x^2u_m^{n+1} + \frac{1}{f^2}\delta_y^2u_m^{n+1} + \frac{1}{g^2}\delta_z^2u_m^{n+1}) \\ & - \frac{1}{2}k(\frac{1}{12}h^2\partial_x^4u_m^n + \frac{1}{12}g^2\partial_y^4u_m^n\frac{1}{12}f^2\partial_z^4u_m^n + \frac{1}{12}h^2\partial_x^4u_m^{n+1} + \frac{1}{12}g^2\partial_y^4u_m^{n+1}\frac{1}{12}f^2\partial_z^4u_m^{n+1}) \\ & - \frac{1}{2}k^3\partial_t^3u_m^{n+\frac{1}{2}} \\ & = & u_m^n + \frac{r}{2}(\delta_x^2u_m^n + \delta_x^2u_m^{n+1}) + \frac{p}{2}(\delta_y^2u_m^n + \delta_y^2u_m^{n+1}) + \frac{q}{2}(\delta_z^2u_m^n + \delta_z^2u_m^{n+1}) + \tau_m^n \end{array}$$


where $r=k/h^2$, $p=k/f^2$, $q=k/g^2$, and τ_m^n is the truncation error times k. The expression for τ_m^n is

$$\tau_m^n = -\frac{1}{12}k^3\partial_t^2 u_m^{n+\frac{1}{2}} - \frac{1}{12}kh^2\partial_x^4 u_m^{n+\frac{1}{2}} - \frac{1}{12}kg^2\partial_y^4 u_m^{n+\frac{1}{2}} - \frac{1}{12}kf^2\partial_z^4 u_m^{n+\frac{1}{2}}$$
Kap. 3

3.2. TRUNCATION ERROR IN THE CRANK-NICOLSON SCHEME

where we have used $\frac{1}{2}(\partial_x^4 u_m^n+\partial_x^4 u_m^{n+})=\partial_x^4 u_m^{n+\frac{1}{2}}+O(k^2)$. Hence, the truncation error is

$$\begin{array}{lcl} \frac{\tau_m^n}{k} & = & -\frac{1}{12}k^2\partial_t^2u_m^{n+\frac{1}{2}} - \frac{1}{12}h^2\partial_x^4u_m^{n+\frac{1}{2}} - \frac{1}{12}g^2\partial_y^4u_m^{n+\frac{1}{2}} - \frac{1}{12}f^2\partial_z^4u_m^{n+\frac{1}{2}} \\ & = & O(k^2+h^2+g^2+f^2) \end{array}$$




Eksperimenter

4.1 Eksperimenter

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.




Numerikkresultater

5.1 Numerikkresultater

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.



Konklusjon

6.1 Konklusjon

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Bibliography

[1] Yi Huang and Xu Zhu. Microwave oven field uniformity analysis. In Antennas and Propagation Society International Symposium, 2005 IEEE, volume 3B, pages 217 – 220 vol. 3B, 2005.