

ภาคผนวก ข

โปรแกรมที่สมบูรณ์ของ main.cgi

```
#!/usr/bin/perl

# crane web interface script\

#

# created by embedded project ,semester 2/2547

# 10/10/47      rev.2

# read data from user request

read(STDIN, $dat, $ENV{'CONTENT_LENGTH'});

if(length($dat)==0)

{

    $xpos=" ";

    $ypos=" ";

}

else

{

    ($temp1,$temp2) = split(/&/,$dat);

    ($temp11,$temp12) = split(/=,$temp1);

    ($xpos,$ypos) = split(/\%2C/,$temp12);

    `echo $xpos$ypos > /proc/crane_controller/move_only`;

}

# set base color

$white="FFFFFF";

$red="FF0000";

@color = [];

# reset all cells color to white

$color[11]=$white;

$color[12]=$white;

$color[13]=$white;

$color[14]=$white;

$color[15]=$white;
```

```

$color[21]=$white;
$color[22]=$white;
$color[23]=$white;
$color[24]=$white;
$color[25]=$white;

$color[31]=$white;
$color[32]=$white;
$color[33]=$white;
$color[34]=$white;
$color[35]=$white;

$color[41]=$white;
$color[42]=$white;
$color[43]=$white;
$color[44]=$white;
$color[45]=$white;

$color[51]=$white;
$color[52]=$white;
$color[53]=$white;
$color[54]=$white;
$color[55]=$white;

#####
# read condition and set display here
#####

$status = `cat /proc/crane_controller/crane_status`;
($status_no,$status_text)=split(/\./,$status);
$xypos = `cat /proc/crane_controller/crane_position`;
$color[$xypos] = $red;

```

```
#####
# display html page script
#####

print "Content-type: text/html\n\n";
print "<html>\n";
print "<title>Crane controller project\n";
print "</title>\n";
print "<body ><table align=\"center\"><tr><td>Rack Display</td></tr></table><br>\n";
print "<table align=\"center\" border=\"1\" width=\"25%\">\n";
print "<tr>\n";
print "<td width=\"20%\" align=\"center\" bgcolor=\"$color[15]\">15</td>\n";
print "<td width=\"20%\" align=\"center\" bgcolor=\"$color[25]\">25</td>\n";
print "<td width=\"20%\" align=\"center\" bgcolor=\"$color[35]\">35</td>\n";
print "<td width=\"20%\" align=\"center\" bgcolor=\"$color[45]\">45</td>\n";
print "<td width=\"20%\" align=\"center\" bgcolor=\"$color[55]\">55</td>\n";
print "</tr>\n";
print "<tr>\n";
print "<td width=\"20%\" align=\"center\" bgcolor=\"$color[14]\">14</td>\n";
print "<td width=\"20%\" align=\"center\" bgcolor=\"$color[24]\">24</td>\n";
print "<td width=\"20%\" align=\"center\" bgcolor=\"$color[34]\">34</td>\n";
print "<td width=\"20%\" align=\"center\" bgcolor=\"$color[44]\">44</td>\n";
print "<td width=\"20%\" align=\"center\" bgcolor=\"$color[54]\">54</td>\n";
print "</tr>\n";
print "<tr>\n";
print "<td width=\"20%\" align=\"center\" bgcolor=\"$color[13]\">13</td>\n";
print "<td width=\"20%\" align=\"center\" bgcolor=\"$color[23]\">23</td>\n";
print "<td width=\"20%\" align=\"center\" bgcolor=\"$color[33]\">33</td>\n";
print "<td width=\"20%\" align=\"center\" bgcolor=\"$color[43]\">43</td>\n";
print "<td width=\"20%\" align=\"center\" bgcolor=\"$color[53]\">53</td>\n";
print "</tr>\n";
print "<tr>\n";
print "<td width=\"20%\" align=\"center\" bgcolor=\"$color[12]\">12</td>\n";
print "<td width=\"20%\" align=\"center\" bgcolor=\"$color[22]\">22</td>\n";
print "<td width=\"20%\" align=\"center\" bgcolor=\"$color[32]\">32</td>\n";
```

```

print "<td width=\"20\\%\" align=\"center\" bgcolor=\"${color[42]}\">42</td>\\n";
print "<td width=\"20\\%\" align=\"center\" bgcolor=\"${color[52]}\">52</td>\\n";
print "</tr>\\n";
print "<tr>\\n";
print "<td width=\"20\\%\" align=\"center\" bgcolor=\"${color[11]}\">11</td>\\n";
print "<td width=\"20\\%\" align=\"center\" bgcolor=\"${color[21]}\">21</td>\\n";
print "<td width=\"20\\%\" align=\"center\" bgcolor=\"${color[31]}\">31</td>\\n";
print "<td width=\"20\\%\" align=\"center\" bgcolor=\"${color[41]}\">41</td>\\n";
print "<td width=\"20\\%\" align=\"center\" bgcolor=\"${color[51]}\">51</td>\\n";
print "</tr>\\n";
print "</table>\\n";
print "<br>${status_text}\\n";
print "<br><table align=\"center\"><tr><td><form method=\"POST\" action=\"./main.cgi\">\\n";
print "<br>Please fill X and Y position in format X,Y<br>\\n";
print "<br><table align=\"center\"><tr><td><input type=\"text\"
name=\"xyposition\"></td></tr></table><br>\\n";
print "<br><table align=\"center\"><tr><td><input type=\"submit\" value=\"Start move\"
name=\"moveb\"></td></tr></table>\\n";
print "<input type=\"reset\" value=\"Clear\" name=\"resetb\"></td></tr></table>\\n";
print "</td></tr></table></form>\\n";
print "</body>\\n";
print "</html>\\n";

```