

```

1 <?php
2 /*
3 ////////////////////////////////////////////////// code XML ///////////////////////////////////
4 ////////////////////////////////////////////////// app_mainadd.html //
5 */
6 session_start();
7
8 include("app_header.php");
9
10 $file = $_POST['file']; //xxx_link.xml
11 $libtype = $_POST['libtype']; //
12 $nametitle = $_POST['submit'];
13
14
15 $vservice = "service";
16 $vsearch = "search";
17 $voffice = "office library";
18 $vfuture = "future library";
19 $vfaculty = "faculty library";
20
21 ////////////////////////////////////////////////// MAIN ///////////////////////////////////
22 if (isset($_SESSION["valid_user"])) {
23     ?>
24
25     <form action='app_savenewxml.php' method='post' target='_self' name='form' id='form' enctype='multipart/
26     form-data' onSubmit='check()' >
27     <table width='580' border='0' cellspacing='10' cellpadding='5'>
28     <?php
29     echo "<tr><td colspan='2' align='left' class='headline' >
30         <font color='#DE4B11'>$nametitle</font>
31         </td></tr>";
32     echo "<tr><td colspan='2' align='left' >
33         <span class='orange'>** code html      textbox </span><br /
34         >
35         <span class='lightfont'>* UTF-8 encoding</span>
36         </td></tr>";
37     echo "<tr><td colspan='2' align='left' >&nbsp;";
38     echo "<input type='hidden' name='filename' id='filename' value='\".$nametitle.\"' />";
39     //
40     echo "<input type='hidden' name='mylibtype' id='mylibtype' value='\".$libtype.\"' />";
41     //          faculty library
42     echo "</td></tr>";
43
44     ////////////////////////////////// SET TITEL ENGTITLE MEANING ATT val //////////////////////////////////
45     //////////////////////////////////
46     $title_meaning;
47     $engtitle_meaning;
48
49     if($libtype == $vfaculty)
50     {
51         $title_meaning = " / **";
52         $engtitle_meaning = " ( )";
53     }
54     else
55     {
56         $title_meaning = " **";
57         $engtitle_meaning = " ";
58     }
59 }
60
61 ///////////////////////////////////
62
63 echo "<tr>";
64 echo "<td align='left' valign='top' width='120' >\".$title_meaning.\"</td>";
65 echo "<td align='left' valign='top' >";
66 echo "<input name='TITEL' type='text' size='50' class='textbox' /> **";
67 echo "</td></tr>";
68
69 echo "<tr>";
70 echo "<td align='left' valign='top' width='120' >\".$engtitle_meaning.\"</td>";
71 echo "<td align='left' valign='top' >";
72 echo "<input name='ENGTITLE' type='text' size='50' class='textbox' />";
73 echo "</td></tr>";
74
75 ////////////////////////////////// <picture> element and child node //////////////////////////////////
76
77 echo "<tr><td colspan='2' align='left' height='10' ></td></tr>";
78
79 echo "<tr>";
80 echo "<td align='left' valign='top' width='120' > </td>";
81 echo "<td align='left' valign='top' >";
82 echo "<input name='ATL' type='text' size='50' class='textbox' />";
83 echo "</td></tr>";

```

```

85 echo "<tr>";
86 echo "<td align='left' valign='top' width='120' >                </td>";
87 echo "<td align='left' valign='top' >";
88 echo "<input type='file' name='newpicfile' id='newpicfile' size='40' class='textbox' /><br />";
89 echo "<span class='orange'>**                500x300                300 Kb <br />";
90 echo "                JPEG      GIF      </span>";
91 echo "</td></tr>";
92
93 /////////////// <description> element and child node/////////////////
94
95 echo "<tr>";
96 echo "<td align='left' valign='top' width='120' >                </td>";
97 echo "<td align='left' valign='top' >";
98 echo "<textarea name='DESCRIPTION' cols='50' rows='5' class='textbox'></textarea>";
99 echo "</td></tr>";
100
101 /////////////// <info> element and child node/////////////////
102
103 if($libtype == "$vservice")
104 {
105     echo "<tr>";
106     echo "<td align='left' valign='top' width='120' >                </td>";
107     echo "<td align='left' valign='top' >";
108     echo "<textarea name='detail' cols='50' rows='5' class='textbox'></textarea>";
109     echo "</td></tr>";
110
111     echo "<tr>";
112     echo "<td align='left' valign='top' width='120' >                </td>";
113     echo "<td align='left' valign='top' >";
114     echo "<textarea name='rule' cols='50' rows='5' class='textbox'></textarea>";
115     echo "</td></tr>";
116
117     echo "<tr>";
118     echo "<td align='left' valign='top' width='120' >                </td>";
119     echo "<td align='left' valign='top' >";
120     echo "<textarea name='time' cols='50' rows='5' class='textbox'></textarea>";
121     echo "</td></tr>";
122
123     echo "<tr>";
124     echo "<td align='left' valign='top' width='120' >                </td>";
125     echo "<td align='left' valign='top' >";
126     echo "<textarea name='place' cols='50' rows='5' class='textbox'></textarea>";
127     echo "</td></tr>";
128
129     echo "<tr>";
130     echo "<td align='left' valign='top' width='120' >Link                </td>";
131     echo "<td align='left' valign='top' >";
132     echo "<textarea name='link' cols='50' rows='5' class='textbox'></textarea>";
133     echo "</td></tr>";
134 }
135 if($libtype == "$vsearch")
136 {
137     echo "<tr>";
138     echo "<td align='left' valign='top' width='120' >                </td>";
139     echo "<td align='left' valign='top' >";
140     echo "<textarea name='detail' cols='50' rows='5' class='textbox'></textarea>";
141     echo "</td></tr>";
142
143     echo "<tr>";
144     echo "<td align='left' valign='top' width='120' >                </td>";
145     echo "<td align='left' valign='top' >";
146     echo "<textarea name='place' cols='50' rows='5' class='textbox'></textarea>";
147     echo "</td></tr>";
148
149     echo "<tr>";
150     echo "<td align='left' valign='top' width='120' >Link                </td>";
151     echo "<td align='left' valign='top' >";
152     echo "<textarea name='link' cols='50' rows='5' class='textbox'></textarea>";
153     echo "</td></tr>";
154 }
155 if($libtype == "$voffice")
156 {
157     echo "<tr>";
158     echo "<td align='left' valign='top' width='120' >                </td>";
159     echo "<td align='left' valign='top' >";
160     echo "<textarea name='work' cols='50' rows='5' class='textbox'></textarea>";
161     echo "</td></tr>";
162 }
163 if($libtype == "$vfuture")
164 {
165     echo "<tr>";
166     echo "<td align='left' valign='top' width='120' >                /                </td>";
167     echo "<td align='left' valign='top' >";
168     echo "<textarea name='goal' cols='50' rows='5' class='textbox'></textarea>";
169     echo "</td></tr>";

```

```

171 echo "<tr>";
172 echo "<td align='left' valign='top' width='120' >                                </td>";
173 echo "<td align='left' valign='top' >";
174 echo "<textarea name='plan' cols='50' rows='5' class='textbox'></textarea>";
175 echo "</td></tr>";
176
177 echo "<tr>";
178 echo "<td align='left' valign='top' width='120' >                                </td>";
179 echo "<td align='left' valign='top' >";
180 echo "<textarea name='KPI' cols='50' rows='5' class='textbox'></textarea>";
181 echo "</td></tr>";
182
183 echo "<tr>";
184 echo "<td align='left' valign='top' width='120' >                                (      )</td>";
185 echo "<td align='left' valign='top' >";
186 echo "<textarea name='process' cols='50' rows='5' class='textbox'></textarea>";
187 echo "</td></tr>";
188 }
189 if($libtype == "$vfaculty")
190 {
191     echo "<tr>";
192     echo "<td align='left' valign='top' width='120' >                                </td>";
193     echo "<td align='left' valign='top' >";
194     echo "<textarea name='contact' cols='50' rows='5' class='textbox'></textarea>";
195     echo "</td></tr>";
196
197     echo "<tr>";
198     echo "<td align='left' valign='top' width='120' >                                </td>";
199     echo "<td align='left' valign='top' >";
200     echo "<textarea name='time' cols='50' rows='5' class='textbox'></textarea>";
201     echo "</td></tr>";
202
203     echo "<tr>";
204     echo "<td align='left' valign='top' width='120' >Link                                </td>";
205     echo "<td align='left' valign='top' >";
206     echo "<textarea name='link' cols='50' rows='5' class='textbox'></textarea>";
207     echo "</td></tr>";
208 }
209
210 ////////////////////////////////////// //////////////////////////////////////
211
212 $datetime = date("dmYHis");
213 echo "<input type='hidden' name='forpostfix' id='forpostfix' value='\".$datetime.\"' />";
214
215 //////////////////////////////////////
216 ?>
217
218 <tr><td colspan='2' align='center' >
219
220 <input type='hidden' name='fileurl' id='fileurl' value='' />
221
222 <input type='submit' name='SAVE' class='button' value='Submit >>' />
223 </td></tr>
224
225 </table>
226 </form>
227
228 <?php
229 }
230 else {echo "<a href='app_index.php' target='_top'>                login                login                </a>";}
231 ?>
232
233 <script type="text/javascript">
234
235 /*//////////////////////////////////// filename                                php                                .xml //////////////////////////////////////*/
236 function setValue()
237 {
238     var filename;
239     var prefix;
240     var postfix = document.form.forpostfix.value;
241     var type = document.form.mylibtype.value;
242
243     if(type == "service" )
244     {
245         prefix = "service_";
246     }
247     if(type == "search" )
248     {
249         prefix = "search_";
250     }
251     if(type == "office library" )
252     {
253         prefix = "office_";
254     }
255     if(type == "future library" )

```

```

256 {
257     prefix = "future_";
258 }
259 if(type == "faculty library" )
260 {
261     prefix = "library_";
262 }
263
264 filename = prefix + postfix ;
265
266 alert("This file will save as :" + filename + ".xml");
267
268 document.form.fileurl.value = filename;
269 }
270
271 ////////////////////////////////////// //////////////////////////////////////
272 function check()
273 {
274     setValue();
275
276     var filename = document.form.fileurl.value;
277     var value = document.form.TITLE.value;
278
279     if ( value == '' )
280     {
281         alert("                ");
282         document.form.TITLE.focus();
283         return false;
284     }
285     if(filename == '')
286     {
287         alert("file name INVALID !!");
288         return false;
289     }
290     else
291     {
292         return true;
293     }
294 }
295
296 </script>
297
298 </body>
299 </html>
300
301
302

```