

```

1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-t
ransitional.dtd">
2 <html xmlns="http://www.w3.org/1999/xhtml">
3 <?php
4 session_start();
5 ?>
6 <head>
7 <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
8 <title>::: :::</title>
9 <link href="style.css" rel="stylesheet" type="text/css" />
10 <style type="text/css">
11 <!--
12 body {
13     background-color: #FFFFFF;
14     margin-left: 10px;
15     margin-top: 10px;
16     margin-right: 0px;
17     margin-bottom: 0px;
18 }
19 -->
20 </style>
21 </head>
22
23 <body>
24 <?php
25 if (isset($_SESSION["valid_user"])) {
26 ?>
27 <table width='580' border='0' cellspacing='10' cellpadding='0'>
28 <tr><td align="center">
29 <form action="" name="inform" >
30 <?php
31 //===== app_filechooseddelete.php <subject> =====//
32
33 $linkkey = $_POST['mylink'];
34 $libtype = $_POST['libtype1'];
35 $xxx_linkfile;
36
37 if($libtype == "service"){ $xxx_linkfile = "service_link.xml"; }
38 if($libtype == "search"){ $xxx_linkfile = "search_link.xml"; }
39 if($libtype == "office library"){ $xxx_linkfile = "office_link.xml"; }
40 if($libtype == "future library"){ $xxx_linkfile = "future_link.xml"; }
41 if($libtype == "faculty library"){ $xxx_linkfile = "library_link.xml"; }
42
43 echo '<p>&nbsp;</p>';
44 echo '<p>';
45 echo ' : ';
46 echo '<input name="key" id="key" type="text" class="loginbox" readonly="true" size="40" value="'. $li
nkkey.'" /><br />';
47 echo ' : ';
48 echo '<input name="xxxlinkfile" id="xxxlinkfile" type="text" class="loginbox" readonly="true" size="
35" value="'. $xxx_linkfile.'" />';
49 echo '</p>';
50
51 //=====//
52 ?>
53 </form>
54 <script type="text/javascript">
55 //===== global val =====//
56
57 var xmlDoc;
58 var xmldata;
59 var newdata;
60 var datatowrite;
61 var parent;
62 var isxmlhead = '<?xml version="1.0" encoding="utf-8"?>\n<?DOCTYPE service SYSTEM "link.dtd" ?>\n<?xml-s
tylesheet type="text/xsl" href="link.xsl" ?>\n';
63
64
65 //===== xxx_link.xml <subject> " " =====//
66
67 var xmlfile;
68 /* xxx_link.xml */
69 var delkey;
70 /* NodeValue subject/link key <subject> <link>delkey</link>*/
71
72 function passKeyValue()
73 {
74     xmlfile = document.inform.xxxlinkfile.value;
75     delkey = document.inform.key.value;
76 }
77
78 ////////////////////////////////////////////////// call function //////////////////////////////////////
79
80 //===== xml xmlfile DOM =====//
81
82 function loadXML()

```

```

84     passKeyValue();
85
86     //load xml file
87     // code for IE
88     if (window.ActiveXObject)
89     {
90         xmlDoc=new ActiveXObject("Microsoft.XMLDOM");
91         xmlDoc.async=false;
92         xmlDoc.load(xmlfile);
93     }
94 }
95 // code for Mozilla, Firefox, Opera, etc.
96 else if (document.implementation && document.implementation.createDocument)
97 {
98     xmlDoc=document.implementation.createDocument("", "", null);
99     xmlDoc.load(xmlfile);
100 }
101 }
102 else
103 {
104     alert('Your browser cannot handle this script');
105 }
106
107 }
108
109 //===== array index <subject> node =====//
110 function checkID(tagname, value)
111 {
112     var x=xmlDoc.getElementsByTagName(tagname);
113     var temp;
114     var j;
115
116     for (i=0;i<x.length;i++)
117     {
118         temp = x[i].childNodes[0].nodeValue;
119         if (temp == value)
120         {
121             j = i;
122         }
123     }
124     return j;
125 }
126
127 //===== text DOM =====//
128 function creatDataXML(rootelement)
129 {
130     var j=xmlDoc.getElementsByTagName('subject');
131
132     var roottype = rootelement.getAttribute('type');
133     var roottitle = rootelement.getAttribute('title');
134
135     xmldata = '<menulink type="' + roottype + '" title="' + roottitle + '">\n';
136     newdata = '';
137
138     for (i=0;i<j.length;i++)
139     {
140         temp = '<subject>\n<name>' + j[i].firstChild.childNodes[0].nodeValue + '</name>\n' + '<link>' +
j[i].lastChild.childNodes[0].nodeValue + '</link>\n' + '</subject>\n';
141         newdata = newdata + temp ;
142     }
143 }
144
145 function toDataString()
146 {
147     textdata = isxmlhead + xmldata + newdata + '</menulink>';
148     return textdata;
149 }
150 //=====//
151
152 ////////////////////////////////////////////////// MAIN PROGRAM //////////////////////////////////////////
153 loadXML();
154
155 var id ;
156 id = checkID("link", delkey);
157 var x=xmlDoc.getElementsByTagName("subject")[id];
158
159 parent = xmlDoc.getElementsByTagName("subject")[id].parentNode;
160
161
162
163 //===== output =====//
164 showDelData(id);
165
166 function showDelData(i)
167 {

```

```

168     var j=xmlDoc.getElementsByTagName("subject");
169
170     document.write("<p align='center'>                </p>");
171     document.write("<p align='center'>");
172     document.write("        : " + j[i].firstChild.childNodes[0].nodeValue);
173     document.write("<br />");
174     document.write("        : " + j[i].lastChild.childNodes[0].nodeValue);
175     document.write("</p>");
176     document.write("<p align='center'>                ?</p>");
177 }
178 //=====//
179
180 //_____ subject node                <link>                delkey _____//
181
182 deleted_node = parent.removeChild(x);
183
184
185 //===== code xml                DOM                =====//
186 creatDataXML(parent);
187 datatowrite = toDataString();
188 //                xxx_link.xml
189
190 </script>
191
192 <form action="app_deletexml.php" method="post" name="form" target="_self" onSubmit="setValue()">
193 <input name="datafromjs" id="datafromjs" type="hidden" value="" />
194 <input name="creatfile" id="creatfile" type="hidden" value="" />
195 <input name="unlinkfile" id="unlinkfile" type="hidden" value="" />
196 <input name="submit" type="submit" value="        " class="button" />
197 </form>
198
199 </td></tr></table>
200 <?php
201 }
202 else {echo "<a href='app_index.php' target='_top'>                login                login                </a>";}
203 ?>
204
205 <script type="text/javascript">
206
207 /*//////////////////// code xml                php                code                //////////////////*/
208 function setValue()
209 {
210     document.form.datafromjs.value = datatowrite;
211     document.form.creatfile.value = xmlfile;
212     document.form.unlinkfile.value = delkey;
213
214     alert("        Update File: " + xmlfile);
215 }
216 </script>
217
218 </body>
219 </html>
220

```