

```

1 <?php
2 session_start();
3
4 include("app_header.php");
5
6
7
8
9 if (isset($_SESSION["valid_user"])) {
10 /***** session user** *****/
11
12
13
14
15
16 $file = $_POST['mylink'];
17
18 $libtype = $_POST['libtype1'];
19 // type
20
21 $depth = array();
22 $tempname;
23
24 function startElement($parser, $name, $attrs)
25 {
26     global $depth;
27     global $tempname;
28
29     for ($i = 0; $i < $depth[$parser]; $i++) {
30         echo " ";
31     }
32
33     /////////////// <title> and <engtitle> element ///////////////
34     if ( $name == "TITLE" )
35     {
36         echo "<tr><td align='left' valign='top' width='120' >";
37         if (count($attrs)) {
38             foreach ($attrs as $k => $v) {
39                 if ($k == "MEANING")
40                     {echo "$v </td><td align='left' valign='top' >
41                         <input name='$name' type='text' size='50' readonly='true' class='textbox' value='";
42                     }
43             }
44         }
45         if ( $name == "ENGTITLE" )
46         {
47             echo "<tr><td align='left' valign='top' width='120' >";
48             if (count($attrs)) {
49                 foreach ($attrs as $k => $v) {
50                     if ($k == "MEANING")
51                         {echo "$v </td><td align='left' valign='top' >
52                             <input name='$name' type='text' size='50' class='textbox' value='";
53                         }
54                     }
55             }
56             /////////////// <picture> element and child node ///////////////
57             if ( $name == "PICTURE" )
58             {
59                 echo "<tr><td colspan='2' align='left' height='10' ></td></tr>";
60             }
61             if ( $name == "SRC" )
62             {
63                 echo "<tr><td align='left' valign='top' width='120' >";
64                 if (count($attrs)) {
65                     foreach ($attrs as $k => $v) {
66                         if ($k == "MEANING")
67                             {echo "$v ( ) </td><td align='left' valign='top' >
68                                 <input name='$name' type='text' size='50' readonly='true' class='textbox' value='";
69                             }
70                     }
71                 }
72                 if ( $name == "ATL" )
73                 {
74                     echo "<tr><td align='left' valign='top' width='120' >";
75                     if (count($attrs)) {
76                         foreach ($attrs as $k => $v) {
77                             if ($k == "MEANING")
78                                 {echo "$v </td><td align='left' valign='top' >
79                                     <input name='$name' type='text' size='50' class='textbox' value='";
80                                 }
81                             }
82                     }
83                     if ( $name == "WIDTH" || $name == "HEIGHT" )
84                     {

```

```

86     echo "<tr><td colspan='2' align='left' height='2' >";
87     echo "<input type='hidden' name='$name' value='";
88 }
89 /////////////// <description> element ///////////////
90 if ( $name == "DESCRIPTION" )
91 {
92     echo "<tr><td align='left' valign='top' width='120' >";
93     if (count($attrs)) {
94         foreach ($attrs as $k => $v) {
95             if ($k == "MEANING")
96                 {echo "$v </td><td align='left' valign='top' ><textarea name='$name' cols='50' rows='5' class
='textbox'>";}
97         }
98     }
99 /////////////// <info> element ///////////////
100 if ( $name == "INFO" )
101 {
102     echo "<tr><td align='left' valign='top' width='120' >";
103     if (count($attrs)) {
104
105         $about;
106
107         foreach ($attrs as $k => $v) {
108             if ($k == "ABOUT")
109             {
110                 $about = $v;
111                 echo "<input type='hidden' name='infoabout' id='infoabout' value='$v' />";
112             }
113             if ($k == "MEANING")
114             { echo "$v </td><td align='left' valign='top' >";
115                 echo "<input type='hidden' name='infomeaning' id='infomeaning' value='$v' />";
116                 echo "<textarea name='$about' cols='50' rows='5' class='textbox'>";}
117             }
118         }
119     }
120
121     $tempname = "$name";
122
123     $depth[$parser]++;
124 }
125
126 function endElement($parser, $name)
127 {
128     global $depth;
129
130     if ( $name == "TITLE" || $name == "ENGTITLE" || $name == "ATL" || $name == "WIDTH" || $name == "HEIGHT
")
131     {
132         echo "' /></td></tr>";
133     }
134     if ( $name == "DESCRIPTION" || $name == "INFO" )
135     {
136         echo "</textarea></td></tr>";
137     }
138     if ( $name == "SRC" )
139     {
140         echo "' /></td></tr>";
141         echo "<tr><td align='left' valign='top' width='120' >                </td><td align='left' valign='top' >";
142         echo "<input type='file' name='newpicfile' id='newpicfile' size='40' class='textbox' /><br />";
143         echo "<span class='orangefont'>**                500x300                300 Kb <br />
144             JPEG      GIF      </span></td></tr>";
145     }
146     if ( $name == "PICTURE" )
147     {
148         echo "<tr><td colspan='2' align='left' height='10' ></td></tr>";
149     }
150
151     $depth[$parser]--;
152 }
153
154 function characterData($parser, $data)
155 {
156
157     global $tempname;
158     if ( $tempname == "TITLE" || $tempname == "ENGTITLE" ||
159         $tempname == "SRC" || $tempname == "ATL" ||
160         $name == "WIDTH" || $name == "HEIGHT" ||
161         $tempname == "DESCRIPTION" || $tempname == "INFO" )
162     {
163         echo "$data";
164     }
165 }
166
167
168 ///////////////

```

```

170 echo "<form action='app_genxmlafteredit.php' method='post' target='_self' name='form1' id='form1' enctype
e='multipart/form-data'>
171     <table width='580' border='0' cellpadding='10' cellspacing='5'>;
172 echo "<tr><td colspan='2' align='left' class='headline' >
173     <font color='#DE4B11'>$nametitle</font>
174     </td></tr>";
175 echo "<tr><td colspan='2' align='left' >
176     <span class='orangefont'>**                                code html      textbox                                </span><br /
>
177     <span class='lightfont'>*                                UTF-8 encoding</span>
178     </td></tr>";
179 echo "<tr><td colspan='2' align='left' >&nbsp;  ";
180 echo "<input type='hidden' name='filename' id='filename' value='$nametitle' />";
181 echo "<input type='hidden' name='fileurl' id='fileurl' value='$file' />";
182 echo "<input type='hidden' name='mylibtype' id='mylibtype' value='$libtype' />";
183 echo "</td></tr>";
184
185 //////////////////////////////////
186
187 $xml_parser = xml_parser_create();
188 xml_set_element_handler($xml_parser, "startElement", "endElement");
189 xml_set_character_data_handler($xml_parser, "characterData");
190
191 if (!($fp = fopen($file, "r"))) {
192     die("could not open XML input");
193 }
194
195 while ($data = fread($fp, 4096)) {
196     if (!xml_parse($xml_parser, $data, feof($fp))) {
197         die(sprintf("XML error: %s at line %d",
198             xml_error_string(xml_get_error_code($xml_parser)),
199             xml_get_current_line_number($xml_parser)));
200     }
201 }
202 xml_parser_free($xml_parser);
203
204 echo "<tr><td colspan='2' align='center' >
205     <input type='submit' name='SAVE' class='button' value='Submit >>' />
206     </td></tr>";
207 echo "</table></form>";
208
209
210
211
212
213
214 }
215 else ////////// session //////////
216 {echo "<a href='app_index.php' target='_top'>                login      login      </a>";}
217
218
219
220
221 echo "</body></html>";
222 ?>

```