

```

1 <?php
2 /*
3         app_addnewdata.php             xml
4
5 code php
6             xml code                   $fileurl
7             xxx_link.xml             link
8 */
9 session_start();
10
11 include("app_header.php");
12
13
14
15
16 if (isset($_SESSION["valid_user"])) {
17 /***** session user** *****/
18
19
20
21
22
23
24 echo "<table width='580' border='0' cellspacing='10' cellpadding='5'>";
25 echo "<tr><td height='200' align='center' valign='middle'>";
26
27 //////////////////////////////////////////////////value      form //////////////////////////////////
28
29 $tempnamefile = $_POST['fileurl'];
30 //          service_22012007160831
31 $file = $tempnamefile.".xml";
32 //          xml      service_22012007160831.xml
33
34 $libraryinfo_type = $_POST['mylibtype'];
35 //          faculty library
36
37 $filename = $_POST['filename'];
38 //
39
40 $TITLE = $_POST['TITLE'];
41 $ENGTITLE = $_POST['ENGTITLE'];
42 $DESCRIPTION = $_POST['DESCRIPTION'];
43
44 //----- Info att about -----//
45 $detail = $_POST['detail'];
46 $rule = $_POST['rule'];
47 $time = $_POST['time'];
48 $place = $_POST['place'];
49 $link = $_POST['link'];
50 $contact = $_POST['contact'];
51 $work = $_POST['work'];
52 $goal = $_POST['goal'];
53 $process = $_POST['process'];
54 $KPI = $_POST['KPI'];
55 $plan = $_POST['plan'];
56
57 //          app_genxmlafteredit.php          //
58
59 //$src = $_POST['SRC'];
60 $atl = $_POST['ATL'];
61 //$width = $_POST['WIDTH'];
62 //$height = $_POST['HEIGHT'];
63
64 $pic_name = $_FILES["newpicfile"]["name"];
65 $pic_type = $_FILES["newpicfile"]["type"];
66 $pic_size = $_FILES["newpicfile"]["size"];
67 $pic_errorcode = $_FILES["newpicfile"]["error"];
68 $pic_temp = $_FILES["newpicfile"]["tmp_name"];
69
70
71 ////// meaning //////
72 $titlemeaning;
73 $engtitlemeaning;
74
75 if($libraryinfo_type == "future library")
76 {
77     $titlemeaning = " / ";
78     $engtitlemeaning = " ( )";
79 }
80 else {
81     $titlemeaning = " ";
82     $engtitlemeaning = " ";
83 }
84
85 //////////////////////////////////////////////////val      att      xml //////////////////////////////////
86

```

```

88 $infodata;
89 $picturedata;
90 $filelink;
91 //      xxx_link.xml      <subject> element
92
93
94 ///////////////////////////////////////////////////
95
96 $vservice = "service";
97 $vsearch = "search";
98 $voffice = "office library";
99 $vfuture = "future library";
100 $vfaculty = "faculty library";
101
102
103 ///////////////////////////////////////////////////
104
105 $headxml = '<?xml version="1.0" encoding="UTF-8"?>
106 <?DOCTYPE service SYSTEM "libraryinfo.dtd" ?>
107
108 <?xml-stylesheet type="text/xsl" href="libraryinfo.xsl" ?>';
109
110 $rootxml = '
111 <libraryinfo type="'. $libraryinfo_type. '" engname="'. $ENGTITLE. '" thainame="'. $TITLE. '">
112
113     <title meaning="'. $titlemeaning. '">'. $TITLE. '</title>
114     <engtitle meaning="'. $engtitlemeaning. '">'. $ENGTITLE. '</engtitle>
115     ';
116
117 $descriptiontag = '<description meaning="          "><![CDATA['. $DESCRIPTION. ']]></description>';
118
119 $closeroot = '</libraryinfo>';
120
121 ///////////////////////////////////////////////////
122
123 function setInfoData($value)
124 {
125     global $infodata;
126     global $detail, $rule, $time, $place, $link, $contact, $work, $goal, $process, $KPI, $plan;
127
128     global $vservice, $vsearch, $voffice, $vfuture, $vfaculty;
129
130     if($value == "$vservice")
131     {
132         $infodata = '<info about="detail" meaning="          "><![CDATA['. $detail. ']]></info>
133         <info about="rule" meaning="          "><![CDATA['. $rule. ']]></info>
134         <info about="time" meaning="          "><![CDATA['. $time. ']]></info>
135         <info about="place" meaning="          "><![CDATA['. $place. ']]></info>
136         <info about="link" meaning="Link          "><![CDATA['. $link. ']]></info>
137         ';
138     }
139     if($value == "$vsearch")
140     {
141         $infodata = '<info about="detail" meaning="          "><![CDATA['. $detail. ']]></info>
142         <info about="place" meaning="          "><![CDATA['. $place. ']]></info>
143         <info about="link" meaning="Link          "><![CDATA['. $link. ']]></info>
144         ';
145     }
146     if($value == "$voffice")
147     {
148         $infodata = '<info about="work" meaning="          "><![CDATA['. $work. ']]></info>';
149     }
150     if($value == "$vfuture")
151     {
152         $infodata = '<info about="goal" meaning="          /          "><![CDATA['. $goal. ']]></info>
153         <info about="plan" meaning="          "><![CDATA['. $plan. ']]></info>
154         <info about="KPI" meaning="          "><![CDATA['. $KPI. ']]></info>
155         <info about="process" meaning="          (          )"><![CDATA['. $process. ']]></info>
156         ';
157     }
158     if($value == "$vfaculty")
159     {
160         $infodata = '<info about="contact" meaning="          "><![CDATA['. $contact. ']]></info>
161         <info about="time" meaning="          "><![CDATA['. $time. ']]></info>
162         <info about="link" meaning="Link          "><![CDATA['. $link. ']]></info>
163         ';
164     }
165 }
166
167 function managePicture()
168 {
169     global $picturedata;
170     global $atl;
171     global $pic_name, $pic_type, $pic_size, $pic_errorcode, $pic_temp;
172     global $tempnamefile;

```

```

174 $unknowW = "";
175 $unknowH = "";
176
177 // file type dot
178 if ($pic_type == "image/gif") {$lastname = "gif";}
179 if ($pic_type == "image/jpeg") {$lastname = "jpeg";}
180 if (($pic_type == "image/jpg") || ($pic_type == "image/pjpeg")) {$lastname = "jpg";}
181
182 //-----
183 if (!$pic_temp)
184 {
185     setPictureData($atl, "", $unknowW, $unknowH);
186 }
187 else
188 {
189     if (($pic_type == "image/gif") || ($pic_type == "image/jpeg") ||
190         ($pic_type == "image/jpg") || ($pic_type == "image/pjpeg") && ($pic_size < 300000))
191     {
192         if ($pic_errorcode > 0)
193         {
194             switch ($pic_errorcode)
195             {
196
197                 case 1: echo 'File exceeded maximum server upload size';
198                 break;
199
200                 case 2: echo 'File exceeded maximum file size';
201                 break;
202
203                 case 3: echo 'File only partially uploaded';
204                 break;
205
206                 case 4: echo 'No file uploaded';
207                 break;
208             }
209         }
210         else
211         {
212             echo "                <br />";
213             echo "Upload: " . $pic_name . "<br />";
214             echo "Type: " . $pic_type . "<br />";
215             echo "Size: " . ($pic_size / 1024) . " Kb<br />";
216             echo "Temp file: " . $pic_temp . "<br />";
217
218             $new_filename = $tempnamefile.".$lastname";
219
220             $new_fileuri = "images/".$new_filename;
221
222             if (file_exists($new_fileuri))
223             {
224                 echo "file already exists !!! ";
225             }
226             else
227             {
228                 move_uploaded_file($pic_temp,$new_fileuri);
229                 echo "<p>Stored in: " . $new_fileuri . "</p>";
230             }
231
232             setPictureData($atl, $new_fileuri, $unknowW, $unknowH);
233         }
234     }
235     else
236     {
237         echo "Invalid file";
238     }
239 }
240 //-----
241 }
242
243
244 function setPictureData($picATL, $picSRC, $picW, $picH )
245 {
246     global $picturedata;
247
248     $picturedata = '<picture meaning="                ">
249                     <atl meaning="                ">'.$picATL.'</atl>
250                     <src meaning="                ">'.$picSRC.'</src>
251                     <linkto meaning="                " />
252                     <width>'.$picW.'</width>
253                     <height>'.$picH.'</height>
254                     </picture>';
255 }
256
257
258 function toDataString()

```

```

260 { global $headxml, $rootxml,$picturedata, $descriptiontag, $infodata, $closeroot;
261
262 $textdata = "$headxml"."$rootxml"."$picturedata"."$descriptiontag"."$infodata"."$closeroot";
263 return $textdata;
264 }
265
266
267 //////////////////////////////////edit file////////////////////////////////////
268
269
270 setInfoData("$libraryinfo_type");
271 managePicture();
272
273 $data = toDataString();
274
275 if (!($fp = fopen($file, "w"))) {
276     die("could not open file");
277 }
278
279 fwrite($fp, $data);
280 fclose($fp);
281
282 echo "<p>edit file    </p>";
283
284 echo "<p><strong>          :</strong> $TITLE <br />";
285 echo "<strong>          :</strong> $file <br />";
286 echo "<strong>          :</strong> $libraryinfo_type <br/></p>";
287
288 echo "<p><a href='\".$file.\"' target='_blank'>Click to Preview new file</a></p>";
289
290 //////////////////////////////////////
291 //////////////////////////////////===== open xml link file (xxx_link.xml) for add <subject> element =====
292 =====////////////////////////////////
293 //////////////////////////////////////
294
295 function setFileLink($value)
296 {
297     $mylink;
298
299     if($value == "service")
300     {
301         $mylink = "service_link.xml";
302     }
303     if($value == "search")
304     {
305         $mylink = "search_link.xml";
306     }
307     if($value == "office library")
308     {
309         $mylink = "office_link.xml";
310     }
311     if($value == "future library")
312     {
313         $mylink = "future_link.xml";
314     }
315     if($value == "faculty library")
316     {
317         $mylink = "library_link.xml";
318     }
319
320     return $mylink;
321 }
322
323 //////////////////////////////////
324
325 $depth = array();
326
327
328 $filelink = setFileLink($libraryinfo_type); //file name
329
330 //////////////////////////////////
331
332 $tempData = ""; //xml code //
333
334 $headdata = '<?xml version="1.0" encoding="UTF-8"?>
335 <?DOCTYPE service SYSTEM "link.dtd" ?>
336 <?xml-stylesheet type="text/xsl" href="link.xsl" ?>
337 ' ;
338
339 $rootelement = '<menulink type="\".$libraryinfo_type.\"" title="\".$filename.\"">';
340
341 $lastelement = "    <subject>

```

```

342         <name>$TITLE</name>
343         <link>$file</link>
344     </subject>
345 </menulink>";
346
347
348
349 function writeTempData($data)
350 {
351     global $tempData;
352
353     $tempData = $tempData.$data;
354 }
355
356 function joinstring()
357 {
358     global $headdata, $tempData;
359
360     $lastkeep = $headdata.$tempData;
361
362     return $lastkeep;
363 }
364
365 //////////////////////////////////////
366
367 function startElement($parser, $name, $attrs)
368 {
369     global $depth;
370     global $rootelement, $headdata, $tempData;
371
372     $temp ;
373
374     for ($i = 0; $i < $depth[$parser]; $i++) {
375         echo " ";
376     }
377
378     if ( $name == "MENULINK" )
379     {
380         $temp = $rootelement;
381         writeTempData($temp);
382     }
383     if ( $name == "SUBJECT" )
384     {
385         $temp = "<subject>";
386         writeTempData($temp);
387     }
388     if ( $name == "NAME" )
389     {
390         $temp = "<name>";
391         writeTempData($temp);
392     }
393     if ( $name == "LINK" )
394     {
395         $temp = "<link>";
396         writeTempData($temp);
397     }
398
399     $depth[$parser]++;
400 }
401
402 function endElement($parser, $name)
403 {
404     global $depth, $lastelement;
405
406     $temp;
407
408     if ( $name == "MENULINK" )
409     {
410         writeTempData($lastelement);
411     }
412     if ( $name == "SUBJECT" )
413     {
414         $temp = "</subject>";
415         writeTempData($temp);
416     }
417     if ( $name == "NAME" )
418     {
419         $temp = "</name>";
420         writeTempData($temp);
421     }
422     if ( $name == "LINK" )
423     {
424         $temp = "</link>";
425         writeTempData($temp);
426     }
427

```

```

428     $depth[$parser]--;
429 }
430
431 function characterData($parser, $data)
432 {
433
434     writeTempData($data);;
435 }
436
437
438 //////////////////////////////////////////////////open $filelink    to parser////////////////////////////////////
439
440 $xml_parser = xml_parser_create();
441 xml_set_element_handler($xml_parser, "startElement", "endElement");
442 xml_set_character_data_handler($xml_parser, "characterData");
443
444 if (!($fp = fopen($filelink, "r"))) {
445     die("could not open XML input");
446 }
447
448 while ($data = fread($fp, 4096)) {
449     if (!xml_parse($xml_parser, $data, feof($fp))) {
450         die(sprintf("XML error: %s at line %d",
451             xml_error_string(xml_get_error_code($xml_parser)),
452             xml_get_current_line_number($xml_parser)));
453     }
454 }
455
456 xml_parser_free($xml_parser);
457
458 ////////////////////////////////////////////////// xml code //////////////////////////////////
459
460 $completedata = joinstring();
461 echo "<p>        link        ".$filelink."        </p>";
462
463 //////////////////////////////////
464
465
466     if (!($fp = fopen($filelink, "w"))) { die("could not open XML file");}
467
468     fwrite($fp, $completedata);
469     fclose($fp);
470
471 //////////////////////////////////
472
473 echo "</td></tr>";
474 echo "</table>";
475
476 }
477
478 else // session //
479 {echo "<a href='app_index.php' target='_top'>        login        login        </a>";}
480
481
482
483
484 echo "</body></html>";
485 ?>

```