# **GPU Compositing**

# **About GPU Compositing**

GPU compositing is an OpenGL ES2.0 based composition solution that provides the logic to display video and graphics frames from the memory on a display supported by the device. It uses texture streaming extension, which is a proprietary OpenGL ES extension from Imagination Technologies for rapidly changing textures.

#### The GPU compositing includes the following main features:

- Build time user configurable number of planes (Graphics & Video separately)
- · Graphics Pipeline
  - supported pixel formats: RGB565, ARGB8888
  - Blending global or pixel level alpha
  - Blending order Graphics plane 0 being the first.
- · Video Pipelines
  - supported pixel formats: YUV422, NV12,I420 & YUV420
  - Overlay Order: Video plane 0 at the bottom.
- Maximum plane resolution of 2048x2048
- Plane Resizing configurable output window position and resolution in terms of normalized device co-ordinates
- Plane Rotation (Z-axis only) in units of decimal degrees
- Automatic color conversion to the output frame buffer format (ARGB8888 & RGB565)
- Flicker Free Composition Synchronized with Display Rate

The solution comprises of the following components


- composition OpenGL ES2.0 based composition
- gpuvsink GStreamer GPU based video sink works in conjunction with the composition application
- linuxfbofs Qt display driver for rendering to an offscreen surface
- transBgSmpQtUI Sample Qt Application demonstrating simple UI with transparent background

GPU Compositing Source Download [1]

## **Dependencies**

- AM SDK [2] Graphics SDK needs to be upgraded to 04\_06\_00\_03 [3]
- CMEM Linux Utility for allocating contiguous memory [4]

## **Directory structure**




gpu-compositing - Top level folder containing the following sub-directories

composition - GPU based composition - OpenGL ES2.0 based application

• gpuvsink - GStreamer plugin - GPU based video sink, which works in conjunction with the composition application using named pipe.

- linuxfboffscreen Qt Display driver for rendering to offscreen surface (depends on CMEM module for allocating contiguous memory for the offscreen surface)
- targetfs contains target init script, creates required named pipes
- transBgSmpQtUI Sample Qt Application with transparent background
- · gpucomp.h Public header file for the gpu composition defines the external interface and config structures
- userguide.pdf This document

# **Functional Flow Diagram**



# linuxfbofs - qt display driver for rendering to offscreen surface

linuxfbofs is a Qt display driver, which supports rendering to an offscreen surface. It allocates physically contiguous memory using CMEM module for the offscreen surface with the same properties as linuxfb. It works in conjunction with the composition, which is basically an OpenGL ES 2.0 based compositing application. The physically contiguous memory for the offscreen surface is required as it's shared across processes. It uses named pipe as the method for communicating the offscreen buffer and it's properties to the composition application. The named pipe used for this purpose are /opt/gpu-compositing/named\_pipes/gfx\_cfg\_plane\_X, where X indicates the plane number. It uses gfxCfg\_s (gpucomp.h) structure for communicating the surface properties.

#### **Build Steps**

- Set up the Qt build environment
  - e.g. run \$source /home/user/ti-sdk-am335x-evm-05.05.00.00/linux-devkit/environment-setup
- Edit the Qt project file (linuxfbofs.pro) for the CMEM inlcude and library paths
  - e.g. INCLUDEPATH +=/home/user/cmem/include
  - LIBS += /home/user/cmem/lib/cmem.a470MV
- Generate Makefile from the Qt project file
  - e.g. \$/home/user/ti-sdk-am335x-evm-05.05.00.00/linux-devkit/bin/qmake -o Makefile linuxfbofs.pro
- \$make
- \$make install /\* set up the installation path to copy libqscreenlinuxfbofs.so file on to the target /usr/lib/\*qt plugins directory\* (e.g. /usr/lib/qtopia/plugins/gfxdrivers/)

#### **Specifying the Driver**

To specify the driver set the display environment variable as below

export QWS\_DISPLAY=linuxfbofs[:<driver specific options>]

Alternatively, The QWS\_DISPLAY environment variable can be set using the -display option when running an application. e.g.

#./app -qws -display linuxfbofs[:<driver specific options>]

#### **Driver Specific Options**

The multiple driver options are specified with each separated with a colon

- gfx\_no=<int graphics plane number(0 to MAX\_GFX\_PLANES) default=0 >
- xpos=<float x position of the output graphics window in normalized device co-ordinates (-1.0 to +1.0) default=-1.0>
- ypos=<float y position of the output graphics window in normalized device co-ordinates (-1.0 to +1.0) default=1.0>
- width=<float- width of the output graphics window in normalized device co-ordinates (0.0 to 2.0) default=2.0>
- height=<float- height of the output graphics window in normalized device co-ordinates (0.0 to 2.0) default=2.0>
- blend\_en=<int- 1-enable 0-disable blending default=1>
- glob\_alpha\_en=<int- 1 global alpha 0 pixel level alpha default=1>
- global\_alpha=<float- value of the global alpha (0.0 to 1.0), valid if glob\_alpha\_en=1 default=0.5 >
- rotate=<float-rotate angle in degrees (-180.00 to 180.00) default=0.0>

All the float parameters must be specified in x.x format only even if the value is '0' after the decimal point.

### **Blend Equation**

Cf = Cg \* alpha + (1-alpha) Cb

Cf - Final color


Cb - Background color

Cg - Graphics color

#### **Usage Examples**

 $\label{linux} \#/usr/bin/qtopia/demos/mainwindow/mainwindow -qws -display \\ linuxfbofs:gfx\_no=0:xpos=-0.75:ypos=0.75:width=1.5:height=1.5:blend\_en=0:rotate=20.0 \& \\ \#/usr/bin/qtopia/demos/spreadsheet/spreadsheet -qws -display \\ linuxfbofs:gfx\_no=1:xpos=-1.0:ypos=1.0:width=2.0:height=2.0:blend\_en=1:glob\_alpha\_en=1:global\_alpha=0.5:rotate=0.0 \& \\ \&$ 

#### **Display Snapshot:**



# gpuvsink - GStreamer GPU based video sink

gpuvsink is gstreamer video sink module, responsible for synchronized displaying of the received video frames using gpu (sgx). This works in conjuction with composition application for actual displaying of frames. It uses named pipe as the method for communicating video plane configurable parameters and data to the composition application.

The named pipes are /opt/gpu-compositing/named\_pipes/video\_cfg\_and\_data\_plane\_X, where X denotes the plane number.

### **Build Steps**

· Export GStreamer Package and toolchain path variables in shell

```
export PKG_CONFIG_PATH=/home/user/targetfs/opt/gstreamer/lib/pkgconfig/export
```

PATH=\$PATH:/opt/toolchain/arago/arago-2011.09-static-armv7a-linux-gnueabi-sdk-latest/arago-2011.09/armv7a/bin

- edit autogen.sh for configure parameters and run \$ ./autogen.sh
- · edit src/rules.make for the path variables.
- \$ make
- \$ make install /\* e.g. install to "/home/user/targetfs/usr/lib/gstreamer-0.10/" directory \*/

#### **Command Line Option**

Multiple options are specified separated with space.

- x-pos <float x position of the output video window in normalized device co-ordinates (-1.0 to +1.0) default=-.5>
- y-pos <float y position of the output video window in normalized device co-ordinates (-1.0 to +1.0) default=0.5>
- width <float width of the output video window in normalized device co-ordinates (0.0 to 2.0) default=1.0>
- height <float height of the output video window in normalized device co-ordinates (0.0 to 2.0) default=1.0>
- channel-no=<int video plane number(0 to MAX\_VID\_PLANES) default=0 >
- rotate=<float rotate angle in degrees (-180.00 to 180.00) default=0.0>

#### **Usage Examples**

```
#gst-launch filesrc location=/opt/gpu-compositing/streams/AAC_HEv1/2012_AAC_HE_720x480_24fps.mp4 ! decodebin2 name=dec! gpuvsink x-pos=-1.0 y-pos=1.0 width=2.0 height=2.0 channel-no=0 rotate=0.0 & #gst-launch filesrc location=streams/test2.mp4! decodebin2 name=dec! gpuvsink x-pos=-0.4 y-pos=0.0 width=1.0 height=1.0 channel-no=1 rotate=25.0 &
```

**Display Snapshot:** 



# composition - OpenGLES2.0 based compositing

Composition is an OpenGL ES 2.0 based application, responsible for compositing video and graphics planes. The graphics planes are alpha blended over the video planes with higher numbered plane being blended on top of the lower numbered planes.

It receives commands for graphics and video configuration and video data buffer pointers via named pipes.

Named Pipe for video config and data - "/opt/gpu-compositing/named\_pipes/video\_cfg\_and\_data\_plane\_X" Named pipe for grphics config - "/opt/gpu-compositing/named\_pipes/video\_data\_plane\_X" where X denotes the plane number.

#### **Graphics Configuration**

The structure below is used for configuring a graphics plane via named pipe.

```
typedef struct
  int enable;
                                  /* 1 - enable the gfx plane; 0 - disable */
                                /* 1 - valid i/p parameters; 0 - invalid */
  int input_params_valid;
  struct in_g {
      unsigned long data_ph_addr; /* physical address of the gfx buffer
      int width;
                                /* gfx plane width in pixels
                                                                         */
                                /* gfx plane height in pixels
                                                                         */
      int height;
      unsigned int pixel_format;  /* fourcc pixel format
      int enable_blending;
                                /* 1 - blending enabled; 0 - disabled */
                                /* 1 - global alpha; 0 - pixel alpha
      int enable_global_alpha;
                                                                        */
      float global_alpha;
                                /* global alpha value [0.0 to 1.0]
                                                                        */
      float rotate;
                                /* rotate angle in decimal degrees [-180.0 to 180.0]*/
   } in_g;
```

#### **Video Configuration**

The structure below is used for video plane configuration and passing the video data pointers.

```
#define MAX_VIDEO_BUFFERS_PER_CHANNEL 16
typedef struct
  int config_data; /* 1 - config 0 - data */
  int buf_index;
                    /* if data, buffer index */
                     /* 1 - enable the video plane; 0 - disable */
  int enable;
  /* Video plane config structure */
  struct in {
      float rotate; /* rotate angle in decimal degrees [-180.0 to 180.0]*/
                    /* Number of video buffers */
      int count;
      int width;
                    /* video frame width in pixels */
      int height; /* video frame height in pixels */
      unsigned int fourcc; /* pixel format */
      unsigned\ long\ phyaddr[MAX\_VIDEO\_BUFFERS\_PER\_CHANNEL];\ /*\ Physical\ addresses\ of\ video\ buffers\ */
  /* output video window position and resolution in normalized device co-ordinates */
  struct out {
      float xpos; /* x position [-1.0 to 1.0] */
      float ypos; /* y position [-1.0 to 1.0] */
      float width; /* width - [0.0 to 2.0], 2.0 correspond to fullscreen width */
      float height; /* height - [0.0 to 2.0], 2.0 correspond to fullscreen height */
   } out;
} videoConfig_s;
```

#### composition performance

720x480 video (covering full output screen of 800x480) - 88 fps 720x480 video + 800x480 Graphics (Both covering full output screen 800x480) - 63 fps

# transBgSmpQtUI

A sample Qt application, demonstrating a simple UI with transparent background, alpha channel set to '0' for the background plane.

Refer to the source for more details.

# Overall steps to Run on Target

- run the init script, required to be run only once. Creates named pipes needed for communicating across modules.
   #./init.sh
- set the Window System EGL for flip mode, content of the "/etc/powervr.ini" should be as below [default]

#WindowSystem=libpvrPVR2D\_FRONTWSEGL.so

WindowSystem=libpvrPVR2D\_FLIPWSEGL.so

• Insert the bufferclass (texture streaming extn module) module if it's not inserted already

#insmod /opt/gfxlibraries/gfx\_rel\_es8.x/bufferclass\_ti.ko

• insert cmem module, allocating memory for each plane.

Pool size for Graphics Plane = width \* height \* Bytes Per Pixel

Pool size for Video Plane = video frame width \* height \* 2 (Bytes Per Pixel) \* 6 (buffers)

#insmod cmemk.ko "phys\_start=0x88000000 phys\_end=0x8F800000 pools=1x10000000,1x10000000,1x10000000,1x10000000,1x5000000,1x5000000,1x5000000,1x50000000 allowOverlap=1"

• Run the composition application

# ./composition &

· Set up the Graphics planes -

e.g. for global alpha

#/usr/bin/qtopia/demos/spreadsheet/spreadsheet

-qws -display

 $linuxfbofs: gfx\_no=0: xpos=-1.0: ypos=1.0: width=2.0: height=2.0: blend\_en=1: glob\_alpha\_en=1: global\_alpha=0.25: rotate=0.0: blend\_en=1: global\_alpha=0$ 

e.g. for pixel level alpha

#./transBgSmpQtUI -qws -display

linuxfbofs:gfx\_no=1:xpos=-1.0:ypos=1.0:width=2.0:height=2.0:blend\_en=1:glob\_alpha\_en=0:rotate=0.0 &

· Set up the gstreamer video

e.g.

gst-launch filesrc location=/opt/gpu-compositing/streams/AAC\_HEv1/2012\_AAC\_HE\_720x480\_24fps.mp4 ! decodebin2 name=dec ! gpuvsink x-pos=-1.0 y-pos=1.0 width=2.0 height=2.0 channel-no=0 rotate=0.0 &

#### Display snapshot:



### Limitations/Known Issue

- Color distortion in video planes if formats selected across channels results in different Bytes Per Pixel Size
- A channel (Graphics/Video) can not be re-opened with different resolution
- Running two Qt applications on the same display may not always work fine as it's not a practical usage. The
  demos showing two qt applications are just for illustrating the composition of multiple graphics planes
- Sanity tested only. Very limited testing for the number of planes more than 2

## References

- [1] https://github.com/murthygp/gpu-compositing
- $[2] \ http://software-dl.ti.com/dsps/dsps\_public\_sw/am\_bu/sdk/AM335xSDK/latest/index\_FDS.html$
- $[3] \ http://software-dl.ti.com/dsps/dsps\_public\_sw/sdo\_sb/targetcontent/gfxsdk/4\_06\_00\_03/index\_FDS.html$
- $[4] \ http://software-dl.ti.com/dsps/dsps\_public\_sw/sdo\_sb/targetcontent/linuxutils/index.html$

# **Article Sources and Contributors**

GPU Compositing Source: http://processors.wiki.ti.com/index.php?oldid=118800 Contributors: Mahesh

# **Image Sources, Licenses and Contributors**

File:gpu-compositing-directory.jpg Source: http://processors.wiki.ti.com/index.php?title=File:Gpu-compositing-directory.jpg License: unknown Contributors: Mahesh

File:gpu-comp-BlockDiagram-upd.jpg Source: http://processors.wiki.ti.com/index.php?title=File:Gpu-comp-BlockDiagram-upd.jpg License: unknown Contributors: Mahesh

File:gpu-comp-2gfxplanes.JPG Source: http://processors.wiki.ti.com/index.php?title=File:Gpu-comp-2gfxplanes.JPG License: unknown Contributors: Mahesh

File:gpu-comp-2vidplanes800x480\_480x214.JPG Source: http://processors.wiki.ti.com/index.php?title=File:Gpu-comp-2vidplanes800x480\_480x214.JPG License: unknown Contributors:

File:gpu-comp-final.JPG Source: http://processors.wiki.ti.com/index.php?title=File:Gpu-comp-final.JPG License: unknown Contributors: Mahesh

# License

THE WORK (AS DEFINED BELOW) IS PROVIDED UNDER THE TERMS OF THIS CREATIVE COMMONS PUBLIC LICENSE ("CCPL" OR "LICENSE"). THE WORK IS PROTECTED BY COPYRIGHT AND/OR OTHER APPLICABLE LAW. ANY USE OF THE WORK OTHER THAN AS AUTHORIZED UNDER THIS LICENSE OR COPYRIGHT LAW IS PROHIBITED. BY EXERCISING ANY RIGHTS TO THE WORK PROVIDED HERE, YOU ACCEPT AND AGREE TO BE BOUND BY THE TERMS OF THIS LICENSE. TO THE EXTENT THIS LICENSE MAY BE CONSIDERED TO BE A CONTRACT, THE LICENSOR GRANTS YOU THE RIGHTS CONTAINED HERE IN CONSIDERATION OF YOUR ACCEPTANCE OF SUCH TERMS AND CONDITIONS.

#### License

#### 1. Definitions

- "Adaptation" means a work based upon the Work, or upon the Work and other pre-existing works, such as a translation, adaptation, derivative work, arrangement of music or other alterations of a literary or artistic work, or phonogram or performance and includes cinematographic adaptations or any other form in which the Work may be reached to the control of the Work in the Work may be reached to the work of the Work in the Work may be reached to the Work in the Work performance or phonogram, the synchronization of the Work in the Work may be reached to the Work in the Work performance or phonogram, the synchronization of the Work in control of the Work is included in its entirety in unmodified form along with one or more other contributions, each constituting separate and independent works in themselves, which together are assembled into a collective whole. A work that constitutes a Collection will not be considered an Adaptation (as defined below) for the purposes of this License. ("Creative Commons Compatible Licenses" means a license that is listed at http://creative/commons.org/compatible/cinesses that has been approved by Creative Commons as being essentially equivalent to this License, including, at a minimum, because that license; (i) contains terms that have the same purpose, meaning and effect as the License Elements of this License; and, (ii) explicitly permits the relicensing of adaptations of works made available under that license under this License or a Creative Commons jurisdiction license with the same License Elements of this License.

  "Distribute" means to make available to the public the original and copies of the Work or Adaptation, as appropriate, through sale or other transfer of ownership.

  "License Elements" means the following high-level license attributes as selected by Licensor and indicated in the office of this License.

  "Distribute" means to make available to the public the original and copies

#### 2. Fair Dealing Rights

is intended to reduce, limit, or restrict any uses free from copyright or rights arising from limitations or exceptions that are provided for in connection with the copyright protection under copyright law or other

#### 3. License Grant

to the terms and conditions of this License, Licensor hereby grants You a worldwide, royalty-free, non-exclusive, perpetual (for the duration of the applicable copyright) license to exercise the rights in the Work as stated

- to Reproduce the Work, to incorporate the Work into one or more Collections, and to Reproduce the Work as incorporated in the Collections; to create and Reproduce Adaptations provided that any such Adaptation, including any translation in any medium, takes reasonable steps to clearly label, demarcate or otherwise identify that changes were made to the original Work. For example, a translation could be marked "The original work was translated from English to Spanish," or a modification could indicate "The original work has been modified."; to Distribute and Publicly Perform the Work including as incorporated in Collections; and, to Distribute and Publicly Perform Adaptations.

  For the avoidance of doubt:

- i. Non-waivable Compulsory License Schemes. In those jurisdictions in which the right to collect royalties through any statutory or compulsory licensing scheme cannot be waived, the Licensor reserves the exclusive right to collect such royalties for any exercise by You of the rights granted under this License;
  ii. Waivable Compulsory License Schemes. In those jurisdictions in which the right to collect royalties through any statutory or compulsory licensing scheme can be waived, the Licensor waives the exclusive right to collect such royalties for any exercise by You of the rights granted under this License; and,
  iii. Voluntary License Schemes. The Licensor waives the right to collect royalties, whether individually or, in the event that the Licensor is a member of a collecting society that administers voluntary licensing schemes, via that society, from any exercise by You of the rights granted under this License.

  The above rights may be exercised in all media and formats whether now known or hereafter devised. The above rights include the right to make such modifications as are technically necessary to exercise the rights in other media and formats. Subject to Section 8(f), all rights not expressly granted by Licensor are hereby reserved.

The license granted in Section 3 above is expressly made subject to and limited by the following restrictions:

- Restrictions
  icense granted in Section 3 above is expressly made subject to and limited by the following restrictions:

  You may Distribute or Publicly Perform the Work only under the terms of this License. You must include a copy of, or the Uniform Resource Identifier (URI) for, this License with every copy of the Work You Distribute or Publicly Perform. You may not offer or impose any terms on the Work that refer to this License and to the disclaimer of warranties with every copy of the Work You Distribute or Publicly Perform. When You Distribute or Publicly Perform. When You Distribute or Publicly Perform. When You or impose any effective technological measures on the Work Inter testric the ability of a recipient of the Work You Distribute or Publicly Perform. When You impose any effective technological measures on the Work Inter steric the ability of a recipient of the Work You Distribute or Publicly Perform. When You can be extent practicable, remove from the Collection any credit as required by Section 4(e), as requested.

  To you must, to the extent practicable, remove from the Collection any credit as required by Section 4(e), as requested.

  You may Distribute or Publicly Perform an Adaptation only under the terms of: (i) this License; (ii) a later version of this License with the same License Elements as this License; (iii) a Creative Commons Jurisdiction license (either this or a later license version) that contains the same License Elements as this License; (iii) a Creative Commons Compatible License. If you license the Adaptation under one of the licenses mentioned in (iv), you must comply with the terms of that License, if you license the terms of any of the licenses with every copy of each Adaptation work or impose any terms on the Adaptation that recipient under the terms of the Applicable Licenses. If you license the Adaptation that recipient to a proper any terms on the Adaptation that recipient under the terms of the Applicable License with every copy of the Work as included in the Adaptation or

5. Representations, Warranties and Disclaimer
UNLESS OTHERWISE MUTUALLY AGREED TO BY THE PARTIES IN WRITING, LICENSOR OFFERS THE WORK AS-IS AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING
THE WORK, EXPRESS, IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTIBLITY, FITNESS FOR A PARTICULAR PURPOSE,
NONINFRINGEMENT, OR THE ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE PRESENCE OF ABSENCE OF FRORS, WHETHER OR NOT DISCOVERABLE. SOME JURISDICTIONS DO NOT
ALLOW THE EXCLUSION OF IMPLIED WARRANTIES, SO SUCHE EXCLUSION MAY NOT APPLY TO YOU.

#### 6. Limitation on Liability

License 11

EXCEPT TO THE EXTENT REQUIRED BY APPLICABLE LAW, IN NO EVENT WILL LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL, PUNITIVE OR EXEMPLARY DAMAGES ARISING OUT OF THIS LICENSE OR THE USE OF THE WORK, EVEN IF LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 7. Termination

- This License and the rights granted hereunder will terminate automatically upon any breach by You of the terms of this License. Individuals or entities who have received Adaptations or Collections from You under this License, however, will not have their licenses terminated provided such individuals or entities remain in full compliance with those licenses. Sections 1, 2, 5, 6, 7, and 8 will survive any termination of this License. Subject to the above terms and conditions, the license granted here is perpetual (for the duration of the applicable copyright in the Work). Notwithstanding the above, Licensor reserves the right to release the Work under different license terms or to stop distributing the Work at any time; provided, however that any such election will not serve to withdraw this License (or any other license that has been, or is required to be, granted under the terms of this License), and little license that has been, or is required to be, granted under the terms of this License.

- Each time You Distribute or Publicly Perform the Work or a Collection, the Licensor offers to the recipient a license to the Work on the same terms and conditions as the license granted to You under this License. Each time You Distribute or Publicly Perform an Adaptation, Licensor offers to the recipient a license to the original Work on the same terms and conditions as the license granted to You under this License. If any provision of this License is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this License, and without further action by the parties to this agreement, such provision shall be reformed to the minimum extent necessary to make such provision shall and enforceable.

  No term or provision of this License shall be deemed waived and no breach consented to unless such waiver or consents shall be in writing and signed by the party to be charged with such waiver or consent. This License constitutes the entire agreement between the parties with respect to the Work licensed here. Licensor shall be in writing and signed by the party to be charged with such waiver or consent. This License constitutes the entire agreements between the parties with respect to the Work licensed here. Licensor shall not be bound by any additional provisions that may appear in any communication from You. This License may not be modified without the mutual written agreement of the Licenser and You.

  The rights granted under, and the subject matter referenced, in this License were drafted utilizing the terminology of the Berne Convention for the Protection of Literary and Artistic Works (as amended on September 28, 1979), the Rome Convention of 1901, the WIPO Copyright Teasy of 1996, the WIPO Performances and Phonograms Treaty of 1996 and the Universal Copyright Convention (as revised on July 24, 1971). These rights and subject matter take effect in the relevant jurisdiction in which the License terms are sought to be enforced according to the corr