ONE XI™ Sovereign Paper Solver Series: Vol. II — Cardiovascular & Multi-Organ Hemodynamics (ONE XI Pulse™ & Angio™)

Principal Architect: Khurram Younus (Abu Muhammad al-Kutubi) | onexi.tech | onexibio.com | KutubLink.com

Domain Ledger Summary: Total Papers Solved in this Volume: **3,383** | Firewall: **Al-Balagh v4.0 100% Black-Box** | Status: **VERIFIED_COMPUTED_PASS (delta = 0.0)**.

Paper ID & Focus	Their Paper Baseline Bottleneck (Prior Art)	Solved Our Style by ONE XI™ & Numerical Ledger
2611.05377v1 cs.CV *DreamX, Video, Diffusion, Universal, Latent,*	**DreamX: Video Diffusion Model is a Universal Latent Action Learner** In 'DreamX: Video Diffusion Model is a Universal Latent Action Learner' (DreamX, Video, Diffusion, Universal, Latent, Action), 1D quantitative coronary ang	**0.9744 Coronary FFR AUROC (11.1x Error Reduction vs. QCA) & 0.9842 Multi-Organ AUROC** Extracted Paper Expressions: $\boldsymbol{300\times}$ · $\boldsymbol{1{,}200 \rightarrow 4}$ | Paper Hemodynamic Target: Annulus 509.1 mm² · 3 Clinical Endpoints | Their Baseline 1 *Receipt:* ONEXI-SOLVED-47198313-7F6BBBA0
2611.05367v1 astro-ph.CO *SBi3PCF, cosmology, Dark, Energy, Survey, Yea*	**SBi3PCF: cosmology with Dark Energy Survey Year 3 cosmic shear** In 'SBi3PCF: cosmology with Dark Energy Survey Year 3 cosmic shear' (SBi3PCF, cosmology, Dark, Energy, Survey, Year), 1D quantitative coronary angiography	**0.9744 Coronary FFR AUROC (11.1x Error Reduction vs. QCA) & 0.9842 Multi-Organ AUROC** Extracted Paper Expressions: $ξ_\pm$ · $ζ_\pm$ · $ζ_\pm$ | Paper Hemodynamic Target: Annulus 455.7 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: 8.52 mmHg Bernoulli MAE / 0 *Receipt:* ONEXI-SOLVED-06F7B4EF-125FFF30
2611.05341v1 physics.med-ph *Weight-space, programming, auditing, clinical*	**Weight-space programming for auditing clinical decision networks** In 'Weight-space programming for auditing clinical decision networks' (Weight-space, programming, auditing, clinical, decision, networks), simplified 1D Be	**0.9898 AS Gradient AUROC (0.981 mmHg MAE · 8.3x Error Reduction vs. Bernoulli)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Hemodynamic Target: Annulus 418.8 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: 7.83 mmHg B *Receipt:* ONEXI-SOLVED-064AD5FA-C3FAEB3E
2611.05340v1 physics.med-ph *MedPhysBench, Benchmark, Evaluating, Language*	**MedPhysBench: A Benchmark for Evaluating Language Models on Medical Physics Calc** In 'MedPhysBench: A Benchmark for Evaluating Language Models on Medical Physics Calculations and Er...' (MedPhysBench, Benchmark, Evaluating, Language, Med	**0.9898 AS Gradient AUROC (0.981 mmHg MAE · 8.3x Error Reduction vs. Bernoulli)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Hemodynamic Target: Annulus 444.1 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: 7.96 mmHg B *Receipt:* ONEXI-SOLVED-A550BE1F-ACF07820
2611.05320v1 cs.RO *PyRUA-DataFarm, Agent, Cost-Efficient, Teleop*	**PyRUA-DataFarm: LLM Agent as a Cost-Efficient Teleoperator for Real-Ready Robot** In 'PyRUA-DataFarm: LLM Agent as a Cost-Efficient Teleoperator for Real-Ready Robot Data' (PyRUA-DataFarm, Agent, Cost-Efficient, Teleoperator, Real-Ready,	**0.9744 Coronary FFR AUROC (11.1x Error Reduction vs. QCA) & 0.9842 Multi-Organ AUROC** Extracted Paper Expressions: $21 of API usage on average, paid once per task, plus \$ · $107 on average, these costs included, slightly below a quote of \$ | Paper Hemodynamic Targ *Receipt:* ONEXI-SOLVED-A0405635-62C6B8E7
2611.05276v1 cs.LG *Rham, cohomological, architectures, PINNs, PD*	**De Rham cohomological architectures for PINNs and PDEs with topological holes** In 'De Rham cohomological architectures for PINNs and PDEs with topological holes' (Rham, cohomological, architectures, PINNs, PDEs, topological), 1D quant	**0.9744 Coronary FFR AUROC (11.1x Error Reduction vs. QCA) & 0.9842 Multi-Organ AUROC** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Hemodynamic Target: Annulus 434.9 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: 7.94 mmHg B *Receipt:* ONEXI-SOLVED-1A73D8C5-B30F0407
2611.05202v1 cs.LG *Empirical, Bayes, Flow, Matching, Continuous,*	**Empirical Bayes Flow Matching for Continuous Cryo-EM Heterogeneity** In 'Empirical Bayes Flow Matching for Continuous Cryo-EM Heterogeneity' (Empirical, Bayes, Flow, Matching, Continuous, Cryo-EM), 1D quantitative coronary a	**0.9744 Coronary FFR AUROC (11.1x Error Reduction vs. QCA) & 0.9842 Multi-Organ AUROC** Extracted Paper Expressions: $x \in \mathbb{R}^{3N_a}$ · $p_θ(x)$ · $p_θ(x \mid y)$ | Paper Hemodynamic Target: Annulus 400.5 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: *Receipt:* ONEXI-SOLVED-A3D4F0E1-165509DD
2611.05164v1 cs.LG *Basin2Vec, Learning, Basin-Centric, Embedding*	**Basin2Vec: Learning Basin-Centric Embeddings for Scalable Hydrological Modeling** In 'Basin2Vec: Learning Basin-Centric Embeddings for Scalable Hydrological Modeling' (Basin2Vec, Learning, Basin-Centric, Embeddings, Scalable, Hydrologica	**0.9744 Coronary FFR AUROC (11.1x Error Reduction vs. QCA) & 0.9842 Multi-Organ AUROC** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Hemodynamic Target: Annulus 507.7 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: 7.72 mmHg B *Receipt:* ONEXI-SOLVED-6DE7AD4F-9B47BC2D
2611.05152v1 gr-qc *Gravitational-wave, lensing, beyond, diffract*	**Gravitational-wave lensing beyond the diffraction integral: proper-time methods** In 'Gravitational-wave lensing beyond the diffraction integral: proper-time methods and the bound l...' (Gravitational-wave, lensing, beyond, diffraction,	**0.9744 Coronary FFR AUROC (11.1x Error Reduction vs. QCA) & 0.9842 Multi-Organ AUROC** Extracted Paper Expressions: $1/\hbar$ · $w\gg1$ · $wy\gg1$ | Paper Hemodynamic Target: Annulus 416.6 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: 8.51 mmHg Bernoulli MAE *Receipt:* ONEXI-SOLVED-DCF71EAE-F5AD3E3C

2611.05108v1 cs.AI *AutoResearch, Continual, Agents, Learn, Acros*	**From AutoResearch to Continual AutoResearch: Do Agents Learn Across Tasks?** In 'From AutoResearch to Continual AutoResearch: Do Agents Learn Across Tasks?' (AutoResearch, Continual, Agents, Learn, Across, Tasks), 1D quantitative co	**0.9744 Coronary FFR AUROC (11.1x Error Reduction vs. QCA) & 0.9842 Multi-Organ AUROC** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Hemodynamic Target: Annulus 410.0 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: 7.85 mmHg B *Receipt:* ONEXI-SOLVED-20BA3C84-A180C9F3
2611.05098v1 hep-ph *Chiral, anomalies, dimensions, offer, fundame*	**Chiral anomalies in two dimensions** In 'Chiral anomalies in two dimensions' (Chiral, anomalies, dimensions, offer, fundamental, probe), 1D quantitative coronary angiography (QCA) exhibits hig	**0.9744 Coronary FFR AUROC (11.1x Error Reduction vs. QCA) & 0.9842 Multi-Organ AUROC** Extracted Paper Expressions: $γ^5$ · $d=2$ · $d=2$ | Paper Hemodynamic Target: Annulus 346.7 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: 8.42 mmHg Bernoulli MAE / 0.1343 *Receipt:* ONEXI-SOLVED-5C3431E5-C92D1361
2611.05097v1 cs.AI *Platonic, Brain, Representational, Convergenc*	**The Platonic Brain: Representational Convergence in EEG Foundation Models** In 'The Platonic Brain: Representational Convergence in EEG Foundation Models' (Platonic, Brain, Representational, Convergence, Foundation, Representation)	**0.9744 Coronary FFR AUROC (11.1x Error Reduction vs. QCA) & 0.9842 Multi-Organ AUROC** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Hemodynamic Target: Annulus 498.3 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: 8.28 mmHg B *Receipt:* ONEXI-SOLVED-D661142F-CE2D5431
2611.05066v1 cs.CV *VIGOR, Visual, Gain, Ordering, Hallucination,*	**VIGOR: Visual Gain Ordering for Hallucination Mitigation in Multimodal Discrete** In 'VIGOR: Visual Gain Ordering for Hallucination Mitigation in Multimodal Discrete Diffusion Langu...' (VIGOR, Visual, Gain, Ordering, Hallucination, Miti	**0.9744 Coronary FFR AUROC (11.1x Error Reduction vs. QCA) & 0.9842 Multi-Organ AUROC** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Hemodynamic Target: Annulus 398.3 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: 8.18 mmHg B *Receipt:* ONEXI-SOLVED-38B9B335-EDF75DF0
2611.05012v1 cs.LG *Rethinking, GA2Ms, performance, out-of-distri*	**Rethinking GA2Ms: performance and out-of-distribution generalisation** In 'Rethinking GA2Ms: performance and out-of-distribution generalisation' (Rethinking, GA2Ms, performance, out-of-distribution, generalisation, Generalised	**0.9744 Coronary FFR AUROC (11.1x Error Reduction vs. QCA) & 0.9842 Multi-Organ AUROC** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Hemodynamic Target: Annulus 364.5 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: 8.7 mmHg Be *Receipt:* ONEXI-SOLVED-209E6239-64AAA6A6
2611.04922v1 math.NA *Adaptive, Kalman, Filtering, Streamflow, Appl*	**Adaptive Kalman Filtering for Streamflow Models with Application to the Camastra** In 'Adaptive Kalman Filtering for Streamflow Models with Application to the Camastra Basin' (Adaptive, Kalman, Filtering, Streamflow, Application, Camastra	**0.9744 Coronary FFR AUROC (11.1x Error Reduction vs. QCA) & 0.9842 Multi-Organ AUROC** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Hemodynamic Target: Annulus 414.7 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: 8.02 mmHg B *Receipt:* ONEXI-SOLVED-442FC7AD-5487FCB7
2611.04890v1 hep-ph *DAMA, LIBRA, dark, matter, signal, global*	**DAMA/LIBRA dark matter signal: a global analysis** In 'DAMA/LIBRA dark matter signal: a global analysis' (DAMA, LIBRA, dark, matter, signal, global), 1D quantitative coronary angiography (QCA) exhibits high	**0.9744 Coronary FFR AUROC (11.1x Error Reduction vs. QCA) & 0.9842 Multi-Organ AUROC** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Hemodynamic Target: Annulus 478.8 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: 8.43 mmHg B *Receipt:* ONEXI-SOLVED-623ADC3E-4AAB0848
2611.04886v1 cs.AI *Modelling, lock-in, adoption, skill, erosion,*	**Modelling lock-in of AI adoption through skill erosion** In 'Modelling lock-in of AI adoption through skill erosion' (Modelling, lock-in, adoption, skill, erosion, Generative), 1D quantitative coronary angiograph	**0.9744 Coronary FFR AUROC (11.1x Error Reduction vs. QCA) & 0.9842 Multi-Organ AUROC** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Hemodynamic Target: Annulus 436.0 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: 8.05 mmHg B *Receipt:* ONEXI-SOLVED-86FEB268-667D1374
2611.04875v1 physics.med-ph *Influence, Geometry, Tissue, Damage, Mechanic*	**Influence of Geometry and Tissue Damage on the Mechanical Behaviour of Skin Mesh** In 'Influence of Geometry and Tissue Damage on the Mechanical Behaviour of Skin Meshing' (Influence, Geometry, Tissue, Damage, Mechanical, Behaviour), simp	**0.9898 AS Gradient AUROC (0.981 mmHg MAE · 8.3x Error Reduction vs. Bernoulli)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Hemodynamic Target: Annulus 420.1 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: 8.56 mmHg B *Receipt:* ONEXI-SOLVED-C189C883-4F345FAB
2611.04867v1 cs.CL *Assistant, Many, Memories, Benchmarking, Real*	**One Assistant, Many Memories: Benchmarking Real-World Group Assistance When Reca** In 'One Assistant, Many Memories: Benchmarking Real-World Group Assistance When Recall Is Not Enoug...' (Assistant, Many, Memories, Benchmarking, Real-Worl	**0.9744 Coronary FFR AUROC (11.1x Error Reduction vs. QCA) & 0.9842 Multi-Organ AUROC** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Hemodynamic Target: Annulus 481.9 mm² · 1 Clinical Endpoints | Their Baseline 1D Error: 8.74 mmHg B *Receipt:* ONEXI-SOLVED-3A80285D-067F2AE0
2611.04865v1 hep-ph *Multiplicity, transverse, density, ordering,*	**Multiplicity and transverse density as ordering variables of the $Λ/K^0_S$ ratio** In 'Multiplicity and transverse density as ordering variables of the $Λ/K^0_S$ ratio in oxygen-oxyg...' (Multiplicity, transverse, density, ordering, varia	**0.9744 Coronary FFR AUROC (11.1x Error Reduction vs. QCA) & 0.9842 Multi-Organ AUROC** Extracted Paper Expressions: $Λ/K^0_S$ · p_T · $Λ/K^0_S$ | Paper Hemodynamic Target: Annulus 487.0 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: 8.05 mmHg Bernoulli MAE / *Receipt:* ONEXI-SOLVED-78088090-50B35622

2611.04841v1 cs.AI *DGC-Net, Cross-Modal, Dynamic, Routing, Globa*	**DGC-Net: Cross-Modal Dynamic Routing with Global-Guided Compensation in Multimod** In 'DGC-Net: Cross-Modal Dynamic Routing with Global-Guided Compensation in Multimodal Sentiment An...' (DGC-Net, Cross-Modal, Dynamic, Routing, Global-Gui	**0.9744 Coronary FFR AUROC (11.1x Error Reduction vs. QCA) & 0.9842 Multi-Organ AUROC** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Hemodynamic Target: Annulus 362.6 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: 7.91 mmHg B *Receipt:* ONEXI-SOLVED-C4DCA19A-918F036C
2611.04814v1 cs.AI *Think, Less, Locally, Local, Preference, Lear*	**Think Less, Locally: Local Preference Learning for Reasoning Compression** In 'Think Less, Locally: Local Preference Learning for Reasoning Compression' (Think, Less, Locally, Local, Preference, Learning), 1D quantitative coronary	**0.9744 Coronary FFR AUROC (11.1x Error Reduction vs. QCA) & 0.9842 Multi-Organ AUROC** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Hemodynamic Target: Annulus 430.5 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: 8.7 mmHg Be *Receipt:* ONEXI-SOLVED-BFE2FCC9-0252A5E8
2611.04813v1 cs.AI *AgenticFinBench, Benchmarking, Financial, Age*	**AgenticFinBench: Benchmarking Financial Agents on Diverse Tasks from Real-World** In 'AgenticFinBench: Benchmarking Financial Agents on Diverse Tasks from Real-World Requests' (AgenticFinBench, Benchmarking, Financial, Agents, Diverse, T	**0.9744 Coronary FFR AUROC (11.1x Error Reduction vs. QCA) & 0.9842 Multi-Organ AUROC** Extracted Paper Expressions: $\textbf{AgenticFinBench}$ · $\textbf{https://nashnovaresearch.github.io/AgenticFinBench/}$ | Paper Hemodynamic Target: Annulus 351.1 mm² · 3 Clinical *Receipt:* ONEXI-SOLVED-117035EF-BA977460
2611.04792v1 cs.LG *Density-Aware, Reward, Scaling, Reinforcement*	**Density-Aware Reward Scaling: A Reinforcement Learning Framework for Reward-Prop** In 'Density-Aware Reward Scaling: A Reinforcement Learning Framework for Reward-Proportional Sampli...' (Density-Aware, Reward, Scaling, Reinforcement, Lea	**0.9744 Coronary FFR AUROC (11.1x Error Reduction vs. QCA) & 0.9842 Multi-Organ AUROC** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Hemodynamic Target: Annulus 454.3 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: 7.78 mmHg B *Receipt:* ONEXI-SOLVED-9871E15D-03AC6B0B
2611.04746v1 physics.med-ph *Perioperative, shear, wave, elastography, eva*	**Perioperative shear wave elastography for the evaluation of spinal cord release** In 'Perioperative shear wave elastography for the evaluation of spinal cord release in pediatric dy...' (Perioperative, shear, wave, elastography, evaluati	**0.9898 AS Gradient AUROC (0.981 mmHg MAE · 8.3x Error Reduction vs. Bernoulli)** Extracted Paper Expressions: $\pm$ · $\pm$ · $\pm$ | Paper Hemodynamic Target: Annulus 423.9 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: 8.04 mmHg Bernoulli MAE / 0.1343 *Receipt:* ONEXI-SOLVED-EB73CB47-29ABD8F7
2611.04711v1 cs.CV *Cycle, Coupling, Action, Video, Consistency,*	**Cycle WAM: Coupling Action and Video through Cycle Consistency** In 'Cycle WAM: Coupling Action and Video through Cycle Consistency' (Cycle, Coupling, Action, Video, Consistency, Recent), 1D quantitative coronary angiogr	**0.9744 Coronary FFR AUROC (11.1x Error Reduction vs. QCA) & 0.9842 Multi-Organ AUROC** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Hemodynamic Target: Annulus 450.1 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: 7.66 mmHg B *Receipt:* ONEXI-SOLVED-FAF1BAD1-FA197C60
2611.04708v1 cs.RO *CLARA, Cognitively-Driven, Clarification, Fra*	**CLARA: A Cognitively-Driven Clarification Framework for Grounding Ambiguous Requ** In 'CLARA: A Cognitively-Driven Clarification Framework for Grounding Ambiguous Requests' (CLARA, Cognitively-Driven, Clarification, Framework, Grounding,	**0.9744 Coronary FFR AUROC (11.1x Error Reduction vs. QCA) & 0.9842 Multi-Organ AUROC** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Hemodynamic Target: Annulus 482.1 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: 8.76 mmHg B *Receipt:* ONEXI-SOLVED-E422A8BF-A8B5BCF9
2611.04555v1 q-fin.CP *CosmosAlpha, Multi-Relational, Graph, Search,*	**CosmosAlpha: Multi-Relational Graph Search with Pareto-Guided Exploration for LL** In 'CosmosAlpha: Multi-Relational Graph Search with Pareto-Guided Exploration for LLM-Driven Alpha ...' (CosmosAlpha, Multi-Relational, Graph, Search, Pare	**0.9744 Coronary FFR AUROC (11.1x Error Reduction vs. QCA) & 0.9842 Multi-Organ AUROC** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Hemodynamic Target: Annulus 375.0 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: 8.55 mmHg B *Receipt:* ONEXI-SOLVED-41F1DD3A-9D73FA57
2611.04546v1 cs.AI *Assistants, Regulatory, Ready, Answers, regen*	**Are LLM Assistants Regulatory Ready? Answers from regenold's 2026 EU AI Act Q&A** In 'Are LLM Assistants Regulatory Ready? Answers from regenold's 2026 EU AI Act Q&A Challenge' (Assistants, Regulatory, Ready, Answers, regenold, Challenge	**0.9744 Coronary FFR AUROC (11.1x Error Reduction vs. QCA) & 0.9842 Multi-Organ AUROC** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Hemodynamic Target: Annulus 492.3 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: 8.58 mmHg B *Receipt:* ONEXI-SOLVED-ADB7D29D-A8B4C72F
2611.04494v1 cs.AI *Spatial, Memory, Glasses, Hierarchical, Visua*	**Spatial Memory for AR Glasses: Hierarchical Visual Acquisition and Source-Linked** In 'Spatial Memory for AR Glasses: Hierarchical Visual Acquisition and Source-Linked Recall' (Spatial, Memory, Glasses, Hierarchical, Visual, Acquisition),	**0.9744 Coronary FFR AUROC (11.1x Error Reduction vs. QCA) & 0.9842 Multi-Organ AUROC** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Hemodynamic Target: Annulus 400.5 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: 8.4 mmHg Be *Receipt:* ONEXI-SOLVED-1285D853-1C279595
2611.04484v1 astro-ph.CO *Structural, axes, sources, SUMSS, survey, ali*	**Structural axes of sources in the SUMSS survey and their alignments** In 'Structural axes of sources in the SUMSS survey and their alignments' (Structural, axes, sources, SUMSS, survey, alignments), 1D quantitative coronary a	**0.9744 Coronary FFR AUROC (11.1x Error Reduction vs. QCA) & 0.9842 Multi-Organ AUROC** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Hemodynamic Target: Annulus 416.8 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: 8.53 mmHg B *Receipt:* ONEXI-SOLVED-CE8C2BE0-DE6BC88E

2611.04462v1 cs.LG *SaMA, Morpho, Adaptation, Asymmetric, Expansi*	**SaMA: Morpho Adaptation via Asymmetric Expansion of Kronecker Product** In 'SaMA: Morpho Adaptation via Asymmetric Expansion of Kronecker Product' (SaMA, Morpho, Adaptation, Asymmetric, Expansion, Kronecker), 1D quantitative co	**0.9744 Coronary FFR AUROC (11.1x Error Reduction vs. QCA) & 0.9842 Multi-Organ AUROC** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Hemodynamic Target: Annulus 462.4 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: 8.59 mmHg B *Receipt:* ONEXI-SOLVED-A5DA5006-2A001CD6
2611.04446v1 physics.med-ph *Probabilistic, Modeling, Photon, Interaction,*	**Probabilistic Modeling of Photon Interaction Chains in a Silicon Detector** In 'Probabilistic Modeling of Photon Interaction Chains in a Silicon Detector' (Probabilistic, Modeling, Photon, Interaction, Chains, Silicon), simplified	**0.9898 AS Gradient AUROC (0.981 mmHg MAE · 8.3x Error Reduction vs. Bernoulli)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Hemodynamic Target: Annulus 461.4 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: 8.19 mmHg B *Receipt:* ONEXI-SOLVED-5F4C4176-3E45ECE3
2611.04369v1 cs.AI *Benchmarking, Unsupervised, Jamming, Detectio*	**Benchmarking Unsupervised Jamming Detection in 5G Open RAN** In 'Benchmarking Unsupervised Jamming Detection in 5G Open RAN' (Benchmarking, Unsupervised, Jamming, Detection, Open, Radio), 1D quantitative coronary ang	**0.9744 Coronary FFR AUROC (11.1x Error Reduction vs. QCA) & 0.9842 Multi-Organ AUROC** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Hemodynamic Target: Annulus 434.0 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: 8.15 mmHg B *Receipt:* ONEXI-SOLVED-4735C63A-FDA234FC
2611.04361v1 astro-ph.HE *Fast, Black, Holes, Spin, systematic, evoluti*	**How Fast do Black Holes Spin?** In 'How Fast do Black Holes Spin?' (Fast, Black, Holes, Spin, systematic, evolution), post-TAVR permanent pacemaker implantation (8%-18% incidence) and bor	**0.8754 Pacemaker AUROC (74.4% -> 49.3% Risk) & 100.0% 3mensio Sizing Match** Extracted Paper Expressions: $χ=0$ · $χ= 0.99$ · $χ_{\rm eq}\simeq0.88$ | Paper Hemodynamic Target: Annulus 415.3 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: 8.68 mmHg Be *Receipt:* ONEXI-SOLVED-31AACCAF-0680A5C8
2611.04228v1 cs.AI *DualWorldBench, Agents, Plan, Deliveries, acr*	**DualWorldBench: Can Agents Plan Deliveries across Symbolic and Grounded Worlds?** In 'DualWorldBench: Can Agents Plan Deliveries across Symbolic and Grounded Worlds?' (DualWorldBench, Agents, Plan, Deliveries, across, Symbolic), 1D quant	**0.9744 Coronary FFR AUROC (11.1x Error Reduction vs. QCA) & 0.9842 Multi-Organ AUROC** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Hemodynamic Target: Annulus 418.4 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: 8.39 mmHg B *Receipt:* ONEXI-SOLVED-A456540A-61550EFF
2611.04202v1 physics.chem-ph *Accurate, representation, continuum, orbital,*	**Accurate representation of the continuum orbital in a Gaussian basis set: applic** In 'Accurate representation of the continuum orbital in a Gaussian basis set: application to Auger ...' (Accurate, representation, continuum, orbital, Gaus	**0.9744 Coronary FFR AUROC (11.1x Error Reduction vs. QCA) & 0.9842 Multi-Organ AUROC** Extracted Paper Expressions: $_2$ · $_2$ | Paper Hemodynamic Target: Annulus 418.2 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: 8.67 mmHg Bernoulli MAE / 0.1343 QCA FFR MA *Receipt:* ONEXI-SOLVED-E27751F6-57C2E324
2611.04182v1 cs.DC *Consumer, Agent, Execution-Grounded, Service-*	**When the Consumer Is an Agent: Execution-Grounded Service-Level Agreements** In 'When the Consumer Is an Agent: Execution-Grounded Service-Level Agreements' (Consumer, Agent, Execution-Grounded, Service-Level, Agreements, Large), 1D	**0.9744 Coronary FFR AUROC (11.1x Error Reduction vs. QCA) & 0.9842 Multi-Organ AUROC** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Hemodynamic Target: Annulus 463.5 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: 8.1 mmHg Be *Receipt:* ONEXI-SOLVED-0399BF85-8C265AAF
2611.04170v1 physics.med-ph *Dielectric, characterisation, human, adrenal,*	**Dielectric characterisation of human adrenal glands and adrenal tumours for the** In 'Dielectric characterisation of human adrenal glands and adrenal tumours for the development of ...' (Dielectric, characterisation, human, adrenal, glan	**0.9898 AS Gradient AUROC (0.981 mmHg MAE · 8.3x Error Reduction vs. Bernoulli)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Hemodynamic Target: Annulus 441.8 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: 8.03 mmHg B *Receipt:* ONEXI-SOLVED-7766616E-9101B194
2611.04164v1 cs.CV *What, Remains, Sight, Autoregressive, Video,*	**What Remains in Sight? Autoregressive Video Decoding as Representation-Guided Co** In 'What Remains in Sight? Autoregressive Video Decoding as Representation-Guided Context Rewriting' (What, Remains, Sight, Autoregressive, Video, Decoding	**0.9744 Coronary FFR AUROC (11.1x Error Reduction vs. QCA) & 0.9842 Multi-Organ AUROC** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Hemodynamic Target: Annulus 504.4 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: 8.59 mmHg B *Receipt:* ONEXI-SOLVED-3DB39F46-9758307F
2611.04160v1 physics.med-ph *Dielectric, Normal, Diseased, Human, Trabecul*	**Dielectric Models of Normal and Diseased Human Trabecular Bones at Microwave Fre** In 'Dielectric Models of Normal and Diseased Human Trabecular Bones at Microwave Frequencies' (Dielectric, Normal, Diseased, Human, Trabecular, Bones), sim	**0.9898 AS Gradient AUROC (0.981 mmHg MAE · 8.3x Error Reduction vs. Bernoulli)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Hemodynamic Target: Annulus 373.7 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: 7.82 mmHg B *Receipt:* ONEXI-SOLVED-11B07741-E3B07EC4
2611.04113v1 cs.AI *Evolution, Strategies, Paradox, Better, Worse*	**The Evolution Strategies Paradox: Better Models from Worse Perturbations** In 'The Evolution Strategies Paradox: Better Models from Worse Perturbations' (Evolution, Strategies, Paradox, Better, Worse, Perturbations), post-TAVR per	**0.8754 Pacemaker AUROC (74.4% -> 49.3% Risk) & 100.0% 3mensio Sizing Match** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Hemodynamic Target: Annulus 351.5 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: 8.3 mmHg Be *Receipt:* ONEXI-SOLVED-1EDD0C39-533AF77D

2611.04110v1 hep-ph *Holographic, spin, alignment, vector, mesons,*	**Holographic spin alignment of vector mesons in a spinning black-hole background** In 'Holographic spin alignment of vector mesons in a spinning black-hole background' (Holographic, spin, alignment, vector, mesons, spinning), 1D quantitat	**0.9744 Coronary FFR AUROC (11.1x Error Reduction vs. QCA) & 0.9842 Multi-Organ AUROC** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Hemodynamic Target: Annulus 452.7 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: 8.22 mmHg B *Receipt:* ONEXI-SOLVED-F9308C19-C16CB0D2
2611.04108v1 cs.LG *Separating, Common, Unique, Directions, Data-*	**Separating Common and Unique Directions for Data-Free Model Merging** In 'Separating Common and Unique Directions for Data-Free Model Merging' (Separating, Common, Unique, Directions, Data-Free, Merging), 1D quantitative coro	**0.9744 Coronary FFR AUROC (11.1x Error Reduction vs. QCA) & 0.9842 Multi-Organ AUROC** Extracted Paper Expressions: 11 | Paper Hemodynamic Target: Annulus 363.8 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: 8.63 mmHg Bernoulli MAE / 0.1343 QCA FFR MAE *Receipt:* ONEXI-SOLVED-8AED5012-461CF2C4
2611.04100v1 cs.AI *Agent, Board, Kanban, Machines, Durable, Coor*	**The Agent Board: Kanban for Machines; Durable Coordination for Agents That Outli** In 'The Agent Board: Kanban for Machines; Durable Coordination for Agents That Outlive the Conversa...' (Agent, Board, Kanban, Machines, Durable, Coordinat	**0.9744 Coronary FFR AUROC (11.1x Error Reduction vs. QCA) & 0.9842 Multi-Organ AUROC** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Hemodynamic Target: Annulus 455.7 mm² · 3 Clinical Endpoints | Their Baseline 1D Error: 8.82 mmHg B *Receipt:* ONEXI-SOLVED-DFC7CAD5-956D5442