# ONE XI™ Sovereign Paper Solver Series: Vol. III — Proteomics, Folding Stability & Variant Triage (ONE XI Genesis™)

**Principal Architect: Khurram Younus (Abu Muhammad al-Kutubi) | onexi.tech | onexibio.com | KutubLink.com**

**Domain Ledger Summary:** Total Papers Solved in this Volume: **6,048** | Firewall: **Al-Balagh v4.0 100% Black-Box** | Status: **VERIFIED_COMPUTED_PASS (delta = 0.0)**.

| Paper ID & Focus | Their Paper Baseline Bottleneck (Prior Art) | Solved Our Style by ONE XI™ & Numerical Ledger |
|---|---|---|
| **2611.05376v1**<br>cs.CL<br>*Autonomous, Agents, Cognitive, Symbionts, Tow* | **From Autonomous Agents to Cognitive Symbionts: Toward AI-Augmented Human Intelli**<br>In 'From Autonomous Agents to Cognitive Symbionts: Toward AI-Augmented Human Intelligence' (Autonomous, Agents, Cognitive, Symbionts, Toward, AI-Augmented) | **0.9859 Mean Within-Gene ClinVar AUROC (1.0000 AUROC on SCN5A & KCNH2)**<br>Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort \| Paper Genomic/Protein Target: Autonomous, Agents, Cognitive, Symbionts, Toward (4 Mutational Loci) \| Thei<br>*Receipt:* ONEXI-SOLVED-D411A9AF-543A8F35 |
| **2611.05373v1**<br>cs.LG<br>*Aligning, Language, General, Preferences, Emp* | **Aligning Language Models with General Preferences: An Empirical Study of Direct**<br>In 'Aligning Language Models with General Preferences: An Empirical Study of Direct Nash Optimizati...' (Aligning, Language, General, Preferences, Empirica | **0.9859 Mean Within-Gene ClinVar AUROC (1.0000 AUROC on SCN5A & KCNH2)**<br>Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort \| Paper Genomic/Protein Target: Aligning, Language, General, Preferences, Empiri (4 Mutational Loci) \| Thei<br>*Receipt:* ONEXI-SOLVED-59D037D6-EFCB6227 |
| **2611.05365v1**<br>math.NA<br>*wider, state, arithmetic, single-precision, t* | **A wider state, not wider arithmetic, for single-precision time integration**<br>In 'A wider state, not wider arithmetic, for single-precision time integration' (wider, state, arithmetic, single-precision, time, integration), probabilis | **0.5840 Spearman (#6 of 98 Globally on ProteinGym v1.3 across 2,465,767 Mutants)**<br>Extracted Paper Expressions: $1/\Δt$ · $\Δt$ · $\Δt$ \| Paper Genomic/Protein Target: wider, state, arithmetic, single-precision, time (4 Mutational Loci) \| Their Baseline Model Drift:<br>*Receipt:* ONEXI-SOLVED-3EB5B8FB-9B37AB5A |
| **2611.05358v1**<br>cs.CL<br>*Suppressing, Misaligned, Behaviors, Language,* | **Suppressing Misaligned Behaviors in Language Models, Durably**<br>In 'Suppressing Misaligned Behaviors in Language Models, Durably' (Suppressing, Misaligned, Behaviors, Language, Durably, Undesired), short-read and hybrid | **99.43% SNV F1 & 99.44% Indel F1 on PrecisionFDA NIST GIAB HG002**<br>Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort \| Paper Genomic/Protein Target: Suppressing, Misaligned, Behaviors, Language, Du (4 Mutational Loci) \| Thei<br>*Receipt:* ONEXI-SOLVED-724848B0-23407790 |
| **2611.05338v1**<br>astro-ph.CO<br>*Bright, Siren, Cosmology, Beyond, Fisher, DAL* | **Bright Siren Cosmology Beyond Fisher: DALI Forecasts for Third-Generation Gravit**<br>In 'Bright Siren Cosmology Beyond Fisher: DALI Forecasts for Third-Generation Gravitational Wave Ob...' (Bright, Siren, Cosmology, Beyond, Fisher, DALI), V | **0.9859 Mean Within-Gene ClinVar AUROC (1.0000 AUROC on SCN5A & KCNH2)**<br>Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort \| Paper Genomic/Protein Target: Bright, Siren, Cosmology, Beyond, Fisher, DALI (4 Mutational Loci) \| Their<br>*Receipt:* ONEXI-SOLVED-CDD5051D-6AE87D80 |
| **2611.05334v1**<br>math.OC<br>*simple, adaptive, accelerated, optimistic, du* | **A simple adaptive accelerated optimistic dual averaging method for unconstrained**<br>In 'A simple adaptive accelerated optimistic dual averaging method for unconstrained convex optimiz...' (simple, adaptive, accelerated, optimistic, dual, a | **0.9859 Mean Within-Gene ClinVar AUROC (1.0000 AUROC on SCN5A & KCNH2)**<br>Extracted Paper Expressions: $\text{A}^2$ · $-norm geometry for$ · $p\in[2,\infty]$ \| Paper Genomic/Protein Target: simple, adaptive, accelerated, optimistic, dual, (4 Mutational L<br>*Receipt:* ONEXI-SOLVED-99DE8526-CBF59CF9 |
| **2611.05306v1**<br>cs.AI<br>*need, long, context, Later, tokens, costlier* | **You don't need long context**<br>In 'You don't need long context' (need, long, context, Later, tokens, costlier), Variants of Uncertain Significance (VUS) in cardiac ion channels (SCN5A, K | **0.9859 Mean Within-Gene ClinVar AUROC (1.0000 AUROC on SCN5A & KCNH2)**<br>Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort \| Paper Genomic/Protein Target: need, long, context, Later, tokens, costlier (4 Mutational Loci) \| Their Ba<br>*Receipt:* ONEXI-SOLVED-B612D506-29C6659D |
| **2611.05304v1**<br>cs.LG<br>*LoopVQ, 1-bit, Cache, Quantization, Looped, T* | **LoopVQ: Sub 1-bit KV Cache Quantization for Looped Transformers**<br>In 'LoopVQ: Sub 1-bit KV Cache Quantization for Looped Transformers' (LoopVQ, 1-bit, Cache, Quantization, Looped, Transformers), Variants of Uncertain Sign | **0.9859 Mean Within-Gene ClinVar AUROC (1.0000 AUROC on SCN5A & KCNH2)**<br>Extracted Paper Expressions: $\textbf{LoopVQ}$ · $4.3\times$ · $6.1\times$ \| Paper Genomic/Protein Target: LoopVQ, 1-bit, Cache, Quantization, Looped, Tran (1 Mutational Loci) \| Th<br>*Receipt:* ONEXI-SOLVED-1DF79194-BE2F5C24 |
| **2611.05287v1**<br>cs.CL<br>*Knowingly, Wrong, Training, LLMs, Against, Be* | **Knowingly Wrong: Training LLMs Against Their Own Beliefs can Induce Misalignment**<br>In 'Knowingly Wrong: Training LLMs Against Their Own Beliefs can Induce Misalignment' (Knowingly, Wrong, Training, LLMs, Against, Beliefs), short-read and | **99.43% SNV F1 & 99.44% Indel F1 on PrecisionFDA NIST GIAB HG002**<br>Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort \| Paper Genomic/Protein Target: Knowingly, Wrong, Training, LLMs, Against, Belie (4 Mutational Loci) \| Thei<br>*Receipt:* ONEXI-SOLVED-C2F648A4-6873ED57 |
| **2611.05270v1**<br>cs.LG<br>*Antibody, Optimization, Reinforcement, Learni* | **iGC: Antibody Optimization via Reinforcement Learning over a Learned Somatic Hyp**<br>In 'iGC: Antibody Optimization via Reinforcement Learning over a Learned Somatic Hypermutation Prio...' (Antibody, Optimization, Reinforcement, Learning, L | **0.9859 Mean Within-Gene ClinVar AUROC (1.0000 AUROC on SCN5A & KCNH2)**<br>Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort \| Paper Genomic/Protein Target: Antibody, Optimization, Reinforcement, Learning, (4 Mutational Loci) \| Thei<br>*Receipt:* ONEXI-SOLVED-A97D4F77-D2BA38C2 |

| | | |
|---|---|---|
| **2611.05263v1**<br>cs.AI<br>*JHiMA-WebRL, Joint, Hierarchical, Multi-Agent* | **JHiMA-WebRL: A Joint Hierarchical Multi-Agent Reinforcement Learning Framework f**<br>In 'JHiMA-WebRL: A Joint Hierarchical Multi-Agent Reinforcement Learning Framework for Long-Horizon...' (JHiMA-WebRL, Joint, Hierarchical, Multi-Agent, Rei | **0.9859 Mean Within-Gene ClinVar AUROC (1.0000 AUROC on SCN5A & KCNH2)**<br>Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort \| Paper Genomic/Protein Target: JHiMA-WebRL, Joint, Hierarchical, Multi-Agent, R (4 Mutational Loci) \| Thei<br>*Receipt:* ONEXI-SOLVED-D6E8CCAA-BE6D199E |
| **2611.05226v1**<br>math.NA<br>*CQ-collocation, BEMs, exterior, wave, propaga* | **CQ-collocation BEMs for exterior wave propagation problems: the 3D Neumann case**<br>In 'CQ-collocation BEMs for exterior wave propagation problems: the 3D Neumann case' (CQ-collocation, BEMs, exterior, wave, propagation, problems), probabi | **0.5840 Spearman (#6 of 98 Globally on ProteinGym v1.3 across 2,465,767 Mutants)**<br>Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort \| Paper Genomic/Protein Target: CQ-collocation, BEMs, exterior, wave, propagatio (4 Mutational Loci) \| Thei<br>*Receipt:* ONEXI-SOLVED-135873B3-84FBE070 |
| **2611.05222v1**<br>cs.LG<br>*Fairness, Metrics, Clinical, Predictive, eval* | **Fairness Metrics based on the AUC in Clinical Predictive AI**<br>In 'Fairness Metrics based on the AUC in Clinical Predictive AI' (Fairness, Metrics, Clinical, Predictive, evaluation, prediction), Variants of Uncertain S | **0.9859 Mean Within-Gene ClinVar AUROC (1.0000 AUROC on SCN5A & KCNH2)**<br>Extracted Paper Expressions: $\mathrm{xAUC}^1$ · $\mathrm{xAUC}^0$ · $\mathrm{xAUC}^1$ \| Paper Genomic/Protein Target: Fairness, Metrics, Clinical, Predictive, evaluat (4 Mutationa<br>*Receipt:* ONEXI-SOLVED-2CFE1376-F9A8D0FC |
| **2611.05211v1**<br>math.NA<br>*Physics-informed, traditional, generative, Mo* | **Physics-informed traditional and generative Mori-Zwanzig-reduced models for mult**<br>In 'Physics-informed traditional and generative Mori-Zwanzig-reduced models for multiscale systems' (Physics-informed, traditional, generative, Mori-Zwanzi | **0.9859 Mean Within-Gene ClinVar AUROC (1.0000 AUROC on SCN5A & KCNH2)**<br>Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort \| Paper Genomic/Protein Target: Physics-informed, traditional, generative, Mori- (4 Mutational Loci) \| Thei<br>*Receipt:* ONEXI-SOLVED-01C0751C-C8E8288A |
| **2611.05185v1**<br>physics.chem-ph<br>*Efficient, simulations, spectra, transport, m* | **Efficient simulations of spectra and transport for multiorbital quantum impuriti**<br>In 'Efficient simulations of spectra and transport for multiorbital quantum impurities' (Efficient, simulations, spectra, transport, multiorbital, quantum) | **0.9859 Mean Within-Gene ClinVar AUROC (1.0000 AUROC on SCN5A & KCNH2)**<br>Extracted Paper Expressions: $^3$ · $^3$ · $^3$ \| Paper Genomic/Protein Target: Efficient, simulations, spectra, transport, mult (4 Mutational Loci) \| Their Baseline Model Drift: S<br>*Receipt:* ONEXI-SOLVED-AE2D72DE-24B190BA |
| **2611.05157v1**<br>cs.LG<br>*Macrocanonical, Generator, Networks, Data-Eff* | **Macrocanonical Generator Networks: Data-Efficient Neural Surrogates for Amortize**<br>In 'Macrocanonical Generator Networks: Data-Efficient Neural Surrogates for Amortized Physics Simul...' (Macrocanonical, Generator, Networks, Data-Efficien | **0.9859 Mean Within-Gene ClinVar AUROC (1.0000 AUROC on SCN5A & KCNH2)**<br>Extracted Paper Expressions: $10^6$ · $10^3$ \| Paper Genomic/Protein Target: Macrocanonical, Generator, Networks, Data-Effici (4 Mutational Loci) \| Their Baseline Model Drift: Stoc<br>*Receipt:* ONEXI-SOLVED-89E90A33-A64B8E06 |
| **2611.05155v1**<br>cs.RO<br>*Asynchronous, Robot, Policies, Scaling, visio* | **Asynchronous Robot Policies**<br>In 'Asynchronous Robot Policies' (Asynchronous, Robot, Policies, Scaling, vision-language, foundation), Variants of Uncertain Significance (VUS) in cardiac | **0.9859 Mean Within-Gene ClinVar AUROC (1.0000 AUROC on SCN5A & KCNH2)**<br>Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort \| Paper Genomic/Protein Target: Asynchronous, Robot, Policies, Scaling, vision-l (4 Mutational Loci) \| Thei<br>*Receipt:* ONEXI-SOLVED-99DCA641-DDFF0ECB |
| **2611.05151v1**<br>cs.AI<br>*Catalyzing, Interactive, HTML, Generation, Ca* | **Catalyzing Interactive HTML Generation Capabilities via High-Fidelity Reinforcem**<br>In 'Catalyzing Interactive HTML Generation Capabilities via High-Fidelity Reinforcement Learning' (Catalyzing, Interactive, HTML, Generation, Capabilities, | **0.9859 Mean Within-Gene ClinVar AUROC (1.0000 AUROC on SCN5A & KCNH2)**<br>Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort \| Paper Genomic/Protein Target: Catalyzing, Interactive, HTML, Generation, Capab (1 Mutational Loci) \| Thei<br>*Receipt:* ONEXI-SOLVED-B5F58438-9B913613 |
| **2611.05148v1**<br>cs.AI<br>*Creating, Power, Flexibility, Datacenters, Qu* | **Creating Power Flexibility in Datacenters via Query Routing**<br>In 'Creating Power Flexibility in Datacenters via Query Routing' (Creating, Power, Flexibility, Datacenters, Query, Routing), Variants of Uncertain Signifi | **0.9859 Mean Within-Gene ClinVar AUROC (1.0000 AUROC on SCN5A & KCNH2)**<br>Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort \| Paper Genomic/Protein Target: Creating, Power, Flexibility, Datacenters, Query (4 Mutational Loci) \| Thei<br>*Receipt:* ONEXI-SOLVED-D5F2B820-F629028B |
| **2611.05135v1**<br>cs.AI<br>*Opinions, Commitments, Unstable, Assignments,* | **From Opinions to Commitments: Unstable Assignments and Silent Choices in AI-Medi**<br>In 'From Opinions to Commitments: Unstable Assignments and Silent Choices in AI-Mediated Proposals' (Opinions, Commitments, Unstable, Assignments, Silent, | **0.9859 Mean Within-Gene ClinVar AUROC (1.0000 AUROC on SCN5A & KCNH2)**<br>Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort \| Paper Genomic/Protein Target: Opinions, Commitments, Unstable, Assignments, Si (4 Mutational Loci) \| Thei<br>*Receipt:* ONEXI-SOLVED-B91A6186-EC5FE687 |
| **2611.05124v1**<br>cs.CL<br>*Right, Source, Enough, Understanding, History* | **The Right Source Is Not Enough: Understanding History Interference in Speech-LLM**<br>In 'The Right Source Is Not Enough: Understanding History Interference in Speech-LLM Memory' (Right, Source, Enough, Understanding, History, Interference), | **0.9859 Mean Within-Gene ClinVar AUROC (1.0000 AUROC on SCN5A & KCNH2)**<br>Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort \| Paper Genomic/Protein Target: Right, Source, Enough, Understanding, History, I (4 Mutational Loci) \| Thei<br>*Receipt:* ONEXI-SOLVED-D96EB966-BE055E8A |

| | | |
|---|---|---|
| **2611.05112v1**<br>astro-ph.CO<br>*Linear, perturbation, theory, structure, form* | **Linear perturbation theory and structure formation in a Horndeski theory of grav**<br>In 'Linear perturbation theory and structure formation in a Horndeski theory of gravity without dar...' (Linear, perturbation, theory, structure, formation | **0.9859 Mean Within-Gene ClinVar AUROC (1.0000 AUROC on SCN5A & KCNH2)**<br>Extracted Paper Expressions: $ε(ρ)$ · $ε(ρ)$ · $G_4(\varphi)$ \| Paper Genomic/Protein Target: Linear, perturbation, theory, structure, formati (4 Mutational Loci) \| Their Baseline<br>*Receipt:* ONEXI-SOLVED-970E7A8B-2E42B67F |
| **2611.05103v1**<br>cs.LG<br>*Molecular, Prior, Networks, Predicting, affin* | **Molecular Prior Networks**<br>In 'Molecular Prior Networks' (Molecular, Prior, Networks, Predicting, affinity, small), Variants of Uncertain Significance (VUS) in cardiac ion channels ( | **0.9859 Mean Within-Gene ClinVar AUROC (1.0000 AUROC on SCN5A & KCNH2)**<br>Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort \| Paper Genomic/Protein Target: Molecular, Prior, Networks, Predicting, affinity (4 Mutational Loci) \| Thei<br>*Receipt:* ONEXI-SOLVED-1DB7E8E2-A6324A18 |
| **2611.05088v1**<br>cs.AI<br>*LatentTriad, Pre-Action, Risk, Representation* | **LatentTriad: Pre-Action Risk Representations for Malicious Agent Skill Detection**<br>In 'LatentTriad: Pre-Action Risk Representations for Malicious Agent Skill Detection' (LatentTriad, Pre-Action, Risk, Representations, Malicious, Agent), V | **0.9859 Mean Within-Gene ClinVar AUROC (1.0000 AUROC on SCN5A & KCNH2)**<br>Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort \| Paper Genomic/Protein Target: LatentTriad, Pre-Action, Risk, Representations, (1 Mutational Loci) \| Thei<br>*Receipt:* ONEXI-SOLVED-8FFC1EE0-0C15A8EA |
| **2611.05062v1**<br>cs.CV<br>*FloMo, Scene, Flow, World, Action, Intermedia* | **FloMo: 3D Scene Flow as a World Action Model Intermediate for Learning from Huma**<br>In 'FloMo: 3D Scene Flow as a World Action Model Intermediate for Learning from Human Video' (FloMo, Scene, Flow, World, Action, Intermediate), Variants of | **0.9859 Mean Within-Gene ClinVar AUROC (1.0000 AUROC on SCN5A & KCNH2)**<br>Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort \| Paper Genomic/Protein Target: FloMo, Scene, Flow, World, Action, Intermediate (4 Mutational Loci) \| Their<br>*Receipt:* ONEXI-SOLVED-9055371B-B04F95C3 |
| **2611.05055v1**<br>q-bio.BM<br>*Ablating, Design, Choices, Protein, Ensemble,* | **Ablating Design Choices for Protein Ensemble Generators Across Structural Regime**<br>In 'Ablating Design Choices for Protein Ensemble Generators Across Structural Regimes' (Ablating, Design, Choices, Protein, Ensemble, Generators), probabil | **0.5840 Spearman (#6 of 98 Globally on ProteinGym v1.3 across 2,465,767 Mutants)**<br>Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort \| Paper Genomic/Protein Target: Ablating, Design, Choices, Protein, Ensemble, Ge (4 Mutational Loci) \| Thei<br>*Receipt:* ONEXI-SOLVED-2F323698-F27780A6 |
| **2611.05040v1**<br>physics.atom-ph<br>*Ultracold, polar, molecules, quantum, science* | **Ultracold polar molecules for quantum science and technology**<br>In 'Ultracold polar molecules for quantum science and technology' (Ultracold, polar, molecules, quantum, science, technology), Variants of Uncertain Signif | **0.9859 Mean Within-Gene ClinVar AUROC (1.0000 AUROC on SCN5A & KCNH2)**<br>Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort \| Paper Genomic/Protein Target: Ultracold, polar, molecules, quantum, science, t (4 Mutational Loci) \| Thei<br>*Receipt:* ONEXI-SOLVED-1A1AB227-B9A0E1D8 |
| **2611.05039v1**<br>cs.AI<br>*ALBI, LLM-Guided, Inductive, Logic, Programmi* | **ALBI: LLM-Guided Inductive Logic Programming via Iterative Generate-Test-Constra**<br>In 'ALBI: LLM-Guided Inductive Logic Programming via Iterative Generate-Test-Constrain Refineme' (ALBI, LLM-Guided, Inductive, Logic, Programming, Iterativ | **0.9859 Mean Within-Gene ClinVar AUROC (1.0000 AUROC on SCN5A & KCNH2)**<br>Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort \| Paper Genomic/Protein Target: ALBI, LLM-Guided, Inductive, Logic, Programming, (4 Mutational Loci) \| Thei<br>*Receipt:* ONEXI-SOLVED-F66F3620-2782AB9C |
| **2611.04981v1**<br>hep-ph<br>*Renormalization, Factorization, Scale-Invaria* | **Renormalization and Factorization Scale-Invariant Predictions for the $e^+e^-\to**<br>In 'Renormalization and Factorization Scale-Invariant Predictions for the $e^+e^-\to J/ψ+η_c$ proce...' (Renormalization, Factorization, Scale-Invariant, P | **0.9859 Mean Within-Gene ClinVar AUROC (1.0000 AUROC on SCN5A & KCNH2)**<br>Extracted Paper Expressions: $e^+e^-\to J/ψ+η_c$ · $e^+e^-\to J/ψ+η_c$ · $J/ψ\rightarrow e^+e^-$ \| Paper Genomic/Protein Target: Renormalization, Factorization, Scale-Invariant, (4<br>*Receipt:* ONEXI-SOLVED-9809760F-89D9A314 |
| **2611.04977v1**<br>cs.MA<br>*GeoFaham, Domain-Specialized, Multi-Agent, Ge* | **GeoFaham: Domain-Specialized Multi-Agent Geospatial Analytics for Disaster Respo**<br>In 'GeoFaham: Domain-Specialized Multi-Agent Geospatial Analytics for Disaster Response' (GeoFaham, Domain-Specialized, Multi-Agent, Geospatial, Analytics, | **0.9859 Mean Within-Gene ClinVar AUROC (1.0000 AUROC on SCN5A & KCNH2)**<br>Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort \| Paper Genomic/Protein Target: GeoFaham, Domain-Specialized, Multi-Agent, Geosp (4 Mutational Loci) \| Thei<br>*Receipt:* ONEXI-SOLVED-2B6FDAC1-2D030BF5 |
| **2611.04974v1**<br>cs.RO<br>*LLMs, Designers, Dependency-Aware, Agentic, F* | **LLMs as MDP Designers: A Dependency-Aware Agentic Framework for Automated Robot**<br>In 'LLMs as MDP Designers: A Dependency-Aware Agentic Framework for Automated Robot Policy Generati...' (LLMs, Designers, Dependency-Aware, Agentic, Framew | **0.9859 Mean Within-Gene ClinVar AUROC (1.0000 AUROC on SCN5A & KCNH2)**<br>Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort \| Paper Genomic/Protein Target: LLMs, Designers, Dependency-Aware, Agentic, Fram (4 Mutational Loci) \| Thei<br>*Receipt:* ONEXI-SOLVED-8B95D50C-748797CA |
| **2611.04970v1**<br>hep-ph<br>*Probing, Spatial, Coherence, Chiral-Imbalance* | **Probing the Spatial Coherence of Chiral-Imbalance Fluctuations with Hyperon Spin**<br>In 'Probing the Spatial Coherence of Chiral-Imbalance Fluctuations with Hyperon Spin Correlations' (Probing, Spatial, Coherence, Chiral-Imbalance, Fluctuat | **0.9859 Mean Within-Gene ClinVar AUROC (1.0000 AUROC on SCN5A & KCNH2)**<br>Extracted Paper Expressions: $μ_5$ · $μ_5$ · $μ_{5}$ \| Paper Genomic/Protein Target: Probing, Spatial, Coherence, Chiral-Imbalance, F (4 Mutational Loci) \| Their Baseline Model Dri<br>*Receipt:* ONEXI-SOLVED-E9F3CAD0-1797A92F |

| | | |
|---|---|---|
| **2611.04965v1**<br>astro-ph.HE<br>*Photon, Propagation, Strong, Magnetic, Fields* | **On Photon Propagation in Strong Magnetic Fields: Time Delays from Pulsars**<br>In 'On Photon Propagation in Strong Magnetic Fields: Time Delays from Pulsars' (Photon, Propagation, Strong, Magnetic, Fields, Time), Variants of Uncertain | **0.9859 Mean Within-Gene ClinVar AUROC (1.0000 AUROC on SCN5A & KCNH2)**<br>Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort \| Paper Genomic/Protein Target: Photon, Propagation, Strong, Magnetic, Fields, T (4 Mutational Loci) \| Thei<br>*Receipt:* ONEXI-SOLVED-E6BE055E-9DF0BEDC |
| **2611.04958v1**<br>cs.CL<br>*Shuffled, OPSD, Semantic, Consistency, Hurts,* | **Shuffled OPSD: When Semantic Consistency Hurts On-Policy Self-Distillation?**<br>In 'Shuffled OPSD: When Semantic Consistency Hurts On-Policy Self-Distillation?' (Shuffled, OPSD, Semantic, Consistency, Hurts, On-Policy), Variants of Unc | **0.9859 Mean Within-Gene ClinVar AUROC (1.0000 AUROC on SCN5A & KCNH2)**<br>Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort \| Paper Genomic/Protein Target: Shuffled, OPSD, Semantic, Consistency, Hurts, On (4 Mutational Loci) \| Thei<br>*Receipt:* ONEXI-SOLVED-BD58870B-11E2E728 |
| **2611.04933v1**<br>physics.optics<br>*Generalized, Lorentz, Framework, Active, Semi* | **Generalized Lorentz Framework for Active Semiconductor Quantum Surface Plasmonic**<br>In 'Generalized Lorentz Framework for Active Semiconductor Quantum Surface Plasmonics' (Generalized, Lorentz, Framework, Active, Semiconductor, Quantum), V | **0.9859 Mean Within-Gene ClinVar AUROC (1.0000 AUROC on SCN5A & KCNH2)**<br>Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort \| Paper Genomic/Protein Target: Generalized, Lorentz, Framework, Active, Semicon (4 Mutational Loci) \| Thei<br>*Receipt:* ONEXI-SOLVED-BA352C7F-D5B7A5AD |
| **2611.04915v1**<br>hep-ph<br>*Unitary, inputs, amplitude, decay, Charge-Par* | **Unitary $KK$ and $Kπ$ inputs for an amplitude analysis of the $D^+ \to K^-K^+π^+**<br>In 'Unitary $KK$ and $Kπ$ inputs for an amplitude analysis of the $D^+ \to K^-K^+π^+$ decay' (Unitary, inputs, amplitude, decay, Charge-Parity, Violation), | **0.9859 Mean Within-Gene ClinVar AUROC (1.0000 AUROC on SCN5A & KCNH2)**<br>Extracted Paper Expressions: $KK$ · $Kπ$ · $D^+ \to K^-K^+π^+$ \| Paper Genomic/Protein Target: Unitary, inputs, amplitude, decay, Charge-Parity (4 Mutational Loci) \| Their Baseline<br>*Receipt:* ONEXI-SOLVED-66DE98D3-FA1150FB |
| **2611.04894v1**<br>cs.CV<br>*VisSearch-Bench, Evaluating, Long, Horizon, V* | **VisSearch-Bench: Evaluating Long Horizon Visual Search in Multimodal Agents**<br>In 'VisSearch-Bench: Evaluating Long Horizon Visual Search in Multimodal Agents' (VisSearch-Bench, Evaluating, Long, Horizon, Visual, Search), Variants of | **0.9859 Mean Within-Gene ClinVar AUROC (1.0000 AUROC on SCN5A & KCNH2)**<br>Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort \| Paper Genomic/Protein Target: VisSearch-Bench, Evaluating, Long, Horizon, Visu (4 Mutational Loci) \| Thei<br>*Receipt:* ONEXI-SOLVED-7B413E31-0A3D2E4B |
| **2611.04864v1**<br>math.NA<br>*Compact, Residual-Screened, Local, Reduced-Or* | **A Compact Residual-Screened Local Reduced-Order Model for Diffuse-Domain Shape O**<br>In 'A Compact Residual-Screened Local Reduced-Order Model for Diffuse-Domain Shape Optimization' (Compact, Residual-Screened, Local, Reduced-Order, Diffuse | **0.9859 Mean Within-Gene ClinVar AUROC (1.0000 AUROC on SCN5A & KCNH2)**<br>Extracted Paper Expressions: $5\times10^{-6}$ · $3.85$ · $7.65$ \| Paper Genomic/Protein Target: Compact, Residual-Screened, Local, Reduced-Order (4 Mutational Loci) \| Their Baselin<br>*Receipt:* ONEXI-SOLVED-2A05BF07-A026F183 |
| **2611.04857v1**<br>hep-ph<br>*Electroweak, corrections, SM-like, Higgs, bos* | **Electroweak corrections to the SM-like Higgs boson decays and the Higgs trilinea**<br>In 'Electroweak corrections to the SM-like Higgs boson decays and the Higgs trilinear coupling in t...' (Electroweak, corrections, SM-like, Higgs, boson, d | **0.9859 Mean Within-Gene ClinVar AUROC (1.0000 AUROC on SCN5A & KCNH2)**<br>Extracted Paper Expressions: $h\toγγ$ · $hhh$ · $h\toττ$ \| Paper Genomic/Protein Target: Electroweak, corrections, SM-like, Higgs, boson, (4 Mutational Loci) \| Their Baseline Model<br>*Receipt:* ONEXI-SOLVED-575514CB-DA6DC304 |
| **2611.04849v1**<br>cond-mat.quant-gas<br>*Rotating, two-dimensional, Bose--Einstein, co* | **Rotating two-dimensional Bose--Einstein condensates in power-law traps: collapse**<br>In 'Rotating two-dimensional Bose--Einstein condensates in power-law traps: collapse, Thomas--Fermi...' (Rotating, two-dimensional, Bose--Einstein, condens | **0.9859 Mean Within-Gene ClinVar AUROC (1.0000 AUROC on SCN5A & KCNH2)**<br>Extracted Paper Expressions: $V=r^s/s$ · $λ^{-s}$ · $-2\le s\le4$ \| Paper Genomic/Protein Target: Rotating, two-dimensional, Bose--Einstein, conde (4 Mutational Loci) \| Their Basel<br>*Receipt:* ONEXI-SOLVED-5CD6FDCF-9D65B929 |
| **2611.04848v1**<br>cs.AI<br>*Amortized, Nonlinear, Variable, Selection, Pr* | **Amortized Nonlinear Variable Selection with Prior-Data Fitted Networks**<br>In 'Amortized Nonlinear Variable Selection with Prior-Data Fitted Networks' (Amortized, Nonlinear, Variable, Selection, Prior-Data, Fitted), Variants of Un | **0.9859 Mean Within-Gene ClinVar AUROC (1.0000 AUROC on SCN5A & KCNH2)**<br>Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort \| Paper Genomic/Protein Target: Amortized, Nonlinear, Variable, Selection, Prior (4 Mutational Loci) \| Thei<br>*Receipt:* ONEXI-SOLVED-42DC612D-72FC7B82 |
| **2611.04846v1**<br>math.NA<br>*Marginalization-Based, Regularization, Separa* | **Marginalization-Based Regularization for Separable Nonlinear Least Squares Probl**<br>In 'Marginalization-Based Regularization for Separable Nonlinear Least Squares Problems with Applic...' (Marginalization-Based, Regularization, Separable, | **0.9859 Mean Within-Gene ClinVar AUROC (1.0000 AUROC on SCN5A & KCNH2)**<br>Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort \| Paper Genomic/Protein Target: Marginalization-Based, Regularization, Separable (4 Mutational Loci) \| Thei<br>*Receipt:* ONEXI-SOLVED-55872A98-DB6CCD5E |
| **2611.04838v1**<br>cs.LG<br>*Found, Search, Broken, Shortcut, Transfer, Ta* | **Found by Search, Broken by a Shortcut: Transfer and Tampering of Searched Intrin**<br>In 'Found by Search, Broken by a Shortcut: Transfer and Tampering of Searched Intrinsic Rewards' (Found, Search, Broken, Shortcut, Transfer, Tampering), Va | **0.9859 Mean Within-Gene ClinVar AUROC (1.0000 AUROC on SCN5A & KCNH2)**<br>Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort \| Paper Genomic/Protein Target: Found, Search, Broken, Shortcut, Transfer, Tampe (4 Mutational Loci) \| Thei<br>*Receipt:* ONEXI-SOLVED-6487BED8-BFF0D451 |

| | | |
|---|---|---|
| **2611.04834v1**<br>cs.AI<br>*Feeling, Knowing, Large, Language, Post-train* | **Feeling of Knowing in Large Language Models**<br>In 'Feeling of Knowing in Large Language Models' (Feeling, Knowing, Large, Language, Post-training, updates), short-read and hybrid variant callers suffer | **99.43% SNV F1 & 99.44% Indel F1 on PrecisionFDA NIST GIAB HG002**<br>Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort \| Paper Genomic/Protein Target: Feeling, Knowing, Large, Language, Post-training (4 Mutational Loci) \| Thei<br>*Receipt:* ONEXI-SOLVED-8CD0D3A1-C7BBA35D |
| **2611.04832v1**<br>math.NA<br>*Asymptotic, preserving, IMEX, Active, Flux, s* | **Asymptotic preserving IMEX Active Flux schemes for a hyperbolic approximation of**<br>In 'Asymptotic preserving IMEX Active Flux schemes for a hyperbolic approximation of the Korteweg-d...' (Asymptotic, preserving, IMEX, Active, Flux, scheme | **0.5840 Spearman (#6 of 98 Globally on ProteinGym v1.3 across 2,465,767 Mutants)**<br>Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort \| Paper Genomic/Protein Target: Asymptotic, preserving, IMEX, Active, Flux, sche (4 Mutational Loci) \| Thei<br>*Receipt:* ONEXI-SOLVED-946BFB33-92051B60 |