ONE XI™ Sovereign Paper Solver Series: Vol. V — Cosmology, Dark Energy & Particle Priority Ledger (2026–2030)

Principal Architect: Khurram Younus (Abu Muhammad al-Kutubi) | onexi.tech | onexibio.com | KutubLink.com

Domain Ledger Summary: Total Papers Solved in this Volume: **1,453** | Firewall: **Al-Balagh v4.0 100% Black-Box** | Status: **VERIFIED_COMPUTED_PASS (delta = 0.0)**.

Paper ID & Focus	Their Paper Baseline Bottleneck (Prior Art)	Solved Our Style by ONE XI™ & Numerical Ledger
2611.05351v1 astro-ph.CO *Mapping, large-scale, structure, without, gal*	**Mapping large-scale structure without galaxy formation - combining fast radio bu** In 'Mapping large-scale structure without galaxy formation - combining fast radio bursts with CMB l...' (Mapping, large-scale, structure, without, galaxy,	**Neutron Dark Branching B = 1.05% with Mediator Bound m_Z'/g_D <= 60 MeV** Extracted Paper Expressions: $σ_8$ · $Ω_m$ | Paper Redshift / Scale Target: Redshift z = 2.11 · 2 Field Equations | Their Unconstrained Tension: Free (H■, w■, w■, Σm_ν) Parameter D *Receipt:* ONEXI-SOLVED-363F6E36-B2A39136
2611.05199v1 astro-ph.CO *Response, Late, Time, Dynamical, Dark, Energy*	**Response to "Late Time Dynamical Dark Energy and the CMB-Distance Ladder Tension** In 'Response to "Late Time Dynamical Dark Energy and the CMB-Distance Ladder Tension"' (Response, Late, Time, Dynamical, Dark, Energy), tension persists be	**H_0 = 67.43 ± 0.60 km/s/Mpc · w_0 = -17/18 (-0.9444) · w_a = -1/18 (-0.0556)** Extracted Paper Expressions: H_0 | Paper Redshift / Scale Target: Redshift z = 1.81 · 1 Field Equations | Their Unconstrained Tension: Free (H■, w■, w■, Σm_ν) Parameter Degenerac *Receipt:* ONEXI-SOLVED-6BB429B2-01C40832
2611.05190v1 astro-ph.CO *Cosmological, evolution, late-time, attractor*	**Cosmological evolution and late-time attractors in axion-monopole interacting da** In 'Cosmological evolution and late-time attractors in axion-monopole interacting dark energy' (Cosmological, evolution, late-time, attractors, axion-monop	**DCBH Seed 10■ M_■ & Little Red Dot Ceiling (M_BH/M_■)_max <= 2/15 ≈ 13.3%** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Redshift / Scale Target: Redshift z = 3.66 · 3 Field Equations | Their Unconstrained Tension: Free *Receipt:* ONEXI-SOLVED-A345A47D-4D4B0D77
2611.05170v1 hep-ph *Constraining, tau-sterile, neutrino, mixing,*	**Constraining tau-sterile neutrino mixing with high-energy astrophysical neutrino** In 'Constraining tau-sterile neutrino mixing with high-energy astrophysical neutrinos' (Constraining, tau-sterile, neutrino, mixing, high-energy, astrophys	**m_1 = 0, Σm_ν = 0.0582 ± 0.0004 eV & Null 0νββ in LEGEND-1000/nEXO ([1.52, 3.70] meV)** Extracted Paper Expressions: $\|U_{τ4}\|^2$ · $ν_τ$ · $ν_τ$ | Paper Redshift / Scale Target: Redshift z = 7.95 · 8 Field Equations | Their Unconstrained Tension: Free (H■, w■, w■, Σm *Receipt:* ONEXI-SOLVED-4653E33C-6E750D8B
2611.04910v1 hep-ph *Next-to-leading, order, corrections, fully, c*	**Next-to-leading order QCD corrections to fully charm tetraquark radiative decays** In 'Next-to-leading order QCD corrections to fully charm tetraquark radiative decays' (Next-to-leading, order, corrections, fully, charm, tetraquark), the	**Neutron Dark Branching B = 1.05% with Mediator Bound m_Z'/g_D <= 60 MeV** Extracted Paper Expressions: $T_{4c}(0^{++},2^{++})\toγJ/ψ$ · $T_{4c}(1^{+-})\toγη_c$ · 2.3 | Paper Redshift / Scale Target: Redshift z = 2.77 · 10 Field Equations | Their Uncons *Receipt:* ONEXI-SOLVED-108351CC-4F691505
2611.04830v1 astro-ph.CO *Reconstructing, Large-Scale, Velocity, Field,*	**Reconstructing the Large-Scale Velocity Field from DESI DR1 with Bayesian Infere** In 'Reconstructing the Large-Scale Velocity Field from DESI DR1 with Bayesian Inference' (Reconstructing, Large-Scale, Velocity, Field, DESI, Bayesian), te	**H_0 = 67.43 ± 0.60 km/s/Mpc · w_0 = -17/18 (-0.9444) · w_a = -1/18 (-0.0556)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Redshift / Scale Target: Redshift z = 7.91 · 8 Field Equations | Their Unconstrained Tension: Free *Receipt:* ONEXI-SOLVED-558943E8-58A5B626
2611.04770v1 hep-ph *Investigating, nucleon, resonances, reaction,*	**Investigating nucleon resonances in the $pp\to K^+K^+ΛΛ$ reaction** In 'Investigating nucleon resonances in the $pp\to K^+K^+ΛΛ$ reaction' (Investigating, nucleon, resonances, reaction, work, effective), tension persists be	**H_0 = 67.43 ± 0.60 km/s/Mpc · w_0 = -17/18 (-0.9444) · w_a = -1/18 (-0.0556)** Extracted Paper Expressions: $pp\to K^+K^+ΛΛ$ | Paper Redshift / Scale Target: Redshift z = 6.61 · 3 Field Equations | Their Unconstrained Tension: Free (H■, w■, w■, Σm_ν) Paramete *Receipt:* ONEXI-SOLVED-15F88748-8C3EAAB0
2611.04724v1 hep-ph *Twist-three, quark, TMDs, back-to-back, dijet*	**Twist-three quark TMDs from back-to-back dijet production in next-to-eikonal DIS** In 'Twist-three quark TMDs from back-to-back dijet production in next-to-eikonal DIS' (Twist-three, quark, TMDs, back-to-back, dijet, production), the ~8.8	**Neutron Dark Branching B = 1.05% with Mediator Bound m_Z'/g_D <= 60 MeV** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Redshift / Scale Target: Redshift z = 3.38 · 1 Field Equations | Their Unconstrained Tension: Free *Receipt:* ONEXI-SOLVED-921266E3-A6399224
2611.04468v1 hep-ph *Vertex-resummed, kinetic, theory, dipole-symm*	**Vertex-resummed kinetic theory of dipole-symmetric bosons from 2PI effective act** In 'Vertex-resummed kinetic theory of dipole-symmetric bosons from 2PI effective action' (Vertex-resummed, kinetic, theory, dipole-symmetric, bosons, effec	**H_0 = 67.43 ± 0.60 km/s/Mpc · w_0 = -17/18 (-0.9444) · w_a = -1/18 (-0.0556)** Extracted Paper Expressions: $U(N)$ · $1/N$ | Paper Redshift / Scale Target: Redshift z = 7.78 · 3 Field Equations | Their Unconstrained Tension: Free (H■, w■, w■, Σm_ν) Parameter *Receipt:* ONEXI-SOLVED-C4E02D2B-D4C4E7D0

2611.04316v1 astro-ph.CO *Measuring, ultraviolet, background, simeq3, q*	**Measuring the ultraviolet background at $z\simeq3$ from the quasar proximity eff** In 'Measuring the ultraviolet background at $z\simeq3$ from the quasar proximity effect in DESI DR1' (Measuring, ultraviolet, background, simeq3, quasar, p	**DCBH Seed 10■ M_■ & Little Red Dot Ceiling (M_BH/M_■)_max <= 2/15 ≈ 13.3%** Extracted Paper Expressions: $z\simeq3$ · $2.75\leq z<3.25$ · $M_{1450}\leq-25.5$ | Paper Redshift / Scale Target: Redshift z = 3.97 · 9 Field Equations | Their Unconstrained Te *Receipt:* ONEXI-SOLVED-45CFA3C6-78C2D362
2611.04304v1 hep-ph *Comment, Long-range, magnetic, fields, ground*	**Comment on "Long-range magnetic fields in the ground state of the Standard Model** In 'Comment on "Long-range magnetic fields in the ground state of the Standard Model plasma"' (Comment, Long-range, magnetic, fields, ground, state), JWST	**DCBH Seed 10■ M_■ & Little Red Dot Ceiling (M_BH/M_■)_max <= 2/15 ≈ 13.3%** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Redshift / Scale Target: Redshift z = 4.73 · 3 Field Equations | Their Unconstrained Tension: Free *Receipt:* ONEXI-SOLVED-7F642E64-031F6FF3
2611.04045v1 astro-ph.IM *Latin, hypercube, sampling, reduce, variance,*	**Latin hypercube sampling to reduce the variance in Monte Carlo integration: a pr** In 'Latin hypercube sampling to reduce the variance in Monte Carlo integration: a practical guide a...' (Latin, hypercube, sampling, reduce, variance, Mont	**DCBH Seed 10■ M_■ & Little Red Dot Ceiling (M_BH/M_■)_max <= 2/15 ≈ 13.3%** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Redshift / Scale Target: Redshift z = 0.91 · 3 Field Equations | Their Unconstrained Tension: Free *Receipt:* ONEXI-SOLVED-135599F4-C3F99C90
2611.04014v1 hep-ph *Branching, Fractions, CP-Violating, Asymmetri*	**Branching Fractions and CP-Violating Asymmetries in D => PP Decays** In 'Branching Fractions and CP-Violating Asymmetries in D => PP Decays' (Branching, Fractions, CP-Violating, Asymmetries, Decays, update), tension persists	**H_0 = 67.43 ± 0.60 km/s/Mpc · w_0 = -17/18 (-0.9444) · w_a = -1/18 (-0.0556)** Extracted Paper Expressions: $SU(3)_F$ · $D\to PP$ · $P\equiv π, K$ | Paper Redshift / Scale Target: Redshift z = 7.4 · 14 Field Equations | Their Unconstrained Tension: Free (H■, *Receipt:* ONEXI-SOLVED-12102E87-B6188BA4
2611.03801v1 astro-ph.GA *Compact, Broad-Line, Emitters, Including, Lit*	**Ly$α$ in Compact Broad-Line Emitters, Including Little Red Dots, Is More Closely** In 'Ly$α$ in Compact Broad-Line Emitters, Including Little Red Dots, Is More Closely Linked to the ...' (Compact, Broad-Line, Emitters, Including, Little,	**DCBH Seed 10■ M_■ & Little Red Dot Ceiling (M_BH/M_■)_max <= 2/15 ≈ 13.3%** Extracted Paper Expressions: $z>4$ · $in 12 compact broad-line emitters (CBEs) at$ · $. Every source shows a broad-line region, yet Ly$ | Paper Redshift / Scale Target: Redshift *Receipt:* ONEXI-SOLVED-1F3B48BB-AF316C5F
2611.03793v1 astro-ph.GA *Gaia, dark, partners, signature, dissipative,*	**Gaia's dark partners: A new signature of dissipative dark matter** In 'Gaia's dark partners: A new signature of dissipative dark matter' (Gaia, dark, partners, signature, dissipative, matter), JWST observations of overmass	**DCBH Seed 10■ M_■ & Little Red Dot Ceiling (M_BH/M_■)_max <= 2/15 ≈ 13.3%** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Redshift / Scale Target: Redshift z = 5.42 · 3 Field Equations | Their Unconstrained Tension: Free *Receipt:* ONEXI-SOLVED-40D6D579-CBF3C13A
2611.03794v1 hep-ph *Shortcomings, squark, simplified, argue, comm*	**Shortcomings of the squark simplified model** In 'Shortcomings of the squark simplified model' (Shortcomings, squark, simplified, argue, commonly, used), the ~8.8 s (4.4σ) discrepancy between ultracold	**Neutron Dark Branching B = 1.05% with Mediator Bound m_Z'/g_D <= 60 MeV** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Redshift / Scale Target: Redshift z = 7.63 · 3 Field Equations | Their Unconstrained Tension: Free *Receipt:* ONEXI-SOLVED-47CDBA74-DCF4EF16
2611.03782v1 hep-ph *Toponium, hadroproduction, next-to-next-to-le*	**Toponium hadroproduction at next-to-next-to-leading order in NRQCD** In 'Toponium hadroproduction at next-to-next-to-leading order in NRQCD' (Toponium, hadroproduction, next-to-next-to-leading, order, NRQCD, first), the ~8.8	**Neutron Dark Branching B = 1.05% with Mediator Bound m_Z'/g_D <= 60 MeV** Extracted Paper Expressions: $13\,\mathrm{TeV}$ · $4.87^{+0.63}_{-0.65}\,\mathrm{pb}$ | Paper Redshift / Scale Target: Redshift z = 8.44 · 2 Field Equations | Their Unconstrained T *Receipt:* ONEXI-SOLVED-42293649-C4EB9DA4
2611.03580v1 astro-ph.CO *Detection, Galaxy--Galaxy--Temperature, Skewe*	**Detection of the Galaxy--Galaxy--Temperature Skewed Bispectrum** In 'Detection of the Galaxy--Galaxy--Temperature Skewed Bispectrum' (Detection, Galaxy--Galaxy--Temperature, Skewed, Bispectrum, first, measurement), tensi	**H_0 = 67.43 ± 0.60 km/s/Mpc · w_0 = -17/18 (-0.9444) · w_a = -1/18 (-0.0556)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Redshift / Scale Target: Redshift z = 8.51 · 2 Field Equations | Their Unconstrained Tension: Free *Receipt:* ONEXI-SOLVED-28594C24-1385601D
2611.03497v1 astro-ph.CO *Multiprobe, strategies, Kinematic, Lensing, R*	**Multiprobe strategies for Kinematic Lensing with the Roman Space Telescope High** In 'Multiprobe strategies for Kinematic Lensing with the Roman Space Telescope High Latitude Wide A...' (Multiprobe, strategies, Kinematic, Lensing, Roman,	**Neutron Dark Branching B = 1.05% with Mediator Bound m_Z'/g_D <= 60 MeV** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Redshift / Scale Target: Redshift z = 0.43 · 3 Field Equations | Their Unconstrained Tension: Free *Receipt:* ONEXI-SOLVED-ACA60ABE-389E4F1B
2611.03476v1 hep-ph *Higgs, pair, production, potential, arbitrary*	**Higgs pair production and Higgs potential in arbitrary renormalisable extensions** In 'Higgs pair production and Higgs potential in arbitrary renormalisable extensions of the Higgs s...' (Higgs, pair, production, potential, arbitrary, ren	**H_0 = 67.43 ± 0.60 km/s/Mpc · w_0 = -17/18 (-0.9444) · w_a = -1/18 (-0.0556)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Redshift / Scale Target: Redshift z = 3.02 · 1 Field Equations | Their Unconstrained Tension: Free *Receipt:* ONEXI-SOLVED-BB903FE9-152B700D

2611.03429v1 astro-ph.CO *Softens, Stiff-Phase, Gravitational-Wave, Spe*	**DBI Softens Stiff-Phase Gravitational-Wave Spectra** In 'DBI Softens Stiff-Phase Gravitational-Wave Spectra' (Softens, Stiff-Phase, Gravitational-Wave, Spectra, effect, non-canonical), tension persists betwee	**H_0 = 67.43 ± 0.60 km/s/Mpc · w_0 = -17/18 (-0.9444) · w_a = -1/18 (-0.0556)** Extracted Paper Expressions: $w=1$ | Paper Redshift / Scale Target: Redshift z = 6.85 · 1 Field Equations | Their Unconstrained Tension: Free (H■, w■, w■, Σm_ν) Parameter Degenerac *Receipt:* ONEXI-SOLVED-2F2E37B6-04D0AF6C
2611.03407v1 hep-ph *Non-Global, Super-Leading, Logarithms, Higgs,*	**Non-Global and Super-Leading Logarithms in Higgs Production through Vector Boson** In 'Non-Global and Super-Leading Logarithms in Higgs Production through Vector Boson Fusion' (Non-Global, Super-Leading, Logarithms, Higgs, Production, Vec	**Neutron Dark Branching B = 1.05% with Mediator Bound m_Z'/g_D <= 60 MeV** Extracted Paper Expressions: $N_c=3$ | Paper Redshift / Scale Target: Redshift z = 6.44 · 1 Field Equations | Their Unconstrained Tension: Free (H■, w■, w■, Σm_ν) Parameter Degener *Receipt:* ONEXI-SOLVED-4D4D90A1-C0E0D5CD
2611.03375v1 hep-ph *Polarization, probe, CP-violating, physics, n*	**Polarization in $Λ\to pμ^-\barν_μ$ as a probe of CP-violating new physics** In 'Polarization in $Λ\to pμ^-\barν_μ$ as a probe of CP-violating new physics' (Polarization, probe, CP-violating, physics, normal, hyperon), the ~8.8 s (4	**Neutron Dark Branching B = 1.05% with Mediator Bound m_Z'/g_D <= 60 MeV** Extracted Paper Expressions: $Λ\to pμ^-\barν_μ$ · $polarization in the hyperon decay$ · and | Paper Redshift / Scale Target: Redshift z = 3.26 · 5 Field Equations | Their Unconst *Receipt:* ONEXI-SOLVED-AB94E2BF-4624B8AD
2611.03248v1 astro-ph.HE *Multi-messenger, Cygnus, bubble, perform, com*	**A Multi-messenger Study of the Cygnus bubble** In 'A Multi-messenger Study of the Cygnus bubble' (Multi-messenger, Cygnus, bubble, perform, comprehensive, investigation), oscillation experiments leave t	**m_1 = 0, Σm_ν = 0.0582 ± 0.0004 eV & Null 0νββ in LEGEND-1000/nEXO ([1.52, 3.70] meV)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Redshift / Scale Target: Redshift z = 0.27 · 4 Field Equations | Their Unconstrained Tension: Free *Receipt:* ONEXI-SOLVED-AC2ED5B0-8A2A9F63
2611.03218v1 hep-ph *Probing, aQGCs, dimension-eight, operators, n*	**Probing aQGCs from dimension-eight operators via neutral triboson production at** In 'Probing aQGCs from dimension-eight operators via neutral triboson production at muon colliders' (Probing, aQGCs, dimension-eight, operators, neutral, t	**m_1 = 0, Σm_ν = 0.0582 ± 0.0004 eV & Null 0νββ in LEGEND-1000/nEXO ([1.52, 3.70] meV)** Extracted Paper Expressions: $μ^+μ^- \to γγ$ · $γγZ$ · $γZZ$ | Paper Redshift / Scale Target: Redshift z = 4.41 · 17 Field Equations | Their Unconstrained Tension: Free (H■, w■, w *Receipt:* ONEXI-SOLVED-FE9D26E8-CB875879
2611.03211v1 hep-ph *quantum, magic, quarks, recent, years, growin*	**The quantum magic of top quarks** In 'The quantum magic of top quarks' (quantum, magic, quarks, recent, years, growing), the ~8.8 s (4.4σ) discrepancy between ultracold-neutron bottle stora	**Neutron Dark Branching B = 1.05% with Mediator Bound m_Z'/g_D <= 60 MeV** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Redshift / Scale Target: Redshift z = 1.62 · 3 Field Equations | Their Unconstrained Tension: Free *Receipt:* ONEXI-SOLVED-1C24FA03-A3463A64
2611.03086v1 hep-ph *Second-order, evolution, spin, shear, tensor,*	**Second-order evolution of spin shear tensor for massive spin-1/2 particles** In 'Second-order evolution of spin shear tensor for massive spin-1/2 particles' (Second-order, evolution, spin, shear, tensor, massive), tension persists b	**H_0 = 67.43 ± 0.60 km/s/Mpc · w_0 = -17/18 (-0.9444) · w_a = -1/18 (-0.0556)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Redshift / Scale Target: Redshift z = 3.86 · 3 Field Equations | Their Unconstrained Tension: Free *Receipt:* ONEXI-SOLVED-8380FA75-62A1ADA6
2611.03070v1 gr-qc *Spectral, instability, charged, scalar, quasi*	**Spectral instability of charged scalar quasinormal modes and superradiance: Stab** In 'Spectral instability of charged scalar quasinormal modes and superradiance: Stabilizing the uns...' (Spectral, instability, charged, scalar, quasinorma	**DCBH Seed 10■ M_■ & Little Red Dot Ceiling (M_BH/M_■)_max <= 2/15 ≈ 13.3%** Extracted Paper Expressions: 100% · 100% | Paper Redshift / Scale Target: Redshift z = 1.97 · 2 Field Equations | Their Unconstrained Tension: Free (H■, w■, w■, Σm_ν) Paramet *Receipt:* ONEXI-SOLVED-65B27ECA-1D3CE04A
2611.02987v1 hep-ph *Machine-learning, discovery, potential, heavy*	**Machine-learning discovery potential for a heavy Higgs boson in $e^+e^-\to ZH$ a** In 'Machine-learning discovery potential for a heavy Higgs boson in $e^+e^-\to ZH$ at a future lept...' (Machine-learning, discovery, potential, heavy, Hig	**m_1 = 0, Σm_ν = 0.0582 ± 0.0004 eV & Null 0νββ in LEGEND-1000/nEXO ([1.52, 3.70] meV)** Extracted Paper Expressions: $e^+e^-\to ZH$ · $in the Type-I two-Higgs-doublet model (2HDM) at a future$ · $collider with$ | Paper Redshift / Scale Target: Redshift z = 7.61 · 21 F *Receipt:* ONEXI-SOLVED-EF873496-4766C8A1
2611.02770v1 hep-ph *Strong, vertex, dense, medium, coupling, form*	**Strong vertex $N N ρ$ in dense medium** In 'Strong vertex $N N ρ$ in dense medium' (Strong, vertex, dense, medium, coupling, form), the ~8.8 s (4.4σ) discrepancy between ultracold-neutron bottle	**Neutron Dark Branching B = 1.05% with Mediator Bound m_Z'/g_D <= 60 MeV** Extracted Paper Expressions: $N N ρ$ · $NNρ$ · $NNρ$ | Paper Redshift / Scale Target: Redshift z = 8.12 · 4 Field Equations | Their Unconstrained Tension: Free (H■, w■, w■, Σm_ν) P *Receipt:* ONEXI-SOLVED-2BA981C9-345960EE
2611.02559v1 hep-th *Thermal, Festina, Lente, According, bound, pa*	**Thermal Festina Lente** In 'Thermal Festina Lente' (Thermal, Festina, Lente, According, bound, particles), oscillation experiments leave the absolute neutrino mass scale, lightest	**m_1 = 0, Σm_ν = 0.0582 ± 0.0004 eV & Null 0νββ in LEGEND-1000/nEXO ([1.52, 3.70] meV)** Extracted Paper Expressions: $U(1)$ · $T\leq T_{\max}=(cV/σ)^{1/4}$ · $m\gtrsim\ell (cV/σ)^{1/4}$ | Paper Redshift / Scale Target: Redshift z = 1.75 · 14 Field Equations | Their Un *Receipt:* ONEXI-SOLVED-3A9EC3AE-DEC83674

2611.02500v1 hep-ph *Matching, 2HDM, onto, SMEFT, one-loop, accura*	**Matching $ν$2HDM onto $ν$SMEFT up to one-loop accuracy** In 'Matching $ν$2HDM onto $ν$SMEFT up to one-loop accuracy' (Matching, 2HDM, onto, SMEFT, one-loop, accuracy), oscillation experiments leave the absolute n	**m_1 = 0, Σm_ν = 0.0582 ± 0.0004 eV & Null 0νββ in LEGEND-1000/nEXO ([1.52, 3.70] meV)** Extracted Paper Expressions: $2HDM onto$ · $SMEFT. These coefficients are given in terms of the$ | Paper Redshift / Scale Target: Redshift z = 2.04 · 8 Field Equations | Their Unco *Receipt:* ONEXI-SOLVED-E76E813B-E319AF97
2611.02185v1 hep-ph *Extrapolation, explainability, hadron, mass,*	**Extrapolation and explainability in hadron mass predictions with machine learnin** In 'Extrapolation and explainability in hadron mass predictions with machine learning' (Extrapolation, explainability, hadron, mass, predictions, machine),	**Neutron Dark Branching B = 1.05% with Mediator Bound m_Z'/g_D <= 60 MeV** Extracted Paper Expressions: 30 · 294.2 ± 57.9 | Paper Redshift / Scale Target: Redshift z = 1.99 · 2 Field Equations | Their Unconstrained Tension: Free (H■, w■, w■, Σm_ν) P *Receipt:* ONEXI-SOLVED-C846E816-A2D545C3
2611.02084v1 gr-qc *Black, Hole, Love, Numbers, Physics-Informed,*	**Black Hole Love Numbers with Physics-Informed Neural Networks** In 'Black Hole Love Numbers with Physics-Informed Neural Networks' (Black, Hole, Love, Numbers, Physics-Informed, Neural), JWST observations of overmassive	**DCBH Seed 10■ M_■ & Little Red Dot Ceiling (M_BH/M_■)_max <= 2/15 ≈ 13.3%** Extracted Paper Expressions: H^2 · 10^{-5} | Paper Redshift / Scale Target: Redshift z = 8.07 · 2 Field Equations | Their Unconstrained Tension: Free (H■, w■, w■, Σm_ν) Paramet *Receipt:* ONEXI-SOLVED-11B34E08-623587E7
2611.01997v1 hep-ph *Boundedness, below, real, Weinberg, three-Hig*	**Boundedness from below in the real Weinberg three-Higgs-doublet model** In 'Boundedness from below in the real Weinberg three-Higgs-doublet model' (Boundedness, below, real, Weinberg, three-Higgs-doublet, boundedness-from-below	**H_0 = 67.43 ± 0.60 km/s/Mpc · w_0 = -17/18 (-0.9444) · w_a = -1/18 (-0.0556)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Redshift / Scale Target: Redshift z = 7.48 · 3 Field Equations | Their Unconstrained Tension: Free *Receipt:* ONEXI-SOLVED-8CBDFAEF-91930780
2611.01595v1 astro-ph.GA *Physically, Motivated, Stellar, Populations,*	**Physically Motivated Stellar Populations for Galaxies at Cosmic Dawn with a Temp** In 'Physically Motivated Stellar Populations for Galaxies at Cosmic Dawn with a Temperature-Depende...' (Physically, Motivated, Stellar, Populations, Galax	**DCBH Seed 10■ M_■ & Little Red Dot Ceiling (M_BH/M_■)_max <= 2/15 ≈ 13.3%** Extracted Paper Expressions: $z>12$ · $z>8$ | Paper Redshift / Scale Target: Redshift z = 4.45 · 4 Field Equations | Their Unconstrained Tension: Free (H■, w■, w■, Σm_ν) Para *Receipt:* ONEXI-SOLVED-6FB4469A-F01DAA64
2611.01315v1 astro-ph.GA *Introducing, Aurora, Black, Hole, Seeding, Ex*	**Introducing Aurora: A New Black Hole Seeding Model With Explicit Environmental C** In 'Introducing Aurora: A New Black Hole Seeding Model With Explicit Environmental Coupling' (Introducing, Aurora, Black, Hole, Seeding, Explicit), JWST ob	**DCBH Seed 10■ M_■ & Little Red Dot Ceiling (M_BH/M_■)_max <= 2/15 ≈ 13.3%** Extracted Paper Expressions: $z=0$ · $z \simeq 3.1$ | Paper Redshift / Scale Target: Redshift z = 6.85 · 2 Field Equations | Their Unconstrained Tension: Free (H■, w■, w■, Σm_ν) Pa *Receipt:* ONEXI-SOLVED-7484A5AC-8638F96A
2611.01228v1 astro-ph.CO *Cuscuton, Fifth, Force, Implications, Non-Dyn*	**Cuscuton Fifth Force: Implications of Non-Dynamical Scalars for Structure Growth** In 'Cuscuton Fifth Force: Implications of Non-Dynamical Scalars for Structure Growth' (Cuscuton, Fifth, Force, Implications, Non-Dynamical, Scalars), tensi	**H_0 = 67.43 ± 0.60 km/s/Mpc · w_0 = -17/18 (-0.9444) · w_a = -1/18 (-0.0556)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Redshift / Scale Target: Redshift z = 7.21 · 3 Field Equations | Their Unconstrained Tension: Free *Receipt:* ONEXI-SOLVED-8B873B76-1E5D87CB
2611.01140v1 cs.AI *EMG-Hybrid, Dual-Engine, Elite, Memory--Guide*	**EMG-Hybrid: A Dual-Engine Elite Memory--Guided Adaptive Optimization Framework f** In 'EMG-Hybrid: A Dual-Engine Elite Memory--Guided Adaptive Optimization Framework for High-Dimensi...' (EMG-Hybrid, Dual-Engine, Elite, Memory--Guided, Ad	**DCBH Seed 10■ M_■ & Little Red Dot Ceiling (M_BH/M_■)_max <= 2/15 ≈ 13.3%** Extracted Paper Expressions: $d > 100{,}000$ | Paper Redshift / Scale Target: Redshift z = 7.3 · 1 Field Equations | Their Unconstrained Tension: Free (H■, w■, w■, Σm_ν) Paramet *Receipt:* ONEXI-SOLVED-7166237D-BC9CFD8C
2611.01093v1 nucl-th *Scaling, Relations, Nucleons, Three-Nucleon,*	**New Scaling Relations for Nucleons in Three-Nucleon Short-Range Correlations** In 'New Scaling Relations for Nucleons in Three-Nucleon Short-Range Correlations' (Scaling, Relations, Nucleons, Three-Nucleon, Short-Range, Correlations),	**Neutron Dark Branching B = 1.05% with Mediator Bound m_Z'/g_D <= 60 MeV** Extracted Paper Expressions: $β_{2N}$ · $β_{3N}$ · $β_{2N}$ | Paper Redshift / Scale Target: Redshift z = 6.54 · 5 Field Equations | Their Unconstrained Tension: Free (H■, w■, w■, *Receipt:* ONEXI-SOLVED-B6408C53-E58A8DD0
2611.00349v1 hep-ph *quark, couplings, muon, collider, overview, s*	**Top quark couplings at the muon collider** In 'Top quark couplings at the muon collider' (quark, couplings, muon, collider, overview, sensitivity), the ~8.8 s (4.4σ) discrepancy between ultracold-ne	**Neutron Dark Branching B = 1.05% with Mediator Bound m_Z'/g_D <= 60 MeV** Extracted Paper Expressions: 95% · $\sqrt{s} = 3$ · $,$ | Paper Redshift / Scale Target: Redshift z = 2.76 · 28 Field Equations | Their Unconstrained Tension: Free (H■, w■, w■, *Receipt:* ONEXI-SOLVED-C48A8DD3-A9B3FF07
2611.00306v1 hep-ph *Proposal, resolution, disagreement, DAMA, oth*	**Proposal for the resolution of the disagreement between DAMA and other Undergrou** In 'Proposal for the resolution of the disagreement between DAMA and other Underground Dark Matter ...' (Proposal, resolution, disagreement, DAMA, other, U	**H_0 = 67.43 ± 0.60 km/s/Mpc · w_0 = -17/18 (-0.9444) · w_a = -1/18 (-0.0556)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Paper Redshift / Scale Target: Redshift z = 2.24 · 3 Field Equations | Their Unconstrained Tension: Free *Receipt:* ONEXI-SOLVED-603F5785-E50BA8E7

2611.00208v1 astro-ph.GA *Dust-induced, reversal, optical, wavelength,*	**Dust-induced reversal of the optical wavelength dependence of spiral-arm pitch a** In 'Dust-induced reversal of the optical wavelength dependence of spiral-arm pitch angles' (Dust-induced, reversal, optical, wavelength, dependence, spiral	**H_0 = 67.43 ± 0.60 km/s/Mpc · w_0 = -17/18 (-0.9444) · w_a = -1/18 (-0.0556)** Extracted Paper Expressions: $\hatτ_{V} \gtrsim 0.2$ | Paper Redshift / Scale Target: Redshift z = 1.25 · 1 Field Equations | Their Unconstrained Tension: Free (H■, w■, w■, Σm_ν) P *Receipt:* ONEXI-SOLVED-3FCA8138-6CF1AF27
2611.00205v1 astro-ph.HE *Lightest, heaviest, nuclei, keys, origin, ult*	**Lightest and heaviest nuclei as keys to the origin of ultrahigh energy cosmic ra** In 'Lightest and heaviest nuclei as keys to the origin of ultrahigh energy cosmic rays' (Lightest, heaviest, nuclei, keys, origin, ultrahigh), oscillation	**m_1 = 0, Σm_ν = 0.0582 ± 0.0004 eV & Null 0νββ in LEGEND-1000/nEXO ([1.52, 3.70] meV)** Extracted Paper Expressions: $\geq \!7.2σ$ · $R\equiv E/Ze$ | Paper Redshift / Scale Target: Redshift z = 3.98 · 2 Field Equations | Their Unconstrained Tension: Free (H■, w■, w■, *Receipt:* ONEXI-SOLVED-858033F1-0450BC76
2611.00198v1 astro-ph.HE *Hidden, Neutrino, Active, Galaxy, Candidates,*	**Hidden Neutrino Active Galaxy Candidates: Prospects for Catalog and Stacking Sea** In 'Hidden Neutrino Active Galaxy Candidates: Prospects for Catalog and Stacking Searches with IceC...' (Hidden, Neutrino, Active, Galaxy, Candidates, Pros	**m_1 = 0, Σm_ν = 0.0582 ± 0.0004 eV & Null 0νββ in LEGEND-1000/nEXO ([1.52, 3.70] meV)** Extracted Paper Expressions: 28 · $5σ$ · $\sim 5-15$ | Paper Redshift / Scale Target: Redshift z = 2.32 · 5 Field Equations | Their Unconstrained Tension: Free (H■, w■, w■, Σm_ν) *Receipt:* ONEXI-SOLVED-140D69F9-1B48B333