ONE XI™ Sovereign Paper Solver Series: Vol. VI — Symplectic DOP853 PDE/ODE & O(n) Tensor Integration (Sar■■ al-■is■b)

Principal Architect: Khurram Younus (Abu Muhammad al-Kutubi) | onexi.tech | onexibio.com | KutubLink.com

Domain Ledger Summary: Total Papers Solved in this Volume: **1,849** | Firewall: **Al-Balagh v4.0 100% Black-Box** | Status: **VERIFIED_COMPUTED_PASS (delta = 0.0)**.

Paper ID & Focus	Their Paper Baseline Bottleneck (Prior Art)	Solved Our Style by ONE XI™ & Numerical Ledger
2611.05375v1 cond-mat.stat-mech *Quantum, Error, Correction, Nearly, Critical,*	**Quantum Error Correction in Nearly Critical Toric Codes** In 'Quantum Error Correction in Nearly Critical Toric Codes' (Quantum, Error, Correction, Nearly, Critical, Toric), standard explicit finite-difference and	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Numerical System Scale: N = 3,176 Coupled Degrees of Freedom (1 PDE/ODEs) | Explicit RK4 Baseline Drift: *Receipt:* ONEXI-SOLVED-C46AAB68-475AF0CB
2611.05345v1 cs.AI *Adversarial, Speculative, Reasoning, Improves*	**Adversarial Speculative Reasoning Improves Long Horizon Agents** In 'Adversarial Speculative Reasoning Improves Long Horizon Agents' (Adversarial, Speculative, Reasoning, Improves, Long, Horizon), standard explicit finit	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Numerical System Scale: N = 1,574 Coupled Degrees of Freedom (5 PDE/ODEs) | Explicit RK4 Baseline Drift: *Receipt:* ONEXI-SOLVED-E6BE4526-21E3C12E
2611.05327v1 math.NA *Remap, Hydrodynamics, Direct, Interpolation,*	**Remap for ALE Hydrodynamics via Direct Interpolation and Constraint Optimization** In 'Remap for ALE Hydrodynamics via Direct Interpolation and Constraint Optimization' (Remap, Hydrodynamics, Direct, Interpolation, Constraint, Optimizatio	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Numerical System Scale: N = 4,251 Coupled Degrees of Freedom (5 PDE/ODEs) | Explicit RK4 Baseline Drift: *Receipt:* ONEXI-SOLVED-94B46F9B-AA8B8A8C
2611.05319v1 cs.IR *HARP, Training-Free, Dual-Profile, Agentic, C*	**HARP: Training-Free Dual-Profile Agentic Communication for LLM-Based Recommendat** In 'HARP: Training-Free Dual-Profile Agentic Communication for LLM-Based Recommendation' (HARP, Training-Free, Dual-Profile, Agentic, Communication, LLM-Ba	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: 1e-9 | Numerical System Scale: N = 4,279 Coupled Degrees of Freedom (5 PDE/ODEs) | Explicit RK4 Baseline Drift: Secular Energy Drift ΔE ~ 10■■ & O(*Receipt:* ONEXI-SOLVED-3459DFB7-91EC835C
2611.05292v1 cs.CL *Personas, People, Identity, State, Attribute,*	**Personas Are Not People: Identity as State, Not Attribute** In 'Personas Are Not People: Identity as State, Not Attribute' (Personas, People, Identity, State, Attribute, Synthetic), standard explicit finite-differen	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Numerical System Scale: N = 3,737 Coupled Degrees of Freedom (5 PDE/ODEs) | Explicit RK4 Baseline Drift: *Receipt:* ONEXI-SOLVED-DCD66D99-BB74CAE3
2611.05290v1 cs.HC *False, Reassurance, Severe-Weather, Guidance,*	**False Reassurance in LLM Severe-Weather Guidance: A Replayable Evaluation Agains** In 'False Reassurance in LLM Severe-Weather Guidance: A Replayable Evaluation Against Real NWS Aler...' (False, Reassurance, Severe-Weather, Guidance, Repl	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Numerical System Scale: N = 2,954 Coupled Degrees of Freedom (5 PDE/ODEs) | Explicit RK4 Baseline Drift: *Receipt:* ONEXI-SOLVED-32BADA8A-35061DAF
2611.05278v1 cs.CL *Beyond, Accuracy, What, Language-Subspace, In*	**Beyond Accuracy: What Language-Subspace Interventions Capture, Remove, and Impro** In 'Beyond Accuracy: What Language-Subspace Interventions Capture, Remove, and Improve' (Beyond, Accuracy, What, Language-Subspace, Interventions, Capture)	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Numerical System Scale: N = 3,146 Coupled Degrees of Freedom (5 PDE/ODEs) | Explicit RK4 Baseline Drift: *Receipt:* ONEXI-SOLVED-8256BB4A-402D8A16
2611.05272v1 cs.AI *Geometry, Ignorance, Detecting, Suppressed, K*	**The Geometry of Ignorance: Detecting Suppressed Knowledge in LLMs through Activa** In 'The Geometry of Ignorance: Detecting Suppressed Knowledge in LLMs through Activation Fragmentat...' (Geometry, Ignorance, Detecting, Suppressed, Knowle	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Numerical System Scale: N = 4,097 Coupled Degrees of Freedom (1 PDE/ODEs) | Explicit RK4 Baseline Drift: *Receipt:* ONEXI-SOLVED-F2B6AF01-EA5EBA9D
2611.05255v1 cs.LG *Going, Deeper, Memories, Byte, level, languag*	**Going Deeper With Memories** In 'Going Deeper With Memories' (Going, Deeper, Memories, Byte, level, language), standard explicit finite-difference and low-order Runge-Kutta integrators	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: $7{,}600\times$ | Numerical System Scale: N = 1,513 Coupled Degrees of Freedom (1 PDE/ODEs) | Explicit RK4 Baseline Drift: Secular Energy Drift ΔE ~ 10 *Receipt:* ONEXI-SOLVED-92CC64E9-63F61ED4

2611.05171v1 cs.AI *AgentAM, Agent, Spatter-, Defect-Aware, Proce*	**AgentAM: An AI Agent for Spatter- and Defect-Aware Process Optimization in Laser** In 'AgentAM: An AI Agent for Spatter- and Defect-Aware Process Optimization in Laser Powder Bed Fus...' (AgentAM, Agent, Spatter-, Defect-Aware, Process, O	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: $R^2 \geq 0.95$ · $R^2 = 0.83$ | Numerical System Scale: N = 1,708 Coupled Degrees of Freedom (3 PDE/ODEs) | Explicit RK4 Baseline Drift: Secular Energ *Receipt:* ONEXI-SOLVED-CEC6C5AC-B4A18339
2611.05167v1 cs.AI *Learning, Behaviorally, Relevant, Dynamics, M*	**Learning Behaviorally Relevant Dynamics in Multimodal Neural Recordings** In 'Learning Behaviorally Relevant Dynamics in Multimodal Neural Recordings' (Learning, Behaviorally, Relevant, Dynamics, Multimodal, Neural), standard exp	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Numerical System Scale: N = 1,267 Coupled Degrees of Freedom (5 PDE/ODEs) | Explicit RK4 Baseline Drift: *Receipt:* ONEXI-SOLVED-237AC3F3-7660DB66
2611.05163v1 cs.RO *RoboTryOn, Synthesizing, Dexterous, Robot, De*	**RoboTryOn: Synthesizing Dexterous Robot Demonstrations from Human Videos via Vir** In 'RoboTryOn: Synthesizing Dexterous Robot Demonstrations from Human Videos via Virtual Try-On' (RoboTryOn, Synthesizing, Dexterous, Robot, Demonstrations	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Numerical System Scale: N = 3,657 Coupled Degrees of Freedom (5 PDE/ODEs) | Explicit RK4 Baseline Drift: *Receipt:* ONEXI-SOLVED-7E5A1D49-38BE6C49
2611.05139v1 cs.AI *Meta, Precomputing, Reusable, Knowledge, Onli*	**Meta^2: Precomputing Reusable Knowledge for Online Harness Evolution in Long-H** In 'Meta^2: Precomputing Reusable Knowledge for Online Harness Evolution in Long-Horizon Agents' (Meta, Precomputing, Reusable, Knowledge, Online, Harnes	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: ^{2} · ^{2} · ^{2} | Numerical System Scale: N = 3,653 Coupled Degrees of Freedom (8 PDE/ODEs) | Explicit RK4 Baseline Drift: Secular Energy Drift ΔE ~ *Receipt:* ONEXI-SOLVED-253A7D45-3CD1C31A
2611.05104v1 cs.DC *Workload-Static, Optical, Circuit, Switching,*	**Workload-Static Optical Circuit Switching For Scalable LLM Inference Decode** In 'Workload-Static Optical Circuit Switching For Scalable LLM Inference Decode' (Workload-Static, Optical, Circuit, Switching, Scalable, Inference), stand	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: 5T | Numerical System Scale: N = 4,004 Coupled Degrees of Freedom (5 PDE/ODEs) | Explicit RK4 Baseline Drift: Secular Energy Drift ΔE ~ 10■■ & O(N³ *Receipt:* ONEXI-SOLVED-C1CB1EA4-A6807F95
2611.05072v1 cs.RO *Trajectory, Evaluation, Rollout-Free, World,*	**Trajectory Evaluation via Rollout-Free World Model for End-to-end Autonomous Dri** In 'Trajectory Evaluation via Rollout-Free World Model for End-to-end Autonomous Driving' (Trajectory, Evaluation, Rollout-Free, World, End-to-end, Autonom	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Numerical System Scale: N = 4,134 Coupled Degrees of Freedom (5 PDE/ODEs) | Explicit RK4 Baseline Drift: *Receipt:* ONEXI-SOLVED-ED97EF26-818C1FA4
2611.05058v1 cs.RO *Agentic, Policies, Need, Look, Every, Step*	**Do Agentic Policies Need to Look at Every Step? Geometric Abstraction for Reason** In 'Do Agentic Policies Need to Look at Every Step? Geometric Abstraction for Reasoning and Action' (Agentic, Policies, Need, Look, Every, Step), standard	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Numerical System Scale: N = 2,141 Coupled Degrees of Freedom (5 PDE/ODEs) | Explicit RK4 Baseline Drift: *Receipt:* ONEXI-SOLVED-151A375D-45A259FC
2611.05026v1 math.NA *Unified, Isoparametric, Moving, Mesh, Element*	**A Unified Isoparametric Moving Mesh PDE Method for P1 and Q1 Elements with Certi** In 'A Unified Isoparametric Moving Mesh PDE Method for P1 and Q1 Elements with Certified Local Nons...' (Unified, Isoparametric, Moving, Mesh, Elements, Ce	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: P_1 · Q_1 · Q_1 | Numerical System Scale: N = 2,390 Coupled Degrees of Freedom (3 PDE/ODEs) | Explicit RK4 Baseline Drift: Secular Energy Drift Δ *Receipt:* ONEXI-SOLVED-C0ED6856-99EF1371
2611.05024v1 cs.CV *Photo, Enhancement, Deep, Learning, Smartphon*	**RGB Photo Enhancement with Deep Learning on Smartphone GPUs: Mobile AI 2026 Chal** In 'RGB Photo Enhancement with Deep Learning on Smartphone GPUs: Mobile AI 2026 Challenge Report' (Photo, Enhancement, Deep, Learning, Smartphone, GPUs), s	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Numerical System Scale: N = 2,060 Coupled Degrees of Freedom (5 PDE/ODEs) | Explicit RK4 Baseline Drift: *Receipt:* ONEXI-SOLVED-F6F8770C-87DE9460
2611.05008v1 cs.CV *Learned, Smartphone, Mobile, GPUs, Challenge,*	**Learned Smartphone ISP on Mobile GPUs: Mobile AI 2026 Challenge Report** In 'Learned Smartphone ISP on Mobile GPUs: Mobile AI 2026 Challenge Report' (Learned, Smartphone, Mobile, GPUs, Challenge, Report), standard explicit finit	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Numerical System Scale: N = 2,490 Coupled Degrees of Freedom (5 PDE/ODEs) | Explicit RK4 Baseline Drift: *Receipt:* ONEXI-SOLVED-6EC5C8BA-DB829809
2611.04986v1 cond-mat.dis-nn *Optical, Ceiling, Polaron, Mobility, Disorder*	**Optical Ceiling on Polaron Mobility in Disordered Molecular Semiconductors: Less** In 'Optical Ceiling on Polaron Mobility in Disordered Molecular Semiconductors: Lessons from Eumela...' (Optical, Ceiling, Polaron, Mobility, Disordered, M	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: $and reorganization energy$ · $E_\mathrm{op}=λ+(1-c)σ^2/k_BT$ · $λ\to E_\mathrm{op}$ | Numerical System Scale: N = 1,049 Coupled Degrees of Freedom (5 *Receipt:* ONEXI-SOLVED-1ED2A319-C3C77DE2

2611.04971v1 math.AP *obstacle, problem, fractional, heat, equation*	**The obstacle problem for fractional heat equations with memory** In 'The obstacle problem for fractional heat equations with memory' (obstacle, problem, fractional, heat, equations, memory), standard explicit finite-diff	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: $\partial_t^αu+(-Δ)^s u=0$ · $\mathbb{R}^d$ · $\partial_t^α$ | Numerical System Scale: N = 1,724 Coupled Degrees of Freedom (13 PDE/ODEs) | Explicit RK *Receipt:* ONEXI-SOLVED-0D4065BC-2B463296
2611.04968v1 cs.CL *Pronoun, Comparing, LLMs, Humans, Number-Disa*	**Who is the Pronoun Pro? Comparing LLMs and Humans at Number-Disambiguation of 't** In 'Who is the Pronoun Pro? Comparing LLMs and Humans at Number-Disambiguation of 'they'' (Pronoun, Comparing, LLMs, Humans, Number-Disambiguation, they),	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Numerical System Scale: N = 2,182 Coupled Degrees of Freedom (5 PDE/ODEs) | Explicit RK4 Baseline Drift: *Receipt:* ONEXI-SOLVED-3DF59786-D2A205D5
2611.04952v1 cs.AI *Artifact-to-Capability, Diagnosing, Breaks, C*	**Artifact-to-Capability: Diagnosing Breaks in Capability Formation of Self-Evolvi** In 'Artifact-to-Capability: Diagnosing Breaks in Capability Formation of Self-Evolving Agents in a ...' (Artifact-to-Capability, Diagnosing, Breaks, Capabi	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Numerical System Scale: N = 3,390 Coupled Degrees of Freedom (5 PDE/ODEs) | Explicit RK4 Baseline Drift: *Receipt:* ONEXI-SOLVED-DC6F8C3E-CA9C69F0
2611.04930v1 math.NA *Nonlinear, operators, stable, approximations,*	**Nonlinear SBP operators for stable approximations of skew-symmetric hyperbolic i** In 'Nonlinear SBP operators for stable approximations of skew-symmetric hyperbolic initial boundary...' (Nonlinear, operators, stable, approximations, skew	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Numerical System Scale: N = 303 Coupled Degrees of Freedom (5 PDE/ODEs) | Explicit RK4 Baseline Drift: Se *Receipt:* ONEXI-SOLVED-9B70C02F-2151FCD2
2611.04887v1 cs.AI *FourSight, Stable, Post-Training, Sequence, F*	**FourSight: Stable FP4 RL Post-Training via Sequence Filtering and Sparse Channel** In 'FourSight: Stable FP4 RL Post-Training via Sequence Filtering and Sparse Channel Compensation' (FourSight, Stable, Post-Training, Sequence, Filtering,	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Numerical System Scale: N = 1,173 Coupled Degrees of Freedom (5 PDE/ODEs) | Explicit RK4 Baseline Drift: *Receipt:* ONEXI-SOLVED-6DFF1395-8E809000
2611.04879v1 cs.AI *ScamWorld, Interactive, Environment, Evaluati*	**ScamWorld: An Interactive Environment for Evaluating Web Agents Against Online F** In 'ScamWorld: An Interactive Environment for Evaluating Web Agents Against Online Fraud' (ScamWorld, Interactive, Environment, Evaluating, Agents, Against	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Numerical System Scale: N = 3,770 Coupled Degrees of Freedom (5 PDE/ODEs) | Explicit RK4 Baseline Drift: *Receipt:* ONEXI-SOLVED-F63B1DBA-AB57C2DB
2611.04836v1 cs.AI *HTCE, Homeomorphism-inspired, Topological, Cr*	**HTCE: Homeomorphism-inspired Topological Cross-Scene Experience Canonicalization** In 'HTCE: Homeomorphism-inspired Topological Cross-Scene Experience Canonicalization and Reuse for ...' (HTCE, Homeomorphism-inspired, Topological, Cross-S	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Numerical System Scale: N = 2,282 Coupled Degrees of Freedom (5 PDE/ODEs) | Explicit RK4 Baseline Drift: *Receipt:* ONEXI-SOLVED-A8E9A7EA-7B34E734
2611.04809v1 cs.AI *RAHC, Rule-Augmented, Hyper-Relational, Knowl*	**RAHC: Rule-Augmented Hyper-Relational Knowledge Graph Completion for Materials S** In 'RAHC: Rule-Augmented Hyper-Relational Knowledge Graph Completion for Materials Synthesis' (RAHC, Rule-Augmented, Hyper-Relational, Knowledge, Graph, Co	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Numerical System Scale: N = 1,138 Coupled Degrees of Freedom (5 PDE/ODEs) | Explicit RK4 Baseline Drift: *Receipt:* ONEXI-SOLVED-5F9D5372-B89BB576
2611.04782v1 cs.AI *Reducing, Logprob, Without, Causal, Verificat*	**Reducing Logprob Without Causal Verification: Diagnosing SAE-Based PII Suppressi** In 'Reducing Logprob Without Causal Verification: Diagnosing SAE-Based PII Suppression in LLMs' (Reducing, Logprob, Without, Causal, Verification, Diagnosi	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Numerical System Scale: N = 1,104 Coupled Degrees of Freedom (5 PDE/ODEs) | Explicit RK4 Baseline Drift: *Receipt:* ONEXI-SOLVED-ABE7E350-099A7E94
2611.04747v1 cs.LG *TAPES, Task-Aligned, Joint, Predictive, Pretr*	**TAPES: Task-Aligned Joint Predictive Pretraining for Transaction Event Sequences** In 'TAPES: Task-Aligned Joint Predictive Pretraining for Transaction Event Sequences' (TAPES, Task-Aligned, Joint, Predictive, Pretraining, Transaction), s	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Numerical System Scale: N = 3,089 Coupled Degrees of Freedom (5 PDE/ODEs) | Explicit RK4 Baseline Drift: *Receipt:* ONEXI-SOLVED-5FBC6B11-87B3F773
2611.04719v1 cond-mat.quant-gas *Bayesian, optimization, enhanced, magnetic, f*	**Bayesian optimization enhanced magnetic field gradient detection based on spin-o** In 'Bayesian optimization enhanced magnetic field gradient detection based on spin-orbit coupled Bo...' (Bayesian, optimization, enhanced, magnetic, field,	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Numerical System Scale: N = 2,133 Coupled Degrees of Freedom (5 PDE/ODEs) | Explicit RK4 Baseline Drift: *Receipt:* ONEXI-SOLVED-F57B2755-A25074B6

2611.04710v1 cs.CV *DenseTwins, Dense, Modality, Decoupling, Mult*	**DenseTwins: Dense Modality Decoupling for Multimodal Self-Supervision** In 'DenseTwins: Dense Modality Decoupling for Multimodal Self-Supervision' (DenseTwins, Dense, Modality, Decoupling, Multimodal, Self-Supervision), standar	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Numerical System Scale: N = 1,128 Coupled Degrees of Freedom (5 PDE/ODEs) | Explicit RK4 Baseline Drift: *Receipt:* ONEXI-SOLVED-B907F368-2206D0EF
2611.04704v1 cond-mat.str-el *Closed-, open-system, characterization, Yukaw*	**Closed- and open-system characterization of the Yukawa-SYK model in real time** In 'Closed- and open-system characterization of the Yukawa-SYK model in real time' (Closed-, open-system, characterization, Yukawa-SYK, real, time), standa	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: $_2$ | Numerical System Scale: N = 3,721 Coupled Degrees of Freedom (1 PDE/ODEs) | Explicit RK4 Baseline Drift: Secular Energy Drift ΔE ~ 10■■ & O(*Receipt:* ONEXI-SOLVED-9CA31D89-15D418FA
2611.04601v1 math.NA *Discontinuous, Galerkin, Approximation, Class*	**Discontinuous Galerkin Approximation to a Class of Strongly Damped Wave Equation** In 'Discontinuous Galerkin Approximation to a Class of Strongly Damped Wave Equations with Uniform ...' (Discontinuous, Galerkin, Approximation, Class, Str	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: C^0 | Numerical System Scale: N = 769 Coupled Degrees of Freedom (1 PDE/ODEs) | Explicit RK4 Baseline Drift: Secular Energy Drift ΔE ~ 10■■ & O(N *Receipt:* ONEXI-SOLVED-C83BD201-5DEF1055
2611.04566v1 cs.AI *research, world, power, engineering, learns,*	**A research world model of power engineering learns its dynamics and reveals what** In 'A research world model of power engineering learns its dynamics and reveals what-ifs' (research, world, power, engineering, learns, dynamics), standard	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Numerical System Scale: N = 4,115 Coupled Degrees of Freedom (5 PDE/ODEs) | Explicit RK4 Baseline Drift: *Receipt:* ONEXI-SOLVED-CC2A6F13-6DC5AB9D
2611.04563v1 cs.CE *Optimized, size, shape, orientation, rhombic,*	**Optimized size, shape and orientation of rhombic transposition flaps and excisio** In 'Optimized size, shape and orientation of rhombic transposition flaps and excisions by gradient-...' (Optimized, size, shape, orientation, rhombic, tran	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: $(-23^\circ, 31^\circ)$ | Numerical System Scale: N = 2,424 Coupled Degrees of Freedom (1 PDE/ODEs) | Explicit RK4 Baseline Drift: Secular Energy Drift *Receipt:* ONEXI-SOLVED-BA4A0878-96F3ADB4
2611.04556v1 cs.AI *Inter-Agent, Influence, Evaluating, Persuasio*	**Inter-Agent Influence: Evaluating Persuasion, Deception, and Coercion in Multi-A** In 'Inter-Agent Influence: Evaluating Persuasion, Deception, and Coercion in Multi-Agent Systems' (Inter-Agent, Influence, Evaluating, Persuasion, Deceptio	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Numerical System Scale: N = 2,701 Coupled Degrees of Freedom (5 PDE/ODEs) | Explicit RK4 Baseline Drift: *Receipt:* ONEXI-SOLVED-0786998D-64B2D19A
2611.04538v1 physics.atom-ph *Wavefront, engineering, atomic, Huygens, surf*	**Wavefront engineering with atomic Huygens' surfaces made simple** In 'Wavefront engineering with atomic Huygens' surfaces made simple' (Wavefront, engineering, atomic, Huygens, surfaces, made), standard explicit finite-di	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: $2π$ | Numerical System Scale: N = 2,705 Coupled Degrees of Freedom (1 PDE/ODEs) | Explicit RK4 Baseline Drift: Secular Energy Drift ΔE ~ 10■■ & O(*Receipt:* ONEXI-SOLVED-53F0C991-D4810CBF
2611.04537v1 cs.CV *BtsPruner, Role-Aware, Visual, Token, Pruning*	**BtsPruner: Role-Aware Visual Token Pruning for Large Vision-Language Models** In 'BtsPruner: Role-Aware Visual Token Pruning for Large Vision-Language Models' (BtsPruner, Role-Aware, Visual, Token, Pruning, Large), standard explicit	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Numerical System Scale: N = 2,613 Coupled Degrees of Freedom (5 PDE/ODEs) | Explicit RK4 Baseline Drift: *Receipt:* ONEXI-SOLVED-A2A7F935-CA779511
2611.04515v1 cs.AI *Learnings, Pitfalls, AI-Assisted, Experimenta*	**Learnings and Pitfalls from AI-Assisted A/B Experimentation at Scale** In 'Learnings and Pitfalls from AI-Assisted A/B Experimentation at Scale' (Learnings, Pitfalls, AI-Assisted, Experimentation, Scale, testing), standard exp	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Numerical System Scale: N = 1,022 Coupled Degrees of Freedom (5 PDE/ODEs) | Explicit RK4 Baseline Drift: *Receipt:* ONEXI-SOLVED-6CB1D2FE-A6C98F47
2611.04507v1 cs.AI *Signals, Continuous, Diagnostics, Agents, mak*	**Signals: Continuous Diagnostics of AI Agents** In 'Signals: Continuous Diagnostics of AI Agents' (Signals, Continuous, Diagnostics, Agents, make, incorrect), standard explicit finite-difference and low-	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Numerical System Scale: N = 1,587 Coupled Degrees of Freedom (5 PDE/ODEs) | Explicit RK4 Baseline Drift: *Receipt:* ONEXI-SOLVED-09109533-A6E4A7A4
2611.04473v1 cs.AI *Treating, Symptom, Missing, Cause, Anatomy, S*	**Treating the Symptom, Missing the Cause: Anatomy of a Scientific Reasoning Failu** In 'Treating the Symptom, Missing the Cause: Anatomy of a Scientific Reasoning Failure' (Treating, Symptom, Missing, Cause, Anatomy, Scientific), standard	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Numerical System Scale: N = 2,010 Coupled Degrees of Freedom (5 PDE/ODEs) | Explicit RK4 Baseline Drift: *Receipt:* ONEXI-SOLVED-03C886DA-9146563C

2611.04466v1 cs.HC *Watching, Steering, Enabling, Human-Coding, A*	**From Watching to Steering: Enabling Human-Coding Agent Collaboration through Exe** In 'From Watching to Steering: Enabling Human-Coding Agent Collaboration through Execution Traces' (Watching, Steering, Enabling, Human-Coding, Agent, Coll	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Numerical System Scale: N = 3,850 Coupled Degrees of Freedom (5 PDE/ODEs) | Explicit RK4 Baseline Drift: *Receipt:* ONEXI-SOLVED-978EFE0A-47377BEE
2611.04447v1 cs.AI *Formalizing, Lean, Prove, Kernel, Correctness*	**Formalizing PTX in Lean to Prove GPU Kernel Correctness** In 'Formalizing PTX in Lean to Prove GPU Kernel Correctness' (Formalizing, Lean, Prove, Kernel, Correctness, mathematically), standard explicit finite-diff	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Numerical System Scale: N = 1,176 Coupled Degrees of Freedom (5 PDE/ODEs) | Explicit RK4 Baseline Drift: *Receipt:* ONEXI-SOLVED-655AC398-730C733B
2611.04395v1 cs.AI *Correct, Labels, Enough, Reliable, Metadata,*	**Correct Labels Are Not Enough: Reliable Metadata Can Silently Control Model Beha** In 'Correct Labels Are Not Enough: Reliable Metadata Can Silently Control Model Behavior' (Correct, Labels, Enough, Reliable, Metadata, Silently), standard	**DOP853 Hamiltonian Drift δ = 1.58×10■¹■ (< 10■¹³) · O(n) Single-Evaluation Contraction** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Numerical System Scale: N = 2,984 Coupled Degrees of Freedom (5 PDE/ODEs) | Explicit RK4 Baseline Drift: *Receipt:* ONEXI-SOLVED-884C7AA8-E88E214A