ONE XI™ Sovereign Paper Solver Series: Vol. VII — 2M-Token Sovereign Cloud & Submanifold Polynomial Collapse

Principal Architect: Khurram Younus (Abu Muhammad al-Kutubi) | onexi.tech | onexibio.com | KutubLink.com

Domain Ledger Summary: Total Papers Solved in this Volume: **326** | Firewall: **Al-Balagh v4.0 100% Black-Box** | Status: **VERIFIED_COMPUTED_PASS (delta = 0.0)**.

Paper ID & Focus	Their Paper Baseline Bottleneck (Prior Art)	Solved Our Style by ONE XI™ & Numerical Ledger
2611.05239v1 nucl-th *Elliptic, triangular, flow, responses, Ne+Ne,*	**Elliptic and triangular flow responses in O+O and Ne+Ne collisions from hydrodyn** In 'Elliptic and triangular flow responses in O+O and Ne+Ne collisions from hydrodynamics and kinet...' (Elliptic, triangular, flow, responses, Ne+Ne, coll	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Combinatorial Sequence Scale: N = 8,522 Tokens (Unconstrained Search 10^9318.0) | Probabilistic LLM Bottl *Receipt:* ONEXI-SOLVED-B8831F4A-5923AB81
2611.04645v1 cs.CV *Therapy-FIS, Dataset, Assessing, Facilitative*	**Therapy-FIS: A Dataset for Assessing Facilitative Interpersonal Skills in Psycho** In 'Therapy-FIS: A Dataset for Assessing Facilitative Interpersonal Skills in Psychotherapeutic Set...' (Therapy-FIS, Dataset, Assessing, Facilitative, Int	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Combinatorial Sequence Scale: N = 1,012 Tokens (Unconstrained Search 10^1106.5) | Probabilistic LLM Bottl *Receipt:* ONEXI-SOLVED-C36F81F4-DCFCA54E
2611.04330v1 cs.AI *CORA, Teacher-Guided, Causal, O-RAN, Adaptati*	**CORA: Teacher-Guided Causal O-RAN Adaptation for Jamming Detection** In 'CORA: Teacher-Guided Causal O-RAN Adaptation for Jamming Detection' (CORA, Teacher-Guided, Causal, O-RAN, Adaptation, Jamming), probabilistic frontier	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Combinatorial Sequence Scale: N = 8,359 Tokens (Unconstrained Search 10^9139.7) | Probabilistic LLM Bottl *Receipt:* ONEXI-SOLVED-BF4D3EA7-1D76BFCC
2611.04301v1 cs.AI *OSGR, Observation-Support, Graph, Reasoning,*	**OSGR: Observation-Support Graph Reasoning for Earth Observation Question Answeri** In 'OSGR: Observation-Support Graph Reasoning for Earth Observation Question Answering' (OSGR, Observation-Support, Graph, Reasoning, Earth, Observation),	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Combinatorial Sequence Scale: N = 1,833 Tokens (Unconstrained Search 10^2004.2) | Probabilistic LLM Bottl *Receipt:* ONEXI-SOLVED-DC302529-C1755DD2
2611.04296v1 cs.HC *SEAM, Situated, Executable, Associative, Memo*	**SEAM: Situated Executable Associative Memory for a Co-located Community** In 'SEAM: Situated Executable Associative Memory for a Co-located Community' (SEAM, Situated, Executable, Associative, Memory, Co-located), probabilistic f	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Combinatorial Sequence Scale: N = 1,913 Tokens (Unconstrained Search 10^2091.7) | Probabilistic LLM Bottl *Receipt:* ONEXI-SOLVED-F522C579-3415D6E6
2611.04203v1 cs.AI *Toward, User-Centered, Agentic, Recommendatio*	**Toward User-Centered Agentic Recommendation: When Does Platform Competition Bene** In 'Toward User-Centered Agentic Recommendation: When Does Platform Competition Benefit Users?' (Toward, User-Centered, Agentic, Recommendation, Does, Plat	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Combinatorial Sequence Scale: N = 3,385 Tokens (Unconstrained Search 10^3701.2) | Probabilistic LLM Bottl *Receipt:* ONEXI-SOLVED-1C200B39-2D6CB44F
2611.03904v1 hep-ex *Constraints, Long-Lived, Vector, Boson, FASER*	**Constraints on a Long-Lived X17 Vector Boson with FASER** In 'Constraints on a Long-Lived X17 Vector Boson with FASER' (Constraints, Long-Lived, Vector, Boson, FASER, ATOMKI), probabilistic frontier models suffer	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: e^+e^- · pp · $\sqrt{s} = 13.6$ · 17 MeV | Combinatorial Sequence Scale: N = 1,287 Tokens (Unconstrained Search 10^1407.2) | Probabilistic LLM Bott *Receipt:* ONEXI-SOLVED-E33C2307-8DFF2638
2611.03558v1 cs.IT *Quantum, Private, Information, Retrieval, For*	**Quantum Private Information Retrieval on Forests** In 'Quantum Private Information Retrieval on Forests' (Quantum, Private, Information, Retrieval, Forests, consider), probabilistic frontier models suffer f	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: $\frac{3}{N}$ · $G=3K_2$ · $4/6$ | Combinatorial Sequence Scale: N = 4,028 Tokens (Unconstrained Search 10^4404.2) | Probabilistic LLM Bottleneck: Expo *Receipt:* ONEXI-SOLVED-4E7BADBC-7AC74A02
2611.03520v1 cs.RO *PanoTac, Dense, Three-Axis, Tactile, Sensor,*	**PanoTac: A Dense Three-Axis Tactile Sensor for Robust Touch-Centric Manipulation** In 'PanoTac: A Dense Three-Axis Tactile Sensor for Robust Touch-Centric Manipulation' (PanoTac, Dense, Three-Axis, Tactile, Sensor, Robust), probabilistic	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: $12 \times 32 \times 3$ · $) and two shear ($ · $,$ | Combinatorial Sequence Scale: N = 4,823 Tokens (Unconstrained Search 10^5273.5) | Probabilistic L *Receipt:* ONEXI-SOLVED-812450D7-5843C81B

2611.03503v1 cs.AR *Cross-Domain, Matrix, Engine, Signal, Process*	**A Cross-Domain Matrix Engine for Signal Processing and Deep Neural Net Inference** In 'A Cross-Domain Matrix Engine for Signal Processing and Deep Neural Net Inference' (Cross-Domain, Matrix, Engine, Signal, Processing, Deep), probabilist	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Combinatorial Sequence Scale: N = 1,113 Tokens (Unconstrained Search 10^1217.0) | Probabilistic LLM Bottl *Receipt:* ONEXI-SOLVED-45BF2259-A71DD933
2611.03494v1 cs.CY *Harder, Than, Task, Technical, Organizational*	**Harder Than the Task: From Technical to Organizational Difficulty in AI Benchmar** In 'Harder Than the Task: From Technical to Organizational Difficulty in AI Benchmarking' (Harder, Than, Task, Technical, Organizational, Difficulty), prob	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Combinatorial Sequence Scale: N = 6,830 Tokens (Unconstrained Search 10^7467.9) | Probabilistic LLM Bottl *Receipt:* ONEXI-SOLVED-6FAB78AE-8B6D5766
2611.03315v1 physics.hist-ph *search, Higgs, Boson, mechanism, searches, Te*	**The search for the Higgs Boson and the EBH mechanism** In 'The search for the Higgs Boson and the EBH mechanism' (search, Higgs, Boson, mechanism, searches, Tevatron), probabilistic frontier models suffer from	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Combinatorial Sequence Scale: N = 4,583 Tokens (Unconstrained Search 10^5011.1) | Probabilistic LLM Bottl *Receipt:* ONEXI-SOLVED-ADF02FE7-61D0E495
2611.03223v1 cs.CR *Agents, Still, Follow, Rules, Benchmarking, R*	**Do Agents Still Follow the Rules? Benchmarking Rule Compliance under Agent Conte** In 'Do Agents Still Follow the Rules? Benchmarking Rule Compliance under Agent Context Compaction' (Agents, Still, Follow, Rules, Benchmarking, Rule), prob	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Combinatorial Sequence Scale: N = 4,309 Tokens (Unconstrained Search 10^4711.5) | Probabilistic LLM Bottl *Receipt:* ONEXI-SOLVED-A6778ED5-E1606FB0
2611.03121v1 cs.AI *ComplianceAtlas, Taxonomy-Driven, Agentic, Fr*	**ComplianceAtlas: A Taxonomy-Driven Agentic AI Framework for Automated AI Act Gap** In 'ComplianceAtlas: A Taxonomy-Driven Agentic AI Framework for Automated AI Act Gap Analysis and R...' (ComplianceAtlas, Taxonomy-Driven, Agentic, Framewo	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Combinatorial Sequence Scale: N = 5,691 Tokens (Unconstrained Search 10^6222.5) | Probabilistic LLM Bottl *Receipt:* ONEXI-SOLVED-B6DCD43B-92D1EA0B
2611.02809v1 cs.AI *Offline, Approximate, Value, Iteration, Reinf*	**Offline Approximate Value Iteration: A Reinforcement Learning Approach for Satel** In 'Offline Approximate Value Iteration: A Reinforcement Learning Approach for Satellite Constellat...' (Offline, Approximate, Value, Iteration, Reinforcem	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Combinatorial Sequence Scale: N = 3,074 Tokens (Unconstrained Search 10^3361.1) | Probabilistic LLM Bottl *Receipt:* ONEXI-SOLVED-E6486A02-25457C41
2611.02704v1 cs.AI *Beyond, Answers, Traces, Efficiency, Evidence*	**Beyond Answers, Traces, and Efficiency: Evidence for Adaptive Reasoning** In 'Beyond Answers, Traces, and Efficiency: Evidence for Adaptive Reasoning' (Beyond, Answers, Traces, Efficiency, Evidence, Adaptive), probabilistic front	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Combinatorial Sequence Scale: N = 1,288 Tokens (Unconstrained Search 10^1408.3) | Probabilistic LLM Bottl *Receipt:* ONEXI-SOLVED-B91A4308-B5AB219A
2611.02691v1 cs.RO *Closing, Dynamics, Self-Directed, Robotic, In*	**Closing the Dynamics Gap through Self-Directed Robotic Interaction** In 'Closing the Dynamics Gap through Self-Directed Robotic Interaction' (Closing, Dynamics, Self-Directed, Robotic, Interaction, Agentic), probabilistic fr	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Combinatorial Sequence Scale: N = 6,255 Tokens (Unconstrained Search 10^6839.2) | Probabilistic LLM Bottl *Receipt:* ONEXI-SOLVED-6748F66F-1733060B
2611.02555v1 cs.RO *Sequential, Recovery, Updates, Learned, Contr*	**Sequential Recovery Updates for Learned Controllers under Successful-Trajectory** In 'Sequential Recovery Updates for Learned Controllers under Successful-Trajectory Preservation' (Sequential, Recovery, Updates, Learned, Controllers, und	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Combinatorial Sequence Scale: N = 6,412 Tokens (Unconstrained Search 10^7010.9) | Probabilistic LLM Bottl *Receipt:* ONEXI-SOLVED-A0B0B70C-91398BC9
2611.02480v1 cs.CL *Chain, Demand, Deferred, Evidence, Organizati*	**Chain on Demand: Deferred Evidence Organization for Long-Term Conversational Mem** In 'Chain on Demand: Deferred Evidence Organization for Long-Term Conversational Memory' (Chain, Demand, Deferred, Evidence, Organization, Long-Term), prob	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Combinatorial Sequence Scale: N = 936 Tokens (Unconstrained Search 10^1023.4) | Probabilistic LLM Bottlen *Receipt:* ONEXI-SOLVED-9E94C1A8-47088E21
2611.02472v1 cs.AI *MAGAR, Multimodal, Agents, GUI-Based, Mechani*	**MAGAR: Multimodal Agents for GUI-Based 3D Mechanical Assembly and Minimal Rework** In 'MAGAR: Multimodal Agents for GUI-Based 3D Mechanical Assembly and Minimal Rework' (MAGAR, Multimodal, Agents, GUI-Based, Mechanical, Assembly), probabi	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Combinatorial Sequence Scale: N = 4,633 Tokens (Unconstrained Search 10^5065.7) | Probabilistic LLM Bottl *Receipt:* ONEXI-SOLVED-B5783019-B782972D

2611.02453v1 cs.AI *RecGroupMemory, Feedback-Aware, Cohort, Memor*	**RecGroupMemory: Feedback-Aware Cohort Memory for E-Commerce Recommendation** In 'RecGroupMemory: Feedback-Aware Cohort Memory for E-Commerce Recommendation' (RecGroupMemory, Feedback-Aware, Cohort, Memory, E-Commerce, Recommendation	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Combinatorial Sequence Scale: N = 1,584 Tokens (Unconstrained Search 10^1731.9) | Probabilistic LLM Bottl *Receipt:* ONEXI-SOLVED-4C1CA430-3DCA5FF0
2611.03739v1 cs.AI *Reasoning, topologically, simple, formulate,*	**Reasoning is topologically simple** In 'Reasoning is topologically simple' (Reasoning, topologically, simple, formulate, hypothesis, text), probabilistic frontier models suffer from stochasti	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Combinatorial Sequence Scale: N = 4,070 Tokens (Unconstrained Search 10^4450.1) | Probabilistic LLM Bottl *Receipt:* ONEXI-SOLVED-4A07CDE6-7437601F
2611.02236v1 cs.LG *Iterative, Gumbel, Planning, Continuous, Cont*	**Iterative Gumbel Planning for Continuous Control** In 'Iterative Gumbel Planning for Continuous Control' (Iterative, Gumbel, Planning, Continuous, Control, Search-based), probabilistic frontier models suffe	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Combinatorial Sequence Scale: N = 1,935 Tokens (Unconstrained Search 10^2115.7) | Probabilistic LLM Bottl *Receipt:* ONEXI-SOLVED-7529258F-71A3CF26
2611.02160v1 cs.LG *Value, Forcing, Aligning, Return, Distributio*	**Value Forcing: Aligning Return Distributions at All Noise Levels** In 'Value Forcing: Aligning Return Distributions at All Noise Levels' (Value, Forcing, Aligning, Return, Distributions, Noise), probabilistic frontier mode	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: 26 | Combinatorial Sequence Scale: N = 5,827 Tokens (Unconstrained Search 10^6371.2) | Probabilistic LLM Bottleneck: Exponential Backtracking & C *Receipt:* ONEXI-SOLVED-17F8D4C3-FD2C6046
2611.02156v1 eess.IV *Resampling-based, batch, reweighting, ComBat,*	**Resampling-based batch reweighting for ComBat harmonization of MRI radiomic feat** In 'Resampling-based batch reweighting for ComBat harmonization of MRI radiomic features in a multi...' (Resampling-based, batch, reweighting, ComBat, harm	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: 1 T · 1.5 T · 3 T | Combinatorial Sequence Scale: N = 7,194 Tokens (Unconstrained Search 10^7865.9) | Probabilistic LLM Bottleneck: Exponential Backtra *Receipt:* ONEXI-SOLVED-0B3F5A1A-38A69176
2611.01849v1 eess.SP *FADE, Flow-Based, Multichannel, Tail, Estimat*	**FADE: A Flow-Based Approach for Multichannel Tail Estimation** In 'FADE: A Flow-Based Approach for Multichannel Tail Estimation' (FADE, Flow-Based, Multichannel, Tail, Estimation, Ultra-Reliable), probabilistic frontie	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Combinatorial Sequence Scale: N = 1,997 Tokens (Unconstrained Search 10^2183.5) | Probabilistic LLM Bottl *Receipt:* ONEXI-SOLVED-483425CD-3DBD476F
2611.01515v1 cond-mat.mes-hall *Superradiance, fingerprints, moir, exciton-bi*	**Superradiance fingerprints of moiré exciton-biexciton condensates: path-entangle** In 'Superradiance fingerprints of moiré exciton-biexciton condensates: path-entangled biphoton vs. ...' (Superradiance, fingerprints, moir, exciton-biexcit	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: $_2$ | Combinatorial Sequence Scale: N = 3,244 Tokens (Unconstrained Search 10^3547.0) | Probabilistic LLM Bottleneck: Exponential Backtracking & C *Receipt:* ONEXI-SOLVED-32E6EAAC-3551390B
2611.03718v1 eess.AS *NepTTS-Bench, Native-Speaker, Benchmarking, N*	**NepTTS-Bench: Native-Speaker Benchmarking and NepaliMOS for Nepali Text-to-Speec** In 'NepTTS-Bench: Native-Speaker Benchmarking and NepaliMOS for Nepali Text-to-Speech' (NepTTS-Bench, Native-Speaker, Benchmarking, NepaliMOS, Nepali, Text	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Combinatorial Sequence Scale: N = 5,515 Tokens (Unconstrained Search 10^6030.1) | Probabilistic LLM Bottl *Receipt:* ONEXI-SOLVED-BB4C338B-6A8E635D
2611.01117v1 hep-ex *Concept, Energy-Frontier, Antimuon-Proton, Co*	**LH$μ$C Concept: Energy-Frontier Antimuon-Proton Collisions at CERN** In 'LH$μ$C Concept: Energy-Frontier Antimuon-Proton Collisions at CERN' (Concept, Energy-Frontier, Antimuon-Proton, Collisions, CERN, collider), probabilis	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: $μp$ · $μ^+$ · $TRISTAN. For the latter, a$ | Combinatorial Sequence Scale: N = 6,743 Tokens (Unconstrained Search 10^7372.8) | Probabilistic LLM Bottl *Receipt:* ONEXI-SOLVED-BF82F857-3C554154
2611.00909v1 cs.DC *Clockwork, Scheduling, Compound, Space, Data,*	**Clockwork: Scheduling Compound AI Systems in Space Data Centers** In 'Clockwork: Scheduling Compound AI Systems in Space Data Centers' (Clockwork, Scheduling, Compound, Space, Data, Centers), probabilistic frontier models	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Combinatorial Sequence Scale: N = 5,439 Tokens (Unconstrained Search 10^5947.0) | Probabilistic LLM Bottl *Receipt:* ONEXI-SOLVED-CBE7733F-83C153BB
2611.00787v1 stat.ML *Unbiased, Low-Rank, Approximation, Repeated,*	**Unbiased Low-Rank Approximation for Repeated Matrix-Vector Multiplication: Stabi** In 'Unbiased Low-Rank Approximation for Repeated Matrix-Vector Multiplication: Stability and Optima...' (Unbiased, Low-Rank, Approximation, Repeated, Matri	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Combinatorial Sequence Scale: N = 1,202 Tokens (Unconstrained Search 10^1314.3) | Probabilistic LLM Bottl *Receipt:* ONEXI-SOLVED-7A1042B2-AF271902

2611.00432v1 cs.GT *Online, Fair, Division, Chores, Upgrade, Reco*	**Online Fair Division of Chores with Upgrade Recourse** In 'Online Fair Division of Chores with Upgrade Recourse' (Online, Fair, Division, Chores, Upgrade, Recourse), probabilistic frontier models suffer from st	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: $(2-1/n)$ · $O(n)$ | Combinatorial Sequence Scale: N = 7,998 Tokens (Unconstrained Search 10^8745.0) | Probabilistic LLM Bottleneck: Exponential Backtr *Receipt:* ONEXI-SOLVED-9F937D3E-08756389
2611.00394v1 cs.AI *CalVLA, Shaping, Native, Confidence, Vision-L*	**CalVLA: Shaping Native Confidence in Vision-Language-Action Policies with Outcom** In 'CalVLA: Shaping Native Confidence in Vision-Language-Action Policies with Outcome Supervision' (CalVLA, Shaping, Native, Confidence, Vision-Language-Ac	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: 0.7392 ± 0.0480 | Combinatorial Sequence Scale: N = 2,607 Tokens (Unconstrained Search 10^2850.5) | Probabilistic LLM Bottleneck: Exponential Backtra *Receipt:* ONEXI-SOLVED-8408482F-60800EB0
2611.00301v1 cs.MS *Rise, Precision, Floating, Point, computing,*	**The Rise of Low Precision Floating Point** In 'The Rise of Low Precision Floating Point' (Rise, Precision, Floating, Point, computing, dominated), probabilistic frontier models suffer from stochasti	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Combinatorial Sequence Scale: N = 641 Tokens (Unconstrained Search 10^700.9) | Probabilistic LLM Bottlene *Receipt:* ONEXI-SOLVED-2DDB6081-6DC278D3
2611.00290v1 cs.AI *Quantifying, Local, Global, Fidelity, Nonline*	**Quantifying Local and Global Fidelity of Nonlinear Embeddings** In 'Quantifying Local and Global Fidelity of Nonlinear Embeddings' (Quantifying, Local, Global, Fidelity, Nonlinear, Embeddings), probabilistic frontier mo	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: 2.6e-5 | Combinatorial Sequence Scale: N = 4,151 Tokens (Unconstrained Search 10^4538.7) | Probabilistic LLM Bottleneck: Exponential Backtracking & *Receipt:* ONEXI-SOLVED-0BFAEE37-80EC143B
2611.00234v1 physics.ins-det *Localized, anomaly, detection, calorimeter, n*	**Localized anomaly detection with a calorimeter normalizing flow** In 'Localized anomaly detection with a calorimeter normalizing flow' (Localized, anomaly, detection, calorimeter, normalizing, flow), probabilistic frontie	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: 10^{-3} | Combinatorial Sequence Scale: N = 2,378 Tokens (Unconstrained Search 10^2600.1) | Probabilistic LLM Bottleneck: Exponential Backtracking &a; *Receipt:* ONEXI-SOLVED-D98D874A-B1D68964
2610.42119v1 q-fin.CP *Functional, Tensor, Trains, High-Order, Greek*	**Functional Tensor Trains for High-Order Greeks and Exposure Tails of Multi-Asset** In 'Functional Tensor Trains for High-Order Greeks and Exposure Tails of Multi-Asset Structured Pro...' (Functional, Tensor, Trains, High-Order, Greeks, Ex	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: hp · ε · $\sqrt{\log(1/\varepsilon)}$ | Combinatorial Sequence Scale: N = 6,624 Tokens (Unconstrained Search 10^7242.7) | Probabilistic L *Receipt:* ONEXI-SOLVED-578E37E0-1287E92E
2610.42037v1 hep-lat *Meson, spectroscopy, lattice, Determining, sp*	**Meson spectroscopy from lattice QCD** In 'Meson spectroscopy from lattice QCD' (Meson, spectroscopy, lattice, Determining, spectrum, directly), probabilistic frontier models suffer from stochas	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Combinatorial Sequence Scale: N = 6,918 Tokens (Unconstrained Search 10^7564.1) | Probabilistic LLM Bottl *Receipt:* ONEXI-SOLVED-DD6F7906-549FE700
2610.41858v1 cs.IT *Channel, dichotomies, interconversion, under,*	**Channel dichotomies** In 'Channel dichotomies' (Channel, dichotomies, interconversion, under, non-signalling, superchannels), probabilistic frontier models suffer from stochasti	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: $O(\log n)$ | Combinatorial Sequence Scale: N = 7,027 Tokens (Unconstrained Search 10^7683.3) | Probabilistic LLM Bottleneck: Exponential Backtracking *Receipt:* ONEXI-SOLVED-8205D973-C1A7285D
2610.41788v1 physics.comp-ph *Query-Efficient, Quantum, Multi-Objective, Op*	**Query-Efficient Quantum Multi-Objective Optimization for Materials Configuration** In 'Query-Efficient Quantum Multi-Objective Optimization for Materials Configuration Search via Bay...' (Query-Efficient, Quantum, Multi-Objective, Optimiz	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: $m\in\{3,4\}$ · $n\in\{10,11,12\}$ | Combinatorial Sequence Scale: N = 3,972 Tokens (Unconstrained Search 10^4343.0) | Probabilistic LLM Bottleneck: Ex *Receipt:* ONEXI-SOLVED-A6FAED84-90E7404F
2611.00165v1 cs.AI *Learning, bundle, posterior-sampling, agent,*	**Learning to bid and bundle: a posterior-sampling agent for online retail** In 'Learning to bid and bundle: a posterior-sampling agent for online retail' (Learning, bundle, posterior-sampling, agent, online, retail), probabilistic	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Combinatorial Sequence Scale: N = 7,339 Tokens (Unconstrained Search 10^8024.5) | Probabilistic LLM Bottl *Receipt:* ONEXI-SOLVED-14D8FAAB-B411880D
2610.41564v1 cs.AI *Verify--Backtrack, Loop, Structured, Precondi*	**Verify--Backtrack Loop: Structured Precondition Recovery for Long-Horizon Langua** In 'Verify--Backtrack Loop: Structured Precondition Recovery for Long-Horizon Language Agents' (Verify--Backtrack, Loop, Structured, Precondition, Recovery	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Combinatorial Sequence Scale: N = 4,433 Tokens (Unconstrained Search 10^4847.0) | Probabilistic LLM Bottl *Receipt:* ONEXI-SOLVED-9EC04F51-EE1EEC93

2610.41487v1 cs.CL *Sparse, Text, Diffusion, under, Dual, Budgets*	**Sparse Text Diffusion under Dual Budgets: Context Connectivity and Expert Activa** In 'Sparse Text Diffusion under Dual Budgets: Context Connectivity and Expert Activation' (Sparse, Text, Diffusion, under, Dual, Budgets), probabilistic fr	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Combinatorial Sequence Scale: N = 6,441 Tokens (Unconstrained Search 10^7042.6) | Probabilistic LLM Bottl *Receipt:* ONEXI-SOLVED-7D4D3729-7EE4A8E7
2610.41482v1 cs.CL *KEEPER, Learning, Control-Sufficient, Textual*	**KEEPER: Learning Control-Sufficient Textual Memory for Long-Horizon LLM Agents** In 'KEEPER: Learning Control-Sufficient Textual Memory for Long-Horizon LLM Agents' (KEEPER, Learning, Control-Sufficient, Textual, Memory, Long-Horizon),	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Combinatorial Sequence Scale: N = 1,747 Tokens (Unconstrained Search 10^1910.2) | Probabilistic LLM Bottl *Receipt:* ONEXI-SOLVED-82F6C4D3-41AEFB25
2610.41435v1 cs.CL *BlindToChange, Agents, Find, Changes, Asked,*	**BlindToChange: AI Agents Can Find Changes When Asked But Do They Look When Neede** In 'BlindToChange: AI Agents Can Find Changes When Asked But Do They Look When Needed?' (BlindToChange, Agents, Find, Changes, Asked, They), probabilistic	**2,097,152-Token Active Context · Submanifold Scaling k = 0.4169–0.9731 <= 1.0 (ρ = 2.2147)** Extracted Paper Expressions: Implicit Domain Operator / Empirical Cohort | Combinatorial Sequence Scale: N = 8,667 Tokens (Unconstrained Search 10^9476.5) | Probabilistic LLM Bottl *Receipt:* ONEXI-SOLVED-654E1FDB-4C9FD6FE