## PROCESSED AT:

#### Thyrocare

H. NO. 1-9-645,Vidyanagar, Adikmet Road,Near SBH, Hyderabad-500 044





REPORT

NAME : MRS K SANDYA (32Y/F)

REF. BY : SELF

TEST ASKED : HEMOGRAM - 6 PART (DIFF), HBA

SAMPLE COLLECTED AT : (18900),INDIRA DIAGNOSTIC CENTRE,NARSIPATNAM, ANDHRA

PRADESH,531116

TEST NAME TECHNOLOGY VALUE UNITS

HbA1c - (HPLC - NGSP Certified)

H.P.L.C 7.2 %

Reference Range:

Reference Range: As per ADA Guidelines

Below 5.7% : Normal 5.7% - 6.4% : Prediabetic >=6.5% : Diabetic **Guidance For Known Diabetics** 

Below 6.5%: Good Control 6.5% - 7%: Fair Control

7.0% - 8% : Unsatisfactory Control

>8% : Poor Control

Method: Fully Automated H.P.L.C. using Biorad Variant II Turbo, NGSP Certified.

AVERAGE BLOOD GLUCOSE (ABG) CALCULATED 160 mg/dl

Reference Range:

90 - 120 mg/dl : Good Control 121 - 150 mg/dl : Fair Control

151 - 180 mg/dl : Unsatisfactory Control

> 180 mg/dl : Poor Control

Method: Derived from HBA1c values

Please correlate with clinical conditions.

Sample Collected on (SCT)
Sample Received on (SRT)

Report Released on (RRT)
Sample Type

Labcode Barcode

:17 May 2019 08:00 :18 May 2019 16:03

:18 May 2019 17:08

: EDTA

: 1805072695/A6750

: M9261454

MA

Dr.Siva Ranjan MD(Path)

بسل

Dr.Caesar Sengupta MD(Micro)

Page: 1 of 9

H. NO. 1-9-645, Vidyanagar, Adikmet Road, Near SBH, Hyderabad-500 044





Corporate Office: Thyrocare Technologies Limited P D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703 

## REPORT

: MRS K SANDYA (32Y/F) NAME

**REF. BY** : SELF

**TEST ASKED** : HEMOGRAM - 6 PART (DIFF), HBA **SAMPLE COLLECTED AT:** (18900),INDIRA DIAGNOSTIC CENTRE, NARSIPATNAM, ANDHRA

PRADESH,531116

TEST NAME	VALUE	UNITS	REFERENCE RANGE
TOTAL LEUCOCYTES COUNT	6.6	X 10 <sup>3</sup> / μL	4.0-10.0
NEUTROPHILS	58.1	%	40-80
LYMPHOCYTE PERCENTAGE	26.7	%	20.0-40.0
MONOCYTES	3.9	%	0.0-10.0
EOSINOPHILS	10.2	%	0.0-6.0
BASOPHILS	0.8	%	<2
IMMATURE GRANULOCYTE PERCENTAGE(IG%)	0.3	%	0.0-0.4
NEUTROPHILS - ABSOLUTE COUNT	3.83	$X~10^3$ / $\mu L$	2.0-7.0
LYMPHOCYTES - ABSOLUTE COUNT	1.76	$X~10^3$ / $\mu L$	1.0-3.0
MONOCYTES - ABSOLUTE COUNT	0.26	$X~10^3$ / $\mu L$	0.2-1.0
BASOPHILS - ABSOLUTE COUNT	0.05	$X 10^{3} / \mu L$	0.02-0.1
<b>EOSINOPHILS - ABSOLUTE COUNT</b>	0.67	X 10 <sup>3</sup> / μL	0.02-0.5
IMMATURE GRANULOCYTES(IG)	0.02	$X 10^{3} / \mu L$	0.0-0.3
TOTAL RBC	4.19	X 10^6/μL	3.9-4.8
NUCLEATED RED BLOOD CELLS	Nil	$X 10^{3} / \mu L$	<0.01
NUCLEATED RED BLOOD CELLS %	Nil	%	<0.01
HEMOGLOBIN	12.1	g/dL	12.0-15.0
HEMATOCRIT(PCV)	43.4	%	36.0-46.0
MEAN CORPUSCULAR VOLUME(MCV)	103.6	fL	83.0-101.0
MEAN CORPUSCULAR HEMOGLOBIN(MCH)	28.9	pq	27.0-32.0
MEAN CORP.HEMO.CONC(MCHC)	27.9	g/dL	31.5-34.5
RED CELL DISTRIBUTION WIDTH - SD(RDW-SD)	59.7	fL	39.0-46.0
RED CELL DISTRIBUTION WIDTH (RDW-CV)	15.9	%	11.6-14.0
PLATELET DISTRIBUTION WIDTH(PDW)	19	fL	9.6-15.2
MEAN PLATELET VOLUME(MPV)	12.9	fL	6.5-12
PLATELET COUNT	231	$X~10^3$ / $\mu L$	150-400
PLATELET TO LARGE CELL RATIO(PLCR)	47.3	%	19.7-42.4
PLATELETCRIT(PCT)	0.3	%	0.19-0.39

Remarks: ALERT !!! Eosinophilia

Please Correlate with clinical conditions.

Method: Fully automated bidirectional analyser (6 Part Differential SYSMEX XN-1000)

(This device performs hematology analyses according to the Hydrodynamic Focussing (DC method), Flow

Cytometry Method (using a semiconductor laser), and SLS- hemoglobin method)

Sample Collected on (SCT) :17 May 2019 08:00 Sample Received on (SRT) :18 May 2019 16:03 Report Released on (RRT) :18 May 2019 17:08

**Sample Type** : EDTA

: 1805072695/A6750 Labcode

**Barcode** : M9261454

Dr.Siva Ranjan MD(Path)

Dr.Caesar Sengupta MD(Micro)

Page: 2 of 9

## **PROCESSED AT:**

## **Thyrocare**

H. NO. 1-9-645,Vidyanagar, Adikmet Road,Near SBH, Hyderabad-500 044





**REPORT** 

NAME : MRS K SANDYA (32Y/F)

Please correlate with clinical conditions.

REF. BY : SELF

**TEST ASKED**: AAROGYAM B

**SAMPLE COLLECTED AT:** (18900),INDIRA DIAGNOSTIC CENTRE,NARSIPATNAM, ANDHRA

PRADESH,531116

TEST NAME	TECHNOLOGY	VALUE	UNITS
IRON	PHOTOMETRY	55.2	μg/dl
Reference Range :			
Male : 65 - 175			
Female: 50 - 170			
Method: FERROZINE METHOD WITHOUT DEPROTEINIZAT	ION		
TOTAL IRON BINDING CAPACITY (TIBC)	PHOTOMETRY	394	μg/dl
Reference Range :			
Male: 225 - 535 $\mu$ g/dl Female: 215 - 535 $\mu$ g/dl			
Method: SPECTROPHOTOMETRIC ASSAY			
% TRANSFERRIN SATURATION	CALCULATED	14.01	%
Reference Range :			
13 - 45			
Method: DERIVED FROM IRON AND TIBC VALUES			

Sample Collected on (SCT):17 May 2019 08:00Sample Received on (SRT):18 May 2019 12:28Report Released on (RRT):18 May 2019 20:33

Sample Type : SERUM

**Labcode** : 1805067131/A6750

**Barcode** : N3120413

MA

Dr.Siva Ranjan MD(Path)

Dr.Caesar Sengupta MD(Micro)

Page: 3 of 9

H. NO. 1-9-645, Vidyanagar, Adikmet Road, Near SBH, Hyderahad-500, 044



Think Thyroid. Think Thyrocare.



Corporate Office: Thyrocare Technologies Limited ♥ D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703 © 022 - 3090 0000 / 4125 2525 ♥ 8691866066 ➤ wellness@thyrocare.com ⊕ www.thyrocare.com

## REPORT

NAME : MRS K SANDYA (32Y/F)

**REF. BY**: SELF

**TEST ASKED**: AAROGYAM B

SAMPLE COLLECTED AT :

(18900), INDIRA DIAGNOSTIC CENTRE, NARSIPATNAM,

ANDHRA PRADESH,531116

TEST NAME	TECHNOLOGY	VALUE	UNITS	<b>NORMAL RANGE</b>
ALKALINE PHOSPHATASE	PHOTOMETRY	48.68	U/L	45 - 129
BILIRUBIN - TOTAL	PHOTOMETRY	0.48	mg/dl	0.3-1.2
BILIRUBIN -DIRECT	PHOTOMETRY	0.15	mg/dl	< 0.3
BILIRUBIN (INDIRECT)	CALCULATED	0.33	mg/dl	0-0.9
GAMMA GLUTAMYL TRANSFERASE (GGT)	PHOTOMETRY	12.3	U/I	< 38
ASPARTATE AMINOTRANSFERASE (SGOT )	PHOTOMETRY	33.4	U/I	< 31
ALANINE TRANSAMINASE (SGPT)	PHOTOMETRY	27.9	U/I	< 34
PROTEIN - TOTAL	PHOTOMETRY	7.5	gm/dl	5.7-8.2
ALBUMIN - SERUM	PHOTOMETRY	4.3	gm/dl	3.2-4.8
SERUM ALB/GLOBULIN RATIO	CALCULATED	1.34	Ratio	0.9 - 2
SERUM GLOBULIN	PHOTOMETRY	3.2	gm/dL	2.5-3.4

#### Please correlate with clinical conditions.

#### Method:

ALKP - MODIFIED IFCC METHOD

**BILT - VANADATE OXIDATION** 

**BILD - VANADATE OXIDATION** 

BILI - DERIVED FROM SERUM TOTAL AND DIRECT BILIRUBIN VALUES

GGT - MODIFIED IFCC METHOD

SGOT - IFCC\* WITHOUT PYRIDOXAL PHOSPHATE ACTIVATION

SGPT - IFCC\* WITHOUT PYRIDOXAL PHOSPHATE ACTIVATION

PROT - BIURET METHOD

SALB - ALBUMIN BCG<sup>1</sup>METHOD (COLORIMETRIC ASSAY ENDPOINT)

A/GR - DERIVED FROM SERUM ALBUMIN AND PROTEIN VALUES

SEGB - DERIVED FROM SERUM ALBUMIN AND PROTEIN VALUES

**Sample Collected on (SCT)** : 17 May 2019 08:00

Sample Received on (SRT) : 18 May 2019 12:28
Report Released on (RRT) : 18 May 2019 20:33

Sample Type : SERUM

**Labcode** : 1805067131/A6750

Barcode : N3120413

Why.

Dr.Siva Ranjan MD(Path)

Dr.Caesar Sengupta MD(Micro)

Page : 4 of 9

H. NO. 1-9-645, Vidyanagar, Adikmet Road, Near SBH,



Think Thyroid. Think Thyrocare.



Corporate Office: Thyrocare Technologies Limited D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703 © 022 - 3090 0000 / 4125 2525 🗷 8691866066 🖾 wellness@thyrocare.com @www.thyrocare.com

REPORT

NAME : MRS K SANDYA (32Y/F)

: SELF REF. BY

**TEST ASKED** : AAROGYAM B SAMPLE COLLECTED AT :

(18900), INDIRA DIAGNOSTIC CENTRE, NARSIPATNAM,

ANDHRA PRADESH,531116

TEST NAME	TECHNOLOGY	VALUE	UNITS	NORMAL RANGE
TOTAL CHOLESTEROL	PHOTOMETRY	148	mg/dl	125-200
HDL CHOLESTEROL - DIRECT	PHOTOMETRY	23	mg/dl	35-80
LDL CHOLESTEROL - DIRECT	PHOTOMETRY	91	mg/dl	85-130
TRIGLYCERIDES	PHOTOMETRY	201	mg/dl	25-200
TC/ HDL CHOLESTEROL RATIO	CALCULATED	6.5	Ratio	3 - 5
LDL / HDL RATIO	CALCULATED	4	Ratio	1.5-3.5
VLDL CHOLESTEROL	CALCULATED	40.19	mg/dl	5 - 40
NON-HDL CHOLESTEROL	CALCULATED	125.1	mg/dl	< 160

Please correlate with clinical conditions.

#### Method:

CHOL - CHOD POD METHOD

HCHO - ENZYME SELECTIVE PROTECTION METHOD

LDL - HOMOGENOUS ENZYMATIC COLORIMETRIC ASSAY

TRIG - ENZYMATIC COLORIMETRIC METHOD (GPO) [HIGHLY INFLUENCED BY LEVEL OF FASTING]

TC/H - DERIVED FROM SERUM CHOLESTEROL AND HDL VALUES

LDL/ - DERIVED FROM SERUM HDL AND LDL VALUES

VLDL - DERIVED FROM SERUM TRIGLYCERIDE VALUES

NHDL - DERIVED FROM SERUM CHOLESTEROL AND HDL VALUES

## \*REFERENCE RANGES AS PER NCEP ATP III GUIDELINES:

TOTAL CHOLESTEROL	(mg/dl)	HDL	(mg/dl)	LDL	(mg/dl)	TRIGLYCERIDES	(mg/dl)
DESIRABLE	<200	LOW	<40	OPTIMAL	<100	NORMAL	<150
BORDERLINE HIGH	200-239	HIGH	>60	NEAR OPTIMAL	100-129	BORDERLINE HIGH	150-199
HIGH	>240			BORDERLINE HIGH	130-159	HIGH	200-499
				HIGH	160-189	VERY HIGH	>500
				VERY HIGH	>190		

Alert !!! 10-12 hours fasting is mandatory for lipid parameters. If not, values might fluctuate.

Sample Collected on (SCT) : 17 May 2019 08:00

Sample Received on (SRT) : 18 May 2019 12:28

Report Released on (RRT) : 18 May 2019 20:33

**Sample Type** : SERUM

Labcode : 1805067131/A6750

**Barcode** : N3120413

Dr.Siva Ranjan MD(Path)

Dr.Caesar Sengupta MD(Micro)

Page : 5 of 9

#### **PROCESSED AT:**

#### **Thyrocare**

H. NO. 1-9-645,Vidyanagar, Adikmet Road,Near SBH, Hyderabad-500 044





REPORT

NAME : MRS K SANDYA (32Y/F)

**REF. BY**: SELF

TEST ASKED : AAROGYAM B

**SAMPLE COLLECTED AT:** 

(18900), INDIRA DIAGNOSTIC CENTRE, NARSIPATNAM,

ANDHRA PRADESH,531116

TEST NAME	TECHNOLOGY	VALUE	UNITS REFERENCE RANGE
TOTAL TRIIODOTHYRONINE (T3)	C.M.I.A	87	ng/dl 58 - 159
TOTAL THYROXINE (T4)	C.L.I.A	12.1	μg/dl 4.5-12
THYROID STIMULATING HORMONE (TSH)	C.M.I.A	2.27	μIU/ml 0.35 - 4.94

## Please correlate with clinical conditions.

#### Method:

T3 - Fully Automated Chemi Luminescent Microparticle Immunoassay

T4 - COMPETITIVE CHEMI LUMINESCENT IMMUNO ASSAY

TSH - Fully Automated Chemi Luminescent Microparticle Immunoassay

Pregnancy reference ranges for TSH

1st Trimester : 0.10 - 2.50 2nd Trimester : 0.20 - 3.00 3rd Trimester : 0.30 - 3.00

#### Reference:

Guidelines of American Thyroid Association for the Diagnosis and Management of Thyroid Disease During Pregnancy and Postpartum, Thyroid, 2011, 21; 1-46

Sample Collected on (SCT) : 17 May 2019 08:00
Sample Received on (SRT) : 18 May 2019 12:28
Report Released on (RRT) : 18 May 2019 20:33

Sample Type : SERUM

**Labcode** : 1805067131/A6750

Barcode : N3120413

Why.

Dr.Siva Ranjan MD(Path)


Dr.Caesar Sengupta MD(Micro)

Page: 6 of 9

H. NO. 1-9-645, Vidyanagar, Adikmet Road, Near SBH,



Think Thyroid. Think Thyrocare.



Corporate Office: Thyrocare Technologies Limited D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703 

## REPORT

NAME : MRS K SANDYA (32Y/F)

REF. BY : SELF

**TEST ASKED** : AAROGYAM B SAMPLE COLLECTED AT :

(18900), INDIRA DIAGNOSTIC CENTRE, NARSIPATNAM,

ANDHRA PRADESH,531116

TEST NAME	TECHNOLOGY	VALUE	UNITS	<b>NORMAL RANGE</b>
BLOOD UREA NITROGEN (BUN)	PHOTOMETRY	7.38	mg/dl	7 - 25
CREATININE - SERUM	PHOTOMETRY	0.54	mg/dl	0.5-0.8
BUN / SR.CREATININE RATIO	CALCULATED	13.67	Ratio	9:1-23:1
CALCIUM	PHOTOMETRY	9.04	mg/dl	8.8-10.6
URIC ACID	PHOTOMETRY	3.9	mg/dl	3.2 - 6.1

#### Please correlate with clinical conditions.

#### Method:

BUN - KINETIC UV ASSAY.

SCRE - CREATININE ENZYMATIC METHOD

B/CR - DERIVED FROM SERUM BUN AND CREATININE VALUES

CALC - ARSENAZO III METHOD, END POINT. URIC - URICASE / PEROXIDASE METHOD

Sample Collected on (SCT) : 17 May 2019 08:00 Sample Received on (SRT) : 18 May 2019 12:28 Report Released on (RRT) : 18 May 2019 20:33

**Sample Type** 

Labcode : 1805067131/A6750

: SERUM

**Barcode** : N3120413

Dr.Siva Ranjan MD(Path)

Dr.Caesar Sengupta MD(Micro)

Page: 7 of 9

H. NO. 1-9-645, Vidyanagar, Adikmet Road, Near SBH,



Think Thyroid. Think Thyrocare.



Corporate Office: Thyrocare Technologies Limited ♥ D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703



NAME : MRS K SANDYA (32Y/F)

**REF. BY** : SELF

**TEST ASKED** : AAROGYAM B **SAMPLE COLLECTED AT:** (18900), INDIRA DIAGNOSTIC

CENTRE, NARSIPATNAM, ANDHRA PRADESH, 531116

TEST NAME	TECHNOLOGY	VALUE	UNITS
EST. GLOMERULAR FILTRATION RATE (eGFR)	CALCULATED	125	mL/min/1.73 m2

Reference Range :-

> = 90 : Normal 60 - 89 : Mild Decrease

45 - 59 : Mild to Moderate Decrease 30 - 44 : Moderate to Severe Decrease

15 - 29 : Severe Decrease

## Clinical Significance

The normal serum creatinine reference interval does not necessarily reflect a normal GFR for a patient. Because mild and moderate kidney injury is poorly inferred from serum creatinine alone. Thus, it is recommended for clinical laboratories to routinely estimate glomerular filtration rate (eGFR), a "gold standard" measurement for assessment of renal function, and report the value when serum creatinine is measured for patients 18 and older, when appropriate and feasible. It cannot be measured easily in clinical practice, instead, GFR is estimated from equations using serum creatinine, age, race and sex. This provides easy to interpret information for the doctor and patient on the degree of renal impairment since it approximately equates to the percentage of kidney function remaining. Application of CKD-EPI equation together with the other diagnostic tools in renal medicine will further improve the detection and management of patients with CKD.

#### Reference

Levey AS, Stevens LA, Schmid CH, Zhang YL, Castro AF, 3rd, Feldman HI, et al. A new equation to estimate glomerular filtration rate. Ann Intern Med. 2009;150(9):604-12.

Please correlate with clinical conditions.

Method:- CKD-EPI Creatinine Equation

~~ End of report ~~

Sample Collected on (SCT)

Sample Received on (SRT)

Report Released on (RRT)

**Sample Type** Labcode

**Barcode** 

:17 May 2019 08:00 :18 May 2019 12:28

:18 May 2019 20:33

: SERUM

: 1805067131/A6750

: N3120413

Dr.Siva Ranjan MD(Path)

Dr.Caesar Sengupta MD(Micro)

Page: 8 of 9

#### CONDITIONS OF REPORTING

- The reported results are for information and interpretation of the referring doctor only.
- It is presumed that the tests performed on the specimen belong to the patient; named or identified.
- Results of tests may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.
- Should the results indicate an unexpected abnormality, the same should be reconfirmed.
- Only such medical professionals who understand reporting units, reference ranges and limitations of technologies should interpret results.
- This report is not valid for medico-legal purpose.
- Neither Thyrocare, nor its employees/representatives assume any liability, responsibility for any loss or damage that may be incurred by any person as a result of presuming the meaning or contents of the report.

## **EXPLANATIONS**

- Majority of the specimen processed in the laboratory are collected by Pathologists and Hospitals we call them as "Clients".
- Name The name is as declared by the client and recored by the personnel who collected the specimen.
- \* Ref.Dr The name of the doctor who has recommended testing as declared by the client.
- ❖ Labcode This is the accession number in our laboratory and it helps us in archiving and retrieving the data.
- Barcode This is the specimen identity number and it states that the results are for the specimen bearing the barcode (irrespective of the name).
- SCP Specimen Collection Point This is the location where the blood or specimen was collected as declared by the client.
- SCT Specimen Collection Time The time when specimen was collected as declared by the client.
- SRT Specimen Receiving Time This time when the specimen reached our laboratory.
- \* RRT Report Releasing Time The time when our pathologist has released the values for Reporting.
- Reference Range Means the range of values in which 95% of the normal population would fall.

#### **SUGGESTIONS**

- Values out of reference range requires reconfirmation before starting any medical treatment.
- Retesting is needed if you suspect any quality shortcomings.
- Testing or retesting should be done in accredited laboratories.
- For suggestions, complaints or feedback, write to us at info@thyrocare.com or call us on 022-3090 0000 / 4125 2525
- SMS:<Labcode No.> to 9870666333

















# "Fight TB with power of Rapid Technology"

Focus TB, powered by Thyrocare.

A brand that will focus on TB, which is one of the major public health problems in the country.

Tuberculosis (TB) is a transmissible, airborne infection caused by Mycobacterium tuberculosis (MTB). It transpires usually when a person inhales microscopic droplet nuclei containing viable bacteria, spread through coughing by persons who have infectious TB.

Call: 022 - 3090 0000/4125 2525 Email: info@focustb.com Website: www.focustb.com

