

SCREEN 1: MASTER PRODUCT CATALOG & HQ COMMAND DESK (SUPER ADMIN HQ VIEW)

Universal Gateway: Workforce turnout telemetry, MTD financial spend, segmented BOQ & inventory controls with live tonnage metrics.

JMK Engineering & Developers

[Master Catalog] [Branch Network] [Central Inventory] [HQ Signoff]

+ Provision New Product / BOQ Line

WORKFORCE TURNOUT

842 / 910 Present

[*] 92.5% Attendance across 4 Regional Sites

COMBINED SPEND (MTD)

Rs. 42.8 Lakhs

[*] Within Rs. 48.0L Monthly Working Budget Cap

PENDING HQ APPROVALS

14 Items Requiring Signoff

[*] 3 Critical Subcontractor RA Bills & POs

WORKSPACE MODE: [Pre-Construction (BOQ)] | [Live Inventory Matrix] | [Global Order Desk]

Catalog Size: 62 Active Industrial Models | Direct Mill Test Certified (IS 2062 / IRC:83)

SHUTTERING & CENTERING

13 Kg & 20 Kg MS Centering Sheet

Total Stock: 14.5 Tons

Patna Stock: 6.2 Tons

Active Orders: 3 Dispatches

Base Rate: Rs. 72 / Kg

Deep Specs ->

SHUTTERING PLATES

27 kg Iron Shuttering Plate (1200x600)

Total Stock: 22.0 Tons

Patna Stock: 9.8 Tons

Active Orders: 5 Dispatches

Base Rate: Rs. 2,850 / Pc

Deep Specs ->

SCAFFOLDING & PROPS

Adjustable Props Scaffolding Jack

Total Stock: 18.4 Tons

Patna Stock: 8.0 Tons

Active Orders: 4 Dispatches

Base Rate: Rs. 1,450 / Pc

Deep Specs ->

EXPANSION JOINTS

Strip Seal Bridge Expansion Joint

Total Stock: 12.0 Tons

Patna Stock: 5.5 Tons

Active Orders: 2 Dispatches

Base Rate: Rs. 3,500 / Mtr

Deep Specs ->

SCREEN 2: INDIVIDUAL PRODUCT DEEP-PAGE MODEL (e.g., /products/ms-shuttering-plates)

Split-Screen Desktop Layout: Color-accurate visual gallery, verified engineering specifications, turnkey uses, multi-tenant stock & RFQ actions.

[HIGH-RESOLUTION 4K PRODUCT VISUAL STAGE]

27 kg / 30 kg Heavy Steel Shuttering Plate Stack

Angle 1 View

Angle 2 View

Angle 3 View

GSTIN: 10BIEPD2766D2ZX | TrustSEAL Verified | Payment Protected

Direct factory manufacturing at Patna Central Works. Test certificates (MTC) supplied with every batch.

Home > Products > Shuttering & Centering > MS Shuttering Plates (27kg Fe 410)

MS Shuttering Plates (27 kg / 30 kg Iron Formwork)

Price inquiries: Rs. 2,850 / Piece (Ex-Factory Patna) | MOQ: 50 Pieces

SECTION 1: VERIFIED SPECIFICATIONS (CLEAN TABLE LAYOUT)

MATERIAL STANDARD	GAUGE / THICKNESS	LOAD CAPACITY	STANDARD DIMENSIONS
IS 2062 Grade E250 / Fe 410 Steel	3.15 mm Cold Rolled Sheet	20.0 MT (Proof Tested)	1200 x 600 mm (Custom BOQ)

SECTION 2: TURNKEY PROJECT USES (CONSTRUCTION CONTEXT)

* M25 / M35 Structural Concrete Casting: Monolithic floor slabs, RCC columns, lift shear walls, and culverts.

* Bridge & Flyover Viaducts: Pier cap shuttering, segmental precast falsework, and high-load staging grids.

SECTION 3: MULTI-TENANT STOCK & LOGISTICS HUBS (REAL-TIME NODE INVENTORY)

REGIONAL NODE	ALLOCATED STOCK	DISPATCH STATUS	LEAD TIME (ETA)
Patna HQ Central Works	12.8 Tons	Direct Works Buffer	Immediate (0 Days)
Delhi NCR Regional Depot	5.2 Tons	In Stock	2 Days Delivery
Kolkata Eastern Depot	7.0 Tons	In Stock	4 Days Delivery
Mumbai Western Hub	6.4 Tons	In Stock	3 Days Delivery

[OK] Request Bulk Pricing / RA Bill Calculation

[PDF] Download Technical Datasheets

SCREEN 3: BRANCH SPECIFIC WORKSPACE & LABOUR MUSTER ROLL (PATNA CENTRAL WORKS)

Contextual View: GPS Geofence telemetry, live labour headcounts, local action tiles, and worker-by-worker muster roll logs.

PATNA BRANCH WORKSPACE | Didarganj Industrial Area Works

GPS Geofence: Active Zone (600m Radius Verified) | Sync Status: Online (Live)

LABOUR STRENGTH

142 Present

100% FaceID Verified at Kiosk

DELAYED TASKS

1 Task

Ganga Bridge Pier 4 Bending Delay

LOW MATERIAL ALERTS

2 Items Alert

27kg MS Shuttering & Neoprene Buffer

[GPS Attendance Kiosk]

Launch tablet face biometric verification scanner

[Material Stock Indent]

Request raw steel coils or dispatch finished formwork

[Submit Daily Progress Report (DPR)]

Transmit daily completed tonnage and concrete volumes

LOWER SECTION: DAILY LABOUR MUSTER ROLL (WORKER BIOMETRIC AUDIT LOG)

WORKER ID & NAME	TRADE / SKILL CATEGORY	ASSIGNED SHIFT	GPS & BIOMETRIC STATUS	DAILY WAGE	STATUS
Rameshwar Mahato (EMP-PAT-081)	Master Shuttering Carpenter	08:00 - 17:00	FaceID Verified (07:54 AM)	Rs. 850 / day	[PRESENT]
Dinesh Kumar Sharma (EMP-PAT-094)	Hydraulic Press Operator	08:00 - 17:00	FaceID Verified (07:58 AM)	Rs. 950 / day	[PRESENT]
Md. Tariq Anwar (EMP-PAT-102)	Submerged Arc Welder	08:00 - 17:00	FaceID Verified (08:02 AM)	Rs. 900 / day	[PRESENT]
Sunil Paswan (EMP-PAT-118)	Scaffolding & Staging Rigger	08:00 - 17:00	FaceID Verified (07:49 AM)	Rs. 750 / day	[PRESENT]
Vikash Kumar Roy (EMP-PAT-125)	Formwork QC Inspector	08:00 - 17:00	FaceID Verified (07:52 AM)	Rs. 1,100 / day	[PRESENT]

SCREEN 4: SUPER ADMIN COMMAND DESK & APPROVALS HUB (HQ SIGNOFF MATRIX)

Executive Governance: Live fleet telemetry, Subcontractor RA bill verification against BOQ, and emergency slide-to-approve triggers.

HQ LIVE SYNC STATUS: ACTIVE (SYNCED 1m AGO) | CENTRAL FINANCIAL AUTHORIZATION DESK

Super Admin: Er. Rajesh Kumar Sharma (Director) | High-Value Threshold: > Rs. 50,000

ACTIVE REGIONAL HUBS

4 Sites

Patna HQ, Delhi, Mumbai, Kolkata

COMBINED TURNOUT

842 / 910 Logged

92.5% Attendance Verified

CONSOLIDATED SPEND

Rs. 42.8 Lakhs

51.3% Monthly Working Capital

PENDING AUTHORIZATIONS

3 Critical Items

Action Required Today

MULTI-CATEGORY SIGN-OFF MATRIX: [Pending Authorization (3)] | [Vendor Bills] | [Client RA Bills]

RA BILL #04: APEX ELECTRICALS & POWER INFRASTRUCTURE

CLAIMED: Rs. 1,85,000

Scope: Dedicated 33kV line energization & batching plant transformer synchronization.

* Verified against BOQ Item 4.12: 100% Quantity Matched (Signed by Er. Amitabh Verma)

* Attachment: Apex_Electricals_Measurement_Book_MB42.pdf (3.4 MB Verified)

[Reject / Query Bill]

[OK] Authorize & Disburse Rs. 1,85,000

EMERGENCY PO #D-882: HIGH-SPEED DIESEL PROCUREMENT

AMOUNT: Rs. 47,250

Purpose: 500 Litres HSD for Patna 60m3/hr batching plant continuous pour cycle.

* Vendor: Indian Oil Corporation Ltd. (Patna Bulk Supply Depot)

* Attachment: IOCL_Official_Indent_Challan_IOC5519.pdf (1.2 MB)

>>> SLIDE-TO-APPROVE TRIGGER | [Release Rs. 47,250 via Instant Webhook] >>>

SCREEN 5: COMPLETE INDIAMART INDUSTRIAL PRODUCT & SPECIFICATION MATRIX

Full compilation of all 5 Core Product Categories: Shuttering, Scaffolding, Expansion Joints, Bridge Bearings & MS Drainage Spouts.

1. Shuttering & Centering Plates

PRODUCT MODEL	STANDARD DIMENSIONS	MATERIAL SPECIFICATION	LOAD RATING	PROJECT APPLICATIONS
13 Kg & 20 Kg MS Centering Sheets	900x600mm / 1200x600mm	IS 2062 Grade E250	15.0 MT	Slab staging & falsework
MS Shuttering Soldiers & Walers	2000mm to 3500mm height	Fe 410 Steel	35.0 MT	Pier cap & retaining walls
27 kg Iron Shuttering Plate	1200 x 600 mm	Fe 410 High Tensile	20.0 MT	Column & monolithic slab

2. Scaffolding Jack & Props

PRODUCT MODEL	STANDARD DIMENSIONS	MATERIAL SPECIFICATION	LOAD RATING	PROJECT APPLICATIONS
Adjustable Props Scaffolding Jack	2.0m - 3.5m / 3.0m - 4.5m	IS 1161 ERW Pipe	3.5 MT proof	Vertical formwork support
Vertical U-Head & Base Jacks	38mm x 450mm / 650mm	Malleable Cast Nut	5.0 MT	Cuplock & H-frame leveling
Iron H Frame Scaffolding System	2000 x 1200 mm frames	Heavy Steel ERW	25.0 MT grid	Flyover heavy shoring

3. Expansion Joints

PRODUCT MODEL	STANDARD DIMENSIONS	MATERIAL SPECIFICATION	LOAD RATING	PROJECT APPLICATIONS
Strip Seal Bridge Expansion Joint	80mm movement range	SS 304 / High Elastomer	IRC:83 Class AA	Highway bridge decks
7-inch Bitumen Expansion Joint	180mm x 20mm pad	Polymer Modified Bitumen	MoRTH Sec 2600	Expressway pavement joints
Cover Plate Expansion Joints	Custom carriageway width	IS 2062 Grade E350	Heavy Axle Loads	Railway & viaduct bridges

4. Bridge Bearings

PRODUCT MODEL	STANDARD DIMENSIONS	MATERIAL SPECIFICATION	LOAD RATING	PROJECT APPLICATIONS
Elastomeric Bridge Rubber Bearing	300x400x60mm to 600x800mm	Virgin Neoprene 60 IRHD	1500 kN - 4500 kN	Pier girder load transfer
POT-PTFE Bridge Bearings	Multi-directional guided	Cast Steel / Pure PTFE	10,000 kN capacity	Long-span viaducts

5. MS Drainage Spouts

PRODUCT MODEL	STANDARD DIMENSIONS	MATERIAL SPECIFICATION	LOAD RATING	PROJECT APPLICATIONS
12mm & 14mm MS Bridge Drainage Spout	100mm to 150mm dia bore	Hot Dip Galvanized MS	MoRTH Section 2700	Deck rainwater discharge