**M.P.P.K.V.V.CO.LTD., INDORE**

**STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.12.2020**

| No. | NAME OF MATERIALS | Unit | INDORE | | | | BARWAHA | | | | DHAR | | | | UJJAIN | | | | RATLAM | | | | MANDSAUR | | | | TOTAL | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T |
| **1** | **DIST.TRANSFORMERS** | | **NEW** | | **REP.** | | **NEW** | | **REP.** | | **NEW** | | **REP.** | | **NEW** | | **REP.** | | **NEW** | | **REP.** | | **NEW** | | **REP.** | | **NEW** | | **REP.** | |
| i | 16 KVA 1 Phase | Nos. | 0 | 0 | 0 | 0 | 110 | 0 | 10 | 0 | 416 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **526** | **0** | **10** | **0** |
| ii | 16 KVA 3 Phase | Nos. | 0 | 0 | 3 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | **0** | **0** | **11** | **0** |
| iii | 25 KVA (Non Star) | Nos. | 0 | 0 | 19 | 0 | 0 | 0 | 58 | 0 | 0 | 0 | 10 | 0 | 0 | 0 | 80 | 23 | 0 | 0 | 83 | 0 | 0 | 0 | 207 | 0 | **0** | **0** | **457** | **23** |
| iv | 25 KVA (3 Star) | Nos. | 274 | 0 | 0 | 0 | 1057 | 0 | 0 | 0 | 550 | 0 | 0 | 0 | 60 | 166 | 0 | 0 | 250 | 0 | 0 | 0 | 626 | 0 | 0 | 0 | **2817** | **166** | **0** | **0** |
| v | 63 KVA | Nos. | 0 | 0 | 12 | 0 | 24 | 0 | 10 | 0 | 0 | 0 | 4 | 0 | 4 | 0 | 11 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 51 | 0 | **28** | **0** | **89** | **0** |
| vi | 100 KVA (Non Star) | Nos. | 0 | 0 | 116 | 0 | 0 | 0 | 122 | 0 | 0 | 0 | 248 | 0 | 0 | 0 | 66 | 30 | 0 | 0 | 29 | 0 | 0 | 0 | 158 | 0 | **0** | **0** | **739** | **30** |
| vii | 100 KVA (3 Star) | Nos. | 631 | 0 | 0 | 0 | 200 | 0 | 0 | 0 | 98 | 0 | 0 | 0 | 30 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 442 | 0 | 0 | 0 | **1401** | **0** | **0** | **0** |
| viii | 200 KVA (Non Star) | Nos. | 0 | 0 | 16 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 13 | 0 | 0 | 0 | 4 | 5 | 0 | 0 | 1 | 0 | 0 | 0 | 32 | 0 | **0** | **0** | **66** | **5** |
| ix | 200 KVA (3 Star) | Nos. | 0 | 0 | 0 | 0 | 7 | 0 | 0 | 0 | 95 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 37 | 0 | 0 | 0 | 48 | 0 | 0 | 0 | **189** | **0** | **0** | **0** |
| x | 315 KVA | Nos. | 11 | 0 | 3 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 13 | 0 | 6 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **26** | **0** | **9** | **0** |
| **2** | **POWER X'MERS** | | **NEW** | | **REP.** | | **NEW** | | **REP.** | | **NEW** | | **REP.** | | **NEW** | | **REP.** | | **NEW** | | **REP.** | | **NEW** | | **REP.** | | **NEW** | | **REP.** | |
| i | 1.6 MVA | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** | **0** | **0** |
| ii | 3.15 MVA | Nos. | 0 | 0 | 9 | 0 | 0 | 0 | 13 | 0 | 0 | 0 | 7 | 0 | 0 | 0 | 24 | 0 | 0 | 0 | 10 | 0 | 0 | 0 | 31 | 0 | **0** | **0** | **94** | **0** |
| iii | 5.0 MVA | Nos. | 0 | 0 | 5 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | **0** | **0** | **8** | **1** |
| iv | 8.0 MVA | Nos. | 10 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **14** | **1** | **1** | **0** |
| v | 10.0 MVA | Nos. | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **3** | **1** | **0** | **0** |
| **3** | **CT/PT UNITS** | | **11KV** | | **33KV** | | **11KV** | | **33KV** | | **11KV** | | **33KV** | | **11KV** | | **33KV** | | **11KV** | | **33KV** | | **11KV** | | **33KV** | | **11KV** | | **33KV** | |
| i | 2.5/5 AMP | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** | **0** | **0** |
| ii | 5/5 AMP | Nos. | 0 | 0 | 0 | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** | **0** | **12** |
| iii | 7.5/5 AMP | Nos. | 14 | 27 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | **15** | **27** | **0** | **0** |
| iv | 10/5 AMP | Nos. | 0 | 0 | 24 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** | **24** | **8** |
| v | 15/5 AMP | Nos. | 0 | 19 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **1** | **19** | **0** | **0** |
| vi | 20/5 AMP | Nos. | 0 | 0 | 18 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** | **18** | **0** |
| vii | 25/5 AMP | Nos. | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **3** | **0** | **0** |
| viii | 30/5 AMP | Nos. | 0 | 0 | 25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** | **25** | **0** |
| ix | 50/5 AMP | Nos. | 0 | 0 | 23 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** | **26** | **0** |
| x | 75/5 AMP | Nos. | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** | **2** | **0** |
| xi | 100/5 AMP | Nos. | 2 | 0 | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **2** | **0** | **14** | **0** |
| xii | 200/5 AMP | Nos. | 0 | 0 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** | **9** | **0** |
| xiii | 300/5 AMP | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** | **0** | **0** |
| xiv | 400/5 AMP | Nos. | 0 | 0 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** | **9** | **0** |
| xv | 100-50/5 AMP | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** | **0** | **0** |
| xvi | 300-150/5 AMP | Nos. | 0 | 0 | 17 | 37 | 0 | 40 | 14 | 0 | 0 | 0 | 0 | 4 | 21 | 0 | 0 | 0 | 0 | 0 | 9 | 0 | 2 | 0 | 1 | 8 | **23** | **40** | **41** | **49** |
| xvii | 400-200/5 AMP | Nos. | 0 | 0 | 129 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 7 | 0 | 0 | 0 | 0 | 10 | **0** | **0** | **136** | **15** |
| xviii | 200-100/5 AMP | Nos. | 56 | 0 | 129 | 19 | 24 | 0 | 0 | 18 | 0 | 9 | 0 | 6 | 0 | 0 | 17 | 0 | 0 | 7 | 10 | 0 | 0 | 10 | 0 | 6 | **80** | **26** | **156** | **49** |
| **4** | **CONTROL PANEL** | | **Feeder** | | **X-mer** | | **Feeder** | | **X-mer** | | **Feeder** | | **X-mer** | | **Feeder** | | **X-mer** | | **Feeder** | | **X-mer** | | **Feeder** | | **X-mer** | | **Feeder** | | **X-mer** | |

| No. | NAME OF MATERIALS | Unit | INDORE | | | | BARWAHA | | | | DHAR | | | | UJJAIN | | | | RATLAM | | | | MANDSAUR | | | | TOTAL | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T |
| i | 11KV | Nos. | 15 | 0 | 9 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 42 | 0 | 0 | 0 | 0 | 0 | 31 | 0 | 19 | 0 | 1 | 0 | 7 | 0 | **52** | **0** | **77** | **0** |
| ii | 33KV | Nos. | 14 | 0 | 19 | 0 | 0 | 0 | 0 | 0 | 38 | 0 | 29 | 0 | 0 | 0 | 16 | | 0 | 0 | 32 | 0 | 33 | 0 | 14 | 0 | **85** | **0** | **110** | **0** |
| **5** | **CABLE COPPER CONTROL** | | **UN-Armd.** | | **Armd.** | | **UN-Armd.** | | **Armd.** | | **UN-Armd.** | | **Armd.** | | **UN-Armd.** | | **Armd.** | | **UN-Armd.** | | **Armd.** | | **UN-Armd.** | | **Armd.** | | **UN-ARMD.** | | **ARMD.** | |
| i | 2 Core 2.5 Sq.mm | Mtr. | 0 | 0 | 7416 | 0 | 0 | 0 | 0 | 0 | 1000 | 0 | 0 | 0 | 6047 | 0 | 8160 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **7047** | **0** | **15576** | **0** |
| ii | 3 Core 2.5 Sq.mm | Mtr. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** | **0** | **0** |
| iii | 4 Core 2.5 Sq.mm | Mtr. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1515 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **1515** | **0** | **0** | **0** |
| iv | 8 Core 2.5 Sq.mm | Mtr. | 5300 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6355 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **11655** | **0** | **0** | **0** |
| v | 12 Core 2.5 Sq.mm | Mtr. | 0 | 0 | 9307 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | #### | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** | **20413** | **0** |
| vi | 10 Core 2.5 Sq.mm | Mtr. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** | **0** | **0** |
| vii | 4 Core 24 Sq.mm | Mtr. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** | **0** | **0** |
| **6** | **D.O.FUSE ELEMENTS** | | **11 KV** | | **33 KV** | | **11 KV** | | **33 KV** | | **11 KV** | | **33 KV** | | **11 KV** | | **33 KV** | | **11 KV** | | **33 KV** | | **11 KV** | | **33 KV** | | **11 KV** | | **33 KV** | |
| i | 1.5 Amp. | No. | 8750 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **8750** | **0** | **0** | **0** |
| ii | 3 Amp. | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** | **0** | **0** |
| iii | 5 Amp. | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** | **0** | **0** |
| iv | 7.5 Amp. | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** | **0** | **0** |
| v | 10 Amp. | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** | **0** | **0** |
| vi | 15 Amp. | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** | **0** | **0** |
| vii | 25 Amp. | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** | **0** | **0** |
| viii | 50 Amp. | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** | **0** | **0** |
| ix | 75 Amp. | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** | **0** | **0** |
| x | 100 Amp. | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** | **0** | **0** |

**M.P.P.K.V.V.CO.LTD., INDORE**

**STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.12.2020**

| No. | NAME OF MATERIALS | UNIT | INDORE | | BARWAHA | | DHAR | | UJJAIN | | RATLAM | | MANDSAUR | | TOTAL | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T |
| **7** | **CONDUCTOR** | | | | | | | | | | | | | | | |
| i | AAAC-02 SQUIRREL | KM | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | **0.000** | **0.000** |
| ii | AAAC-03 WEASEL | KM | 0.000 | 0.000 | 0.000 | 0.000 | 16.798 | 0.000 | 0.000 | 0.000 | 8.400 | 0.000 | 0.000 | 0.000 | **25.198** | **0.000** |
| iii | AAAC-05 RABBIT | KM | 1681.524 | 0.000 | 0.000 | 0.000 | 670.507 | 0.000 | 588.375 | 0.000 | 950.864 | 0.000 | 674.079 | 0.000 | **4565.349** | **0.000** |
| iv | AAAC-075 RACCON | KM | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | **0.000** | **0.000** |
| v | AAAC-DOG | KM | 172.696 | 0.000 | 0.000 | 0.000 | 45.190 | 0.000 | 161.407 | 0.000 | 92.489 | 0.000 | 19.802 | 0.000 | **491.584** | **0.000** |
| vi | AAAC Panther conductor 0.20 sq. inch | KM | 2.598 | 0.000 | 8.546 | 0.000 | 5.744 | 0.000 | 24.441 | 0.000 | 19.711 | 0.000 | 0.000 | 0.000 | **61.040** | **0.000** |
| **8** | **LIGHTING ARRESTERS** | | | | | | | | | | | | | | | |
| i | 11 KV(Polymer) 5 KA -Line type | Nos. | 0 | 0 | 6255 | 0 | 6146 | 0 | 5515 | 0 | 11840 | 0 | 21276 | 0 | **51032** | **0** |
| ii | 11 KV 5 KA - Line type | Nos. | 23177 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **23177** | **0** |
| iii | 33 KV 10 KA - Line type | Nos. | 1780 | 0 | 0 | 0 | 100 | 0 | 2541 | 0 | 0 | 0 | 116 | 0 | **4537** | **0** |
| iv | 11 KV 10 KA - Station type | Nos. | 0 | 0 | 223 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **223** | **0** |
| **9** | **VCB** | | | | | | | | | | | | | | | |
| i | 11 KV | Nos. | 0 | 63 | 0 | 0 | 0 | 0 | 0 | 53 | 0 | 0 | 0 | 0 | **0** | **116** |
| ii | 33 KV 30V | Nos. | 0 | 0 | 10 | 0 | 26 | 0 | 0 | 0 | 32 | 0 | 18 | 0 | **86** | **0** |
| **10** | **STAY SET** | | | | | | | | | | | | | | | |
| i | 16 MM/Painted | Nos. | 48073 | 0 | 27877 | 0 | 34465 | 0 | 30763 | 0 | 37191 | 0 | 25280 | 0 | **203649** | **0** |
| ii | 20 MM | Nos. | 596 | 0 | 0 | 0 | 1500 | 0 | 0 | 0 | 1117 | 0 | 172 | 0 | **3385** | **0** |
| **11** | **C.T.s** | | | | | | | | | | | | | | | |
| i | 11 KV CT 200-100/5-5 A | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| ii | 11 KV CT 300-150/5-5 A | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| iii | 11 KV CT 400-200/5-5 A | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| iv | 11 KV CT 600-300/5-5 A | Nos. | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **1** | **0** |
| v | 11 KV CT 600-300/5-5-1 A | Nos. | 0 | 21 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **21** |
| vi | 33 KV CT 200-100/5-5 A | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| vii | 33 KV CT 300-150/5-5 A | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| viii | 33 KV CT 400-200/5-5 AMP | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| ix | 33 KV CT 200-100/5-5-1 A | Nos. | 1 | 35 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **1** | **35** |
| x | 132 KV CT 50/1 | Nos. | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **1** | **0** |
| xi | 132 KV CT 100/1 | Nos. | 14 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | **17** | **0** |
| xii | 132 KV CT 200/1 | Nos. | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 0 | 0 | **12** | **0** |
| **12** | **P.T.s** | | | | | | | | | | | | | | | |
| i | 11 KV PT | Nos. | 406 | 0 | 0 | 0 | 0 | 0 | 52 | 0 | 0 | 0 | 0 | 0 | **458** | **0** |
| ii | 33 KV PT | Nos. | 592 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **592** | **0** |
| iii | 132 KV PT | Nos. | 9 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 6 | 0 | 0 | 0 | **16** | **0** |
| **13** | **LT / CT** | | | | | | | | | | | | | | | |
| i | 100/5 AMP | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |

## STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.12.2020

| No. | NAME OF MATERIALS | UNIT | INDORE | | BARWAHA | | DHAR | | UJJAIN | | RATLAM | | MANDSAUR | | TOTAL | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T |
| ii | 200/5 AMP | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| iii | 300/5 AMP | Nos. | 150 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **150** | **0** |
| iv | 400/5 AMP | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| v | 500/5 AMP | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| **14** | **Cable - Unarmoured PVC / XLPE Cable** | | | | | | | | | | | | | | | |
| i | 1 C X 16 Sqmm | KM | 5.070 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | **5.070** | **0.000** |
| ii | 1 C X 25 Sqmm | KM | 410.184 | 0.000 | 0.000 | 0.000 | 26.344 | 0.000 | 447.042 | 0.000 | 0.000 | 0.000 | 334.890 | 0.000 | **1218.460** | **0.000** |
| iii | 1 C X 35 Sqmm | KM | 37.550 | | 0.000 | 0.000 | 4.047 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | **41.597** | **0.000** |
| iv | 1 C X 50 Sqmm | KM | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 3.152 | 0.000 | 0.000 | 0.000 | 10.371 | 0.000 | **13.523** | **0.000** |
| v | 1 C X 70 Sqmm | KM | 19.702 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 21.283 | 0.000 | 0.000 | 0.000 | **40.985** | **0.000** |
| vi | 1 C X 95 Sqmm | KM | 0.000 | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | **0.000** | **0.000** |
| vii | 1 C X 150 Sqmm | KM | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | **0.000** | **0.000** |
| viii | 1 C X 300 Sqmm | KM | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | **0.000** | **0.000** |
| ix | 4 C X 16 Sqmm | KM | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | **0.000** | **0.000** |
| x | 4 C X 25 Sqmm | KM | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | **0.000** | **0.000** |
| xi | 2 C X 2.5 Sqmm | KM | 4216.347 | | 377.900 | 0.000 | 390.000 | 0.000 | 1535.775 | 0.000 | 727.745 | 0.000 | 173.171 | 0.000 | **7420.938** | **0.000** |
| **15** | **Cable - Multicore PVC Cable** | | | | | | | | | | | | | | | |
| i | 2 C X 2.5 Sqmm | KM | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | **0.000** | **0.000** |
| ii | 4 C X 2.5 Sqmm | KM | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | **0.000** | **0.000** |
| iii | 2 C X 4 Sqmm | KM | 181.790 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 64.742 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | **246.532** | **0.000** |
| iv | 4 C X 4 Sqmm | KM | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | **0.000** | **0.000** |
| v | 4 C X 6 Sqmm | KM | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | **0.000** | **0.000** |
| vi | 4 C X 8 Sqmm | KM | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | **0.000** | **0.000** |
| vii | 4 C X 10 Sqmm | KM | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | **0.000** | **0.000** |
| **16** | **Cable - HT XLPE Cable** | | | | | | | | | | | | | | | |
| i | 3 C X 70 Sqmm 11 KV | KM | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | **0.000** | **0.000** |
| ii | 3 C X 185 Sqmm 11 KV | KM | 22.638 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | **22.638** | **0.000** |
| iii | 3 C X 300 Sqmm 11 KV | KM | 2.818 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 1.109 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | **3.927** | **0.000** |
| iv | 3 C X 185 Sqmm 33 KV | KM | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | **0.000** | **0.000** |
| v | 3 C X 300 Sqmm 33 KV | KM | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.505 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | **0.505** | **0.000** |
| **17** | **Cable - LT AB Cable** | | | | | | | | | | | | | | | |
| i | 1X25+1X25+1X25 Sqmm | KM | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | **0.000** | **0.000** |
| ii | 3X16+1X16+1X25 Sqmm | KM | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | **0.000** | **0.000** |

## STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.12.2020

| No. | NAME OF MATERIALS | UNIT | INDORE | | BARWAHA | | DHAR | | UJJAIN | | RATLAM | | MANDSAUR | | TOTAL | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T |
| iii | 3X25+1X16+1X25 Sqmm | KM | 80.072 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 63.907 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | **143.979** | **0.000** |
| iv | 3X25+1X25+1X25 Sqmm | KM | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | **0.000** | **0.000** |
| v | 3X25+1X35 Sqmm | KM | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | **0.000** | **0.000** |
| vi | 3X25+1X35+1X16 Sqmm | KM | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | **0.000** | **0.000** |
| vii | 3X35+1X16+1X25 Sqmm | KM | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | **0.000** | **0.000** |
| viii | 3X35+1X35+1X16 Sqmm | KM | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | **0.000** | **0.000** |
| ix | 3X50+1X16+1X35 Sqmm | KM | 8.396 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 4.810 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | **13.206** | **0.000** |
| x | 3X70+1X16+1X50 Sqmm | KM | 58.058 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 17.518 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | **75.576** | **0.000** |
| xi | 3X95+1X16+1X70 Sqmm | KM | 8.500 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | **8.500** | **0.000** |
| x | 1X25+1X16+1X25 Sq.mm | KM | 415.439 | 0.000 | 760.617 | 0.000 | 760.477 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | **1936.533** | **0.000** |
| xi | 3X25+1X25 Sq.mm | KM | 80.101 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 156.483 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | **236.584** | **0.000** |
| xii | 3X120+1X70+1X16Sq.mm | KM | 0.500 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | **0.500** | **0.000** |
| **18** | **STEEL SECTIONS** | | | | | | | | | | | | | | | |
| i | Rail Pole | MT | 0.000 | 0.000 | 4.150 | 0.000 | 3.280 | 0.000 | 0.000 | 0.000 | 4.120 | 0.000 | 4.110 | 0.000 | **15.660** | **0.000** |
| ii | H-Beam 152 x 152 mm | MT | 0.400 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | **0.400** | **0.000** |
| iii | RS Joist 175 x 85 mm | MT | 5.040 | 0.000 | 22.000 | 0.000 | 58.762 | 0.000 | 0.000 | 0.000 | 103.361 | 0.000 | 0.000 | 0.000 | **189.163** | **0.000** |
| iv | MS Angle 75 x 75 x 6 mm | MT | 36.615 | 0.000 | 0.000 | 0.000 | 10.120 | 0.000 | 41.430 | 0.000 | 27.210 | 0.000 | 0.000 | 0.000 | **115.375** | **0.000** |
| v | MS Angle 65 x 65 x 6 mm | MT | 41.915 | 0.000 | 0.000 | 0.000 | 187.850 | 0.000 | 199.120 | 0.000 | 8.177 | 0.000 | 107.854 | 0.000 | **544.916** | **0.000** |
| vi | MS Angle 50 x 50 x 6 mm | MT | 16.815 | 0.000 | 5.600 | 0.000 | 74.250 | 0.000 | 65.890 | 0.000 | 76.404 | 0.000 | 33.226 | 0.000 | **272.185** | **0.000** |
| vii | MS Channel 100 x 50 x 5 mm | MT | 36.110 | 0.000 | 31.550 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | **67.660** | **0.000** |
| viii | MS Channel 75 x 40 x 6 mm | MT | 0.000 | 0.000 | 3.266 | 0.000 | 2.300 | 0.000 | 16.495 | 0.000 | 23.736 | 0.000 | 1.245 | 0.000 | **47.042** | **0.000** |
| ix | MS Channel 65 x 65 x 6 mm | MT | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | **0.000** | **0.000** |
| x | MS Flat 75 x 6 mm | MT | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | **0.000** | **0.000** |
| xi | MS Flat 65 x 8 mm | MT | 148.440 | 0.000 | 77.750 | 0.000 | 82.305 | 0.000 | 112.557 | 0.000 | 97.717 | 0.000 | 38.465 | 0.000 | **557.234** | **0.000** |
| xii | MS Flat 50 x 6 mm | MT | 84.253 | 0.000 | 1.195 | 0.000 | 152.030 | 0.000 | 100.135 | 0.000 | 56.053 | 0.000 | 22.476 | 0.000 | **416.142** | **0.000** |
| **19** | **GI WIRES** | | | | | | | | | | | | | | | |
| i | 6 SWG | MT | 49.671 | 0.000 | 0.000 | 0.000 | 1.500 | 0.000 | 68.165 | 0.000 | 0.505 | 0.000 | 0.000 | 0.000 | **119.841** | **0.000** |
| ii | 8 SWG | MT | 40.435 | 0.000 | 48.160 | 0.000 | 72.835 | 0.000 | 74.850 | 0.000 | 98.437 | 0.000 | 67.151 | 0.000 | **401.868** | **0.000** |
| iii | 10 SWG | MT | 3.044 | 0.000 | 13.750 | 0.000 | 0.000 | 0.000 | 1.057 | 0.000 | 0.000 | 0.000 | 9.020 | 0.000 | **26.871** | **0.000** |
| **20** | **STAY WIRES** | | | | | | | | | | | | | | | |
| i | 7/8 SWG (7/4.00 mm) | MT | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 5.219 | 0.000 | **5.219** | **0.000** |
| ii | 7/10 SWG (7/3.15 mm) | MT | 190.474 | 23.960 | 84.720 | 48.500 | 122.080 | 0.000 | 156.305 | 45.000 | 145.643 | 49.300 | 60.125 | 49.675 | **759.347** | **216.435** |
| **21** | **HARDWARES** | | | | | | | | | | | | | | | |
| i | LT SHACKLE H/W 90X75 | Nos. | 6808 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **6808** | **0** |
| ii | 11 KV H/W | Nos. | 20850 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **20850** | **0** |
| iii | 33 KV H/W | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |

## STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.12.2020

| No. | NAME OF MATERIALS | UNIT | INDORE | | BARWAHA | | DHAR | | UJJAIN | | RATLAM | | MANDSAUR | | TOTAL | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T |
| iv | 33 KV H/W (Panther) | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| **22** | **INSULATORS** | | | | | | | | | | | | | | | |
| i | SHACKLE 90 X 75 | Nos. | 9000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **9000** | **0** |
| ii | SHACKLE 65 X 50 | Nos. | 31063 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **31063** | **0** |
| iii | STAY INSULATOR 90X65 | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| vii | 11 KV Polymer Pin Insulator | Nos. | 85699 | 0 | 30288 | 0 | 36318 | 0 | 19197 | 0 | 23714 | 0 | 30396 | 0 | **225612** | **0** |
| viii | 33 KV Polymer Pin Insulator | Nos. | 0 | 0 | 650 | 0 | 53 | 0 | 595 | 0 | 36 | 0 | 2843 | 0 | **4177** | **0** |
| ix | 11 KV Polymer Disc Insulator | Nos. | 17823 | 0 | 3415 | 0 | 12203 | 0 | 991 | 0 | 21455 | 0 | 19105 | 0 | **74992** | **0** |
| x | 33 KV Polymer Disc Insulator | Nos. | 688 | 0 | 750 | 0 | 0 | 0 | 787 | 0 | 0 | 0 | 0 | 0 | **2225** | **0** |
| **23** | **DO SETS** | | | | | | | | | | | | | | | |
| i | 11 KV | Nos. | 16175 | 0 | 9984 | 0 | 14904 | 0 | 8385 | 0 | 18212 | 0 | 11737 | 0 | **79397** | **0** |
| ii | 33 KV | Nos. | 205 | 0 | 0 | 0 | 180 | 0 | 112 | 0 | 165 | 0 | 174 | 0 | **836** | **0** |
| **24** | **AB SWITHCES** | | | | | | | | | | | | | | | |
| i | 33 KV | Nos. | 120 | 0 | 112 | 0 | 3 | 0 | 69 | 0 | 67 | 0 | 0 | 0 | **371** | **0** |
| ii | 11 KV 1 PHASE | Nos. | 404 | 0 | 135 | 0 | 200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **739** | **0** |
| iii | 11 KV 3 PHASE | Nos. | 194 | 0 | 2 | 0 | 130 | 0 | 0 | 0 | 42 | 0 | 94 | 0 | **462** | **0** |
| **25** | **DIST. BOXES** | | | | | | | | | | | | | | | |
| i | 16 KVA | Nos. | 365 | 0 | 0 | 0 | 0 | 0 | 363 | 0 | 157 | 0 | 133 | 0 | **1018** | **0** |
| ii | 25 KVA | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 404 | 0 | 438 | 0 | **842** | **0** |
| iii | 63 KVA | Nos. | 45 | 0 | 15 | 0 | 20 | 0 | 100 | 0 | 142 | 0 | 74 | 0 | **396** | **0** |
| iv | 100 KVA | Nos. | 0 | 0 | 4 | 0 | 20 | 0 | 0 | 0 | 54 | 0 | 46 | 0 | **124** | **0** |
| v | 200 KVA | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| vi | 315 KVA | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | **4** | **0** |
| **26** | **CAPACITORS** | | | | | | | | | | | | | | | |
| i | 121 KVAR | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| ii | 242 KVAR | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| **27** | **PC CUT OUT** | | | | | | | | | | | | | | | |
| i | 63 AMP. | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| ii | 100 AMP. | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| iii | 200 AMP. | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 750 | 0 | 0 | 0 | **750** | **0** |
| iv | 300 AMP. | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| **28** | **METER NEW ELECTRONIC** | | | | | | | | | | | | | | | |
| i | 1 PHASE 5-30 Amp. | Nos. | 54456 | 0 | 15604 | 0 | 10735 | 0 | 24675 | 0 | 20907 | 0 | 51184 | 0 | **177561** | **0** |
| ii | 3 PHASE 10-40 Amp. | Nos. | 1496 | 0 | 463 | 0 | 1075 | 0 | 3277 | 0 | 878 | 0 | 532 | 0 | **7721** | **0** |
| iii | 3 PHASE 20-100 Amp. | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 42 | 0 | **42** | **0** |
| iv | Whole Current 40-200 Amp. | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 30 | 0 | 0 | 0 | 56 | 0 | **86** | **0** |

## STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.12.2020

| No. | NAME OF MATERIALS | UNIT | INDORE | | BARWAHA | | DHAR | | UJJAIN | | RATLAM | | MANDSAUR | | TOTAL | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T |
| v | LT C.T. Meter 100/5 Amp. | Nos. | 2158 | 0 | 0 | 0 | 0 | 0 | 2337 | 0 | 0 | 0 | 128 | 0 | **4623** | **0** |
| vi | HT Meter - 110 V | Nos. | 160 | 0 | 0 | 0 | 0 | 0 | 301 | 0 | 0 | 0 | 0 | 0 | **461** | **0** |
| vii | HT Meter - 110 V S/S. | Nos. | 65 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **65** | **0** |
| **29** | **MAIN SWITHCES** | | | | | | | | | | | | | | | |
| i | 32 AMP. | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 693 | 0 | **693** | **0** |
| ii | 63 AMP. | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| iii | 100 AMP. | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 22 | 0 | 0 | 0 | 0 | 0 | **22** | **0** |
| iv | 200 AMP. | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 287 | 0 | 0 | 0 | 0 | 0 | **287** | **0** |
| v | 320 AMP. | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 16 | 0 | 0 | 0 | 0 | 0 | **16** | **0** |
| vi | 400 AMP. | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| **30** | **G.I. PINS** | | | | | | | | | | | | | | | |
| i | 11 KV | Nos. | 0 | 0 | 0 | 0 | 1958 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **1958** | **0** |
| ii | 33 KV | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| **31** | **G.I.CONDUIT PIPE** | | | | | | | | | | | | | | | |
| i | 20 MM | Mtr. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| ii | 40 MM | Mtr. | 22064 | 0 | 21658 | 0 | 4714 | 0 | 15277 | 0 | 17229 | 0 | 24166 | 0 | **105108** | **0** |
| **33** | **ISOLATORS** | | | | | | | | | | | | | | | |
| i | 11 KV | Nos. | 24 | 0 | 21 | 0 | 99 | 0 | 0 | 0 | 0 | 0 | 100 | 0 | **244** | **0** |
| ii | 33 KV | Nos. | 0 | 0 | 34 | 0 | 95 | 0 | 18 | 0 | 37 | 0 | 13 | 0 | **197** | **0** |
| **34** | **PCC POLES** | | | | | | | | | | | | | | | |
| i | 140 KG | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| ii | 280 KG | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| iii | 350 KG | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| **35** | **BATTERY & CHARGER** | | | | | | | | | | | | | | | |
| i | Battery Set | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 | 0 | 0 | 0 | 0 | **0** | **8** |
| ii | Battery Charger | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| **36** | **OIL X-MER** | | | | | | | | | | | | | | | |
| i | Fresh Oil | KL | 35.176 | 0.000 | 48.000 | 0.000 | 34.276 | 0.000 | 48.067 | 0.000 | 28.514 | 0.000 | 39.688 | 0.000 | **233.721** | **0.000** |
| ii | Reclaimed Oil | KL | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | **0.000** | **0.000** |
| iii | Burnt Oil | KL | 0.000 | 0.000 | 100.000 | 0.000 | 20.000 | 0.000 | 8.327 | 0.000 | 7.000 | 0.000 | 25.000 | 0.000 | **160.327** | **0.000** |
| **37** | **Male Female Contact suitable for** | | | | | | | | | | | | | | | |
| i | 11 KV A.B.Switch | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| ii | 33 KV A.B.Switch | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| **38** | **ALU. LUGS** | | | | | | | | | | | | | | | |
| i | 16 Sq.mm | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| ii | 25 Sq.mm | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |

## STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.12.2020

| No. | NAME OF MATERIALS | UNIT | INDORE | | BARWAHA | | DHAR | | UJJAIN | | RATLAM | | MANDSAUR | | TOTAL | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T |
| iii | 35 Sq.mm | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| iv | 70 Sq.mm | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| v | 150 Sq.mm | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| vi | 300 Sq.mm | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| **39 (a)** | **DPC Aluminium Round Wire** | | | | | | | | | | | | | | | |
| i | 0.79 mm | Kg. | 9000.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | **9000.0** | **0.00** |
| i | 0.81 mm | Kg. | 1740.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 1.09 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | **1741.09** | **0.00** |
| ii | 1.03 mm | Kg. | 14040.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | **14040.00** | **0.00** |
| iii | 1.25 mm | Kg. | 2.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | **2.00** | **0.00** |
| iv | 1.33 mm | Kg. | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | **0.00** | **0.00** |
| v | 1.60 mm | Kg. | 1011.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 282.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | **1293.00** | **0.00** |
| vi | 1.70 mm | Kg. | 18540.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 4.87 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | **18544.87** | **0.00** |
| vii | 2.00 mm | Kg. | 6000.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | **6000.00** | **0.00** |
| viii | 2.20 mm | Kg. | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | **0.00** | **0.00** |
| **39 (b)** | **DPC Aluminium Rectangular Wire** | | | | | | | | | | | | | | | |
| i | 11 X 4 mm | Kg. | 1548.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | **1548.00** | **0.00** |
| ii | 11 X 5.5 mm | Kg. | 2390.75 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | **2390.75** | **0.00** |
| iii | 7.2 X 5.5 mm | Kg. | 1000.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | **1000.00** | **0.00** |
| iv | 7.25 X 3.13 mm | Kg. | 8560.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | **8560.00** | **0.00** |
| v | 10.6 x 4.6 mm | Kg. | 4000.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | **4000.00** | **0.00** |
| **40 (a)** | **DPC Copper Round Wire** | | | | | | | | | | | | | | | |
| i | 1.95 mm dia | Kg. | 2000.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | **2000.00** | **0.00** |
| **40 (b)** | **DPC Copper Rectangular Wire** | | | | | | | | | | | | | | | |
| i | 8.4 X 3.7 mm | Kg. | 2000.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | **2000.00** | **0.00** |
| **41** | **HV / LV Brass Stud for Dist.X-mer** | | | | | | | | | | | | | | | |
| i | LV 20 MM | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| ii | HV | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| **42** | **TPC Copper Strips** | Kg. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| **43** | **Press Board** | | | | | | | | | | | | | | | |
| i | 1 MM | Kg. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| ii | 2 MM | Kg. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| iii | 3 MM | Kg. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| **44** | **Kraft Paper** | Kg. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| **45** | **Gasket Sheet** | | | | | | | | | | | | | | | |
| i | 5 MM | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |

## STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.12.2020

| No. | NAME OF MATERIALS | UNIT | INDORE | | BARWAHA | | DHAR | | UJJAIN | | RATLAM | | MANDSAUR | | TOTAL | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T |
| ii | 6 MM | Kg. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| iii | 9 MM | Kg. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| **46** | **HRC Fuse Base & Link -** | | **0** | | | | | | | | | | | | | |
| i | Base - 250 Amp. | No. | 0 | 0 | 0 | 0 | 0 | 0 | 500 | 0 | 0 | 0 | 0 | 0 | **500** | **0** |
| ii | Base - 300 Amp. | No. | 0 | 0 | 0 | 0 | 0 | 0 | 250 | 0 | 0 | 0 | 0 | 0 | **250** | **0** |
| iii | Base - 400 Amp. | No. | 0 | 0 | 0 | 0 | 0 | 0 | 250 | 0 | 0 | 0 | 0 | 0 | **250** | **0** |
| iv | Link - 250 Amp./200 Amp | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| v | Link - 300 Amp. | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| vi | Link - 400 Amp. | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| **47** | **LT Pole Fuse Unit & Robust Fuse Unit** | | | | | | | | | | | | | | | |
| i | LT Pole Fuse Unit | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| ii | Robust Fuse Unit | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| **48** | **Pole Mounted Service connection Box** | | | | | | | | | | | | | | | |
| i | Single Phase | No. | 8584 | 0 | 27762 | 0 | 15473 | 0 | 13603 | 0 | 15548 | 0 | 10913 | 0 | **91883** | **0** |
| ii | Three Phase | No. | 0 | 0 | 3012 | 0 | 4010 | 0 | 1815 | 0 | 4416 | 0 | 4128 | 0 | **17381** | **0** |
| **49** | **MCB** | | | | | | | | | | | | | | | |
| i | Single Pole 16 Amp. | No. | 1783 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **1783** | **0** |
| ii | Three Pole 32 Amp. | No. | 3953 | 0 | 0 | 0 | 0 | 0 | 241 | 0 | 0 | 0 | 0 | 0 | **4194** | **0** |
| **50** | **Poly Corbonate Meter Box** | | | | | | | | | | | | | | | |
| i | Single Phase | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2124 | 0 | 0 | 0 | **2124** | **0** |
| ii | Three Phase | No. | 1195 | 0 | 0 | 0 | 0 | 0 | 2143 | 0 | 0 | 0 | 0 | 0 | **3338** | **0** |
| **51** | **Barbed Wire** | Kg. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| **52** | **Safety Appliances** | | | | | | | | | | | | | | | |
| i | Cutting Plier | No. | 750 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **750** | **0** |
| ii | Lineman Tool Bag | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| iii | Safety Jhoola Belt | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| iv | Screw Driver | No. | 250 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **250** | **0** |
| **53** | **Hand Gloves** | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| **54** | **Rubber Ankle Shoes** | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| **55** | **Liveries Terrycot & Woolen-** | | | | | | | | | | | | | | | |
| i | Khaki Terrycot | Mtr. | 2656.13 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | **2656.13** | **0.00** |
| ii | White Terrycot | Mtr. | 117.86 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 155.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | **272.86** | **0.00** |
| iii | Blue Woolen | Mtr. | 51.50 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 20.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | **71.50** | **0.00** |
| iv | Khaki Woolen | Mtr. | 1695.50 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 386.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | **2081.50** | **0.00** |
| v | Khaki Cellular | Mtr. | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 5147.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | **5147.00** | **0.00** |
| **56** | **Scrap Conductor** | Kg. | 40340 | 0 | 312 | 0 | 4090 | 0 | 103893 | 0 | 6160 | 0 | 5834 | 0 | **160629** | **0** |

## STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.12.2020

| No. | NAME OF MATERIALS | UNIT | INDORE | | BARWAHA | | DHAR | | UJJAIN | | RATLAM | | MANDSAUR | | TOTAL | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T |
| **57** | **Earthing Coil** | No. | 41328 | 0 | 35709 | 0 | 28520 | 0 | 6914 | 0 | 17631 | 0 | 30711 | 0 | **160813** | **0** |
| **58** | **Search Light 200/250 W** | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| **59** | **MS Nut & Bolt** | | | | | | | | | | | | | | | |
| i | M.S.Nut Bolt 16 X 250 | Kg. | 3600 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **3600** | **0** |
| ii | M.S.Nut Bolt 16 X 200 | Kg. | 1050 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **1050** | **0** |
| iii | M.S.Nut Bolt 16 X 160 | Kg. | 44262 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **44262** | **0** |
| iv | M.S.Nut Bolt 16 X 140 | Kg. | 40200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **40200** | **0** |
| v | M.S.Nut Bolt 16 X 90 | Kg. | 7300 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **7300** | **0** |
| vi | M.S.Nut Bolt 16 X 75 | Kg. | 14300 | | 0 | 0 | 0 | 0 | 4950 | 0 | 0 | 0 | 0 | 0 | **19250** | **0** |
| vii | M.S.Nut Bolt 16 X 65 | Kg. | 7103 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **7103** | **0** |
| viii | M.S.Nut Bolt 16 X 40 | Kg. | 9700 | | 0 | 0 | 0 | 0 | 350 | 0 | 0 | 0 | 0 | 0 | **10050** | **0** |
| ix | M.S.Nut Bolt 12 X 300 | Kg. | 4900 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **4900** | **0** |
| x | M.S.Nut Bolt 12 X 140 | Kg. | 0 | 0 | 0 | 0 | 0 | 0 | 10800 | 0 | 0 | 0 | 0 | 0 | **10800** | **0** |
| xi | M.S.Nut Bolt 12 X 100 | Kg. | 3450 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **3450** | **0** |
| xii | M.S.Nut Bolt 12 X 65 | Kg. | 850 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **850** | **0** |
| **60** | **Clamp & Connector** | | | | | | | | | | | | | | | |
| i | Suspenstion Clamp Ass.for LT Cable 25-50 | Nos. | 43727 | 0 | 996 | 0 | 0 | 0 | 35058 | 0 | 0 | 0 | 0 | 0 | **79781** | **0** |
| ii | Clamp. For Neutral Connection 1.5-10 MM. | Nos. | 45017 | 0 | 0 | 0 | 0 | 0 | 52390 | 0 | 0 | 0 | 0 | 0 | **97407** | **0** |
| iii | Dead End Clamp Ass. For 25-50 Sq.mm. | Nos. | 56125 | 0 | 3701 | 0 | 0 | 0 | 46469 | 0 | 0 | 0 | 0 | 0 | **106295** | **0** |
| iv | Insulation Piercing Connector 1.5-10 MM-I | Nos. | 0 | 0 | 8438 | 0 | 0 | 0 | 86706 | 0 | 0 | 0 | 0 | 0 | **95144** | **0** |
| v | Insulation Piercing Connector 1.5-10 MM-II | Nos. | 0 | 0 | 12685 | 0 | 0 | 0 | 52150 | 0 | 0 | 0 | 0 | 0 | **64835** | **0** |
| vi | T-Clamp for Dog | Nos. | 0 | 0 | 1988 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **1988** | **0** |
| **61** | **11 KV RVT** | | | | | | | | | | | | | | | |
| i | (RVT) OUTDOOR TYPE | Nos. | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **17** | **0** |
| **62** | **11 KV CAPACITOR SWITCH** | | | | | | | | | | | | | | | |
| i | 11 KV Outdoor Automatic Capacitor switch | Nos. | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **14** | **0** |
| **63** | **LT CT Meter Box** | | | | | | | | | | | | | | | |
| i | LT CT Meter Box | Nos. | 1789 | 0 | 0 | 0 | 0 | 242 | 2161 | 0 | 472 | 0 | 0 | 0 | **4422** | **242** |
| **64** | **HT Meter Box** | | | | | | | | | | | | | | | |
| i | HT Meter Box | Nos. | 114 | 0 | 96 | 0 | 0 | 0 | 54 | 0 | 0 | 0 | 0 | 0 | **264** | **0** |

## STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.12.2020

| No. | NAME OF MATERIALS | UNIT | INDORE | | BARWAHA | | DHAR | | UJJAIN | | RATLAM | | MANDSAUR | | TOTAL | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T | Clear | U/T |
| **65** | **BI-METALLIC CLAMPS** | | | | | | | | | | | | | | | |
| i | LV | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| ii | HV | No. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |
| **66** | **BPL Service Connection Kit** | Nos. | 0 | 0 | 0 | 0 | 2927 | 0 | 4726 | 0 | 3550 | 0 | 0 | 0 | **11203** | **0** |
| **67** | **Electronic Relay** | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | **0** | **0** |