

M.P.K.V.V.CO.LTD., INDORE
STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.4.2021

[illegible]

[illegible]

STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.4.2021

No.	NAME OF MATERIALS	UNIT	INDORE		BARWAHA		DHAR		UJJAIN		RATLAM		MANDSAUR		TOTAL	
			Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
7	CONDUCTOR															
i	AAAC-02 SQUIRREL	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ii	AAAC-03 WEASEL	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
iii	AAAC-05 RABBIT	KM	1307.555	0.000	0.000	0.000	616.894	0.000	324.376	0.000	907.664	0.000	560.083	0.000	3716.572	0.000
iv	AAAC-075 RACCON	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
v	AAAC-DOG	KM	15.946	0.000	0.000	0.000	39.600	0.000	113.997	0.000	87.499	0.000	6.602	0.000	263.644	0.000
vi	AAAC Panther conductor 0.20 sq. inch	KM	2.598	0.000	8.546	0.000	5.744	0.000	24.441	0.000	19.711	0.000	0.000	0.000	61.040	0.000
8	LIGHTING ARRESTERS															
i	11 KV(Polymer) 5 KA -Line type	Nos.	0	0	5998	0	4654	0	5201	0	11433	0	18878	0	46164	0
ii	11 KV 5 KA - Line type	Nos.	22854	0	0	0	0	0	0	0	0	0	0	0	22854	0
iii	33 KV 10 KA - Line type	Nos.	1655	0	0	0	18	0	2320	0	0	0	77	0	4070	0
iv	11 KV 10 KA - Station type	Nos.	0	0	118	0	0	0	0	0	0	0	0	0	118	0
9	VCB															
i	11 KV	Nos.	23	0	0	0	0	0	0	0	0	0	0	0	23	0
ii	33 KV 30V	Nos.	0	0	0	0	0	0	0	0	11	0	9	0	20	0
10	STAY SET															
i	16 MM/Painted	Nos.	48073	0	26927	0	31110	0	27781	0	36986	0	23880	0	194757	0
ii	20 MM	Nos.	62	0	0	0	476	0	0	0	916	0	72	0	1526	0
11	C.Ts															
i	11 KV CT 200-100/5-5 A	Nos.	0	96	0	0	0	0	0	185	0	0	0	0	0	281
ii	11 KV CT 300-150/5-5 A	Nos.	0	87	0	0	0	0	0	219	0	0	0	0	0	306
iii	11 KV CT 400-200/5-5 A	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iv	11 KV CT 600-300/5-5 A	Nos.	0	13	0	0	0	0	0	0	0	0	0	0	0	13
v	11 KV CT 600-300/5-5-1 A	Nos.	41	36	0	0	0	0	0	0	0	0	0	0	41	36
vi	33 KV CT 200-100/5-5 A	Nos.	0	71	0	0	0	0	0	0	0	0	0	0	0	71
vii	33 KV CT 300-150/5-5 A	Nos.	0	26	0	0	0	0	0	0	0	0	0	0	0	26
viii	33 KV CT 400-200/5-5 AMP	Nos.	0	12	0	0	0	0	0	0	0	0	0	0	0	12
ix	33 KV CT 200-100/5-5-1 A	Nos.	0	7	0	0	0	0	0	0	0	0	0	0	0	7
x	132 KV CT 50/1	Nos.	1	0	0	0	0	0	0	0	0	0	0	0	1	0
xi	132 KV CT 100/1	Nos.	12	0	0	0	0	0	0	0	2	0	0	0	14	0
xii	132 KV CT 200/1	Nos.	6	0	0	0	0	0	0	0	5	0	0	0	11	0
12	P.Ts															
i	11 KV PT	Nos.	235	0	0	0	0	0	0	0	0	0	0	0	235	0
ii	33 KV PT	Nos.	575	0	0	0	0	0	0	0	0	0	0	0	575	0
iii	132 KV PT	Nos.	5	0	0	0	0	0	0	0	6	0	0	0	11	0
13	LT / CT															
i	100/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.4.2021

[illegible]

[illegible]

STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.4.2021

No.	NAME OF MATERIALS	UNIT	INDORE		BARWAHA		DHAR		UJJAIN		RATLAM		MANDSAUR		TOTAL	
			Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
iv	33 KV H/W (Panther)	Nos.	785	0	0	0	0	0	0	0	0	0	0	0	785	0
22	INSULATORS															
i	SHACKLE 90 X 75	Nos.	7075	0	0	0	0	0	0	0	0	0	0	0	7075	0
ii	SHACKLE 65 X 50	Nos.	30738	0	0	0	0	0	0	0	0	0	0	0	30738	0
iii	STAY INSULATOR 90X65	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
vii	11 KV Polymer Pin Insulator	Nos.	82965	0	28622	0	23357	0	15461	0	22729	0	27206	0	200340	0
viii	33 KV Polymer Pin Insulator	Nos.	1232	0	57	2509	0	0	2689	0	26	0	2098	0	6102	2509
ix	11 KV Polymer Disc Insulator	Nos.	15833	0	2252	0	5278	0	0	0	20417	0	18021	0	61801	0
x	33 KV Polymer Disc Insulator	Nos.	568	0	500	0	495	0	1586	0	302	0	0	0	3451	0
23	DO SETS															
i	11 KV	Nos.	16136	0	9500	0	3756	0	7844	0	18112	0	10579	0	65927	0
ii	33 KV	Nos.	195	0	0	0	120	0	112	0	165	0	165	0	757	0
24	AB SWITHCES															
i	33 KV	Nos.	50	0	74	0	0	0	66	0	5	0	0	0	195	0
ii	11 KV 1 PHASE	Nos.	404	0	145	0	100	0	0	0	0	0	0	0	649	0
iii	11 KV 3 PHASE	Nos.	49	0	0	0	48	0	0	0	7	0	35	0	139	0
25	DIST. BOXES															
i	16 KVA	Nos.	365	0	0	0	0	0	363	0	157	0	23	0	908	0
ii	25 KVA	Nos.	0	0	0	0	0	0	0	0	312	0	372	0	684	0
iii	63 KVA	Nos.	8	0	0	0	0	0	2	0	109	0	46	0	165	0
iv	100 KVA	Nos.	0	0	0	0	0	0	0	0	0	0	2	0	2	0
v	200 KVA	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
vi	315 KVA	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
26	CAPACITORS															
i	121 KVAR	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	242 KVAR	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
27	PC CUT OUT															
i	63 AMP.	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	100 AMP.	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	200 AMP.	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iv	300 AMP.	Nos.	0	0	0	0	0	0	317	0	0	0	0	0	317	0
28	METER NEW ELECTRONIC															
i	1 PHASE 5-30 Amp.	Nos.	4544	0	5678	0	1464	0	366	0	12122	0	46684	0	70858	0
	1 PHASE 5-30 Amp. SMART Meter	Nos.	35	1500	0	0	0	0	0	0	0	0	0	0	35	1500
ii	3 PHASE 10-40 Amp.	Nos.	100	0	119	0	153	0	771	0	65	0	277	0	1485	0
iii	3 PHASE 20-100 Amp.	Nos.	0	0	0	0	0	0	0	0	0	0	22	0	22	0

STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.4.2021

[illegible]

STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.4.2021

No.	NAME OF MATERIALS	UNIT	INDORE		BARWAHA		DHAR		UJJAIN		RATLAM		MANDSAUR		TOTAL	
			Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
iii	35 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iv	70 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
v	150 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
vi	300 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
39 (a)	DPC Aluminium Round Wire															
i	0.79 mm	Kg.	5040.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5040.0	0.00
i	0.81 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ii	1.03 mm	Kg.	1723.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1723.00	0.00
iii	1.25 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
iv	1.33 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
v	1.60 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
vi	1.70 mm	Kg.	1067.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1067.00	0.00
vii	2.00 mm	Kg.	2000.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2000.00	0.00
viii	2.20 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
39 (b)	DPC Aluminium Rectangular Wire															
i	11 X 4 mm	Kg.	174.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	174.00	0.00
ii	11 X 5.5 mm	Kg.	225.75	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	225.75	0.00
iii	7.2 X 5.5 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
iv	7.25 X 3.13 mm	Kg.	3573.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3573.00	0.00
v	10.6 x 4.6 mm	Kg.	375.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	375.00	0.00
40 (a)	DPC Copper Round Wire															
i	1.95 mm dia	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
40 (b)	DPC Copper Rectangular Wire															
i	8.4 X 3.7 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
41	HV / LV Brass Stud for Dist.X-mer															
i	LV 20 MM	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	HV	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
42	TPC Copper Strips	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
43	Press Board															
i	1 MM	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	2 MM	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	3 MM	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
44	Kraft Paper	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
45	Gasket Sheet															
i	5 MM	No.	100	0	0	0	0	0	0	0	0	0	0	0	100	0

STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.4.2021

No.	NAME OF MATERIALS	UNIT	INDORE		BARWAHA		DHAR		UJJAIN		RATLAM		MANDSAUR		TOTAL	
			Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
ii	6 MM	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	9 MM	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
46	HRC Fuse Base & Link -		0													
i	Base - 250 Amp.	No.	0	0	0	0	0	0	344	0	0	0	0	0	344	0
ii	Base - 300 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	Base - 400 Amp.	No.	0	0	0	0	0	0	70	0	0	0	0	0	70	0
iv	Link - 250 Amp./200 Amp	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
v	Link - 300 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
vi	Link - 400 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
47	LT Pole Fuse Unit & Robust Fuse Unit															
i	LT Pole Fuse Unit	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	Robust Fuse Unit	No.	800	0	0	0	0	0	0	0	0	0	0	0	800	0
48	Pole Mounted Service connection Box															
i	Single Phase	No.	8284	0	27762	0	15436	0	13403	0	15548	0	9048	0	89481	0
ii	Three Phase	No.	0	0	3012	0	3870	0	1815	0	4416	0	2418	0	15531	0
49	MCB															
i	Single Pole 16 Amp.	No.	1783	0	0	0	0	0	0	0	0	0	0	0	1783	0
ii	Three Pole 32 Amp.	No.	3953	0	0	0	0	0	241	0	0	0	0	0	4194	0
50	Poly Corbonate Meter Box															
i	Single Phase	No.	0	0	0	0	0	0	0	0	1824	0	0	0	1824	0
ii	Three Phase	No.	1195	0	0	0	0	0	1943	0	0	0	0	0	3138	0
51	Barbed Wire	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
52	Safety Appliances															
i	Cutting Plier	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	Lineman Tool Bag	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	Safety Jhoola Belt	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iv	Screw Driver	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
53	Hand Gloves	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
54	Rubber Ankle Shoes	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
55	Liveries Terrycot & Woolen-															
i	Khaki Terrycot	Mtr.	2643.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2643.13	0.00
ii	White Terrycot	Mtr.	72.36	0.00	0.00	0.00	0.00	0.00	143.00	0.00	0.00	0.00	0.00	0.00	215.36	0.00
iii	Blue Woolen	Mtr.	39.50	0.00	0.00	0.00	0.00	0.00	20.00	0.00	0.00	0.00	0.00	0.00	59.50	0.00
iv	Khaki Woolen	Mtr.	1692.50	0.00	0.00	0.00	0.00	0.00	372.00	0.00	0.00	0.00	0.00	0.00	2064.50	0.00
v	Khaki Cellular	Mtr.	0.00	0.00	0.00	0.00	0.00	0.00	4987.00	0.00	0.00	0.00	0.00	0.00	4987.00	0.00
56	Scrap Conductor	Kg.	20686	0	1391	0	1000	0	54623	0	3545	0	5300	0	86545	0

STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.4.2021

No.	NAME OF MATERIALS	UNIT	INDORE		BARWAHA		DHAR		UJJAIN		RATLAM		MANDSAUR		TOTAL	
			Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
57	Earthing Coil	No.	41328	0	34609	0	25780	0	5414	0	16356	0	24381	0	147868	0
58	Search Light 200/250 W	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
59	MS Nut & Bolt															
i	M.S.Nut Bolt 16 X 250	Kg.	1450		0	0	0	0	0	0	0	0	0	0	1450	0
ii	M.S.Nut Bolt 16 X 200	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	M.S.Nut Bolt 16 X 160	Kg.	38112	0	0	0	0	0	0	0	0	0	0	0	38112	0
iv	M.S.Nut Bolt 16 X 140	Kg.	33500	0	0	0	0	0	0	0	0	0	0	0	33500	0
v	M.S.Nut Bolt 16 X 90	Kg.	5200	0	0	0	0	0	0	0	0	0	0	0	5200	0
vi	M.S.Nut Bolt 16 X 75	Kg.	14250	0	0	0	0	0	4950	0	0	0	0	0	19200	0
vii	M.S.Nut Bolt 16 X 65	Kg.	5353	0	0	0	0	0	0	0	0	0	0	0	5353	0
viii	M.S.Nut Bolt 16 X 40	Kg.	9700	0	0	0	0	0	350	0	0	0	0	0	10050	0
ix	M.S.Nut Bolt 12 X 300	Kg.	4900	0	0	0	0	0	0	0	0	0	0	0	4900	0
x	M.S.Nut Bolt 12 X 140	Kg.	0	0	0	0	0	0	10800	0	0	0	0	0	10800	0
xi	M.S.Nut Bolt 12 X 100	Kg.	3050	0	0	0	0	0	0	0	0	0	0	0	3050	0
xii	M.S.Nut Bolt 12 X 65	Kg.	850	0	0	0	0	0	0	0	0	0	0	0	850	0
60	Clamp & Connector															
i	Suspension Clamp Ass.for LT Cable 25-50	Nos.	43577	0	996	0	0	0	34840	0	0	0	0	0	79413	0
ii	Clamp. For Neutral Connection 1.5-10 MM.	Nos.	45017	0	0	0	0	0	52190	0	0	0	0	0	97207	0
iii	Dead End Clamp Ass. For 25-50 Sq.mm.	Nos.	55625	0	3701	0	0	0	46469	0	0	0	0	0	105795	0
iv	Insulation Piercing Connector 1.5-10 MM-I	Nos.	0	0	8438	0	0	0	86706	0	0	0	0	0	95144	0
v	Insulation Piercing Connector 1.5-10 MM-II	Nos.	0	0	12685	0	0	0	52150	0	0	0	0	0	64835	0
vi	T-Clamp for Dog	Nos.	0	0	1988	0	0	0	1680	0	0	0	0	0	3668	0
61	11 KV RVT															
i	(RVT) OUTDOOR TYPE	Nos.	16	0	0	0	0	0	0	0	0	0	0	0	16	0
62	11 KV CAPACITOR SWITCH															
i	11 KV Outdoor Automatic Capacitor switch	Nos.	14	0	0	0	0	0	0	0	0	0	0	0	14	0
63	LT CT Meter Box															
i	LT CT Meter Box	Nos.	1756	0	0	0	0	242	2153	0	459	0	0	0	4368	242
64	HT Meter Box															
i	HT Meter Box	Nos.	0	0	86	0	0	0	40	0	0	0	0	0	126	0

STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.4.2021

No.	NAME OF MATERIALS	UNIT	INDORE		BARWAHA		DHAR		UJJAIN		RATLAM		MANDSAUR		TOTAL	
			Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
65	BI-METALLIC CLAMPS															
i	LV	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	HV	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
66	BPL Service Connection Kit	Nos.	0	0	0	0	2527	0	4726	0	3550	0	0	0	10803	0
67	Electronic Relay	Nos.	0	210	0	0	0	0	0	210	0	0	0	0	0	420