

## Navigation:

```
driver.get("{website_url}")
```

## Locators (to locate the web element):

- ID = "id"
- XPATH = "xpath"
- LINK\_TEXT = "link text"
- PARTIAL\_LINK\_TEXT = "partial link text"
- NAME = "name"
- TAG\_NAME = "tag name"
- CLASS\_NAME = "class name"
- CSS\_SELECTOR = "css selector"

## Common Actions:

- .send\_keys() = to enter input value in a blank
- .click() = to give click command
- .clear() = to clear the input field
- .text = to copy the text

# CSS Selector Locator

FROM	SYNTAX
Class, Attribute & Value	tagname.classvalue[attribute = 'value']
Attribute & Value	tagname[attribute = 'value']
ID	tagname#IDvalue
Class	tagname.classvalue

Note: Tagname is optional

# XPATH Locator 1

FROM	SYNTAX
Attribute & Value	<code>//tagname[@attribute = 'value']</code>
2 Attributes & Values	<code>//tagname[@attribute1 = 'value1' and/or @attribute2 = 'value2']</code>
Text	<code>//tagname[text() = 'type text here']</code>
Starts with	<code>//tagname[starts-with(@attribute, 'starting values')]</code>
contains	<code>//tagname[contains(@attribute, 'value')]</code>
Starts with and contains	<code>//tagname[starts-with(@attribute1, 'starting values') and/or contains(@attribute2, 'value')]</code>
Partial Text	<code>//tagname[contains/starts-with(text(), 'partial text here')]</code>

Use \* if don't want to use specific tagname or attribute.

## XPATH Locator 2

FROM	SYNTAX
Parents to any child or grandchild	<code>//tagname[@attribute = 'value']//tagname[@attribute = 'value']</code>
Parents to specific no. of child or grandchild	<code>(//tagname[@attribute = 'value']//tagname)[<b>number</b>]</code>
Parents to last child or grandchild	<code>(//tagname[@attribute = 'value']//tagname)[<b>last()</b>]</code>
Parents to 3rd last child or grandchild	<code>(//tagname[@attribute = 'value']//tagname)[<b>last()-2</b>]</code>
Child to any ancestor	<code>//tagname[@attribute = 'value']/<b>ancestor</b>::tagname[@attribute = 'value']</code>
Parent to first n number of child	<code>(//tagname[@attribute = 'value']//tagname)[<b>position() &gt;, &lt;, = number</b>]</code>

/ means absolute, // means relative.