File Edit View Git Project Tools Extensions Window Help Search

Sign in

New Query

master Execute

Object Explorer

Connect

localhost (SQL Server 17.0.1000.7 - LAPTOP-FB1K8V9A\HP

- Databases
  - System Databases
  - Database Snapshots
  - Insurancedb
  - Loan
  - PROD
  - Tableau Project 1
  - test_env
- Security
- Server Objects
- Replication
- Always On High Availability
- Management
- SQL Server Agent (Agent XPs disabled)
- XEvent Profiler

SQLQuery1.s...V9A\HP (71))*

```
1  create database [Tableau Project 1]
```

130 % No issues found Ln: 1, Ch: 36 (35 chars, 1 lines) TABS CRLF UTF-8

Messages

```
Commands completed successfully.

Completion time: 2026-05-09T17:08:27.8573633+05:30
```

130 % No issues found Ln: 4, Ch: 1 TABS MIXED UTF-8 with BOM

Query executed successfully. localhost (17.0 RTM) LAPTOP-FB1K8V9A\HP (71) master 00:00:00 Row: 0, Col: 0 0 rows

Ready Select Repository

40°C Partly sunny Search ENG IN 17:11 09-05-2026

File Edit View Query Git Project Tools Extensions Window Help Search

Sign in

New Query

Tableau Project 1 Execute

Object Explorer

Connect

localhost (SQL Server 17.0.1000.7 - LAPTOP-FB1K8V9A\HP

- Databases
  - System Databases
  - Database Snapshots
  - Insurancedb
  - Loan
  - PROD
  - Tableau Project 1
  - test_env
- Security
- Server Objects
- Replication
- Always On High Availability
- Management
- SQL Server Agent (Agent XPs disabled)
- XEvent Profiler

SQLQuery1....9A\HP (71))*

```sql
create database [Tableau Project 1]
use [Tableau Project 1]
```

130 % No issues found Ln: 2, Ch: 24 TABS CRLF UTF-8

Messages

```
Commands completed successfully.

Completion time: 2026-05-09T17:12:06.2631837+05:30
```

130 % No issues found Ln: 4, Ch: 1 TABS MIXED UTF-8 with BOM

Query executed successfully. localhost (17.0 RTM) LAPTOP-FB1K8V9A\HP (71) Tableau Project 1 00:00:00 Row: 0, Col: 0 0 rows

Ready Select Repository

40°C Partly sunny Search ENG IN 17:12 09-05-2026

File Edit View Query Git Project Tools Extensions Window Help Search

Sign in

New Query

Tableau Project 1 | Execute

Object Explorer

Connect

localhost (SQL Server 17.0.1000.7 - LAPTOP-FB1K8V9A\HP

Databases

System Databases

Database Snapshots

Insurancedb

Loan

PROD

Tableau Project 1

test_e

Security

Server Ob

Replicati

Always O

Manager

SQL Serv

XEvent P

SQLQuery1.s...V9A\HP (71))*

```
1  create database [Tableau Project 1]
2  use [Tableau Project 1]
3
```

Ln: 3, Ch: 1 | TABS | CRLF | UTF-8

+05:30

Ln: 4, Ch: 1 | TABS | MIXED | UTF-8 with BOM

localhost (17.0 RTM) | LAPTOP-FB1K8V9A\HP (71) | Tableau Project 1 | 00:00:00 | Row: 0, Col: 0 | 0 rows

- New Database...
- New Query
- Script Database as
- Tasks
- Policies
- Facets
- Start PowerShell
- Azure SQL Managed Instance link
- Reports
- Rename
- Delete
- Refresh
- Properties

- Detach...
- Take Offline
- Bring Online
- Always Encrypted Wizard...
- Data Discovery and Classification
- Shrink
- Back Up...
- Restore
- Mirror...
- Launch Database Mirroring Monitor...
- Ship Transaction Logs...
- Generate Scripts...
- Generate In-Memory OLTP Migration Checklists
- Extract Data-tier Application...
- Deploy Database to Microsoft Azure SQL Database...
- Export Data-tier Application...
- Register as Data-tier Application...
- Upgrade Data-tier Application...
- Delete Data-tier Application...
- Import Flat File...
- Import Data...
- Export Data...
- Copy Database...
- Manage Database Encryption...
- Database Upgrade

Ready

Select Repository

Thunderstorm w...
In effect

Search

ENG
IN

17:14
09-05-2026

File Edit View Query Git Project Tools Extensions Window Help Search

Sign in

New Query

Tableau Project 1 | Execute

Object Explorer

Connect

- localhost (SQL Server 17.0.1000.7 - LAPTOP-FB1K8V9A\HP
  - Databases
    - System Databases
    - Database Snapshots
    - Insurancedb
    - Loan
    - PROD
    - Tableau Project 1
      - Database Diagrams
      - Tables
        - System Tables
        - FileTables
        - External Tables
        - Graph Tables
        - dbo.Depression+Student+Dataset
        - Dropped Ledger Tables
      - Views
      - External Resources
      - Synonyms
      - Programmability
      - Query Store
      - Service Broker
      - Storage
      - Security
    - test_env
  - Security
  - Server Objects
  - Replication
  - Always On High Availability
  - Management
  - SQL Server Agent (Agent XPs disabled)
  - XEvent Profiler

SQLQuery1....9A\HP (71))*

```sql
create database [Tableau Project 1]
use [Tableau Project 1]
select * from [dbo].[Depression+Student+Dataset]
```

130 % 1 0 Ln: 3, Ch: 49 (48 chars, 1 lines) TABS CRLF UTF-8

Results | Messages

	Gender	Age	Academic_Pressure	Study_Satisfaction	Sleep_Duration	Dietary_Habits	Have_you_ever_had_suicidal_thoughts	Study_Hours	Financial_Stress	Family_History_of_Mental_Illness	Depression
1	Male	28	2	4	7-8 hours	Moderate	1	9	2	1	0
2	Male	28	4	5	5-6 hours	Healthy	1	7	1	1	0
3	Male	25	1	3	5-6 hours	Unhealthy	1	10	4	0	1
4	Male	23	1	4	More than 8 hours	Unhealthy	1	7	2	1	0
5	Female	31	1	5	More than 8 hours	Healthy	1	4	2	1	0
6	Male	19	4	4	5-6 hours	Unhealthy	1	1	4	1	1
7	Female	34	4	2	More than 8 hours	Moderate	1	6	2	0	1
8	Female	20	4	1	More than 8 hours	Healthy	1	3	4	1	1
9	Female	33	1	4	More than 8 hours	Moderate	0	10	3	0	0
10	Male	33	4	3	Less than 5 hours	Unhealthy	1	10	1	0	1
11	Female	31	5	4	5-6 hours	Healthy	1	6	4	0	1
12	Male	24	2	1	7-8 hours	Unhealthy	1	11	5	0	1
13	Female	23	5	5	Less than 5 hours	Unhealthy	1	2	1	1	1
14	Male	25	1	1	5-6 hours	Moderate	1	12	3	1	1
15	Male	21	5	1	More than 8 hours	Unhealthy	1	3	5	1	1
16	Male	28	5	3	5-6 hours	Healthy	1	8	3	1	1
17	Male	23	5	2	More than 8 hours	Moderate	0	10	4	0	1

Query executed successfully. | localhost (17.0 RTM) | LAPTOP-FB1K8V9A\HP (71) | Tableau Project 1 | 00:00:00 | Row: 1, Col: 1 | 502 rows

Ready

Select Repository

39°C Mostly sunny

Search

ENG IN

17:19 09-05-2026

File Edit View Query Git Project Tools Extensions Window Help Search

Sign in

New Query

Tableau Project 1 | Execute

Object Explorer

Connect

localhost (SQL Server 17.0.1000.7 - LAPTOP-FB1K8V9A\HP
- Databases
  - System Databases
  - Database Snapshots
  - Insurancedb
  - Loan
  - PROD
  - Tableau Project 1
    - Database Diagrams
    - Tables
      - System Tables
      - FileTables
      - External Tables
      - Graph Tables
      - dbo.Depression+Student+Dataset
      - Dropped Ledger Tables
    - Views
    - External Resources
    - Synonyms
    - Programmability
    - Query Store
    - Service Broker
    - Storage
    - Security
  - test_env
- Security
- Server Objects
- Replication
- Always On High Availability
- Management
- SQL Server Agent (Agent XPs disabled)
- XEvent Profiler

SQLQuery1....9A\HP (71))*

```sql
create database [Tableau Project 1]
use [Tableau Project 1]
select * from [dbo].[Depression+Student+Dataset]
select Gender,count(*) from [dbo].[Depression+Student+Dataset]
group by Gender
```

130 % 4 0 Ln: 5, Ch: 17 (80 chars, 2 lines) TABS CRLF UTF-8

Results | Messages

	Gender	(No column name)
1	Female	235
2	Male	267

Query executed successfully. localhost (17.0 RTM) LAPTOP-FB1K8V9A\HP (71) Tableau Project 1 00:00:00 Row: 1, Col: 1 2 rows

Ready Select Repository

41°C Mostly sunny Search ENG IN 18:12 09-05-2026

File Edit View Query Git Project Tools Extensions Window Help Search

Sign in

New Query

Tableau Project 1 | Execute

Object Explorer

Connect

localhost (SQL Server 17.0.1000.7 - LAPTOP-FB1K8V9A\HP
- Databases
  - System Databases
  - Database Snapshots
  - Insurancedb
  - Loan
  - PROD
  - Tableau Project 1
    - Database Diagrams
    - Tables
      - System Tables
      - FileTables
      - External Tables
      - Graph Tables
      - dbo.Depression+Student+Dataset
      - Dropped Ledger Tables
    - Views
    - External Resources
    - Synonyms
    - Programmability
    - Query Store
    - Service Broker
    - Storage
    - Security
  - test_env
- Security
- Server Objects
- Replication
- Always On High Availability
- Management
- SQL Server Agent (Agent XPs disabled)
- XEvent Profiler

SQLQuery1....9A\HP (71))*

```sql
create database [Tableau Project 1]
use [Tableau Project 1]
select * from [dbo].[Depression+Student+Dataset]
select Gender,count(*) from [dbo].[Depression+Student+Dataset]
group by Gender

update [dbo].[Depression+Student+Dataset]
set Gender = 'F' where Gender = 'Female'

update [dbo].[Depression+Student+Dataset]
set Gender = 'M' where Gender = 'Male'
```

130 % | 10 | 0 | Ln: 12, Ch: 1 | (170 chars, 5 lines) | TABS | CRLF | UTF-8

Messages | Client Statistics

```
(235 rows affected)

(267 rows affected)

Completion time: 2026-05-09T18:15:09.9797163+05:30
```

130 % | No issues found | Ln: 7, Ch: 1 | TABS | MIXED | UTF-8 with BOM

Query executed successfully. | localhost (17.0 RTM) | LAPTOP-FB1K8V9A\HP (71) | Tableau Project 1 | 00:00:00 | Row: 1, Col: 1 | 0 rows

Ready | Select Repository

41°C Mostly sunny | Search | ENG IN | 18:15 09-05-2026

File Edit View Query Git Project Tools Extensions Window Help Search

Sign in

New Query

Tableau Project 1 | Execute

Object Explorer

Connect

localhost (SQL Server 17.0.1000.7 - LAPTOP-FB1K8V9A\HP
- Databases
  - System Databases
  - Database Snapshots
  - Insurancedb
  - Loan
  - PROD
  - Tableau Project 1
    - Database Diagrams
    - Tables
      - System Tables
      - FileTables
      - External Tables
      - Graph Tables
      - dbo.Depression+Student+Dataset
      - Dropped Ledger Tables
    - Views
    - External Resources
    - Synonyms
    - Programmability
    - Query Store
    - Service Broker
    - Storage
    - Security
  - test_env
- Security
- Server Objects
- Replication
- Always On High Availability
- Management
- SQL Server Agent (Agent XPs disabled)
- XEvent Profiler

SQLQuery1....9A\HP (71))*

```sql
create database [Tableau Project 1]
use [Tableau Project 1]
select * from [dbo].[Depression+Student+Dataset]

select Gender,count(*) from [dbo].[Depression+Student+Dataset]
group by Gender

update [dbo].[Depression+Student+Dataset]
set Gender = 'F' where Gender = 'Female'

update [dbo].[Depression+Student+Dataset]
set Gender = 'M' where Gender = 'Male'
```

130 % | 10 | 0 | Ln: 7, Ch: 1 | (82 chars, 2 lines) | TABS | CRLF | UTF-8

Results | Messages | Client Statistics

	Gender	(No column name)
1	F	235
2	M	267

Query executed successfully. | localhost (17.0 RTM) | LAPTOP-FB1K8V9A\HP (71) | Tableau Project 1 | 00:00:00 | Row: 1, Col: 1 | 2 rows

Ready | Select Repository

41°C Mostly sunny | Search | ENG IN | 18:15 09-05-2026

File Edit View Query Git Project Tools Extensions Window Help Search

Sign in

New Query

Tableau Project 1 | Execute

Object Explorer

Connect

localhost (SQL Server 17.0.1000.7 - LAPTOP-FB1K8V9A\HP
- Databases
  - System Databases
  - Database Snapshots
  - Insurancedb
  - Loan
  - PROD
  - Tableau Project 1
    - Database Diagrams
    - Tables
      - System Tables
      - FileTables
      - External Tables
      - Graph Tables
      - dbo.Depression+Student+Dataset
      - Dropped Ledger Tables
    - Views
    - External Resources
    - Synonyms
    - Programmability
    - Query Store
    - Service Broker
    - Storage
    - Security
  - test_env
- Security
- Server Objects
- Replication
- Always On High Availability
- Management
- SQL Server Agent (Agent XPs disabled)
- XEvent Profiler

SQLQuery1....9A\HP (71))*

```sql
set Gender = 'F' where Gender = 'Female'

update [dbo].[Depression+Student+Dataset]
set Gender = 'M' where Gender = 'Male'

select age, count (*) from [dbo].[Depression+Student+Dataset]
group by age
order by age desc
```

130 % | 14 | 0 | Ln: 19, Ch: 1 | TABS | CRLF | UTF-8

Results | Messages | Client Statistics

	age	(No column name)
1	34	32
2	33	36
3	32	27
4	31	27
5	30	28
6	29	36
7	28	39
8	27	26
9	26	22
10	25	29
11	24	37
12	23	24
13	22	23
14	21	29
15	20	37
16	19	26
17	18	24

Query executed successfully. | localhost (17.0 RTM) | LAPTOP-FB1K8V9A\HP (71) | Tableau Project 1 | 00:00:00 | Row: 1, Col: 1 | 17 rows

Ready | Select Repository

41°C Mostly sunny | Search | ENG IN | 18:20 09-05-2026

File Edit View Query Git Project Tools Extensions Window Help Search

Sign in

New Query

Tableau Project 1 | Execute

Object Explorer

Connect

localhost (SQL Server 17.0.1000.7 - LAPTOP-FB1K8V9A\HP
- Databases
  - System Databases
  - Database Snapshots
  - Insurancedb
  - Loan
  - PROD
  - Tableau Project 1
    - Database Diagrams
    - Tables
      - System Tables
      - FileTables
      - External Tables
      - Graph Tables
      - dbo.Depression+Student+Dataset
      - Dropped Ledger Tables
    - Views
    - External Resources
    - Synonyms
    - Programmability
    - Query Store
    - Service Broker
    - Storage
    - Security
  - test_env
- Security
- Server Objects
- Replication
- Always On High Availability
- Management
- SQL Server Agent (Agent XPs disabled)
- XEvent Profiler

SQLQuery1....9A\HP (71))*

```sql
set Gender = 'M' where Gender = 'Male'

select age, count (*) from [dbo].[Depression+Student+Dataset]
group by age
order by age desc

alter table [dbo].[Depression+Student+Dataset]
add Age_Group varchar(3)
```

130 % 14 0 Ln: 20, Ch: 1 (74 chars, 2 lines) TABS CRLF UTF-8

Messages | Client Statistics

```
Commands completed successfully.

Completion time: 2026-05-09T18:28:46.4590474+05:30
```

130 % No issues found Ln: 4, Ch: 1 TABS MIXED UTF-8 with BOM

Query executed successfully. localhost (17.0 RTM) LAPTOP-FB1K8V9A\HP (71) Tableau Project 1 00:00:00 Row: 1, Col: 1 0 rows

Ready Select Repository

41°C Mostly sunny Search ENG IN 18:28 09-05-2026

File Edit View Query Git Project Tools Extensions Window Help Search

Sign in

New Query

Tableau Project 1 Execute

Object Explorer

Connect

- localhost (SQL Server 17.0.1000.7 - LAPTOP-FB1K8V9A\HP
  - Databases
    - System Databases
    - Database Snapshots
    - Insurancedb
    - Loan
    - PROD
    - Tableau Project 1
      - Database Diagrams
      - Tables
        - System Tables
        - FileTables
        - External Tables
        - Graph Tables
        - dbo.Depression+Student+Dataset
        - Dropped Ledger Tables
      - Views
      - External Resources
      - Synonyms
      - Programmability
      - Query Store
      - Service Broker
      - Storage
      - Security
    - test_env
  - Security
  - Server Objects
  - Replication
  - Always On High Availability
  - Management
  - SQL Server Agent (Agent XPs disabled)
  - XEvent Profiler

SQLQuery1....9A\HP (71))*

```sql
set Gender = 'M' where Gender = 'Male'

select age, count (*) from [dbo].[Depression+Student+Dataset]
group by age
order by age desc

alter table [dbo].[Depression+Student+Dataset]
add Age_Group varchar(3)

select * from [dbo].[Depression+Student+Dataset]
```

130 % 15 0 Ln: 23, Ch: 1 (52 chars, 2 lines) TABS CRLF UTF-8

Results Messages Client Statistics

	Gender	Age	Academic_Pressure	Study_Satisfaction	Sleep_Duration	Dietary_Habits	Have_you_ever_had_suicidal_thoughts	Study_Hours	Financial_Stress	Family_History_of_Mental_Illness	Depression	Age_Group
1	M	28	2	4	7-8 hours	Moderate	1	9	2	1	0	NULL
2	M	28	4	5	5-6 hours	Healthy	1	7	1	1	0	NULL
3	M	25	1	3	5-6 hours	Unhealthy	1	10	4	0	1	NULL
4	M	23	1	4	More than 8 hours	Unhealthy	1	7	2	1	0	NULL
5	F	31	1	5	More than 8 hours	Healthy	1	4	2	1	0	NULL
6	M	19	4	4	5-6 hours	Unhealthy	1	1	4	1	1	NULL
7	F	34	4	2	More than 8 hours	Moderate	1	6	2	0	1	NULL
8	F	20	4	1	More than 8 hours	Healthy	1	3	4	1	1	NULL
9	F	33	1	4	More than 8 hours	Moderate	0	10	3	0	0	NULL
10	M	33	4	3	Less than 5 hours	Unhealthy	1	10	1	0	1	NULL
11	F	31	5	4	5-6 hours	Healthy	1	6	4	0	1	NULL
12	M	24	2	1	7-8 hours	Unhealthy	1	11	5	0	1	NULL
13	F	23	5	5	Less than 5 hours	Unhealthy	1	2	1	1	1	NULL
14	M	25	1	1	5-6 hours	Moderate	1	12	3	1	1	NULL
15	M	21	5	1	More than 8 hours	Unhealthy	1	3	5	1	1	NULL
16	M	28	5	3	5-6 hours	Healthy	1	8	3	1	1	NULL
17	M	23	5	2	More than 8 hours	Moderate	0	10	4	0	1	NULL

Query executed successfully. localhost (17.0 RTM) LAPTOP-FB1K8V9A\HP (71) Tableau Project 1 00:00:00 Row: 1, Col: 1 502 rows

Ready Select Repository

41°C Mostly sunny Search ENG IN 18:29 09-05-2026

File Edit View Query Git Project Tools Extensions Window Help Search

Sign in

New Query

Tableau Project 1 | Execute

Object Explorer

Connect

localhost (SQL Server 17.0.1000.7 - LAPTOP-FB1K8V9A\HP
- Databases
  - System Databases
  - Database Snapshots
  - Insurancedb
  - Loan
  - PROD
  - Tableau Project 1
    - Database Diagrams
    - Tables
      - System Tables
      - FileTables
      - External Tables
      - Graph Tables
      - dbo.Depression+Student+Dataset
      - Dropped Ledger Tables
    - Views
    - External Resources
    - Synonyms
    - Programmability
    - Query Store
    - Service Broker
    - Storage
    - Security
  - test_env
- Security
- Server Objects
- Replication
- Always On High Availability
- Management
- SQL Server Agent (Agent XPs disabled)
- XEvent Profiler

SQLQuery1....9A\HP (71))*

```sql

select * from [dbo].[Depression+Student+Dataset]

update [dbo].[Depression+Student+Dataset]
set Age_group =
case
    when Age between 18 and 24 then 'A1'
    when Age between 25 and 30 then 'A2'
    else 'A3'
end

```

130 % 19 0 Ln: 31, Ch: 1 (173 chars, 8 lines) SPC CRLF UTF-8

Messages | Client Statistics

```
(502 rows affected)

Completion time: 2026-05-09T19:33:36.5160143+05:30
```

130 % No issues found Ln: 5, Ch: 1 TABS MIXED UTF-8 with BOM

Query executed successfully. localhost (17.0 RTM) LAPTOP-FB1K8V9A\HP (71) Tableau Project 1 00:00:00 Row: 1, Col: 1 0 rows

Ready Select Repository

41°C Mostly sunny Search ENG IN 19:34 09-05-2026

File Edit View Query Git Project Tools Extensions Window Help Search

Sign in

New Query

Tableau Project 1 Execute

Object Explorer

Connect

- localhost (SQL Server 17.0.1000.7 - LAPTOP-FB1K8V9A\HP
  - Databases
    - System Databases
    - Database Snapshots
    - Insurancedb
    - Loan
    - PROD
    - Tableau Project 1
      - Database Diagrams
      - Tables
        - System Tables
        - FileTables
        - External Tables
        - Graph Tables
        - dbo.Depression+Student+Dataset
        - Dropped Ledger Tables
      - Views
      - External Resources
      - Synonyms
      - Programmability
      - Query Store
      - Service Broker
      - Storage
      - Security
    - test_env
  - Security
  - Server Objects
  - Replication
  - Always On High Availability
  - Management
  - SQL Server Agent (Agent XPs disabled)
  - XEvent Profiler

SQLQuery1....9A\HP (71))*

```sql
select age, count (*) from [dbo].[Depression+Student+Dataset]
group by age
order by age desc

alter table [dbo].[Depression+Student+Dataset]
add Age_Group varchar(3)

select * from [dbo].[Depression+Student+Dataset]

update [dbo].[Depression+Student+Dataset]
set Age_group =
case
    when Age between 18 and 24 then 'A1'
    when Age between 25 and 30 then 'A2'
```

130 % 19 0 Ln: 22, Ch: 1 (50 chars, 1 lines) SPC CRLF UTF-8

Results Messages Client Statistics

	Gender	Age	Academic_Pressure	Study_Satisfaction	Sleep_Duration	Dietary_Habits	Have_you_ever_had_suicidal_thoughts	Study_Hours	Financial_Stress	Family_History_of_Mental_Illness	Depression	Age_Group
1	M	28	2	4	7-8 hours	Moderate	1	9	2	1	0	A2
2	M	28	4	5	5-6 hours	Healthy	1	7	1	1	0	A2
3	M	25	1	3	5-6 hours	Unhealthy	1	10	4	0	1	A2
4	M	23	1	4	More than 8 hours	Unhealthy	1	7	2	1	0	A1
5	F	31	1	5	More than 8 hours	Healthy	1	4	2	1	0	A3
6	M	19	4	4	5-6 hours	Unhealthy	1	1	4	1	1	A1
7	F	34	4	2	More than 8 hours	Moderate	1	6	2	0	1	A3
8	F	20	4	1	More than 8 hours	Healthy	1	3	4	1	1	A1
9	F	33	1	4	More than 8 hours	Moderate	0	10	3	0	0	A3
10	M	33	4	3	Less than 5 hours	Unhealthy	1	10	1	0	1	A3
11	F	31	5	4	5-6 hours	Healthy	1	6	4	0	1	A3
12	M	24	2	1	7-8 hours	Unhealthy	1	11	5	0	1	A1
13	F	23	5	5	Less than 5 hours	Unhealthy	1	2	1	1	1	A1
14	M	25	1	1	5-6 hours	Moderate	1	12	3	1	1	A2
15	M	21	5	1	More than 8 hours	Unhealthy	1	3	5	1	1	A1
16	M	28	5	3	5-6 hours	Healthy	1	8	3	1	1	A2
17	M	23	5	2	More than 8 hours	Moderate	0	10	4	0	1	A1

Query executed successfully. localhost (17.0 RTM) LAPTOP-FB1K8V9A\HP (71) Tableau Project 1 00:00:00 Row: 1, Col: 1 502 rows

Ready Select Repository

41°C Mostly sunny Search ENG IN 19:34 09-05-2026

File Edit View Query Git Project Tools Extensions Window Help Search

Sign in

New Query

Tableau Project 1 | Execute

Object Explorer

Connect

localhost (SQL Server 17.0.1000.7 - LAPTOP-FB1K8V9A\
- Databases
  - System Databases
  - Database Snapshots
  - Insurancedb
  - Loan
  - PROD
  - Tableau Project 1
    - Database Diagrams
    - Tables
      - System Tables
      - FileTables
      - External Tables
      - Graph Tables
      - dbo.Depression+Student+Dataset
        - Columns
          - Gender (nvarchar(50), not null)
          - Age (tinyint, not null)
          - Academic_Pressure (float, not null)
          - Study_Satisfaction (float, not null)
          - Sleep_Duration (nvarchar(50), not null
          - Dietary_Habits (nvarchar(50), not null
          - Have_you_ever_had_suicidal_thoughts
          - Study_Hours (tinyint, not null)
          - Financial_Stress (tinyint, not null)
          - Family_History_of_Mental_Illness (bit,
          - Depression (bit, not null)
          - Age_Group (varchar(3), null)
        - Keys
        - Constraints
        - Triggers
        - Indexes
        - Statistics
    - Dropped Ledger Tables
    - Views

Tableau Pro...9A\HP (71))*

```sql
update [dbo].[Depression+Student+Dataset]
set Age_group =
case
    when Age between 18 and 24 then 'A1'
    when Age between 25 and 30 then 'A2'
    else 'A3'
end

select Age_group,count(*) as Total_Student from [dbo].[Depression+Student+Dataset]
group by Age_group

select Academic_Pressure,count(*)  as Total_Student from [dbo].[Depression+Student+Dataset]
group by Academic_Pressure
```

130 % | 49 | 0 | Ln: 32, Ch: 19 | (102 chars, 2 lines) | SPC | CRLF | UTF-8

Results | Messages | Client Statistics

	Age_group	Total_Student
1	A1	200
2	A2	180
3	A3	122

Query executed successfully. | localhost (17.0 RTM) | LAPTOP-FB1K8V9A\HP (71) | Tableau Project 1 | 00:00:00 | Row: 1, Col: 1 | 3 rows

Ready | Select Repository

41°C Mostly sunny | Search | ENG IN | 22:41 09-05-2026

File Edit View Query Git Project Tools Extensions Window Help Search

Sign in

New Query

Tableau Project 1 | Execute

Object Explorer

Connect

localhost (SQL Server 17.0.1000.7 - LAPTOP-FB1K8V9A\
- Databases
  - System Databases
  - Database Snapshots
  - Insurancedb
  - Loan
  - PROD
  - Tableau Project 1
    - Database Diagrams
    - Tables
      - System Tables
      - FileTables
      - External Tables
      - Graph Tables
      - dbo.Depression+Student+Dataset
        - Columns
          - Gender (nvarchar(50), not null)
          - Age (tinyint, not null)
          - Academic_Pressure (float, not null)
          - Study_Satisfaction (float, not null)
          - Sleep_Duration (nvarchar(50), not null
          - Dietary_Habits (nvarchar(50), not null
          - Have_you_ever_had_suicidal_thoughts
          - Study_Hours (tinyint, not null)
          - Financial_Stress (tinyint, not null)
          - Family_History_of_Mental_Illness (bit,
          - Depression (bit, not null)
          - Age_Group (varchar(3), null)
        - Keys
        - Constraints
        - Triggers
        - Indexes
        - Statistics
    - Dropped Ledger Tables
    - Views

Tableau Pro...9A\HP (71))*

```
25  case
26      when Age between 18 and 24 then 'A1'
27      when Age between 25 and 30 then 'A2'
28      else 'A3'
29  end
30
31  select Age_group,count(*) as Total_Student from [dbo].[Depression+Student+Dataset]
32  group by Age_group
33
34  select Academic_Pressure,count(*)  as Total_Student from [dbo].[Depression+Student+Dataset]
35  group by Academic_Pressure
36
37  select Study_Satisfaction,count(*)  as Total_Student from [dbo].[Depression+Student+Dataset]
38  group by Study_Satisfaction
```

130 % | 49 | 0 | Ln: 36, Ch: 1 | (121 chars, 2 lines) | SPC | CRLF | UTF-8

Results | Messages | Client Statistics

	Academic_Pressure	Total_Student
1	1	99
2	2	88
3	3	125
4	4	92
5	5	98

Query executed successfully. | localhost (17.0 RTM) | LAPTOP-FB1K8V9A\HP (71) | Tableau Project 1 | 00:00:00 | Row: 1, Col: 1 | 5 rows

Ready | Select Repository

41°C Mostly sunny | Search | ENG IN | 22:41 09-05-2026

File Edit View Query Git Project Tools Extensions Window Help Search

Sign in

New Query

Tableau Project 1 | Execute

Object Explorer

Connect

localhost (SQL Server 17.0.1000.7 - LAPTOP-FB1K8V9A\
- Databases
  - System Databases
  - Database Snapshots
  - Insurancedb
  - Loan
  - PROD
  - Tableau Project 1
    - Database Diagrams
    - Tables
      - System Tables
      - FileTables
      - External Tables
      - Graph Tables
      - dbo.Depression+Student+Dataset
        - Columns
          - Gender (nvarchar(50), not null)
          - Age (tinyint, not null)
          - Academic_Pressure (float, not null)
          - Study_Satisfaction (float, not null)
          - Sleep_Duration (nvarchar(50), not null
          - Dietary_Habits (nvarchar(50), not null
          - Have_you_ever_had_suicidal_thoughts
          - Study_Hours (tinyint, not null)
          - Financial_Stress (tinyint, not null)
          - Family_History_of_Mental_Illness (bit,
          - Depression (bit, not null)
          - Age_Group (varchar(3), null)
        - Keys
        - Constraints
        - Triggers
        - Indexes
        - Statistics
    - Dropped Ledger Tables
    - Views

Tableau Pro...9A\HP (71))*

```
31  select Age_group,count(*) as Total_Student from [dbo].[Depression+Student+Dataset]
32  group by Age_group
33
34  select Academic_Pressure,count(*)  as Total_Student from [dbo].[Depression+Student+Dataset]
35  group by Academic_Pressure
36
37  select Study_Satisfaction,count(*)  as Total_Student from [dbo].[Depression+Student+Dataset]
38  group by Study_Satisfaction
39
40  select Sleep_Duration,count(*)  as Total_Student from [dbo].[Depression+Student+Dataset]
41  group by Sleep_Duration
42
43  select Dietary_Habits,count(*) as Total_Student from [dbo].[Depression+Student+Dataset]
44  group by Dietary_Habits
```

130 % | 49 | 0 | Ln: 39, Ch: 1 | (123 chars, 2 lines) | SPC | CRLF | UTF-8

Results | Messages | Client Statistics

	Study_Satisfaction	Total_Student
1	1	86
2	2	100
3	3	103
4	4	116
5	5	97

Query executed successfully. | localhost (17.0 RTM) | LAPTOP-FB1K8V9A\HP (71) | Tableau Project 1 | 00:00:00 | Row: 1, Col: 1 | 5 rows

Ready | Select Repository

41°C Mostly sunny | Search | ENG IN | 22:42 09-05-2026

File Edit View Query Git Project Tools Extensions Window Help Search

Sign in

New Query

Tableau Project 1 | Execute

Object Explorer

Connect

localhost (SQL Server 17.0.1000.7 - LAPTOP-FB1K8V9A\
- Databases
  - System Databases
  - Database Snapshots
  - Insurancedb
  - Loan
  - PROD
  - Tableau Project 1
    - Database Diagrams
    - Tables
      - System Tables
      - FileTables
      - External Tables
      - Graph Tables
      - dbo.Depression+Student+Dataset
        - Columns
          - Gender (nvarchar(50), not null)
          - Age (tinyint, not null)
          - Academic_Pressure (float, not null)
          - Study_Satisfaction (float, not null)
          - Sleep_Duration (nvarchar(50), not null
          - Dietary_Habits (nvarchar(50), not null)
          - Have_you_ever_had_suicidal_thoughts
          - Study_Hours (tinyint, not null)
          - Financial_Stress (tinyint, not null)
          - Family_History_of_Mental_Illness (bit,
          - Depression (bit, not null)
          - Age_Group (varchar(3), null)
        - Keys
        - Constraints
        - Triggers
        - Indexes
        - Statistics
    - Dropped Ledger Tables
    - Views

Tableau Pro...9A\HP (71))*

```
31  select Age_group,count(*) as Total_Student from [dbo].[Depression+Student+Dataset]
32  group by Age_group
33
34  select Academic_Pressure,count(*)  as Total_Student from [dbo].[Depression+Student+Dataset]
35  group by Academic_Pressure
36
37  select Study_Satisfaction,count(*)  as Total_Student from [dbo].[Depression+Student+Dataset]
38  group by Study_Satisfaction
39
40  select Sleep_Duration,count(*)  as Total_Student from [dbo].[Depression+Student+Dataset]
41  group by Sleep_Duration
42
43  select Dietary_Habits,count(*) as Total_Student from [dbo].[Depression+Student+Dataset]
44  group by Dietary_Habits
```

130 % | 49 | 0 | Ln: 42, Ch: 1 | (115 chars, 2 lines) | SPC | CRLF | UTF-8

Results | Messages | Client Statistics

	Sleep_Duration	Total_Student
1	5-6 hours	123
2	7-8 hours	128
3	Less than 5 hours	123
4	More than 8 hours	128

Query executed successfully. | localhost (17.0 RTM) | LAPTOP-FB1K8V9A\HP (71) | Tableau Project 1 | 00:00:00

Snipping Tool

Screenshot copied to
Automatically saved

Ready

41°C
Mostly sunny

Search

ENG
IN

22:42
09-05-2026

File Edit View Query Git Project Tools Extensions Window Help Search

Sign in

New Query

Tableau Project 1 | Execute

Object Explorer

Connect

localhost (SQL Server 17.0.1000.7 - LAPTOP-FB1K8V9A\
- Databases
  - System Databases
  - Database Snapshots
  - Insurancedb
  - Loan
  - PROD
  - Tableau Project 1
    - Database Diagrams
    - Tables
      - System Tables
      - FileTables
      - External Tables
      - Graph Tables
      - dbo.Depression+Student+Dataset
        - Columns
          - Gender (nvarchar(50), not null)
          - Age (tinyint, not null)
          - Academic_Pressure (float, not null)
          - Study_Satisfaction (float, not null)
          - Sleep_Duration (nvarchar(50), not null
          - Dietary_Habits (nvarchar(50), not null
          - Have_you_ever_had_suicidal_thoughts
          - Study_Hours (tinyint, not null)
          - Financial_Stress (tinyint, not null)
          - Family_History_of_Mental_Illness (bit,
          - Depression (bit, not null)
          - Age_Group (varchar(3), null)
        - Keys
        - Constraints
        - Triggers
        - Indexes
        - Statistics
    - Dropped Ledger Tables
    - Views

Tableau Pro...9A\HP (71))*

```
select Sleep_Duration,count(*)  as Total_Student from [dbo].[Depression+Student+Dataset]
group by Sleep_Duration

select Dietary_Habits,count(*) as Total_Student from [dbo].[Depression+Student+Dataset]
group by Dietary_Habits

select Have_you_ever_had_suicidal_thoughts,count(*)  as Total_Student from [dbo].[Depression+Student+Dataset
group by Have_you_ever_had_suicidal_thoughts

select Study_Hours,count(*)  as Total_Student from [dbo].[Depression+Student+Dataset]
group by Study_Hours

select Financial_Stress,count(*)  as Total_Student from [dbo].[Depression+Student+Dataset]
group by Financial_Stress
```

130 % | 49 | 0 | Ln: 45, Ch: 1 | (114 chars, 2 lines) | SPC | CRLF | UTF-8

Results | Messages | Client Statistics

	Dietary_Habits	Total_Student
1	Healthy	161
2	Moderate	172
3	Unhealthy	169

Query executed successfully. | localhost (17.0 RTM) | LAPTOP-FB1K8V9A\HP (71) | Tableau Project 1 | 00:00:00 | Row: 1, Col: 1 | 3 rows

Ready | Select Repository

41°C Mostly sunny | Search | ENG IN | 22:42 09-05-2026

File Edit View Query Git Project Tools Extensions Window Help Search

Sign in

New Query

Tableau Project 1 | Execute

Object Explorer

Connect

localhost (SQL Server 17.0.1000.7 - LAPTOP-FB1K8V9A\
- Databases
  - System Databases
  - Database Snapshots
  - Insurancedb
  - Loan
  - PROD
  - Tableau Project 1
    - Database Diagrams
    - Tables
      - System Tables
      - FileTables
      - External Tables
      - Graph Tables
      - dbo.Depression+Student+Dataset
        - Columns
          - Gender (nvarchar(50), not null)
          - Age (tinyint, not null)
          - Academic_Pressure (float, not null)
          - Study_Satisfaction (float, not null)
          - Sleep_Duration (nvarchar(50), not null
          - Dietary_Habits (nvarchar(50), not null
          - Have_you_ever_had_suicidal_thoughts
          - Study_Hours (tinyint, not null)
          - Financial_Stress (tinyint, not null)
          - Family_History_of_Mental_Illness (bit,
          - Depression (bit, not null)
          - Age_Group (varchar(3), null)
        - Keys
        - Constraints
        - Triggers
        - Indexes
        - Statistics
    - Dropped Ledger Tables
    - Views

Tableau Pro...9A\HP (71))*

```
select Sleep_Duration,count(*)  as Total_Student from [dbo].[Depression+Student+Dataset]
group by Sleep_Duration

select Dietary_Habits,count(*) as Total_Student from [dbo].[Depression+Student+Dataset]
group by Dietary_Habits

select Have_you_ever_had_suicidal_thoughts,count(*)  as Total_Student from [dbo].[Depression+Student+Datase
group by Have_you_ever_had_suicidal_thoughts

select Study_Hours,count(*)  as Total_Student from [dbo].[Depression+Student+Dataset]
group by Study_Hours

select Financial_Stress,count(*)  as Total_Student from [dbo].[Depression+Student+Dataset]
group by Financial_Stress
```

130 % | 49 | 0 | Ln: 48, Ch: 1 | (157 chars, 2 lines) | SPC | CRLF | UTF-8

Results | Messages | Client Statistics

	Have_you_ever_had_suicidal_thoughts	Total_Student
1	0	242
2	1	260

Query executed successfully. | localhost (17.0 RTM) | LAPTOP-FB1K8V9A\HP (71) | Tableau Project 1 | 00:00:00 | Row: 1, Col: 1 | 2 rows

Ready | Select Repository

41°C Mostly sunny | Search | ENG IN | 22:42 09-05-2026

File Edit View Query Git Project Tools Extensions Window Help Search

Sign in

New Query

Tableau Project 1 | Execute

Object Explorer

Connect

localhost (SQL Server 17.0.1000.7 - LAPTOP-FB1K8V9A\
- Databases
  - System Databases
  - Database Snapshots
  - Insurancedb
  - Loan
  - PROD
  - Tableau Project 1
    - Database Diagrams
    - Tables
      - System Tables
      - FileTables
      - External Tables
      - Graph Tables
      - dbo.Depression+Student+Dataset
        - Columns
          - Gender (nvarchar(50), not null)
          - Age (tinyint, not null)
          - Academic_Pressure (float, not null)
          - Study_Satisfaction (float, not null)
          - Sleep_Duration (nvarchar(50), not null
          - Dietary_Habits (nvarchar(50), not null
          - Have_you_ever_had_suicidal_thoughts
          - Study_Hours (tinyint, not null)
          - Financial_Stress (tinyint, not null)
          - Family_History_of_Mental_Illness (bit,
          - Depression (bit, not null)
          - Age_Group (varchar(3), null)
        - Keys
        - Constraints
        - Triggers
        - Indexes
        - Statistics
    - Dropped Ledger Tables
    - Views

Tableau Pro...9A\HP (71))*

```
select Sleep_Duration,count(*)  as Total_Student from [dbo].[Depression+Student+Dataset]
group by Sleep_Duration

select Dietary_Habits,count(*) as Total_Student from [dbo].[Depression+Student+Dataset]
group by Dietary_Habits

select Have_you_ever_had_suicidal_thoughts,count(*)  as Total_Student from [dbo].[Depression+Student+Datase
group by Have_you_ever_had_suicidal_thoughts

select Study_Hours,count(*)  as Total_Student from [dbo].[Depression+Student+Dataset]
group by Study_Hours

select Financial_Stress,count(*)  as Total_Student from [dbo].[Depression+Student+Dataset]
group by Financial_Stress
```

130 % | 49 | 0 | Ln: 51, Ch: 1 | (109 chars, 2 lines) | SPC | CRLF | UTF-8

Results | Messages | Client Statistics

	Study_Hours	Total_Student
1	0	34
2	1	29
3	2	37
4	3	37
5	4	38
6	5	31
7	6	42
8	7	36
9	8	45
10	9	33
11	10	53
12	11	41
13	12	46

Query executed successfully. | localhost (17.0 RTM) | LAPTOP-FB1K8V9A\HP (71) | Tableau Project 1 | 00:00:00 | Row: 1, Col: 1 | 13 rows

Ready | Select Repository

41°C Mostly sunny | Search | ENG IN | 22:43 09-05-2026

File Edit View Query Git Project Tools Extensions Window Help Search

Sign in

New Query

Tableau Project 1 | Execute

Object Explorer

Connect

localhost (SQL Server 17.0.1000.7 - LAPTOP-FB1K8V9A\
- Databases
  - System Databases
  - Database Snapshots
  - Insurancedb
  - Loan
  - PROD
  - Tableau Project 1
    - Database Diagrams
    - Tables
      - System Tables
      - FileTables
      - External Tables
      - Graph Tables
      - dbo.Depression+Student+Dataset
        - Columns
          - Gender (nvarchar(50), not null)
          - Age (tinyint, not null)
          - Academic_Pressure (float, not null)
          - Study_Satisfaction (float, not null)
          - Sleep_Duration (nvarchar(50), not null
          - Dietary_Habits (nvarchar(50), not null
          - Have_you_ever_had_suicidal_thoughts
          - Study_Hours (tinyint, not null)
          - Financial_Stress (tinyint, not null)
          - Family_History_of_Mental_Illness (bit,
          - Depression (bit, not null)
          - Age_Group (varchar(3), null)
        - Keys
        - Constraints
        - Triggers
        - Indexes
        - Statistics
    - Dropped Ledger Tables
    - Views

Tableau Pro...9A\HP (71))*

```
select Study_Hours,count(*)  as Total_Student from [dbo].[Depression+Student+Dataset]
group by Study_Hours

select Financial_Stress,count(*)  as Total_Student from [dbo].[Depression+Student+Dataset]
group by Financial_Stress

select Family_History_of_Mental_Illness,count(*)  as Total_Student from [dbo].[Depression+Student+Dataset]
group by Family_History_of_Mental_Illness

select Depression ,count(*) as Total_Student from [dbo].[Depression+Student+Dataset]
group by Depression
```

130 % | 49 | 0 | Ln: 54, Ch: 1 | (119 chars, 2 lines) | SPC | CRLF | UTF-8

Results | Messages | Client Statistics

	Financial_Stress	Total_Student
1	1	110
2	2	102
3	3	100
4	4	94
5	5	96

Query executed successfully. | localhost (17.0 RTM) | LAPTOP-FB1K8V9A\HP (71) | Tableau Project 1 | 00:00:00 | Row: 1, Col: 1 | 5 rows

Ready | Select Repository

41°C Mostly sunny | Search | ENG IN | 22:44 09-05-2026

File Edit View Query Git Project Tools Extensions Window Help Search

Sign in

New Query

Tableau Project 1 | Execute

Object Explorer

Connect

localhost (SQL Server 17.0.1000.7 - LAPTOP-FB1K8V9A\
- Databases
  - System Databases
  - Database Snapshots
  - Insurancedb
  - Loan
  - PROD
  - Tableau Project 1
    - Database Diagrams
    - Tables
      - System Tables
      - FileTables
      - External Tables
      - Graph Tables
      - dbo.Depression+Student+Dataset
        - Columns
          - Gender (nvarchar(50), not null)
          - Age (tinyint, not null)
          - Academic_Pressure (float, not null)
          - Study_Satisfaction (float, not null)
          - Sleep_Duration (nvarchar(50), not null
          - Dietary_Habits (nvarchar(50), not null
          - Have_you_ever_had_suicidal_thoughts
          - Study_Hours (tinyint, not null)
          - Financial_Stress (tinyint, not null)
          - Family_History_of_Mental_Illness (bit,
          - Depression (bit, not null)
          - Age_Group (varchar(3), null)
        - Keys
        - Constraints
        - Triggers
        - Indexes
        - Statistics
    - Dropped Ledger Tables
    - Views

Tableau Pro...9A\HP (71))*

```
49  select Study_Hours,count(*)  as Total_Student from [dbo].[Depression+Student+Dataset]
50  group by Study_Hours
51
52  select Financial_Stress,count(*)  as Total_Student from [dbo].[Depression+Student+Dataset]
53  group by Financial_Stress
54
55  select Family_History_of_Mental_Illness,count(*)  as Total_Student from [dbo].[Depression+Student+Dataset]
56  group by Family_History_of_Mental_Illness
57
58  select Depression ,count(*) as Total_Student from [dbo].[Depression+Student+Dataset]
59  group by Depression
60
61
62
```

130 % | 49 | 0 | Ln: 57, Ch: 1 | (151 chars, 2 lines) | SPC | CRLF | UTF-8

Results | Messages | Client Statistics

	Family_History_of_Mental_Illness	Total_Student
1	0	265
2	1	237

Query executed successfully. | localhost (17.0 RTM) | LAPTOP-FB1K8V9A\HP (71) | Tableau Project 1 | 00:00:00 | Row: 1, Col: 1 | 2 rows

Ready | Select Repository

41°C Mostly sunny | Search | ENG IN | 22:44 09-05-2026

File Edit View Query Git Project Tools Extensions Window Help Search

Sign in

New Query

Tableau Project 1 | Execute

Object Explorer

Connect

localhost (SQL Server 17.0.1000.7 - LAPTOP-FB1K8V9A\
- Databases
  - System Databases
  - Database Snapshots
  - Insurancedb
  - Loan
  - PROD
  - Tableau Project 1
    - Database Diagrams
    - Tables
      - System Tables
      - FileTables
      - External Tables
      - Graph Tables
      - dbo.Depression+Student+Dataset
        - Columns
          - Gender (nvarchar(50), not null)
          - Age (tinyint, not null)
          - Academic_Pressure (float, not null)
          - Study_Satisfaction (float, not null)
          - Sleep_Duration (nvarchar(50), not null
          - Dietary_Habits (nvarchar(50), not null
          - Have_you_ever_had_suicidal_thoughts
          - Study_Hours (tinyint, not null)
          - Financial_Stress (tinyint, not null)
          - Family_History_of_Mental_Illness (bit,
          - Depression (bit, not null)
          - Age_Group (varchar(3), null)
        - Keys
        - Constraints
        - Triggers
        - Indexes
        - Statistics
    - Dropped Ledger Tables
    - Views

Tableau Pro...9A\HP (71))*

```
49  select Study_Hours,count(*)  as Total_Student from [dbo].[Depression+Student+Dataset]
50  group by Study_Hours
51
52  select Financial_Stress,count(*)  as Total_Student from [dbo].[Depression+Student+Dataset]
53  group by Financial_Stress
54
55  select Family_History_of_Mental_Illness,count(*)  as Total_Student from [dbo].[Depression+Student+Dataset]
56  group by Family_History_of_Mental_Illness
57
58  select Depression ,count(*) as Total_Student from [dbo].[Depression+Student+Dataset]
59  group by Depression
60
61
62
```

130 % | 49 | 0 | Ln: 61, Ch: 1 | (109 chars, 3 lines) | SPC | CRLF | UTF-8

Results | Messages | Client Statistics

	Depression	Total_Student
1	0	250
2	1	252

Query executed successfully. | localhost (17.0 RTM) | LAPTOP-FB1K8V9A\HP (71) | Tableau Project 1 | 00:00:00 | Row: 1, Col: 1 | 2 rows

Ready | Select Repository

41°C Mostly sunny | Search | ENG IN | 22:44 09-05-2026

File Edit View Query Git Project Tools Extensions Window Help Search

Sign in

New Query

Tableau Project 1 Execute

Object Explorer

Connect

localhost (SQL Server 17.0.1000.7 - LAPTOP-FB1K8V9A\
- Databases
  - System Databases
  - Database Snapshots
  - Insurancedb
  - Loan
  - PROD
  - Tableau Project 1
    - Database Diagrams
    - Tables
      - System Tables
      - FileTables
      - External Tables
      - Graph Tables
      - dbo.Depression+Student+Dataset
        - Columns
          - Gender (nvarchar(50), not null)
          - Age (tinyint, not null)
          - Academic_Pressure (float, not null)
          - Study_Satisfaction (float, not null)
          - Sleep_Duration (nvarchar(50), not null
          - Dietary_Habits (nvarchar(50), not null
          - Have_you_ever_had_suicidal_thoughts
          - Study_Hours (tinyint, not null)
          - Financial_Stress (tinyint, not null)
          - Family_History_of_Mental_Illness (bit,
          - Depression (bit, not null)
          - Age_Group (varchar(3), null)
        - Keys
        - Constraints
        - Triggers
        - Indexes
        - Statistics
    - Dropped Ledger Tables
    - Views

Tableau Pro...9A\HP (71))*

```
55  select Family_History_of_Mental_Illness,count(*)  as Total_Student from [dbo].[Depression+Student+Dataset]
56  group by Family_History_of_Mental_Illness
57
58  select Depression,count(*) as Total_Student from [dbo].[Depression+Student+Dataset]
59  group by Depression
60
61  select * from[dbo].[Depression+Student+Dataset]
62
63
64
65
66
67
68
```

130 % 50 0 Ln: 62, Ch: 1 (49 chars, 1 lines) SPC CRLF UTF-8

Results Messages Client Statistics

	Gender	Age	Academic_Pressure	Study_Satisfaction	Sleep_Duration	Dietary_Habits	Have_you_ever_had_suicidal_thoughts	Study_Hours	Financial_Stress	Family_History_of_Mental_Illness	Depression	Age_Group
1	M	28	2	4	7-8 hours	Moderate	1	9	2	1	0	A2
2	M	28	4	5	5-6 hours	Healthy	1	7	1	1	0	A2
3	M	25	1	3	5-6 hours	Unhealthy	1	10	4	0	1	A2
4	M	23	1	4	More than 8 hours	Unhealthy	1	7	2	1	0	A1
5	F	31	1	5	More than 8 hours	Healthy	1	4	2	1	0	A3
6	M	19	4	4	5-6 hours	Unhealthy	1	1	4	1	1	A1
7	F	34	4	2	More than 8 hours	Moderate	1	6	2	0	1	A3
8	F	20	4	1	More than 8 hours	Healthy	1	3	4	1	1	A1
9	F	33	1	4	More than 8 hours	Moderate	0	10	3	0	0	A3
10	M	33	4	3	Less than 5 hours	Unhealthy	1	10	1	0	1	A3
11	F	31	5	4	5-6 hours	Healthy	1	6	4	0	1	A3
12	M	24	2	1	7-8 hours	Unhealthy	1	11	5	0	1	A1
13	F	23	5	5	Less than 5 hours	Unhealthy	1	2	1	1	1	A1
14	M	25	1	1	5-6 hours	Moderate	1	12	3	1	1	A2
15	M	21	5	1	More than 8 hours	Unhealthy	1	3	5	1	1	A1
16	M	28	5	3	5-6 hours	Healthy	1	8	3	1	1	A2

Query executed successfully. localhost (17.0 RTM) LAPTOP-FB1K8V9A\HP (71) Tableau Project 1 00:00:00 Row: 1, Col: 1 502 rows

Ready Select Repository

41°C Mostly sunny Search ENG IN 00:00 10-05-2026

File Edit View Query Git Project Tools Extensions Window Help Search

Sign in

New Query

Tableau Project 1 | Execute

Object Explorer

Connect

- localhost (SQL Server 17.0.1000.7 - LAPTOP-FB1K8V9A\
  - Databases
    - System Databases
    - Database Snapshots
    - Insurancedb
    - Loan
    - PROD
    - Tableau Project 1
      - Database Diagrams
      - Tables
        - System Tables
        - FileTables
        - External Tables
        - Graph Tables
        - dbo.Depression+Student+Dataset
          - Columns
            - Gender (nvarchar(50), not null)
            - Age (tinyint, not null)
            - Academic_Pressure (float, not null)
            - Study_Satisfaction (float, not null)
            - Sleep_Duration (nvarchar(50), not null
            - Dietary_Habits (nvarchar(50), not null
            - Have_you_ever_had_suicidal_thoughts
            - Study_Hours (tinyint, not null)
            - Financial_Stress (tinyint, not null)
            - Family_History_of_Mental_Illness (bit,
            - Depression (bit, not null)
            - Age_Group (varchar(3), null)
          - Keys
          - Constraints
          - Triggers
          - Indexes
          - Statistics
        - Dropped Ledger Tables
      - Views

Tableau Pro...V9A\HP (71))

```sql
update [dbo].[Depression+Student+Dataset]
set Depression = 'No' where Depression = 0

update [dbo].[Depression+Student+Dataset]
set Depression = 'Yes' where Depression = 1

 ALTER TABLE [dbo].[Depression+Student+Dataset]
 ALTER COLUMN Depression VARCHAR(10)
```

130 % | 56 | 0 | Ln: 75, Ch: 2 | (88 chars, 3 lines) | SPC | CRLF | UTF-8

Messages | Client Statistics

```
Commands completed successfully.

Completion time: 2026-05-10T00:57:03.0877417+05:30
```

130 % | No issues found | Ln: 4, Ch: 1 | TABS | MIXED | UTF-8 with BOM

Query executed successfully. | localhost (17.0 RTM) | LAPTOP-FB1K8V9A\HP (71) | Tableau Project 1 | 00:00:00 | Row: 1, Col: 1 | 0 rows

Ready | Select Repository

30°C Clear | Search | ENG IN | 00:57 10-05-2026

File Edit View Query Git Project Tools Extensions Window Help Search

Sign in

New Query

Tableau Project 1 | Execute

Object Explorer

Connect

- localhost (SQL Server 17.0.1000.7 - LAPTOP-FB1K8V9A\
  - Databases
    - System Databases
    - Database Snapshots
    - Insurancedb
    - Loan
    - PROD
    - Tableau Project 1
      - Database Diagrams
      - Tables
        - System Tables
        - FileTables
        - External Tables
        - Graph Tables
        - dbo.Depression+Student+Dataset
          - Columns
            - Gender (nvarchar(50), not null)
            - Age (tinyint, not null)
            - Academic_Pressure (float, not null)
            - Study_Satisfaction (float, not null)
            - Sleep_Duration (nvarchar(50), not null
            - Dietary_Habits (nvarchar(50), not null
            - Have_you_ever_had_suicidal_thoughts
            - Study_Hours (tinyint, not null)
            - Financial_Stress (tinyint, not null)
            - Family_History_of_Mental_Illness (bit,
            - Depression (bit, not null)
            - Age_Group (varchar(3), null)
          - Keys
          - Constraints
          - Triggers
          - Indexes
          - Statistics
        - Dropped Ledger Tables
      - Views

Tableau Pro...9A\HP (71))*

```sql
add Index_Column int identity(1,1)

 ALTER TABLE [dbo].[Depression+Student+Dataset]
 ALTER COLUMN Depression VARCHAR(10)

update [dbo].[Depression+Student+Dataset]
set Depression = 'No' where Depression = '0'

update [dbo].[Depression+Student+Dataset]
set Depression = 'Yes' where Depression = '1'
```

130 % | 56 | 0 | Ln: 71, Ch: 1 | (89 chars, 2 lines) | SPC | CRLF | UTF-8

Messages | Client Statistics

```
(0 rows affected)

Completion time: 2026-05-10T01:07:30.0780222+05:30
```

130 % | No issues found | Ln: 5, Ch: 1 | TABS | MIXED | UTF-8 with BOM

Query executed successfully. | localhost (17.0 RTM) | LAPTOP-FB1K8V9A\HP (71) | Tableau Project 1 | 00:00:00 | Row: 1, Col: 1 | 0 rows

Ready | Select Repository

30°C Clear | Search | ENG IN | 01:07 10-05-2026

File Edit View Query Git Project Tools Extensions Window Help Search

Sign in

New Query

Tableau Project 1 | Execute

Object Explorer

Connect

- localhost (SQL Server 17.0.1000.7 - LAPTOP-FB1K8V9A\
  - Databases
    - System Databases
    - Database Snapshots
    - Insurancedb
    - Loan
    - PROD
    - Tableau Project 1
      - Database Diagrams
      - Tables
        - System Tables
        - FileTables
        - External Tables
        - Graph Tables
        - dbo.Depression+Student+Dataset
          - Columns
            - Gender (nvarchar(50), not null)
            - Age (tinyint, not null)
            - Academic_Pressure (float, not null)
            - Study_Satisfaction (float, not null)
            - Sleep_Duration (nvarchar(50), not null
            - Dietary_Habits (nvarchar(50), not null
            - Have_you_ever_had_suicidal_thoughts
            - Study_Hours (tinyint, not null)
            - Financial_Stress (tinyint, not null)
            - Family_History_of_Mental_Illness (bit,
            - Depression (bit, not null)
            - Age_Group (varchar(3), null)
          - Keys
          - Constraints
          - Triggers
          - Indexes
          - Statistics
      - Dropped Ledger Tables
      - Views

Tableau Pro...9A\HP (71))*

```sql
select Depression,count(*) as Total_Student from [dbo].[Depression+Student+Dataset]
group by Depression

select * from[dbo].[Depression+Student+Dataset]

alter table [dbo].[Depression+Student+Dataset]
add Index_Column int identity(1,1)

 ALTER TABLE [dbo].[Depression+Student+Dataset]
 ALTER COLUMN Depression VARCHAR(10)

update [dbo].[Depression+Student+Dataset]
set Depression = 'No' where Depression = '0'
```

130 % | 56 | 0 | Ln: 61, Ch: 1 | (49 chars, 1 lines) | SPC | CRLF | UTF-8

Results | Messages | Client Statistics

	Gender	Age	Academic_Pressure	Study_Satisfaction	Sleep_Duration	Dietary_Habits	Have_you_ever_had_suicidal_thoughts	Study_Hours	Financial_Stress	Family_History_of_Mental_Illness	Depression	Age_Group	Index_Colur
1	M	28	2	4	7-8 hours	Moderate	1	9	2	1	No	A2	1
2	M	28	4	5	5-6 hours	Healthy	1	7	1	1	No	A2	2
3	M	25	1	3	5-6 hours	Unhealthy	1	10	4	0	1	A2	3
4	M	23	1	4	More than 8 hours	Unhealthy	1	7	2	1	No	A1	4
5	F	31	1	5	More than 8 hours	Healthy	1	4	2	1	No	A3	5
6	M	19	4	4	5-6 hours	Unhealthy	1	1	4	1	1	A1	6
7	F	34	4	2	More than 8 hours	Moderate	1	6	2	0	1	A3	7
8	F	20	4	1	More than 8 hours	Healthy	1	3	4	1	1	A1	8
9	F	33	1	4	More than 8 hours	Moderate	0	10	3	0	No	A3	9
10	M	33	4	3	Less than 5 hours	Unhealthy	1	10	1	0	1	A3	10
11	F	31	5	4	5-6 hours	Healthy	1	6	4	0	1	A3	11
12	M	24	2	1	7-8 hours	Unhealthy	1	11	5	0	1	A1	12
13	F	23	5	5	Less than 5 hours	Unhealthy	1	2	1	1	1	A1	13
14	M	25	1	1	5-6 hours	Moderate	1	12	3	1	1	A2	14
15	M	21	5	1	More than 8 hours	Unhealthy	1	3	5	1	1	A1	15

Query executed successfully. | localhost (17.0 RTM) | LAPTOP-FB1K8V9A\HP (71) | Tableau Project 1 | 00:00:00 | Row: 1, Col: 1 | 502 rows

Ready | Select Repository

30°C Clear | Search | ENG IN | 01:08 10-05-2026

File Edit View Query Git Project Tools Extensions Window Help Search

Sign in

New Query

Tableau Project 1 | Execute

Object Explorer

Connect

- localhost (SQL Server 17.0.1000.7 - LAPTOP-FB1K8V9A\
  - Databases
    - System Databases
    - Database Snapshots
    - Insurancedb
    - Loan
    - PROD
    - Tableau Project 1
      - Database Diagrams
      - Tables
        - System Tables
        - FileTables
        - External Tables
        - Graph Tables
        - dbo.Depression+Student+Dataset
          - Columns
            - Gender (nvarchar(50), not null)
            - Age (tinyint, not null)
            - Academic_Pressure (float, not null)
            - Study_Satisfaction (float, not null)
            - Sleep_Duration (nvarchar(50), not null
            - Dietary_Habits (nvarchar(50), not null
            - Have_you_ever_had_suicidal_thoughts
            - Study_Hours (tinyint, not null)
            - Financial_Stress (tinyint, not null)
            - Family_History_of_Mental_Illness (bit,
            - Depression (bit, not null)
            - Age_Group (varchar(3), null)
          - Keys
          - Constraints
          - Triggers
          - Indexes
          - Statistics
        - Dropped Ledger Tables
      - Views

Tableau Pro...9A\HP (71))*

```sql
add Index_Column int identity(1,1)

 ALTER TABLE [dbo].[Depression+Student+Dataset]
 ALTER COLUMN Depression VARCHAR(10)

update [dbo].[Depression+Student+Dataset]
set Depression = 'No' where Depression = '0'

update [dbo].[Depression+Student+Dataset]
set Depression = 'Yes' where Depression = '1'
```

130 % | 56 | 0 | Ln: 75, Ch: 1 | (92 chars, 3 lines) | SPC | CRLF | UTF-8

Messages | Client Statistics

```
(252 rows affected)

Completion time: 2026-05-10T01:08:18.0897434+05:30
```

130 % | No issues found | Ln: 5, Ch: 1 | TABS | MIXED | UTF-8 with BOM

Query executed successfully. | localhost (17.0 RTM) | LAPTOP-FB1K8V9A\HP (71) | Tableau Project 1 | 00:00:00 | Row: 1, Col: 1 | 0 rows

Ready | Select Repository

30°C Clear | Search | ENG IN | 01:08 10-05-2026

File Edit View Query Git Project Tools Extensions Window Help Search

Sign in

New Query

Tableau Project 1 | Execute

Object Explorer

Connect

localhost (SQL Server 17.0.1000.7 - LAPTOP-FB1K8V9A\
- Databases
  - System Databases
  - Database Snapshots
  - Insurancedb
  - Loan
  - PROD
  - Tableau Project 1
    - Database Diagrams
    - Tables
      - System Tables
      - FileTables
      - External Tables
      - Graph Tables
      - dbo.Depression+Student+Dataset
        - Columns
          - Gender (nvarchar(50), not null)
          - Age (tinyint, not null)
          - Academic_Pressure (float, not null)
          - Study_Satisfaction (float, not null)
          - Sleep_Duration (nvarchar(50), not null
          - Dietary_Habits (nvarchar(50), not null
          - Have_you_ever_had_suicidal_thoughts
          - Study_Hours (tinyint, not null)
          - Financial_Stress (tinyint, not null)
          - Family_History_of_Mental_Illness (bit,
          - Depression (bit, not null)
          - Age_Group (varchar(3), null)
      - Keys
      - Constraints
      - Triggers
      - Indexes
      - Statistics
    - Dropped Ledger Tables
  - Views

Tableau Pro...9A\HP (71))*

```
58  select Depression,count(*) as Total_Student from [dbo].[Depression+Student+Dataset]
59  group by Depression
60
61  select * from[dbo].[Depression+Student+Dataset]
62
63  alter table [dbo].[Depression+Student+Dataset]
64  add Index_Column int identity(1,1)
65
66   ALTER TABLE [dbo].[Depression+Student+Dataset]
67   ALTER COLUMN Depression VARCHAR(10)
68
69  update [dbo].[Depression+Student+Dataset]
70  set Depression = 'No' where Depression = '0'
71
```

130 % | 56 | 0 | Ln: 61, Ch: 1 | (49 chars, 1 lines)

Results | Messages | Client Statistics

	Gender	Age	Academic_Pressure	Study_Satisfaction	Sleep_Duration	Dietary_Habits	Have_you_ever_had_suicidal_thoughts	Study_Hours	Financial_Stress	Family_History_of_Mental_Illness	Depression	Age_Gr
1	M	28	2	4	7-8 hours	Moderate	1	9	2	1	No	A2
2	M	28	4	5	5-6 hours	Healthy	1	7	1	1	No	A2
3	M	25	1	3	5-6 hours	Unhealthy	1	10	4	0	Yes	A2
4	M	23	1	4	More than 8 hours	Unhealthy	1	7	2	1	No	A1
5	F	31	1	5	More than 8 hours	Healthy	1	4	2	1	No	A3
6	M	19	4	4	5-6 hours	Unhealthy	1	1	4	1	Yes	A1
7	F	34	4	2	More than 8 hours	Moderate	1	6	2	0	Yes	A3
8	F	20	4	1	More than 8 hours	Healthy	1	3	4	1	Yes	A1
9	F	33	1	4	More than 8 hours	Moderate	0	10	3	0	No	A3
10	M	33	4	3	Less than 5 hours	Unhealthy	1	10	1	0	Yes	A3
11	F	31	5	4	5-6 hours	Healthy	1	6	4	0	Yes	A3
12	M	24	2	1	7-8 hours	Unhealthy	1	11	5	0	Yes	A1
13	F	23	5	5	Less than 5 hours	Unhealthy	1	2	1	1	Yes	A1
14	M	25	1	1	5-6 hours	Moderate	1	12	3	1	Yes	A2
15	M	21	5	1	More than 8 hours	Unhealthy	1	3	5	1	Yes	A1

Query executed successfully. | localhost (17.0 RTM) | LAPTOP-FB1K8V9A\HP (71) | Tableau Project 1 | 00:00:00 | Row: 1,

Ready | Select

30°C Clear | Search | ENG IN

File Edit View Query Git Project Tools Extensions Window Help Search

Sign in

New Query

Tableau Project 1 | Execute

Object Explorer

Connect

localhost (SQL Server 17.0.1000.7 - LAPTOP-FB1K8V9A\
- Databases
  - System Databases
  - Database Snapshots
  - Insurancedb
  - Loan
  - PROD
  - Tableau Project 1
    - Database Diagrams
    - Tables
      - System Tables
      - FileTables
      - External Tables
      - Graph Tables
      - dbo.Depression+Student+Dataset
        - Columns
          - Gender (nvarchar(50), not null)
          - Age (tinyint, not null)
          - Academic_Pressure (float, not null)
          - Study_Satisfaction (float, not null)
          - Sleep_Duration (nvarchar(50), not null
          - Dietary_Habits (nvarchar(50), not null
          - Have_you_ever_had_suicidal_thoughts
          - Study_Hours (tinyint, not null)
          - Financial_Stress (tinyint, not null)
          - Family_History_of_Mental_Illness (bit,
          - Depression (bit, not null)
          - Age_Group (varchar(3), null)
        - Keys
        - Constraints
        - Triggers
        - Indexes
        - Statistics
    - Dropped Ledger Tables
    - Views

Tableau Pro...9A\HP (71))*

```sql
update [dbo].[Depression+Student+Dataset]
set Depression = 'No' where Depression = '0'

update [dbo].[Depression+Student+Dataset]
set Depression = 'Yes' where Depression = '1'

select Depression,count(*) as Total_Student from [dbo].[Depression+Student+Dataset] group by Depression
```

130 % | 59 | 0 | Ln: 76, Ch: 1 | (106 chars, 1 lines) | SPC | CRLF | UTF-8

Results | Messages | Client Statistics

	Depression	Total_Student
1	No	250
2	Yes	252

Query executed successfully. | localhost (17.0 RTM) | LAPTOP-FB1K8V9A\HP (71) | Tableau Project 1 | 00:00:00 | Row: 1, Col: 1 | 2 rows

Item(s) Saved

Select Repository

30°C Clear

Search

ENG IN

01:11 10-05-2026

File Edit View Query Git Project Tools Extensions Window Help Search

Sign in

New Query

Tableau Project 1 | Execute

Object Explorer

Connect

- Database Snapshots
- Insurancedb
- Loan
- PROD
- Tableau Project 1
  - Database Diagrams
  - Tables
    - System Tables
    - FileTables
    - External Tables
    - Graph Tables
    - dbo.Depression+Student+Dataset
      - Columns
        - Gender (nvarchar(50), not null)
        - Age (tinyint, not null)
        - Academic_Pressure (float, not null)
        - Study_Satisfaction (float, not null)
        - Sleep_Duration (nvarchar(50), not null
        - Dietary_Habits (nvarchar(50), not null
        - Have_you_ever_had_suicidal_thoughts
        - Study_Hours (tinyint, not null)
        - Financial_Stress (tinyint, not null)
        - Family_History_of_Mental_Illness (bit,
        - Depression (bit, not null)
        - Age_Group (varchar(3), null)
      - Keys
      - Constraints
      - Triggers
      - Indexes
      - Statistics
    - Dropped Ledger Tables
  - Views
  - External Resources
  - Synonyms
  - Programmability

Tableau Pro...V9A\HP (71))

```sql
select Depression,count(*) as Total_Student from [dbo].[Depression+Student+Dataset] group by Depression

ALTER TABLE [dbo].[Depression+Student+Dataset]
ADD StudentID INT IDENTITY(1,1)
```

130 % | 59 | 0 | Ln: 76, Ch: 1 | (81 chars, 2 lines) | SPC | CRLF | UTF-8

Messages | Client Statistics

```
Commands completed successfully.

Completion time: 2026-05-10T01:49:16.3600959+05:30
```

130 % | No issues found | Ln: 4, Ch: 1 | TABS | MIXED | UTF-8 with BOM

Query executed successfully. | localhost (17.0 RTM) | LAPTOP-FB1K8V9A\HP (71) | Tableau Project 1 | 00:00:00 | Row: 1, Col: 1 | 0 rows

Ready | Select Repository

30°C Clear | Search | ENG IN | 01:49 10-05-2026

File Edit View Query Git Project Tools Extensions Window Help Search

New Query

Tableau Project 1 | Execute

Sign in

Sign in
SQL Server Management Studio can sync your settings and help you collaborate with your team.

Object Explorer

Connect

- Database Snapshots
- Insurancedb
- Loan
- PROD
- Tableau Project 1
  - Database Diagrams
  - Tables
    - System Tables
    - FileTables
    - External Tables
    - Graph Tables
    - dbo.Depression+Student+Dataset
      - Columns
        - Gender (nvarchar(50), not null)
        - Age (tinyint, not null)
        - Academic_Pressure (float, not null)
        - Study_Satisfaction (float, not null)
        - Sleep_Duration (nvarchar(50), not null
        - Dietary_Habits (nvarchar(50), not null
        - Have_you_ever_had_suicidal_thoughts
        - Study_Hours (tinyint, not null)
        - Financial_Stress (tinyint, not null)
        - Family_History_of_Mental_Illness (bit,
        - Depression (bit, not null)
        - Age_Group (varchar(3), null)
      - Keys
      - Constraints
      - Triggers
      - Indexes
      - Statistics
    - Dropped Ledger Tables
  - Views
  - External Resources
  - Synonyms
  - Programmability

Tableau Pro...9A\HP (71))*

```sql
update [dbo].[Depression+Student+Dataset]
set Depression = 'Yes' where Depression = '1'

select Depression,count(*) as Total_Student from [dbo].[Depression+Student+Dataset] group by Depression

ALTER TABLE [dbo].[Depression+Student+Dataset]
ADD StudentID INT IDENTITY(1,1)

select * from [dbo].[Depression+Student+Dataset]
```

130 % | 60 | 0 | Ln: 77, Ch: 1 | (50 chars, 1 lines) | SPC | CRLF | UTF-8

Results | Messages | Client Statistics

	Gender	Age	Academic_Pressure	Study_Satisfaction	Sleep_Duration	Dietary_Habits	Have_you_ever_had_suicidal_thoughts	Study_Hours	Financial_Stress	Family_History_of_Mental_Illness	Depression	Age_Group	StudentID
1	M	28	2	4	7-8 hours	Moderate	1	9	2	1	No	A2	1
2	M	28	4	5	5-6 hours	Healthy	1	7	1	1	No	A2	2
3	M	25	1	3	5-6 hours	Unhealthy	1	10	4	0	Yes	A2	3
4	M	23	1	4	More than 8 hours	Unhealthy	1	7	2	1	No	A1	4
5	F	31	1	5	More than 8 hours	Healthy	1	4	2	1	No	A3	5
6	M	19	4	4	5-6 hours	Unhealthy	1	1	4	1	Yes	A1	6
7	F	34	4	2	More than 8 hours	Moderate	1	6	2	0	Yes	A3	7
8	F	20	4	1	More than 8 hours	Healthy	1	3	4	1	Yes	A1	8
9	F	33	1	4	More than 8 hours	Moderate	0	10	3	0	No	A3	9
10	M	33	4	3	Less than 5 hours	Unhealthy	1	10	1	0	Yes	A3	10
11	F	31	5	4	5-6 hours	Healthy	1	6	4	0	Yes	A3	11
12	M	24	2	1	7-8 hours	Unhealthy	1	11	5	0	Yes	A1	12
13	F	23	5	5	Less than 5 hours	Unhealthy	1	2	1	1	Yes	A1	13
14	M	25	1	1	5-6 hours	Moderate	1	12	3	1	Yes	A2	14
15	M	21	5	1	More than 8 hours	Unhealthy	1	3	5	1	Yes	A1	15
16	M	28	5	3	5-6 hours	Healthy	1	8	3	1	Yes	A2	16
17	M	23	5	2	More than 8 hours	Moderate	0	10	4	0	Yes	A1	17

Query executed successfully. | localhost (17.0 RTM) | LAPTOP-FB1K8V9A\HP (71) | Tableau Project 1 | 00:00:00 | Row: 1, Col: 1 | 502 rows

Ready | Select Repository

30°C Clear | Search | ENG IN | 01:50 10-05-2026

File Edit View Query Git Project Tools Extensions Window Help Search

Sign in

New Query

Tableau Project 1 | Execute

Object Explorer

Connect

- Database Snapshots
- Insurancedb
- Loan
- PROD
- Tableau Project 1
  - Database Diagrams
  - Tables
    - System Tables
    - FileTables
    - External Tables
    - Graph Tables
    - dbo.Depression+Student+Dataset
      - Columns
        - Gender (nvarchar(50), not null)
        - Age (tinyint, not null)
        - Academic_Pressure (float, not null)
        - Study_Satisfaction (float, not null)
        - Sleep_Duration (nvarchar(50), not null
        - Dietary_Habits (nvarchar(50), not null
        - Have_you_ever_had_suicidal_thoughts
        - Study_Hours (tinyint, not null)
        - Financial_Stress (tinyint, not null)
        - Family_History_of_Mental_Illness (bit,
        - Depression (varchar(10), null)
        - Age_Group (varchar(3), null)
        - StudentID (int, not null)
      - Keys
      - Constraints
      - Triggers
      - Indexes
      - Statistics
    - Dropped Ledger Tables
  - Views
  - External Resources
  - Synonyms

Tableau Pro...9A\HP (71))*

```sql
create table 1 (Lifestyle)

SELECT
     [StudentID],
     [Gender],
     [Sleep_Duration],
     [Dietary_Habits]
INTO Lifestyle
FROM [dbo].[Depression+Student+Dataset]
```

130 % 67 0 Ln: 88, Ch: 1 (148 chars, 7 lines) SPC CRLF UTF-8

Messages | Client Statistics

```
(502 rows affected)

Completion time: 2026-05-10T02:06:05.9702325+05:30
```

130 % No issues found Ln: 5, Ch: 1 TABS MIXED UTF-8 with BOM

Query executed successfully. localhost (17.0 RTM) LAPTOP-FB1K8V9A\HP (71) Tableau Project 1 00:00:00 Row: 1, Col: 1 0 rows

Ready Select Repository

30°C Clear Search ENG IN 02:06 10-05-2026

File Edit View Query Git Project Tools Extensions Window Help Search

Sign in

New Query

Tableau Project 1 | Execute

Object Explorer

Connect

- Database Snapshots
- Insurancedb
- Loan
- PROD
- Tableau Project 1
  - Database Diagrams
  - Tables
    - System Tables
    - FileTables
    - External Tables
    - Graph Tables
    - dbo.Depression+Student+Dataset
      - Columns
        - Gender (nvarchar(50), not null)
        - Age (tinyint, not null)
        - Academic_Pressure (float, not null)
        - Study_Satisfaction (float, not null)
        - Sleep_Duration (nvarchar(50), not null
        - Dietary_Habits (nvarchar(50), not null
        - Have_you_ever_had_suicidal_thoughts
        - Study_Hours (tinyint, not null)
        - Financial_Stress (tinyint, not null)
        - Family_History_of_Mental_Illness (bit,
        - Depression (varchar(10), null)
        - Age_Group (varchar(3), null)
        - StudentID (int, not null)
      - Keys
      - Constraints
      - Triggers
      - Indexes
      - Statistics
    - Dropped Ledger Tables
  - Views
  - External Resources
  - Synonyms

Tableau Pro...9A\HP (71))*

```
create table 2 Mental Health

SELECT
     [StudentID],
     [Depression],
     [Academic_Pressure],
      [Financial_Stress]
INTO Mental_Health
FROM [dbo].[Depression+Student+Dataset]
```

130 % | 73 | 0 | Ln: 97, Ch: 40 | (161 chars, 7 lines) | SPC | CRLF | UTF-8

Messages | Client Statistics

```
(502 rows affected)

Completion time: 2026-05-10T02:10:15.9883249+05:30
```

130 % | No issues found | Ln: 5, Ch: 1 | TABS | MIXED | UTF-8 with BOM

Query executed successfully. | localhost (17.0 RTM) | LAPTOP-FB1K8V9A\HP (71) | Tableau Project 1 | 00:00:00 | Row: 1, Col: 1 | 0 rows

Ready | Select Repository

30°C Clear | Search | ENG IN | 02:10 10-05-2026

File Edit View Query Git Project Tools Extensions Window Help Search

Sign in

New Query

Tableau Project 1 | Execute

Object Explorer

Connect

- Database Snapshots
- Insurancedb
- Loan
- PROD
- Tableau Project 1
  - Database Diagrams
  - Tables
    - System Tables
    - FileTables
    - External Tables
    - Graph Tables
    - dbo.Depression+Student+Dataset
      - Columns
        - Gender (nvarchar(50), not null)
        - Age (tinyint, not null)
        - Academic_Pressure (float, not null)
        - Study_Satisfaction (float, not null)
        - Sleep_Duration (nvarchar(50), not null
        - Dietary_Habits (nvarchar(50), not null
        - Have_you_ever_had_suicidal_thoughts
        - Study_Hours (tinyint, not null)
        - Financial_Stress (tinyint, not null)
        - Family_History_of_Mental_Illness (bit,
        - Depression (varchar(10), null)
        - Age_Group (varchar(3), null)
        - StudentID (int, not null)
      - Keys
      - Constraints
      - Triggers
      - Indexes
      - Statistics
    - Dropped Ledger Tables
  - Views
  - External Resources
  - Synonyms

Tableau Pro...9A\HP (71))*

```sql
INTO Mental_Health
FROM [dbo].[Depression+Student+Dataset]

SELECT
    l.Gender,
    COUNT(*) AS Total_Students,
    SUM(CASE WHEN m.Depression = 'Yes' THEN 1 ELSE 0 END) AS Depressed_Count
FROM Lifestyle l
JOIN Mental_Health m
ON l.StudentID = m.StudentID
GROUP BY l.Gender;
```

130 % | 78 | 0 | Ln: 107, Ch: 1 | (225 chars, 8 lines) | SPC | CRLF | UTF-8

Results | Messages | Client Statistics

	Gender	Total_Students	Depressed_Count
1	F	235	114
2	M	267	138

Query executed successfully. | localhost (17.0 RTM) | LAPTOP-FB1K8V9A\HP (71) | Tableau Project 1 | 00:00:00 | Row: 1, Col: 1 | 2 rows

Ready | Select Repository

30°C Clear | Search | ENG IN | 02:20 10-05-2026

File Edit View Query Git Project Tools Extensions Window Help Search

Sign in

New Query

Tableau Project 1 | Execute

Object Explorer

Connect

- Database Snapshots
- Insurancedb
- Loan
- PROD
- Tableau Project 1
  - Database Diagrams
  - Tables
    - System Tables
    - FileTables
    - External Tables
    - Graph Tables
    - dbo.Depression+Student+Dataset
      - Columns
        - Gender (nvarchar(50), not null)
        - Age (tinyint, not null)
        - Academic_Pressure (float, not null)
        - Study_Satisfaction (float, not null)
        - Sleep_Duration (nvarchar(50), not null
        - Dietary_Habits (nvarchar(50), not null
        - Have_you_ever_had_suicidal_thoughts
        - Study_Hours (tinyint, not null)
        - Financial_Stress (tinyint, not null)
        - Family_History_of_Mental_Illness (bit,
        - Depression (varchar(10), null)
        - Age_Group (varchar(3), null)
        - StudentID (int, not null)
      - Keys
      - Constraints
      - Triggers
      - Indexes
      - Statistics
    - Dropped Ledger Tables
  - Views
  - External Resources
  - Synonyms

Tableau Pro...9A\HP (71))*

```sql
WITH StudentData AS (
    SELECT
        l.Gender,
        m.Depression
    FROM Lifestyle l
    JOIN Mental_Health m
    ON l.StudentID = m.StudentID
)
SELECT
    Gender,
    COUNT(*) AS Total_Students,
    SUM(CASE WHEN Depression = 'Yes' THEN 1 ELSE 0 END) AS Depressed_Count
FROM StudentData
GROUP BY Gender;
```

130 % | 85 | 0 | Ln: 121, Ch: 17 | (327 chars, 14 lines) | SPC | CRLF | UTF-8

Results | Messages | Client Statistics

	Gender	Total_Students	Depressed_Count
1	F	235	114
2	M	267	138

Query executed successfully. | localhost (17.0 RTM) | LAPTOP-FB1K8V9A\HP (71) | Tableau Project 1 | 00:00:00 | Row: 1, Col: 1 | 2 rows

Ready | Select Repository

30°C Clear | Search | ENG IN | 02:34 10-05-2026

File Edit View Query Git Project Tools Extensions Window Help Search

Sign in

New Query

Tableau Project 1 | Execute

Object Explorer

Connect

- Database Snapshots
- Insurancedb
- Loan
- PROD
- Tableau Project 1
  - Database Diagrams
  - Tables
    - System Tables
    - FileTables
    - External Tables
    - Graph Tables
    - dbo.Depression+Student+Dataset
      - Columns
        - Gender (nvarchar(50), not null)
        - Age (tinyint, not null)
        - Academic_Pressure (float, not null)
        - Study_Satisfaction (float, not null)
        - Sleep_Duration (nvarchar(50), not null
        - Dietary_Habits (nvarchar(50), not null
        - Have_you_ever_had_suicidal_thoughts
        - Study_Hours (tinyint, not null)
        - Financial_Stress (tinyint, not null)
        - Family_History_of_Mental_Illness (bit,
        - Depression (varchar(10), null)
        - Age_Group (varchar(3), null)
        - StudentID (int, not null)
      - Keys
      - Constraints
      - Triggers
      - Indexes
      - Statistics
    - Dropped Ledger Tables
  - Views
  - External Resources
  - Synonyms

Tableau Pro...9A\HP (71))*

```sql
WITH StudentData AS (
    SELECT
        l.StudentID,
        l.Gender,
        m.Depression
    FROM Lifestyle l
    JOIN Mental_Health m
    ON l.StudentID = m.StudentID
)
SELECT
    StudentID,
    Gender,
    Depression,
    ROW_NUMBER() OVER (PARTITION BY Gender ORDER BY StudentID) AS Row_Num
FROM StudentData;
```

130 % | 93 | 0 | Ln: 138, Ch: 1 | (333 chars, 15 lines) | SPC | CRLF | UTF-8

Results | Messages | Client Statistics

	StudentID	Gender	Depression	Row_Num
1	5	F	No	1
2	7	F	Yes	2
3	8	F	Yes	3
4	9	F	No	4
5	11	F	Yes	5
6	13	F	Yes	6
7	18	F	No	7
8	19	F	Yes	8
9	24	F	No	9
10	25	F	Yes	10
11	29	F	Yes	11
12	30	F	Yes	12

Query executed successfully. | localhost (17.0 RTM) | LAPTOP-FB1K8V9A\HP (71) | Tableau Project 1 | 00:00:00 | Row: 1, Col: 1 | 502 rows

Ready | Select Repository

30°C Clear | Search | ENG IN | 02:44 10-05-2026