

```
package CRUD;

import java.sql.Connection;
import java.sql.PreparedStatement;
import java.sql.ResultSet;

public class CRUD_Test {

    public static void main(String[] args) {

        CRUD_Test objTest=

        new CRUD_Test();

        objTest.edit_data("22");

    }

    public void create_data(
String sl_no,
String name,
String email){

        DB_Connection obj=

        new DB_Connection();

        Connection connection=

        obj.get_connection();

        try {

            String query=
```

```

        "insert into user(sl_no,name,email) values (?, ?, ?)";

        PreparedStatement ps=
        connection.prepareStatement(query);

        ps.setString(1,sl_no);
        ps.setString(2,name);
        ps.setString(3,email);

        ps.executeUpdate();

        System.out.println(
        "Data inserted");

    } catch (Exception e) {

        System.out.println(e);
    }
}

public void read_data() {

    DB_Connection obj=
    new DB_Connection();

    Connection connection=
    obj.get_connection();

    try {

```

```

String query=
"select * from user";

PreparedStatement ps=
connection.prepareStatement(query);

ResultSet rs=
ps.executeQuery();

while(rs.next()){

    System.out.println(
        "Sl no - "+
        rs.getString("sl_no"));

    System.out.println(
        "name - "+
        rs.getString("name"));

    System.out.println(
        "email - "+
        rs.getString("email"));

    System.out.println(
        "-----");
}

} catch (Exception e) {

    System.out.println(e);
}

```

```
    }  
}
```

```
public void update_data(  
    String sl_no,  
    String new_sl_no,  
    String name,  
    String email){  
  
    DB_Connection obj=  
        new DB_Connection();  
  
    Connection connection=  
        obj.get_connection();  
  
    try {  
  
        String query=  
            "update user set sl_no=?,name=?,email=? where sl_no=?";  
  
        PreparedStatement ps=  
            connection.prepareStatement(query);  
  
        ps.setString(1,new_sl_no);  
        ps.setString(2,name);  
        ps.setString(3,email);  
        ps.setString(4,sl_no);  
  
        ps.executeUpdate();  
    }  
}
```

```

        System.out.println(
            "Data updated");

    } catch (Exception e) {

        System.out.println(e);
    }
}

public void edit_data(String sl_no) {

    DB_Connection obj_DB_Connection=
    new DB_Connection();

    Connection connection=
    obj_DB_Connection.get_connection();

    PreparedStatement ps=null;
    ResultSet rs=null;

    try{

        String query=
        "select * from user where sl_no=?";

        ps=
        connection.prepareStatement(query);

        ps.setString(1,sl_no);

        rs=ps.executeQuery();
    }
}

```

```
        if(rs.next()){

            System.out.println(
                "Sl no -"+
                rs.getString("sl_no"));

            System.out.println(
                "name -"+
                rs.getString("name"));


            System.out.println(
                "email -"+
                rs.getString("email"));

            System.out.println(
                "-----");
        }

    }catch (Exception e){

        System.out.println(e);
    }

}
```



```
import com.mongodb.client.MongoClient;
import com.mongodb.client.MongoClients;
import com.mongodb.client.MongoDatabase;
```

```
public class MongoDBConnection {
```

```
    public static void main(String[] args) {
```

```
        String connectionString = "mongodb://localhost:27017";
```

```
        try (MongoClient mongoClient =
            MongoClients.create(connectionString)) {
```

```
            MongoDB database =
                mongoClient.getDatabase("testdb");
```

```
            System.out.println("Connected Successfully!");
```

```
            System.out.println("Database: "
```

```
+ database.getName());
```

```
} catch (Exception e) {
```

```
System.out.println(e);
```

```
}
```

```
}
```

```
}
```

