

```
import com.mongodb.client.*;
import com.mongodb.client.model.Filters;
import com.mongodb.client.model.Updates;
import org.bson.Document;

public class MongoCRUExample {

    public static void main(String[] args) {

        // Connect to MongoDB
        MongoClient mongoClient =
            MongoClient.create("mongodb://localhost:27017");

        // Access database
        MongoDB database =
            mongoClient.getDatabase("CollegeDB");

        // Access collection
        MongoCollection<Document> collection =
            database.getCollection("Students");

        // CREATE (Insert)
        Document student = new Document("id", 101)
            .append("name", "John")
            .append("department", "CSE")
            .append("cgpa", 8.7);

        collection.insertOne(student);
        System.out.println("Document Inserted Successfully");

        // READ (Find)
```

```
System.out.println("\nStudent Records:");
```

```
FindIterable<Document> students = collection.find();
```

```
for (Document doc : students) {  
    System.out.println(doc.toJson());  
}
```

```
// UPDATE
```

```
collection.updateOne(  
    Filters.eq("id", 101),  
    Updates.set("cgpa", 9.2)  
);
```

```
System.out.println("\nDocument Updated Successfully");
```

```
// READ Updated Record
```

```
Document updatedStudent =  
    collection.find(Filters.eq("id", 101)).first();
```

```
System.out.println("\nUpdated Record:");
```

```
if (updatedStudent != null) {  
    System.out.println(updatedStudent.toJson());  
}
```

```
// DELETE
```


```
collection.deleteOne(Filters.eq("id", 101));
```

```
System.out.println("\nDocument Deleted Successfully");
```

```

// Close connection
mongoClient.close();
}
}

```



```

import com.mongodb.client.*;
import com.mongodb.client.model.Filters;
import com.mongodb.client.model.Updates;
import org.bson.Document;

import java.util.Arrays;

public class MongoCRUDEExample {

    public static void main(String[] args) {

        // Connect to MongoDB
        MongoClient mongoClient =
            MongoClient.create("mongodb://localhost:27017");

        // Access Database
        MongoDB database =

```

```

        mongoClient.getDatabase("CollegeDB");

// Access Collection
MongoCollection<Document> collection =
        database.getCollection("Students");

// =====
// CREATE (Insert Many)
// =====
collection.insertMany(Arrays.asList(
        new Document("id", 1)
                .append("name", "Alice")
                .append("department", "CSE")
                .append("cgpa", 8.5),

        new Document("id", 2)
                .append("name", "Bob")
                .append("department", "ECE")
                .append("cgpa", 8.0),

        new Document("id", 3)
                .append("name", "Charlie")
                .append("department", "ME")
                .append("cgpa", 7.8)
));

System.out.println("Documents Inserted Successfully");

// =====
// READ
// =====
System.out.println("\nStudent Records:");

```

```

FindIterable<Document> students = collection.find();

for (Document doc : students) {
    System.out.println(doc.toJson());
}

// =====
// UPDATE MANY
// =====
collection.updateMany(
    Filters.gte("cgpa", 8.0),
    Updates.set("department", "Computer Science")
);

System.out.println("\nDocuments Updated Successfully");

// =====
// READ UPDATED RECORDS
// =====
System.out.println("\nUpdated Records:");

FindIterable<Document> updatedStudents =
    collection.find(
        Filters.eq("department", "Computer Science")
    );

for (Document doc : updatedStudents) {
    System.out.println(doc.toJson());
}

// =====

```

```

// DELETE MANY

// =====

collection.deleteMany(

    Filters.eq("department", "Computer Science")

);

System.out.println("\nDocuments Deleted Successfully");

// Close Connection

mongoClient.close();

}

}

```

```

workspace - Java - MongoDB_Project/src/MongoCRUDExample.java - Eclipse
File Edit Source Refactor Navigate Search Project Run Window Help

Package Explorer
  mongo
  > src
  > JRE System Library [JavaSE-1.8]
  > Referenced Libraries
  MongoDB_Project
  > src
  > (default package)
  > MongoDBCRUDExample.java
  > MongoDBConnection.java
  > JRE System Library [JavaSE-1.8]
  > Referenced Libraries
  > mongo-java-driver-3.12.14.jar - C:\Users\khush\Download

MongoCRUDExample.java
52 for (Document doc : students) {
53     System.out.println(doc.toJson());
54 }
55 // =====
56 // UPDATE MANY
57 // =====
58 collection.updateMany(
59     Filters.eq("cgsa", 8.0),
60     Updates.set("department", "Computer Science")
61 );
62 System.out.println("\nDocuments Updated Successfully");
63 // =====
64 // READ UPDATED RECORDS
65 // =====
66 System.out.println("\nUpdated Records:");
67 FindIterable<Document> updatedStudents =
68     collection.find(
69         Filters.eq("department", "Computer Science")
70     );
71 for (Document doc : updatedStudents) {
72     System.out.println(doc.toJson());
73 }
74 // =====
75 // DELETE MANY
76 // =====
77 collection.deleteMany(
78     Filters.eq("department", "Computer Science")
79 );
80 System.out.println("\nDocuments Deleted Successfully");
81 // Close Connection
82 mongoClient.close();
83 }

Problems Javadoc Declaration Console
<terminated> MongoCRUDExample [Java Application] C:\Program Files\Java\jre1.8.0_221
Student Records:
{"_id": {"$oid": "6a2037705a6465109c9070b8"}, "id": 1, "name": "Student 1"}
{"_id": {"$oid": "6a2037705a6465109c9070b9"}, "id": 2, "name": "Student 2"}
{"_id": {"$oid": "6a2037705a6465109c9070ba"}, "id": 3, "name": "Student 3"}
Documents Updated Successfully
Updated Records:
{"_id": {"$oid": "6a2037705a6465109c9070b8"}, "id": 1, "name": "Student 1"}
{"_id": {"$oid": "6a2037705a6465109c9070b9"}, "id": 2, "name": "Student 2"}
Documents Deleted Successfully

```