

```
In [4]: #Name:Khushi Bhaisare
#Roll no: 09
#Sec:A
#Subject:Data Science and Statistics
```

```
In [5]: import pandas as pd
import os
```

```
In [6]: os.getcwd()
```

Out[6]: 'C:\\Users\\cmahl\\project notebook'

```
In [7]: os.chdir('C:\\Users\\cmahl\\Desktop')
```

```
In [8]: data=pd.read_csv("titanic.csv")
```

```
In [9]: data.head()
```

Out[9]:

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cabin	Embarked
0	892	0	3	Kelly, Mr. James	male	34.5	0	0	330911	7.8292	NaN	Q
1	893	1	3	Wilkes, Mrs. James (Ellen Needs)	female	47.0	1	0	363272	7.0000	NaN	S
2	894	0	2	Myles, Mr. Thomas Francis	male	62.0	0	0	240276	9.6875	NaN	Q
3	895	0	3	Wirz, Mr. Albert	male	27.0	0	0	315154	8.6625	NaN	S
4	896	1	3	Hirvonen, Mrs. Alexander (Helga E Lindqvist)	female	22.0	1	1	3101298	12.2875	NaN	S

```
In [10]: data.tail()
```

Out[10]:

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cabin	Embarked
413	1305	0	3	Spector, Mr. Woolf	male	NaN	0	0	A.5. 3236	8.0500	NaN	S
414	1306	1	1	Oliva y Ocana, Dona. Fermina	female	39.0	0	0	PC 17758	108.9000	C105	C
415	1307	0	3	Saether, Mr. Simon Sivertsen	male	38.5	0	0	SOTON/O.Q. 3101262	7.2500	NaN	S
416	1308	0	3	Ware, Mr. Frederick	male	NaN	0	0	359309	8.0500	NaN	S
417	1309	0	3	Peter, Master. Michael J	male	NaN	1	1	2668	22.3583	NaN	C

```
In [11]: data.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 418 entries, 0 to 417
Data columns (total 12 columns):
#   Column      Non-Null Count  Dtype
---  -
0   PassengerId  418 non-null    int64
1   Survived     418 non-null    int64
2   Pclass       418 non-null    int64
3   Name         418 non-null    object
4   Sex          418 non-null    object
5   Age          332 non-null    float64
6   SibSp        418 non-null    int64
7   Parch        418 non-null    int64
8   Ticket       418 non-null    object
9   Fare         417 non-null    float64
10  Cabin        91 non-null     object
11  Embarked     418 non-null    object
dtypes: float64(2), int64(5), object(5)
memory usage: 39.3+ KB
```

```
In [12]: data.describe()
```

Out[12]:

PassengerId	Survived	Pclass	Age	SibSp	Parch	Fare
-------------	----------	--------	-----	-------	-------	------

count	418.000000	418.000000	418.000000	332.000000	418.000000	418.000000	417.000000
mean	1100.500000	0.363636	2.265550	30.272590	0.447368	0.392344	35.627188
std	120.810458	0.481622	0.841838	14.181209	0.896760	0.981429	55.907576
min	892.000000	0.000000	1.000000	0.170000	0.000000	0.000000	0.000000
25%	996.250000	0.000000	1.000000	21.000000	0.000000	0.000000	7.895800
50%	1100.500000	0.000000	3.000000	27.000000	0.000000	0.000000	14.454200
75%	1204.750000	1.000000	3.000000	39.000000	1.000000	0.000000	31.500000
max	1309.000000	1.000000	3.000000	76.000000	8.000000	9.000000	512.329200

In [13]:

data.isnull()

Out[13]:

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cabin	Embarked
0	False	False	False	False	False	False	False	False	False	False	True	False
1	False	False	False	False	False	False	False	False	False	False	True	False
2	False	False	False	False	False	False	False	False	False	False	True	False
3	False	False	False	False	False	False	False	False	False	False	True	False
4	False	False	False	False	False	False	False	False	False	False	True	False
...
413	False	False	False	False	False	True	False	False	False	False	True	False
414	False	False	False	False	False	False	False	False	False	False	False	False
415	False	False	False	False	False	False	False	False	False	False	True	False
416	False	False	False	False	False	True	False	False	False	False	True	False
417	False	False	False	False	False	True	False	False	False	False	True	False

418 rows × 12 columns

In [14]:

data.isna().any()

Out[14]:

PassengerId	False
Survived	False
Pclass	False
Name	False
Sex	False
Age	True
SibSp	False
Parch	False
Ticket	False
Fare	True
Cabin	True
Embarked	False
dtype:	bool

In [15]:

data.shape

Out[15]:

(418, 12)

In [16]:

data.isna().sum()

Out[16]:

PassengerId	0
Survived	0
Pclass	0
Name	0
Sex	0
Age	86
SibSp	0
Parch	0
Ticket	0
Fare	1
Cabin	327
Embarked	0
dtype:	int64

In [17]:

data.dropna()

Out[17]:

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cabin	Embarked	
	12	904	1	1	Snyder, Mrs. John Pillsbury (Nelle Stevenson)	female	23.0	1	0	21228	82.2667	B45	S
	14	906	1	1	Chaffee, Mrs. Herbert Fuller (Carrie Constance...	female	47.0	1	0	W.E.P. 5734	61.1750	E31	S
	24	916	1	1	Ryerson, Mrs. Arthur Larned (Emily Maria Borie)	female	48.0	1	3	PC 17608	262.3750	B57 B59 B63 B66	C
	26	918	1	1	Ostby, Miss. Helene Ragnhild	female	22.0	0	1	113509	61.9792	B36	C
	28	920	0	1	Brady, Mr. John Bertram	male	41.0	0	0	113054	30.5000	A21	S

	404	1296	0	1	Frauenthal, Mr. Isaac Gerald	male	43.0	1	0	17765	27.7208	D40	C
	405	1297	0	2	Nourney, Mr. Alfred (Baron von Drachstedt")"	male	20.0	0	0	SC/PARIS 2166	13.8625	D38	C
	407	1299	0	1	Widener, Mr. George Dunton	male	50.0	1	1	113503	211.5000	C80	C
	411	1303	1	1	Minahan, Mrs. William Edward (Lillian E Thorpe)	female	37.0	1	0	19928	90.0000	C78	Q
	414	1306	1	1	Oliva y Ocana, Dona. Fermina	female	39.0	0	0	PC 17758	108.9000	C105	C

87 rows × 12 columns

In [18]:

data.isna().sum()

Out[18]:

PassengerId	0
Survived	0
Pclass	0
Name	0
Sex	0
Age	86
SibSp	0
Parch	0
Ticket	0
Fare	1
Cabin	327
Embarked	0
dtype:	int64

In [20]:

data['Age'].fillna(value=data['Age'].mean(),inplace=True)

In [21]:

data['Fare'].fillna(value=data['Fare'].mean(),inplace=True)

In [26]:

data['Cabin'].fillna(value='NULL',inplace=True)

In [27]:

data.isna().sum()

Out[27]:

PassengerId	0
Survived	0
Pclass	0
Name	0
Sex	0
Age	0
SibSp	0
Parch	0
Ticket	0
Fare	0
Cabin	0
Embarked	0
dtype:	int64

In []: