Pg No:		mere	
Date:	1	/20	
		0	J

	CI 12 Marie 12	Pg No: / /20
Day-7	Jsx, Components and Ele	ments Latini tenas
	TSX is a Syntax extension React uses TSX to descr	7
<u>→</u>	Component: Cambines mu business régic) multin
->	Dru of Components:	1 HUJ >
15019	Comp. () detagoide ()] = soid) and	italial \>
>	Comp. The final web pages Rear	t producis is
\rightarrow	nothing but pure HTMI TSX:	css and Js.
20	const button Title= 'Submit'	C C
	return (< button class Name=""> < span >	props: { className: '
4		children: { type: 'span', children: 'Submit
		7 3



E.S.	Pg.No:				
\rightarrow	On element, each nade instead of being JSX is a plain object describing a component instance or DOM node and its desired properties.				
- (compagned lain object discribing a				
	desired or sourctive				
\rightarrow	An element is just a way to represent the final HTML output as a plain Object.				
	The trai HTML output as a plain object.				
\rightarrow	React: Identifies all user defined components				
	Converts into DOM elements				
	Convers into Dom survivos				
	This result is known as virtual DDM				
→	Right transforms the TSX into an internal				
	React transforms the JSX into an internal tree of elements, which are just Javascript				
	Objects.				
V	Component Composition with children				
-	Component Composition				
	Two main features				
	Containment Specialization				
11					
	Some components don't as being "special cases" of other cases. Foreg.				
	some components day cases" of other				
11					
	also be described as confirmation Dialog is				
	genoric boxes, like a a special case of Dialog or Alert. Dialog.				
	Opialog or Hert.				