```
import java. util. Sconner;
Class Book
   private Stize name, author;
  private double price;
  private int num-page;
  Scanner SS = new Scanner (System in);
   Book()
   name = "Narry Potter";
    author = "J.K howling ";
    price = 1200.99;
    num-page = 550;
 BOOK (String news, String outh, double cost, introp)
  name = nam;
  author = autho;
  price = cost;
 num pages = np;
```

```
public void getDetnite ()
     System out print in ("In Enter the Book Details: ");
    Spotemond. printen ("Name: ");
     name = 21 reset ();
    System and . printly ("Anthor ");
    author = ss. next ();
    System. out. println ("Price: ");
   · pria s ( next Double ();
    System out printly ("Nember of Pages. ");
    rum page = St. next Tut ();
 Public String to String ()
     roturn ("InIn The Book Details are: In" + "Book Tittle: "+ name +" In Author: "+
                 coustrest + In Price: "+ Price + "In Number of pays: "> num page
2 ____
clos Book Details (
     public static void main (String args [])
       Scanner a xx = new Scanner (System.in);
       int n, ch;
       System. Out. print In ("Enter the number of Book: ");
       n = IX next Int ();
       Book b[]= new Book [n];
       for ( ind i=0; i < n; oi++)
          System out printen ("1: Enter Values Ind: Print Deter values");
         System out print In ("In Enter your Choice");
         ch = ax rest Int ();
         if (ch = = 1)
             6 [i] = New Book ();
             b[i]=gel&etails();
             System out print In ( b[i]);
```

DIMMESALD

```
else

b[i]= new Book();

System.out. println();

}

3

4
```