

Session_12

Q.1 Create a file called playlist.txt and write the names of your top 3 favorite songs from Spotify into it using write mode (w).

A.1 #include <stdio.h>

```
int main() {
```

```
FILE *file;
```

```
file = fopen(".Hindisoftsongs.txt", "w");
```

```
if (file == NULL) {
```

```
    printf("File could not be opened.\n");
```

```
return 1; }
```

```
fprintf(file, "Tum Hi Ho\n");
```

```
fprintf(file, "Barsaat\n");
```

```
fprintf(file, "Bairan \n");
```

```
fclose(file);
```

```
printf("Songs written to Hindisoftsongs.txt successfully.\n");
```

```
return 0;
```

```
}
```

Q.2 Open playlist.txt in read mode (r) and display each song name on a separate line in the console.

A.2 #include <stdio.h>

```
int main() {
```

```
FILE *file;
```

```
char song[100];
```

```
file = fopen("playlist.txt", "r");
```

```
if (file == NULL) {
```

```
printf("File could not be opened.\n");
```

```
return 1;
```

```
}
```

Session_12

```
printf("My Playlist:\n");
while (fgets(song, sizeof(song), file) != NULL) {

    printf("%s", song);
}
fclose(file);
return 0;
}
```

Q.3 Add two more song names to playlist.txt without deleting the existing ones by opening the file in append mode (a).

A.3 #include <stdio.h>
int main() {

```
FILE *file; file = fopen("playlist.txt", "a");
```

```
if (file == NULL) {
    printf("File could not be opened.\n");
    return 1;
}
```

```
fprintf(file, "Love Story\n");
fprintf(file, "What Makes You Beautiful\n");
```

```
fclose(file);
```

```
printf("Two songs added successfully.\n");
return 0;
}
```

Q.4 Write a program that reads all song names from playlist.txt and prints only those that contain the word 'love' (case-insensitive). Hint: Use the 'in' keyword or equivalent string method for

Session_12

filtering.

A.4 #include <stdio.h>

```
int main() {  
  
    FILE *file;  
  
    char song[100];  
  
    int i, j, found;  
  
  
    file = fopen("playlist.txt", "r");  
  
  
    if (file == NULL) {  
        printf("File could not be opened.\n");  
        return 1;  
    }  
  
        printf("Songs containing 'love':\n");  
        while (fgets(song, 100, file) != NULL) {  
found = 0;  
        for (i = 0; song[i] != '\0'; i++) ;  
        // Check for l/L  
        if (song[i] == 'l' || song[i] == 'L') {  
            // Check for o/O  
            if (song[i + 1] == 'o' || song[i + 1] == 'O') {  
  
                // Check for v/V  
                if (song[i + 2] == 'v' || song[i + 2] == 'V') {  
                    // Check for e/E
```

Session_12

```
    if (song[i + 3] == 'e' || song[i + 3] == 'E') {  
        found = 1;  
        break;  
    }  
}  
}  
}  
}  
}  
}  
if (found == 1) {  
    printf("%s", song);  
}  
}  
fclose(file);  
return 0;  
}
```
