

Q1. Identify different protocols at Application, Transport and Network Layer.

- **Application Layer Protocols:** HTTP, DNS, NTP
- **Transport Layer Protocols:** TCP and UDP
- **Network Layer Protocols:** IPv4, IPv6 and ICMP
- In our packet capture, **HTTP** was used at the Application Layer.
- **TCP** was used at the Transport Layer.
- **IPv4** was used at the Network Layer.

Q2. Find the total data received while opening neverssl.com and cornell.edu.

- Wireshark was used to capture the network packets.
- The websites **neverssl.com** and **cornell.edu** were opened in the browser.
- The captured traffic was analysed using Wireshark.
- For the analysed TCP Stream **44**, the total captured data was approximately **5 kB**.
- The stream contained **25 packets**.
- The data details were checked using **Statistics → Conversations → TCP**.

Q3. Analyse the HTTP communication of neverssl.com.

- **Number of HTTP GET Requests:** 8
- Example request: **GET /online HTTP/1.1**
- **HTTP Version:** HTTP/1.1
- **Application Layer Protocol:** HTTP
- **Transport Layer Protocol:** TCP
- **Network Layer Protocol:** IPv4
- **HTTP Response:** HTTP/1.1 200 OK
- **HTTP Response Content-Length:** 1173 bytes
- **TCP Stream ID:** 44
- **TCP packets in analysed stream:** 25
- **Captured data in analysed stream:** approximately 5 kB
- **TCP Three-Way Handshake:**
 - SYN — Client sends a connection request.
 - SYN-ACK — Server acknowledges the request.
 - ACK — Client acknowledges the server.
- Therefore, the TCP connection was established using **SYN → SYN-ACK → ACK**.



http.request

No.	Time	Source	Destination	Protocol	Length	Info
9	56.346439936	10.0.2.15	91.189.91.97	HTTP	142	GET / HTTP/1.1
162	92.378857644	10.0.2.15	151.101.65.91	HTTP	355	GET /canonical.html HTTP/1.1
788	94.719566360	10.0.2.15	151.101.65.91	HTTP	372	GET /success.txt?ipv4 HTTP/1.1
1513	134.803479167	10.0.2.15	34.223.124.45	HTTP	400	GET /online HTTP/1.1
1517	135.518397707	10.0.2.15	34.223.124.45	HTTP	401	GET /online/ HTTP/1.1
1534	135.980204956	10.0.2.15	34.223.124.45	HTTP	416	GET /favicon.ico HTTP/1.1
1597	152.384298291	10.0.2.15	151.101.65.91	HTTP	355	GET /canonical.html HTTP/1.1
1619	152.433527796	10.0.2.15	151.101.65.91	HTTP	372	GET /success.txt?ipv4 HTTP/1.1

Frame 9: 142 bytes on wire (1136 bits), 142 bytes captured (1136 bits) on interface enp0s3
 Ethernet II, Src: PCSSystemtec_a9:ed:37 (08:00:27:a9:ed:37), Dst: 91.189.91.97
 Internet Protocol Version 4, Src: 10.0.2.15, Dst: 91.189.91.97
 Transmission Control Protocol, Src Port: 52658, Dst Port: 80, Seq: 3456789012
 Hypertext Transfer Protocol

```

0000  52 55 0a 00 02 02 08 00 27 a9 ed 37 08 00 45 00
0010  00 80 76 63 40 00 40 06 00 e8 0a 00 02 0f 5b bd
0020  5b 61 cd b2 00 50 ab c3 dd d3 0c d8 16 02 50 18
0030  fa f0 c3 9f 00 00 47 45 54 20 2f 20 48 54 54 50
0040  2f 31 2e 31 0d 0a 48 6f 73 74 3a 20 63 6f 6e 6e
0050  65 63 74 69 76 69 74 79 2d 63 68 65 63 6b 2e 75
0060  62 75 6e 74 75 2e 63 6f 6d 2e 0d 0a 41 63 63 65
0070  70 74 3a 20 2a 2f 2a 0d 0a 43 6f 6e 6e 65 63 74
0080  69 6f 6e 3a 20 63 6c 6f 73 65 0d 0a 0d 0a
  
```



http.request

No.	Time	Source	Destination	Protocol	Length	Info
9	56.346439936	10.0.2.15	91.189.91.97	HTTP	142	GET / HTTP/1.1
162	92.378857644	10.0.2.15	151.101.65.91	HTTP	355	GET /canonical.html HTTP/1.1
788	94.719566360	10.0.2.15	151.101.65.91	HTTP	372	GET /success.txt?ipv4 HTTP/1.1
1513	134.803479167	10.0.2.15	34.223.124.45	HTTP	400	GET /online HTTP/1.1
1517	135.518397707	10.0.2.15	34.223.124.45	HTTP	401	GET /online/ HTTP/1.1
1534	135.980204956	10.0.2.15	34.223.124.45	HTTP	416	GET /favicon.ico HTTP/1.1
1597	152.384298291	10.0.2.15	151.101.65.91	HTTP	355	GET /canonical.html HTTP/1.1
1619	152.433527796	10.0.2.15	151.101.65.91	HTTP	372	GET /success.txt?ipv4 HTTP/1.1

Frame 9: 142 bytes on wire (1136 bits), 142 bytes captured (1136 bits) on interface enp0s3
 Ethernet II, Src: PCSSystemtec_a9:ed:37 (08:00:27:a9:ed:37), Dst: 91.189.91.97
 Internet Protocol Version 4, Src: 10.0.2.15, Dst: 91.189.91.97
 Transmission Control Protocol, Src Port: 52658, Dst Port: 80, Seq: 3456789012
 Hypertext Transfer Protocol

```

0000  52 55 0a 00 02 02 08 00 27 a9 ed 37 08 00 45 00
0010  00 80 76 63 40 00 40 06 00 e8 0a 00 02 0f 5b bd
0020  5b 61 cd b2 00 50 ab c3 dd d3 0c d8 16 02 50 18
0030  fa f0 c3 9f 00 00 47 45 54 20 2f 20 48 54 54 50
0040  2f 31 2e 31 0d 0a 48 6f 73 74 3a 20 63 6f 6e 6e
0050  65 63 74 69 76 69 74 79 2d 63 68 65 63 6b 2e 75
0060  62 75 6e 74 75 2e 63 6f 6d 2e 0d 0a 41 63 63 65
0070  70 74 3a 20 2a 2f 2a 0d 0a 43 6f 6e 6e 65 63 74
0080  69 6f 6e 3a 20 63 6c 6f 73 65 0d 0a 0d 0a
  
```


File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help



http.request.method=="GET"

No.	Time	Source	Destination	Protocol	Length	Info
9	56.346439936	10.0.2.15	91.189.91.97	HTTP	142	GET / HTTP/1.1
162	92.378857644	10.0.2.15	151.101.65.91	HTTP	355	GET /canonical.html HTTP/1.1
788	94.719566360	10.0.2.15	151.101.65.91	HTTP	372	GET /success.txt?ipv4 HTTP/1.1
1513	134.803479167	10.0.2.15	34.223.124.45	HTTP	400	GET /online HTTP/1.1
1517	135.518397707	10.0.2.15	34.223.124.45	HTTP	401	GET /online/ HTTP/1.1
1534	135.980204956	10.0.2.15	34.223.124.45	HTTP	416	GET /favicon.ico HTTP/1.1
1597	152.384298291	10.0.2.15	151.101.65.91	HTTP	355	GET /canonical.html HTTP/1.1
1619	152.433527796	10.0.2.15	151.101.65.91	HTTP	372	GET /success.txt?ipv4 HTTP/1.1

Frame 9: 142 bytes on wire (1136 bits), 142 bytes captured (1136 bits) on interface enp0s3
Ethernet II, Src: PCSSystemtec_a9:ed:37 (08:00:27:a9:ed:37), Dst: 91:189:91:97
Internet Protocol Version 4, Src: 10.0.2.15, Dst: 91.189.91.97
Transmission Control Protocol, Src Port: 52658, Dst Port: 80, Seq: 300000000, Win: 65535, Len: 0
Hypertext Transfer Protocol

0000	52 55 0a 00 02 02 08 00 27 a9 ed 37 08 00 45 00
0010	00 80 76 63 40 00 40 06 00 e8 0a 00 02 0f 5b bd
0020	5b 61 cd b2 00 50 ab c3 dd d3 0c d8 16 02 50 18
0030	fa f0 c3 9f 00 00 47 45 54 20 2f 20 48 54 54 50
0040	2f 31 2e 31 0d 0a 48 6f 73 74 3a 20 63 6f 6e 6e
0050	65 63 74 69 76 69 74 79 2d 63 68 65 63 6b 2e 75
0060	62 75 6e 74 75 2e 63 6f 6d 2e 0d 0a 41 63 63 65
0070	70 74 3a 20 2a 2f 2a 0d 0a 43 6f 6e 6e 65 63 74
0080	69 6f 6e 3a 20 63 6c 6f 73 65 0d 0a 0d 0a

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help



http.request.method=="GET"

No.	Time	Source	Destination	Protocol	Length	Info
9	56.346439936	10.0.2.15	91.189.91.97	HTTP	142	GET / HTTP/1.1
162	92.378857644	10.0.2.15	151.101.65.91	HTTP	355	GET /canonical.html HTTP/1.1
788	94.719566360	10.0.2.15	151.101.65.91	HTTP	372	GET /success.txt?ipv4 HTTP/1.1
1513	134.803479167	10.0.2.15	34.223.124.45	HTTP	400	GET /online HTTP/1.1
1517	135.518397707	10.0.2.15	34.223.124.45	HTTP	401	GET /online/ HTTP/1.1
1534	135.980204956	10.0.2.15	34.223.124.45	HTTP	416	GET /favicon.ico HTTP/1.1
1597	152.384298291	10.0.2.15	151.101.65.91	HTTP	355	GET /canonical.html HTTP/1.1
1619	152.433527796	10.0.2.15	151.101.65.91	HTTP	372	GET /success.txt?ipv4 HTTP/1.1

Frame 9: 142 bytes on wire (1136 bits), 142 bytes captured (1136 bits) on interface enp0s3
 Ethernet II, Src: PCSSystemtec_a9:ed:37 (08:00:27:a9:ed:37), Dst: 91.189.91.97
 Internet Protocol Version 4, Src: 10.0.2.15, Dst: 91.189.91.97
 Transmission Control Protocol, Src Port: 52658, Dst Port: 80, Seq: 3456789012
 Hypertext Transfer Protocol

```

0000  52 55 0a 00 02 02 08 00 27 a9 ed 37 08 00 45 00
0010  00 80 76 63 40 00 40 06 00 e8 0a 00 02 0f 5b bd
0020  5b 61 cd b2 00 50 ab c3 dd d3 0c d8 16 02 50 18
0030  fa f0 c3 9f 00 00 47 45 54 20 2f 20 48 54 54 50
0040  2f 31 2e 31 0d 0a 48 6f 73 74 3a 20 63 6f 6e 6e
0050  65 63 74 69 76 69 74 79 2d 63 68 65 63 6b 2e 75
0060  62 75 6e 74 75 2e 63 6f 6d 2e 0d 0a 41 63 63 65
0070  70 74 3a 20 2a 2f 2a 0d 0a 43 6f 6e 6e 65 63 74
0080  69 6f 6e 3a 20 63 6c 6f 73 65 0d 0a 0d 0a
  
```




http.response

No.	Time	Source	Destination	Protocol	Length	Info
11	56.638163116	91.189.91.97	10.0.2.15	HTTP	133	HTTP/1.1 204 No Content
165	92.395568266	151.101.65.91	10.0.2.15	HTTP	506	HTTP/1.1 200 OK (text/html)
790	94.736179144	151.101.65.91	10.0.2.15	HTTP	424	HTTP/1.1 200 OK (text/plain)
1515	135.504703222	34.223.124.45	10.0.2.15	HTTP	587	HTTP/1.1 301 Moved Permanently (text/html)
1519	135.826913992	34.223.124.45	10.0.2.15	HTTP	1573	HTTP/1.1 200 OK (text/html)
1545	136.327303176	34.223.124.45	10.0.2.15	HTTP	470	HTTP/1.1 200 OK (PNG)
1599	152.408465108	151.101.65.91	10.0.2.15	HTTP	506	HTTP/1.1 200 OK (text/html)
1622	152.460384587	151.101.65.91	10.0.2.15	HTTP	424	HTTP/1.1 200 OK (text/plain)

Frame 1519: 1573 bytes on wire (12584 bits), 1573 bytes captured
Ethernet II, Src: 52:55:0a:00:02:02 (52:55:0a:00:02:02), Dst: 10:00:00:00:00:00
Internet Protocol Version 4, Src: 34.223.124.45, Dst: 10.0.2.15
Transmission Control Protocol, Src Port: 80, Dst Port: 36992, Seq: 36992, Win: 0, Len: 0
Hypertext Transfer Protocol
HTTP/1.1 200 OK\r\n
Date: Sat, 11 Jul 2026 17:10:50 GMT\r\n
Server: Apache/2.4.66 ()\r\n
Last-Modified: Wed, 29 Jun 2022 00:23:22 GMT\r\n
ETag: "8be-5e28b29291e10-gzip"\r\n
Accept-Ranges: bytes\r\n
Vary: Accept-Encoding\r\n
Content-Encoding: gzip\r\n
Content-Length: 1173\r\n
Keep-Alive: timeout=5, max=99\r\n
Connection: Keep-Alive\r\n
Content-Type: text/html; charset=UTF-8\r\n

0030	ff ff b1 24 00 00 48 54 54 50 2f 31 2e 31 20 32
0040	30 30 20 4f 4b 0d 0a 44 61 74 65 3a 20 53 61 74
0050	2c 20 31 31 20 4a 75 6c 20 32 30 32 36 20 31 37
0060	3a 31 30 3a 35 30 20 47 4d 54 0d 0a 53 65 72 76
0070	65 72 3a 20 41 70 61 63 68 65 2f 32 2e 34 2e 36
0080	36 20 28 29 0d 0a 4c 61 73 74 2d 4d 6f 64 69 66
0090	69 65 64 3a 20 57 65 64 2c 20 32 39 20 4a 75 6e
00a0	20 32 30 32 32 20 30 30 3a 32 33 3a 32 32 20 47
00b0	4d 54 0d 0a 45 54 61 67 3a 20 22 38 62 65 2d 35
00c0	65 32 38 62 32 39 32 39 31 65 31 30 2d 67 7a 69
00d0	70 22 0d 0a 41 63 63 65 70 74 2d 52 61 6e 67 65
00e0	73 3a 20 62 79 74 65 73 0d 0a 56 61 72 79 3a 20
00f0	41 63 63 65 70 74 2d 45 6e 63 6f 64 69 6e 67 0d
0100	0a 43 6f 6e 74 65 6e 74 2d 45 6e 63 6f 64 69 6e
0110	67 3a 20 67 7a 69 70 0d 0a 43 6f 6e 74 65 6e 74
0120	2d 4c 65 6e 67 74 68 3a 20 31 31 37 33 0d 0a 4b

Frame (1573 bytes)

Uncompressed entity body (2238 bytes)



tcp.stream eq 44

No.	Time	Source	Destination	Protocol	Length	Info
1474	119.427186175	10.0.2.15	34.223.124.45	TCP	74	36992 → 80 [SYN] Seq=0 Win=64240 Len=0 MSS=1460
1489	120.488188040	10.0.2.15	34.223.124.45	TCP	74	[TCP Retransmission] 36992 → 80 [SYN] Seq=0 Win=64240 Len=0 MSS=1460
1491	121.517937325	10.0.2.15	34.223.124.45	TCP	74	[TCP Retransmission] 36992 → 80 [SYN] Seq=0 Win=64240 Len=0 MSS=1460
1493	122.536652636	10.0.2.15	34.223.124.45	TCP	74	[TCP Retransmission] 36992 → 80 [SYN] Seq=0 Win=64240 Len=0 MSS=1460
1495	123.561801347	10.0.2.15	34.223.124.45	TCP	74	[TCP Retransmission] 36992 → 80 [SYN] Seq=0 Win=64240 Len=0 MSS=1460
1497	124.583665791	10.0.2.15	34.223.124.45	TCP	74	[TCP Retransmission] 36992 → 80 [SYN] Seq=0 Win=64240 Len=0 MSS=1460
1508	126.631228745	10.0.2.15	34.223.124.45	TCP	74	[TCP Retransmission] 36992 → 80 [SYN] Seq=0 Win=64240 Len=0 MSS=1460
1510	130.663761893	10.0.2.15	34.223.124.45	TCP	74	[TCP Retransmission] 36992 → 80 [SYN] Seq=0 Win=64240 Len=0 MSS=1460
1511	134.802080150	34.223.124.45	10.0.2.15	TCP	60	80 → 36992 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0
1512	134.802164087	10.0.2.15	34.223.124.45	TCP	54	36992 → 80 [ACK] Seq=1 Ack=1 Win=64240 Len=0
1513	134.803479167	10.0.2.15	34.223.124.45	HTTP	400	GET /online HTTP/1.1
1514	134.804009922	34.223.124.45	10.0.2.15	TCP	60	80 → 36992 [ACK] Seq=1 Ack=347 Win=65535 Len=0
1515	135.504703222	34.223.124.45	10.0.2.15	HTTP	587	HTTP/1.1 301 Moved Permanently (text/html)
1516	135.504875995	10.0.2.15	34.223.124.45	TCP	54	36992 → 80 [ACK] Seq=347 Ack=534 Win=63784 Len=0
1517	135.518397707	10.0.2.15	34.223.124.45	HTTP	401	GET /online/ HTTP/1.1
1518	135.519372429	34.223.124.45	10.0.2.15	TCP	60	80 → 36992 [ACK] Seq=534 Ack=694 Win=65535 Len=0

Frame 1511: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface enp0s3
Ethernet II, Src: 52:55:0a:00:02:02 (52:55:0a:00:02:02), Dst: 10:00:00:00:00:00
Internet Protocol Version 4, Src: 34.223.124.45, Dst: 10.0.2.15
Transmission Control Protocol, Src Port: 80, Dst Port: 36992, Seq: 0, Win: 65535, Len: 0

Source Port: 80
Destination Port: 36992
[Stream index: 44]
[Conversation completeness: Complete, WITH_DATA (31)]
[TCP Segment Len: 0]
Sequence Number: 0 (relative sequence number)
Sequence Number (raw): 227392001
[Next Sequence Number: 1 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 3468068215
0110 = Header Length: 24 bytes (6)
Flags: 0x012 (SYN, ACK)
Window: 65535

0000 08 00 27 a9 ed 37 52 55 0a 00 02 02 08 00 45 08
0010 00 2c fb 8b 00 00 40 06 d4 1d 22 df 7c 2d 0a 00
0020 02 0f 00 50 90 80 0d 8d ba 01 ce b6 85 77 60 12
0030 ff ff 40 6e 00 00 02 04 05 b4 00 00



tcp.stream eq 44

No.	Time	Source	Destination	Protocol	Length	Info
1474	119.427186175	10.0.2.15	34.223.124.45	TCP	74	36992 → 80 [SYN] Seq=0 Win=64240 Len=0 MSS=1460
1489	120.488188040	10.0.2.15	34.223.124.45	TCP	74	[TCP Retransmission] 36992 → 80 [SYN] Seq=0 Win=64240 Len=0 MSS=1460
1491	121.517937325	10.0.2.15	34.223.124.45	TCP	74	[TCP Retransmission] 36992 → 80 [SYN] Seq=0 Win=64240 Len=0 MSS=1460
1493	122.536652636	10.0.2.15	34.223.124.45	TCP	74	[TCP Retransmission] 36992 → 80 [SYN] Seq=0 Win=64240 Len=0 MSS=1460
1495	123.561801347	10.0.2.15	34.223.124.45	TCP	74	[TCP Retransmission] 36992 → 80 [SYN] Seq=0 Win=64240 Len=0 MSS=1460
1497	124.583665791	10.0.2.15	34.223.124.45	TCP	74	[TCP Retransmission] 36992 → 80 [SYN] Seq=0 Win=64240 Len=0 MSS=1460
1508	126.631228745	10.0.2.15	34.223.124.45	TCP	74	[TCP Retransmission] 36992 → 80 [SYN] Seq=0 Win=64240 Len=0 MSS=1460
1510	130.663761893	10.0.2.15	34.223.124.45	TCP	74	[TCP Retransmission] 36992 → 80 [SYN] Seq=0 Win=64240 Len=0 MSS=1460
1511	134.802080150	34.223.124.45	10.0.2.15	TCP	60	80 → 36992 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0
1512	134.802164087	10.0.2.15	34.223.124.45	TCP	54	36992 → 80 [ACK] Seq=1 Ack=1 Win=64240 Len=0
1513	134.803479167	10.0.2.15	34.223.124.45	HTTP	400	GET /online HTTP/1.1
1514	134.804009922	34.223.124.45	10.0.2.15	TCP	60	80 → 36992 [ACK] Seq=1 Ack=347 Win=65535 Len=0
1515	135.504703222	34.223.124.45	10.0.2.15	HTTP	587	HTTP/1.1 301 Moved Permanently (text/html)
1516	135.504875995	10.0.2.15	34.223.124.45	TCP	54	36992 → 80 [ACK] Seq=347 Ack=534 Win=63784 Len=0
1517	135.518397707	10.0.2.15	34.223.124.45	HTTP	401	GET /online/ HTTP/1.1
1518	135.519372429	34.223.124.45	10.0.2.15	TCP	60	80 → 36992 [ACK] Seq=534 Ack=694 Win=65535 Len=0

Frame 1514: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface enp0s3
Ethernet II, Src: 52:55:0a:00:02:02 (52:55:0a:00:02:02), Dst: 02:00:00:00:00:00
Internet Protocol Version 4, Src: 34.223.124.45, Dst: 10.0.2.15
Transmission Control Protocol, Src Port: 80, Dst Port: 36992, Seq: 1, Len: 0

Source Port: 80
Destination Port: 36992
[Stream index: 44]
[Conversation completeness: Complete, WITH_DATA (31)]
[TCP Segment Len: 0]
Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 227392002
[Next Sequence Number: 1 (relative sequence number)]
Acknowledgment Number: 347 (relative ack number)
Acknowledgment number (raw): 3468068561
0101 = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
Window: 65535

0000	08 00 27 a9 ed 37 52 55 0a 00 02 02 08 00 45 08
0010	00 28 fb 8c 00 00 40 06 d4 20 22 df 7c 2d 0a 00
0020	02 0f 00 50 90 80 0d 8d ba 02 ce b6 86 d1 50 10
0030	ff ff 56 d1 00 00 00 00 00 00 00 00 00 00 00

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help



tcp.flags.syn==1

No.	Time	Source	Destination	Protocol	Length	Info
1494	123.303147487	10.0.2.15	34.223.124.45	TCP	74	[TCP Retransmission] 36980 → 80 [SYN] Seq=0 Wi
1495	123.561801347	10.0.2.15	34.223.124.45	TCP	74	[TCP Retransmission] 36992 → 80 [SYN] Seq=0 Wi
1496	124.327417620	10.0.2.15	34.223.124.45	TCP	74	[TCP Retransmission] 36980 → 80 [SYN] Seq=0 Wi
1497	124.583665791	10.0.2.15	34.223.124.45	TCP	74	[TCP Retransmission] 36992 → 80 [SYN] Seq=0 Wi
1507	126.376731163	10.0.2.15	34.223.124.45	TCP	74	[TCP Retransmission] 36980 → 80 [SYN] Seq=0 Wi
1508	126.631228745	10.0.2.15	34.223.124.45	TCP	74	[TCP Retransmission] 36992 → 80 [SYN] Seq=0 Wi
1509	130.408120720	10.0.2.15	34.223.124.45	TCP	74	[TCP Retransmission] 36980 → 80 [SYN] Seq=0 Wi
1510	130.663761893	10.0.2.15	34.223.124.45	TCP	74	[TCP Retransmission] 36992 → 80 [SYN] Seq=0 Wi
1511	134.802080150	34.223.124.45	10.0.2.15	TCP	60	80 → 36992 [SYN, ACK] Seq=0 Ack=1 Win=65535 Le
1549	138.919915175	10.0.2.15	34.223.124.45	TCP	74	[TCP Retransmission] 36980 → 80 [SYN] Seq=0 Wi
1551	140.180315177	fd17:625c:f037:2:89...	2600:1f13:37c:1400:...	TCP	94	45598 → 80 [SYN] Seq=0 Win=64800 Len=0 MSS=144
1564	146.010410380	fd17:625c:f037:2:89...	2600:1f13:37c:1400:...	TCP	94	40224 → 80 [SYN] Seq=0 Win=64800 Len=0 MSS=144
1566	146.012472883	10.0.2.15	34.223.124.45	TCP	74	49090 → 80 [SYN] Seq=0 Win=64240 Len=0 MSS=146
1567	146.267645028	10.0.2.15	34.223.124.45	TCP	74	49102 → 80 [SYN] Seq=0 Win=64240 Len=0 MSS=146
1568	147.047146901	10.0.2.15	34.223.124.45	TCP	74	[TCP Retransmission] 49090 → 80 [SYN] Seq=0 Wi
1569	147.303421435	10.0.2.15	34.223.124.45	TCP	74	[TCP Retransmission] 49102 → 80 [SYN] Seq=0 Wi

Frame 1511: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface enp0s3
Ethernet II, Src: 52:55:0a:00:02:02 (52:55:0a:00:02:02), Dst: PC (10.0.2.15)
Internet Protocol Version 4, Src: 34.223.124.45, Dst: 10.0.2.15
Transmission Control Protocol, Src Port: 80, Dst Port: 36992, Seq: 80, Win: 65535, Len: 0

0000	08 00 27 a9 ed 37 52 55 0a 00 02 02 08 00 45 08
0010	00 2c fb 8b 00 00 40 06 d4 1d 22 df 7c 2d 0a 00
0020	02 0f 00 50 90 80 0d 8d ba 01 ce b6 85 77 60 12
0030	ff ff 40 6e 00 00 02 04 05 b4 00 00

Conversation Settings

- ☐ Name resolution
- ☐ Absolute start time
- ☒ Limit to display filter

Copy

Follow Stream...

Graph...

Protocol

- ☐ Bluetooth
- ☐ BPv7
- ☐ DCCP
- ☒ Ethernet
- ☐ FC
- ☐ FDDI
- ☐ IEEE 802.11
- ☐ IEEE 802.15.4
- ☒ IPv4

Filter list for specific type

Help

Ethernet · 1	IPv4 · 1	IPv6	TCP · 1	UDP						
Address A	Port A	Address B	Port B	Packets	Bytes	Stream ID	Total Packets	Percent Filtered		
10.0.2.15	36992	34.223.124.45	80	25	5 kB	44	25	100.00%		

Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 227392002
[Next Sequence Number: 1 (relative sequence number)]
Acknowledgment Number: 347 (relative ack number)
Acknowledgment number (raw): 3468068561
0101 = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
Window: 65535