BT4

```
public abstract class Person{
    String name;
    String address;
    public Person(String name, String
address){
        this.name = name;
        this.address = address;
}
```

trắng tinh khôi đoạt khôi nguyên

SUBARU NOTEBOOK

Scanned with CamScanner

```
    public void setName(String name){
        this.name = name;
    }

    public String getName(){
        return name;
    }

    public void setAddress(String address){
        this.address = address;
    }

    public String getAddress(){
        return address;
    }

    abstract void ~~dis~~ display();
}


class Employee extends Person{
    private int salary;
    public Employee(String name,
String address, int salary){
        super(name, address);
        this.salary = salary;
```

trắng tinh khôi đoạt khôi nguyên
SUBARU NOTEBOOK
Scanned with CamScanner

```
}
    public void display () {
        System.out.println("Employee");
        system.out.prin+ln("Name" + name)
        Systemout.prin+ln("Address:" + address
        system.out.prin+ln("Salary:" + salary)
    }
}

    class Customer extends Person{
        private int ba lance;
        public Customer (String name,
String address, int ~~bant~~ balance){
        Super (name, address);
        this.balance = balance;
    }

        public void display ()
        Systemout.prin+ln("Customer");
        Systemout.prin+ln("Name" + name);
        system.out.prin+ln("Address" + addr
};
    System.out.prin+ln("Balance"
```

trắng tinh khôi đoạt khôi nguyên

SUBARU NOTEBOOK

Scanned with CamScanner

```
+ balance);
    }
}
Public class Main {
    public static void main (String[]
args) {
    Employee e = new Employee ("Nam"
, "HCM", 7000);
    Customer c = new Customer ("Lan";
"Hà Nội", 5000);
        e.display();
    System.Out.println("...");
        c.display();
    }
}
```

trắng tinh khôi đoạt khôi nguyên

SUBARU NOTEBOOK

Scanned with CamScanner