

ETHNUS - MERN FULL STACK INTERNSHIP

NAME: K. KHYATHI

REGNO: 23BCE20199

ASSIGNMENT-1

1. CODE:

```
.vscode > example.html > html > body > div > ul > li > ul > li
1  <!DOCTYPE html>
2  <html>
3  <head>
4  |   <title>Nested List Example</title>
5  </head>
6  <body>
7
8  <div style="border:1px solid #ccc; padding:10px;">
9  |   <p>Lists can be nested (list inside list):</p>
10 |   <ul>
11 |     <li>Coffee</li>
12 |     <li>Tea
13 |       <ul>
14 |         <li>Black tea</li>
15 |         <li>Green tea</li>
16 |       </ul>
17 |     </li>
18 |     <li>Milk</li>
19 |   </ul>
20 </div>
21
22 </body>
23 </html>
```

OUTPUT:



2. CODE:

```
.vscode > example2.html > html > body
1  <!DOCTYPE html>
2  <html>
3  <head>
4    <title>HTML Links Example</title>
5  </head>
6  <body>
7
8  <div style="border:1px solid #ccc; padding:10px;">
9    <p><strong>Click any of the following links</strong></p>
10   <a href="https://example.com" target="_blank">Opens in New</a> |
11   <a href="https://example.com" target="_self">Opens in Self</a> |
12   <a href="https://example.com" target="_parent">Opens in Parent</a> |
13   <a href="https://example.com" target="body">Opens in Body</a>
14 </div>
15
16 <br>
17
18 <div style="border:1px solid #ccc; padding:10px;">
19   <h3>Link to an Email Address</h3>
20   <p>To create a link that opens in the user's email program (to let them send a new email), use <code>mailto:</code> inside the attribute:</p>
21   <a href="mailto:someone@example.com">Send email</a>
22 </div>
23
24 </body>
25 </html>
```

OUTPUT:

FileC:/Users/KYATHI.%20K/vscode/vscode/example2.html

Click any of the following links

[Opens in New](#) | [Opens in Self](#) | [Opens in Parent](#) | [Opens in Body](#)

Link to an Email Address

To create a link that opens in the user's email program (to let them send a new email), use `mailto:` inside the attribute:
[Send email](#)

3.CODE:

```
.vscode > example3.html > html
1  <!DOCTYPE html>
2  <html>
3  <head>
4      <title>Table Task</title>
5      <style>
6          table {
7              border-collapse: collapse;
8              width: 60%;
9              margin-bottom: 30px;
10         }
11         th, td {
12             border: 1px solid #000;
13             padding: 8px 12px;
14             text-align: left;
15         }
16         th {
17             background-color: #006400;
18             color: white;
19         }
20         .rounded {
21             border-radius: 10px;
22             overflow: hidden;
23         }
24         .rounded td, .rounded th {
25             border: 1px solid #000;
26         }
27     </style>
28 </head>
29 <body>
30     <h2>Table Task</h2>
31     <!-- First table -->
32     <table>
33         <tr>
34             <th>Firstname</th>
35             <th>Lastname</th>
36             <th>Age</th>
37         </tr>
```

```
38     <tr>
39         <td>Jill</td>
40         <td>Smith</td>
41         <td>50</td>
42     </tr>
43     <tr>
44         <td>Eve</td>
45         <td>Jackson</td>
46         <td>94</td>
47     </tr>
48     <tr>
49         <td>John</td>
50         <td>Doe</td>
51         <td>80</td>
52     </tr>
53 </table>
54
55 <!-- Second table (rounded style) -->
56 <table class="rounded">
57     <tr>
58         <th>Firstname</th>
59         <th>Lastname</th>
60         <th>Age</th>
61     </tr>
62     <tr>
63         <td>Jill</td>
64         <td>Smith</td>
65         <td>50</td>
66     </tr>
67     <tr>
68         <td>Eve</td>
69         <td>Jackson</td>
70         <td>94</td>
71     </tr>
72     <tr>
73         <td>John</td>
74         <td>Doe</td>
75         <td>80</td>
76     </tr>
77 </table>
78 </body>
79 </html>
```

OUTPUT:




Table Task

Firstname	Lastname	Age
Jill	Smith	50
Eve	Jackson	94
John	Doe	80

Firstname	Lastname	Age
Jill	Smith	50
Eve	Jackson	94
John	Doe	80