

Atlas Setup Guide & Tools

Everything you need to connect Atlas to your favorite AI tools and explore available capabilities.

Setup takes less than 5 minutes

Setup

Tools

API / CLI

REST API / CLI Access

Every Atlas tool is available over HTTP. This section now includes **all tool calls** with both API and CLI examples, plus the expected output keys for quick integration.

Full tool list: </atlas-tools.json>

Quick start

```
# API base
export ATLAS_BASE_URL="https://atlas-mcp.finmanag
export ATLAS_KEY=<your_api_cli_mcp_key>"

# Discover all tools
curl -sS -H "Authorization: Bearer $ATLAS_KEY"

# CLI variant with HTTPie
http POST "$ATLAS_BASE_URL/api/v1/tools/get_stoc
```

Full API + CLI reference (71 tools)

Free tools are rate-limited to 60/min. `visualize_multi` is free only when all chart types are price.

get_stock_quote

Free /api/v1/tools/get_stock_quote

CLI (curl)

Copy

```
curl -sS -X POST -H "Authorization: Bearer
$ATLAS_KEY" -H "Content-Type: application/json"
```

Atlas

tock_quote

CLI (HTTPIe)

[Copy](#)

```
http POST
https://atlasmpc.finmanagerai.com/api/v1/tools/get_s
tock_quote Authorization:"Bearer $ATLAS_KEY" <<<
'{
  "symbol": "AAPL"
}'
```

Expected output keys:

[symbol](#)[price](#)[change](#)[change_percent](#)[volume](#)[timestamp](#)

get_option_expirations

Premium

/api/v1/tools/get_option_expirations

CLI (curl)

[Copy](#)

```
curl -sS -X POST -H "Authorization: Bearer
$ATLAS_KEY" -H "Content-Type: application/json"
-d '{
  "symbol": "SPY",
  "filter": "next_10"
}'
https://atlasmpc.finmanagerai.com/api/v1/tools/get_o
ption_expirations
```

CLI (HTTPIe)

[Copy](#)

```
http POST
https://atlasmpc.finmanagerai.com/api/v1/tools/get_o
ption_expirations Authorization:"Bearer
$ATLAS_KEY" <<< '{
  "symbol": "SPY",
  "filter": "next_10"
}'
```

Expected output keys:

[symbol](#)[expirations\[\]](#)[count](#)

Atlas

/api/v1/tools/analyze_greek_exposures

CLI (curl)

[Copy](#)

```
curl -sS -X POST -H "Authorization: Bearer $ATLAS_KEY" -H "Content-Type: application/json" -d '{
  "symbol": "NVDA",
  "num_expirations": 5
}'
https://atlasmpc.finmanagerai.com/api/v1/tools/analyze_greek_exposures
```

CLI (HTTPIe)

[Copy](#)

```
http POST
https://atlasmpc.finmanagerai.com/api/v1/tools/analyze_greek_exposures Authorization:"Bearer $ATLAS_KEY" <<< '{
  "symbol": "NVDA",
  "num_expirations": 5
}'
```

Expected output keys:

[symbol](#)[expirations\[\]](#)[gex](#)[dex](#)[vex](#)[tex](#)

get_volume_oi_data

Premium

/api/v1/tools/get_volume_oi_data

CLI (curl)

[Copy](#)

```
curl -sS -X POST -H "Authorization: Bearer $ATLAS_KEY" -H "Content-Type: application/json" -d '{
  "symbol": "SPY",
  "sort_by": "volume",
  "limit": 20
}'
https://atlasmpc.finmanagerai.com/api/v1/tools/get_volume_oi_data
```

CLI (HTTPIe)

[Copy](#)

```
http POST
https://atlasmpc.finmanagerai.com/api/v1/tools/get_v
```

Atlas

```
"limit": 20
}'
```

Expected output keys:

[symbol](#)[contracts\[\]](#)[volume](#)[open_interest](#)

resolve_ticker

Free/api/v1/tools/resolve_ticker**CLI (curl)**[Copy](#)

```
curl -sS -X POST -H "Authorization: Bearer
$ATLAS_KEY" -H "Content-Type: application/json"
-d '{
  "company_name": "Apple"
}'
https://atlasmpc.finmanagerai.com/api/v1/tools/resol
ve_ticker
```

CLI (HTTPIe)[Copy](#)

```
http POST
https://atlasmpc.finmanagerai.com/api/v1/tools/resol
ve_ticker Authorization:"Bearer $ATLAS_KEY" <<<
'{
  "company_name": "Apple"
}'
```

Expected output keys:

[matches\[\]](#)[symbol](#)[company_name](#)[exchange](#)

get_options_chain

Premium/api/v1/tools/get_options_chain**CLI (curl)**[Copy](#)

```
curl -sS -X POST -H "Authorization: Bearer
$ATLAS_KEY" -H "Content-Type: application/json"
-d '{
  "symbol": "QQQ",
  "max_expirations": 12
}'
```

Atlas

CLI (HTTPIe)

[Copy](#)

```
http POST
https://atlasmpc.finmanagerai.com/api/v1/tools/get_options_chain Authorization:"Bearer $ATLAS_KEY"
<<< '{
  "symbol": "QQQ",
  "max_expirations": 12
}'
```

Expected output keys:

[symbol](#)[expirations\[\]](#)[chain\[\]](#)

get_historical_options_chain

Premium

/api/v1/tools/get_historical_options_chain

CLI (curl)

[Copy](#)

```
curl -sS -X POST -H "Authorization: Bearer $ATLAS_KEY" -H "Content-Type: application/json"
-d '{
  "symbol": "SPY",
  "expiration": "2025-12-19",
  "date": "2024-06-01"
}'
https://atlasmpc.finmanagerai.com/api/v1/tools/get_historical_options_chain
```

CLI (HTTPIe)

[Copy](#)

```
http POST
https://atlasmpc.finmanagerai.com/api/v1/tools/get_historical_options_chain Authorization:"Bearer $ATLAS_KEY"
<<< '{
  "symbol": "SPY",
  "expiration": "2025-12-19",
  "date": "2024-06-01"
}'
```

Expected output keys:

[symbol](#)[date](#)[expiration](#)[chain\[\]](#)

get_historical_strike_quotes

Atlas

CLI (curl)

[Copy](#)

```
curl -sS -X POST -H "Authorization: Bearer $ATLAS_KEY" -H "Content-Type: application/json" -d '{
  "symbol": "SPY",
  "strike": 450,
  "side": "call",
  "from_date": "2024-01-02"
}'
https://atlas MCP.finmanagerai.com/api/v1/tools/get_historical_strike_quotes
```

CLI (HTTPIe)

[Copy](#)

```
http POST
https://atlas MCP.finmanagerai.com/api/v1/tools/get_historical_strike_quotes Authorization:"Bearer $ATLAS_KEY" <<< '{
  "symbol": "SPY",
  "strike": 450,
  "side": "call",
  "from_date": "2024-01-02"
}'
```

Expected output keys:

[symbol](#)[strike](#)[side](#)[quotes\[\]](#)

get_strike_details

Premium/api/v1/tools/get_strike_details

CLI (curl)

[Copy](#)

```
curl -sS -X POST -H "Authorization: Bearer $ATLAS_KEY" -H "Content-Type: application/json" -d '{
  "symbol": "SPY",
  "strike": 500
}'
https://atlas MCP.finmanagerai.com/api/v1/tools/get_strike_details
```

CLI (HTTPIe)

[Copy](#)

Atlas

```
<<< '{
  "symbol": "SPY",
  "strike": 500
}'
```

Expected output keys:

symbol

strike

calls

puts

visualize_gex

Premium

/api/v1/tools/visualize_gex

CLI (curl)

Copy

```
curl -sS -X POST -H "Authorization: Bearer
$ATLAS_KEY" -H "Content-Type: application/json"
-d '{
  "symbol": "SPY",
  "platform": "other",
  "image_format": "png"
}'
https://atlasmpc.finmanagerai.com/api/v1/tools/visualize_gex
```

CLI (HTTPIe)

Copy

```
http POST
https://atlasmpc.finmanagerai.com/api/v1/tools/visualize_gex
Authorization:"Bearer $ATLAS_KEY" <<<
'{
  "symbol": "SPY",
  "platform": "other",
  "image_format": "png"
}'
```

Expected output keys:

image_base64|image_url

caption

symbol

visualize_dex

Premium

/api/v1/tools/visualize_dex

CLI (curl)

Copy

Atlas

```
"symbol": "SPY",
"platform": "other",
"image_format": "png"
}'
https://atlasmpc.finanagerai.com/api/v1/tools/visualize_dex
```

CLI (HTTPIe)

[Copy](#)

```
http POST
https://atlasmpc.finanagerai.com/api/v1/tools/visualize_dex
Authorization:"Bearer $ATLAS_KEY" <<<
'{
  "symbol": "SPY",
  "platform": "other",
  "image_format": "png"
}'
```

Expected output keys:

[image_base64|image_url](#)
[caption](#)
[symbol](#)

visualize_vex

Premium

/api/v1/tools/visualize_vex

CLI (curl)

[Copy](#)

```
curl -sS -X POST -H "Authorization: Bearer $ATLAS_KEY" -H "Content-Type: application/json"
-d '{
  "symbol": "SPY",
  "platform": "other",
  "image_format": "png"
}'
https://atlasmpc.finanagerai.com/api/v1/tools/visualize_vex
```

CLI (HTTPIe)

[Copy](#)

```
http POST
https://atlasmpc.finanagerai.com/api/v1/tools/visualize_vex
Authorization:"Bearer $ATLAS_KEY" <<<
'{
  "symbol": "SPY",
  "platform": "other",
```


Atlas

Expected output keys:

image_base64|image_url

caption

symbol

visualize_tex

Premium

/api/v1/tools/visualize_tex

CLI (curl)

Copy

```
curl -sS -X POST -H "Authorization: Bearer $ATLAS_KEY" -H "Content-Type: application/json" -d '{
  "symbol": "SPY",
  "platform": "other",
  "image_format": "png"
}'
https://atlasmpc.finmanagerai.com/api/v1/tools/visualize_tex
```

CLI (HTTPIe)

Copy

```
http POST
https://atlasmpc.finmanagerai.com/api/v1/tools/visualize_tex Authorization:"Bearer $ATLAS_KEY" <<<
'{
  "symbol": "SPY",
  "platform": "other",
  "image_format": "png"
}'
```

Expected output keys:

image_base64|image_url

caption

symbol

visualize_net_gex

Premium

/api/v1/tools/visualize_net_gex

CLI (curl)

Copy

```
curl -sS -X POST -H "Authorization: Bearer $ATLAS_KEY" -H "Content-Type: application/json" -d '{
  "symbol": "SPY",
  "platform": "other",
  "image_format": "png"
}'
```

Atlas

CLI (HTTPIe)

[Copy](#)

```
http POST
https://atlas MCP.finmanagerai.com/api/v1/tools/visualize_net_gex
Authorization:"Bearer $ATLAS_KEY"
<<< '{
  "symbol": "SPY",
  "platform": "other",
  "image_format": "png"
}'
```

Expected output keys:

[image_base64|image_url](#)[caption](#)[symbol](#)

visualize_net_dex

Premium

/api/v1/tools/visualize_net_dex

CLI (curl)

[Copy](#)

```
curl -sS -X POST -H "Authorization: Bearer $ATLAS_KEY" -H "Content-Type: application/json" -d '{
  "symbol": "SPY",
  "platform": "other",
  "image_format": "png"
}'
https://atlas MCP.finmanagerai.com/api/v1/tools/visualize_net_dex
```

CLI (HTTPIe)

[Copy](#)

```
http POST
https://atlas MCP.finmanagerai.com/api/v1/tools/visualize_net_dex
Authorization:"Bearer $ATLAS_KEY"
<<< '{
  "symbol": "SPY",
  "platform": "other",
  "image_format": "png"
}'
```

Expected output keys:

[image_base64|image_url](#)[caption](#)[symbol](#)

visualize_net_vex

Atlas

```
curl -sS -X POST -H "Authorization: Bearer
$ATLAS_KEY" -H "Content-Type: application/json"
-d '{
  "symbol": "SPY",
  "platform": "other",
  "image_format": "png"
}'
https://atlas MCP.finanagerai.com/api/v1/tools/visualize_net_vex
```

CLI (HTTPIe)

[Copy](#)

```
http POST
https://atlas MCP.finanagerai.com/api/v1/tools/visualize_net_vex
Authorization:"Bearer $ATLAS_KEY"
<<< '{
  "symbol": "SPY",
  "platform": "other",
  "image_format": "png"
}'
```

Expected output keys:

[image_base64|image_url](#)
[caption](#)
[symbol](#)

visualize_net_tex

Premium

/api/v1/tools/visualize_net_tex

CLI (curl)

[Copy](#)

```
curl -sS -X POST -H "Authorization: Bearer
$ATLAS_KEY" -H "Content-Type: application/json"
-d '{
  "symbol": "SPY",
  "platform": "other",
  "image_format": "png"
}'
https://atlas MCP.finanagerai.com/api/v1/tools/visualize_net_tex
```

CLI (HTTPIe)

[Copy](#)

```
http POST
https://atlas MCP.finanagerai.com/api/v1/tools/visualize_net_tex
Authorization:"Bearer $ATLAS_KEY"
<<< '{
```

Atlas

Expected output keys:

image_base64|image_url

caption

symbol

visualize_vol

Premium

/api/v1/tools/visualize_vol

CLI (curl)

Copy

```
curl -sS -X POST -H "Authorization: Bearer $ATLAS_KEY" -H "Content-Type: application/json" -d '{
  "symbol": "SPY",
  "platform": "other",
  "image_format": "png"
}'
https://atlasmpc.finmanagerai.com/api/v1/tools/visualize_vol
```

CLI (HTTPIe)

Copy

```
http POST
https://atlasmpc.finmanagerai.com/api/v1/tools/visualize_vol Authorization:"Bearer $ATLAS_KEY" <<<
'{
  "symbol": "SPY",
  "platform": "other",
  "image_format": "png"
}'
```

Expected output keys:

image_base64|image_url

caption

symbol

visualize_oi

Premium

/api/v1/tools/visualize_oi

CLI (curl)

Copy

```
curl -sS -X POST -H "Authorization: Bearer $ATLAS_KEY" -H "Content-Type: application/json" -d '{
  "symbol": "SPY",
  "platform": "other",
```

Atlas

CLI (HTTPIe)

[Copy](#)

```
http POST
https://atlas MCP.finmanagerai.com/api/v1/tools/visualize_oi
Authorization:"Bearer $ATLAS_KEY" <<< '{
  "symbol": "SPY",
  "platform": "other",
  "image_format": "png"
}'
```

Expected output keys:

[image_base64|image_url](#)[caption](#)[symbol](#)

visualize_maps

Premium

/api/v1/tools/visualize_maps

CLI (curl)

[Copy](#)

```
curl -sS -X POST -H "Authorization: Bearer
$ATLAS_KEY" -H "Content-Type: application/json"
-d '{
  "symbol": "SPY",
  "platform": "other",
  "image_format": "png"
}'
https://atlas MCP.finmanagerai.com/api/v1/tools/visualize_maps
```

CLI (HTTPIe)

[Copy](#)

```
http POST
https://atlas MCP.finmanagerai.com/api/v1/tools/visualize_maps
Authorization:"Bearer $ATLAS_KEY" <<<
'{
  "symbol": "SPY",
  "platform": "other",
  "image_format": "png"
}'
```

Expected output keys:

[image_base64|image_url](#)[charts\[\]](#)[symbol](#)

Atlas

CLI (curl)

Copy

```
curl -sS -X POST -H "Authorization: Bearer
$ATLAS_KEY" -H "Content-Type: application/json"
-d '{
  "symbol": "SPY",
  "platform": "other",
  "image_format": "png"
}'
https://atlasmpc.finanagerai.com/api/v1/tools/visualize_net
```

CLI (HTTPIe)

Copy

```
http POST
https://atlasmpc.finanagerai.com/api/v1/tools/visualize_net
Authorization:"Bearer $ATLAS_KEY" <<<
'{
  "symbol": "SPY",
  "platform": "other",
  "image_format": "png"
}'
```

Expected output keys:

image_base64|image_url

charts[]

symbol

visualize_vol_oi

Premium

/api/v1/tools/visualize_vol_oi

CLI (curl)

Copy

```
curl -sS -X POST -H "Authorization: Bearer
$ATLAS_KEY" -H "Content-Type: application/json"
-d '{
  "symbol": "SPY",
  "platform": "other",
  "image_format": "png"
}'
https://atlasmpc.finanagerai.com/api/v1/tools/visualize_vol_oi
```

CLI (HTTPIe)

Copy

```
http POST
https://atlasmpc.finanagerai.com/api/v1/tools/visualize_vol_oi
```

Atlas

```
"image_format": "png"
}'
```

Expected output keys:

image_base64|image_url

charts[]

symbol

visualize_multi

Free/Premium

/api/v1/tools/visualize_multi

CLI (curl)

Copy

```
curl -sS -X POST -H "Authorization: Bearer
$ATLAS_KEY" -H "Content-Type: application/json"
-d '{
  "charts": [
    {
      "type": "gamma",
      "symbol": "SPY"
    },
    {
      "type": "price",
      "symbol": "SPY"
    }
  ],
  "platform": "other",
  "image_format": "png"
}'
https://atlasmpc.finanagerai.com/api/v1/tools/visua
lize_multi
```

CLI (HTTPIe)

Copy

```
http POST
https://atlasmpc.finanagerai.com/api/v1/tools/visua
lize_multi Authorization:"Bearer $ATLAS_KEY" <<<
'{
  "charts": [
    {
      "type": "gamma",
      "symbol": "SPY"
    },
    {
      "type": "price",
      "symbol": "SPY"
    }
  ],
```

Atlas

Expected output keys:

image_base64|image_url

charts[]

layout

visualize_price_chart

Free

/api/v1/tools/visualize_price_chart

CLI (curl)

Copy

```
curl -sS -X POST -H "Authorization: Bearer $ATLAS_KEY" -H "Content-Type: application/json" -d '{
  "symbol": "AAPL",
  "interval": "1d",
  "period": "3mo",
  "platform": "other",
  "image_format": "png"
}'
https://atlasmpc.finmanagerai.com/api/v1/tools/visualize_price_chart
```

CLI (HTTPIe)

Copy

```
http POST
https://atlasmpc.finmanagerai.com/api/v1/tools/visualize_price_chart Authorization:"Bearer $ATLAS_KEY"
<<< '{
  "symbol": "AAPL",
  "interval": "1d",
  "period": "3mo",
  "platform": "other",
  "image_format": "png"
}'
```

Expected output keys:

image_base64|image_url

symbol

interval

period

visualize_price_overview

Free

/api/v1/tools/visualize_price_overview

CLI (curl)

Copy

Atlas

```
"symbol": "MSFT",
"platform": "other",
"image_format": "png"
}'
https://atlasmpc.finmanagerai.com/api/v1/tools/visualize_price_overview
```

CLI (HTTPIe)

[Copy](#)

```
http POST
https://atlasmpc.finmanagerai.com/api/v1/tools/visualize_price_overview Authorization:"Bearer $ATLAS_KEY" <<< '{
  "symbol": "MSFT",
  "platform": "other",
  "image_format": "png"
}'
```

Expected output keys:

[image_base64|image_url](#)
[symbol](#)
[timeframes\[\]](#)

get_price_data

Free

/api/v1/tools/get_price_data

CLI (curl)

[Copy](#)

```
curl -sS -X POST -H "Authorization: Bearer $ATLAS_KEY" -H "Content-Type: application/json" -d '{
  "symbol": "AAPL",
  "interval": "1d",
  "period": "3mo"
}'
https://atlasmpc.finmanagerai.com/api/v1/tools/get_price_data
```

CLI (HTTPIe)

[Copy](#)

```
http POST
https://atlasmpc.finmanagerai.com/api/v1/tools/get_price_data Authorization:"Bearer $ATLAS_KEY" <<< '{
  "symbol": "AAPL",
  "interval": "1d",
```

Atlas

Expected output keys:

symbol

interval

period

candles[]

Vision_Analysis

Premium

/api/v1/tools/Vision_Analysis

CLI (curl)

Copy

```
curl -sS -X POST -H "Authorization: Bearer $ATLAS_KEY" -H "Content-Type: application/json" -d '{ "question": "What is the trend on SPY in the last 3 months?" }' https://atlasmpc.finmanagerai.com/api/v1/tools/Vision_Analysis
```

CLI (HTTPIe)

Copy

```
http POST https://atlasmpc.finmanagerai.com/api/v1/tools/Vision_Analysis Authorization:"Bearer $ATLAS_KEY" <<< '{ "question": "What is the trend on SPY in the last 3 months?" }'
```

Expected output keys:

answer

insights[]

confidence?

get_subscription_status

Premium

/api/v1/tools/get_subscription_status

CLI (curl)

Copy

```
curl -sS -X POST -H "Authorization: Bearer $ATLAS_KEY" -H "Content-Type: application/json" -d '{}' https://atlasmpc.finmanagerai.com/api/v1/tools/get_subscription_status
```

CLI (HTTPIe)

Copy

Atlas

```
$ATLAS_KEY" <<< '{}'
```

Expected output keys:

[plan](#)[status](#)[usage](#)[limits](#)

get_instructions

Premium/api/v1/tools/get_instructions**CLI (curl)**[Copy](#)

```
curl -sS -X POST -H "Authorization: Bearer  
$ATLAS_KEY" -H "Content-Type: application/json"  
-d '{  
  "platform": "other"  
}'  
https://atlas MCP.finanagerai.com/api/v1/tools/get_i  
nstructions
```

CLI (HTTPIe)[Copy](#)

```
http POST  
https://atlas MCP.finanagerai.com/api/v1/tools/get_i  
nstructions Authorization:"Bearer $ATLAS_KEY"  
<<< '{  
  "platform": "other"  
}'
```

Expected output keys:

[instructions](#)[updated_at](#)

autofetch_strategy

Premium/api/v1/tools/autofetch_strategy**CLI (curl)**[Copy](#)

```
curl -sS -X POST -H "Authorization: Bearer  
$ATLAS_KEY" -H "Content-Type: application/json"  
-d '{  
  "question": "Summarize my wheel strategy",  
  "platform": "other"  
}'  
https://atlas MCP.finanagerai.com/api/v1/tools/autof  
etch_strategy
```

Atlas

```
https://atlasmpc.finmanagerai.com/api/v1/tools/autocomplete_strategy Authorization:"Bearer $ATLAS_KEY" <<< '{
  "question": "Summarize my wheel strategy",
  "platform": "other"
}'
```

Expected output keys:

matches[]

strategy_id

score

list_strategy

Premium

/api/v1/tools/list_strategy

CLI (curl)

Copy

```
curl -sS -X POST -H "Authorization: Bearer $ATLAS_KEY" -H "Content-Type: application/json" -d '{
  "platform": "other"
}'
https://atlasmpc.finmanagerai.com/api/v1/tools/list_strategy
```

CLI (HTTPIe)

Copy

```
http POST
https://atlasmpc.finmanagerai.com/api/v1/tools/list_strategy Authorization:"Bearer $ATLAS_KEY" <<<
'{
  "platform": "other"
}'
```

Expected output keys:

strategies[]

strategy_id

title

visibility

fetch_strategy

Premium

/api/v1/tools/fetch_strategy

CLI (curl)

Copy

```
curl -sS -X POST -H "Authorization: Bearer $ATLAS_KEY" -H "Content-Type: application/json" -d '{
```

Atlas

_strategy

CLI (HTTPIe)

[Copy](#)

```
http POST
https://atlasmpc.finmanagerai.com/api/v1/tools/fetch
_strategy Authorization:"Bearer $ATLAS_KEY" <<<
'{
  "strategy_id": "YOUR_STRATEGY_ID",
  "platform": "other"
}'
```

Expected output keys:

[strategy_id](#)[title](#)[content](#)[visibility](#)

open_strategy

Premium

/api/v1/tools/open_strategy

CLI (curl)

[Copy](#)

```
curl -sS -X POST -H "Authorization: Bearer
$ATLAS_KEY" -H "Content-Type: application/json"
-d '{
  "platform": "other"
}'
https://atlasmpc.finmanagerai.com/api/v1/tools/open_
strategy
```

CLI (HTTPIe)

[Copy](#)

```
http POST
https://atlasmpc.finmanagerai.com/api/v1/tools/open_
strategy Authorization:"Bearer $ATLAS_KEY" <<<
'{
  "platform": "other"
}'
```

Expected output keys:

[strategy_id](#)[title](#)[content](#)[opened_at](#)

strategy_preview

Premium

/api/v1/tools/strategy_preview

Atlas

```
$ATLAS_KEY -H "Content-Type: application/json" \
-d '{
  "strategy_id": "YOUR_STRATEGY_ID",
  "proposed_title": "New title",
  "platform": "other"
}'
https://atlas MCP.finmanagerai.com/api/v1/tools/strategy_preview
```

CLI (HTTPIe)

[Copy](#)

```
http POST
https://atlas MCP.finmanagerai.com/api/v1/tools/strategy_preview
Authorization: "Bearer $ATLAS_KEY"
<<< '{
  "strategy_id": "YOUR_STRATEGY_ID",
  "proposed_title": "New title",
  "platform": "other"
}'
```

Expected output keys:

[preview](#)[diff](#)[strategy_id](#)

strategy_import

Premium

/api/v1/tools/strategy_import

CLI (curl)

[Copy](#)

```
curl -sS -X POST -H "Authorization: Bearer $ATLAS_KEY" \
-H "Content-Type: application/json" \
-d '{
  "strategy_id": "IMPORT_STRATEGY_ID",
  "platform": "other"
}'
https://atlas MCP.finmanagerai.com/api/v1/tools/strategy_import
```

CLI (HTTPIe)

[Copy](#)

```
http POST
https://atlas MCP.finmanagerai.com/api/v1/tools/strategy_import
Authorization: "Bearer $ATLAS_KEY" <<<
'{
  "strategy_id": "IMPORT_STRATEGY_ID",
```

Atlas

Expected output keys:

imported_strategy_id

title

visibility

update_strategy

Premium

/api/v1/tools/update_strategy

CLI (curl)

Copy

```
curl -sS -X POST -H "Authorization: Bearer $ATLAS_KEY" -H "Content-Type: application/json" -d '{
  "strategy_id": "YOUR_STRATEGY_ID",
  "title": "Updated title"
}'
https://atlasmpc.finmanagerai.com/api/v1/tools/update_strategy
```

CLI (HTTPIe)

Copy

```
http POST
https://atlasmpc.finmanagerai.com/api/v1/tools/update_strategy Authorization:"Bearer $ATLAS_KEY" <<<
'{
  "strategy_id": "YOUR_STRATEGY_ID",
  "title": "Updated title"
}'
```

Expected output keys:

strategy_id

title

updated_at

create_strategy

Premium

/api/v1/tools/create_strategy

CLI (curl)

Copy

```
curl -sS -X POST -H "Authorization: Bearer $ATLAS_KEY" -H "Content-Type: application/json" -d '{
  "title": "New strategy",
  "content": "",
  "visibility": "private"
}'
```

Atlas

CLI (HTTPIe)

[Copy](#)

```
http POST
https://atlas MCP.finmanagerai.com/api/v1/tools/create_strategy Authorization:"Bearer $ATLAS_KEY" <<<
'{
  "title": "New strategy",
  "content": "",
  "visibility": "private"
}'
```

Expected output keys:

[strategy_id](#)[title](#)[visibility](#)[created_at](#)

save_strategy_instructions

Premium

[/api/v1/tools/save_strategy_instructions](#)

CLI (curl)

[Copy](#)

```
curl -sS -X POST -H "Authorization: Bearer $ATLAS_KEY" -H "Content-Type: application/json" -d '{
  "instructions": "Always cite risk before trades."
}'
https://atlas MCP.finmanagerai.com/api/v1/tools/save_strategy_instructions
```

CLI (HTTPIe)

[Copy](#)

```
http POST
https://atlas MCP.finmanagerai.com/api/v1/tools/save_strategy_instructions Authorization:"Bearer $ATLAS_KEY" <<< '{
  "instructions": "Always cite risk before trades."
}'
```

Expected output keys:

[saved](#)[instructions](#)[updated_at](#)

list_broker_connections

Premium

Atlas

```
curl -sS -X POST -H "Authorization: Bearer  
$ATLAS_KEY" -H "Content-Type: application/json"  
-d '{}'  
https://atlas MCP.finmanagerai.com/api/v1/tools/list_  
broker_connections
```

CLI (HTTPIe)

[Copy](#)

```
http POST  
https://atlas MCP.finmanagerai.com/api/v1/tools/list_  
broker_connections Authorization:"Bearer  
$ATLAS_KEY" <<< '{}'
```

Expected output keys:

[connections\[\]](#)[account_id](#)[broker_name](#)[status](#)

get_account_balances

Free/api/v1/tools/get_account_balances

CLI (curl)

[Copy](#)

```
curl -sS -X POST -H "Authorization: Bearer  
$ATLAS_KEY" -H "Content-Type: application/json"  
-d '{  
  "account_id": "YOUR_ACCOUNT_ID"  
}'  
https://atlas MCP.finmanagerai.com/api/v1/tools/get_a  
ccount_balances
```

CLI (HTTPIe)

[Copy](#)

```
http POST  
https://atlas MCP.finmanagerai.com/api/v1/tools/get_a  
ccount_balances Authorization:"Bearer $ATLAS_KEY"  
<<< '{  
  "account_id": "YOUR_ACCOUNT_ID"  
}'
```

Expected output keys:

[account_id](#)[cash](#)[equity](#)[buying_power](#)

get_holdings

Atlas

```
curl -sS -X POST -H "Authorization: Bearer $ATLAS_KEY" -H "Content-Type: application/json" -d '{ "account_id": "YOUR_ACCOUNT_ID" }' https://atlasmpc.finmanagerai.com/api/v1/tools/get_holdings
```

CLI (HTTPIe)

[Copy](#)

```
http POST https://atlasmpc.finmanagerai.com/api/v1/tools/get_holdings Authorization:"Bearer $ATLAS_KEY" <<< '{ "account_id": "YOUR_ACCOUNT_ID" }'
```

Expected output keys:

[account_id](#)[positions\[\]](#)

get_all_holdings

Premium/api/v1/tools/get_all_holdings

CLI (curl)

[Copy](#)

```
curl -sS -X POST -H "Authorization: Bearer $ATLAS_KEY" -H "Content-Type: application/json" -d '{} ' https://atlasmpc.finmanagerai.com/api/v1/tools/get_all_holdings
```

CLI (HTTPIe)

[Copy](#)

```
http POST https://atlasmpc.finmanagerai.com/api/v1/tools/get_all_holdings Authorization:"Bearer $ATLAS_KEY" <<< '{} '
```

Expected output keys:

[accounts\[\]](#)[positions\[\]](#)

get_transactions

Premium/api/v1/tools/get_transactions

Atlas

```
$ATLAS_KEY -H "Content-Type: application/json"
-d '{
  "account_id": "YOUR_ACCOUNT_ID"
}'
https://atlasmpc.finmanagerai.com/api/v1/tools/get_transactions
```

CLI (HTTPIe)

[Copy](#)

```
http POST
https://atlasmpc.finmanagerai.com/api/v1/tools/get_transactions
Authorization:"Bearer $ATLAS_KEY"
<<< '{
  "account_id": "YOUR_ACCOUNT_ID"
}'
```

Expected output keys:

[account_id](#)
[transactions\[\]](#)

get_account_symbol

Premium

/api/v1/tools/get_account_symbol

CLI (curl)

[Copy](#)

```
curl -sS -X POST -H "Authorization: Bearer $ATLAS_KEY" -H "Content-Type: application/json"
-d '{
  "account_id": "YOUR_ACCOUNT_ID",
  "symbol": "AAPL"
}'
https://atlasmpc.finmanagerai.com/api/v1/tools/get_account_symbol
```

CLI (HTTPIe)

[Copy](#)

```
http POST
https://atlasmpc.finmanagerai.com/api/v1/tools/get_account_symbol
Authorization:"Bearer $ATLAS_KEY"
<<< '{
  "account_id": "YOUR_ACCOUNT_ID",
  "symbol": "AAPL"
}'
```

Expected output keys:

Atlas

order_preview

Free `/api/v1/tools/order_preview`

Coming soon

Expected output keys:

preview_id

estimated_cost

buying_power_impact

place_order_preview

Premium `/api/v1/tools/place_order_preview`

Coming soon

Expected output keys:

order_id

status

submitted_at

place_order

Premium `/api/v1/tools/place_order`

Coming soon

Expected output keys:

order_id

status

filled_qty

list_preview_orders

Free `/api/v1/tools/list_preview_orders`

Coming soon

Expected output keys:

orders[]

preview_id

status

delete_preview_order

Free `/api/v1/tools/delete_preview_order`

Atlas

deleted

preview_id

create_trading_trigger

Premium`/api/v1/tools/create_trading_trigger`**Coming soon**

Expected output keys:

trigger_id

status

created_at

get_earnings_calendar

Free`/api/v1/tools/get_earnings_calendar`

CLI (curl)

Copy

```
curl -sS -X POST -H "Authorization: Bearer $ATLAS_KEY" -H "Content-Type: application/json" -d '{
  "from_date": "2025-01-01",
  "to_date": "2025-04-01"
}'
https://atlasmpc.finmanagerai.com/api/v1/tools/get_earnings_calendar
```

CLI (HTTPIe)

Copy

```
http POST
https://atlasmpc.finmanagerai.com/api/v1/tools/get_earnings_calendar Authorization:"Bearer $ATLAS_KEY"
<<< '{
  "from_date": "2025-01-01",
  "to_date": "2025-04-01"
}'
```

Expected output keys:

from_date

to_date

events[]

get_insider_transactions

Free

Atlas

```
curl -sS -X POST -H "Authorization: Bearer  
$ATLAS_KEY" -H "Content-Type: application/json"  
-d '{  
  "symbol": "AAPL"  
}'  
https://atlas MCP.finmanagerai.com/api/v1/tools/get_in  
sider_transactions
```

CLI (HTTPIe)

[Copy](#)

```
http POST  
https://atlas MCP.finmanagerai.com/api/v1/tools/get_in  
sider_transactions Authorization:"Bearer  
$ATLAS_KEY" <<< '{  
  "symbol": "AAPL"  
}'
```

Expected output keys:

[symbol](#)[transactions\[\]](#)

get_sec_filings

Free /api/v1/tools/get_sec_filings

CLI (curl)

[Copy](#)

```
curl -sS -X POST -H "Authorization: Bearer  
$ATLAS_KEY" -H "Content-Type: application/json"  
-d '{  
  "symbol": "AAPL"  
}'  
https://atlas MCP.finmanagerai.com/api/v1/tools/get_s  
ec_filings
```

CLI (HTTPIe)

[Copy](#)

```
http POST  
https://atlas MCP.finmanagerai.com/api/v1/tools/get_s  
ec_filings Authorization:"Bearer $ATLAS_KEY" <<<  
'{  
  "symbol": "AAPL"  
}'
```

Expected output keys:

Atlas

get_stock_peers

Free `/api/v1/tools/get_stock_peers`

CLI (curl)

[Copy](#)

```
curl -sS -X POST -H "Authorization: Bearer $ATLAS_KEY" -H "Content-Type: application/json" -d '{ "symbol": "AAPL" }' https://atlas MCP.finmanagerai.com/api/v1/tools/get_stock_peers
```

CLI (HTTPIe)

[Copy](#)

```
http POST https://atlas MCP.finmanagerai.com/api/v1/tools/get_stock_peers Authorization:"Bearer $ATLAS_KEY" <<< '{ "symbol": "AAPL" }'
```

Expected output keys:

`symbol``peers[]`

get_ipo_calendar

Free `/api/v1/tools/get_ipo_calendar`

CLI (curl)

[Copy](#)

```
curl -sS -X POST -H "Authorization: Bearer $ATLAS_KEY" -H "Content-Type: application/json" -d '{ "from_date": "2025-01-01", "to_date": "2025-06-01" }' https://atlas MCP.finmanagerai.com/api/v1/tools/get_ipo_calendar
```

CLI (HTTPIe)

[Copy](#)

```
http POST https://atlas MCP.finmanagerai.com/api/v1/tools/get_ipo_calendar Authorization:"Bearer $ATLAS_KEY" <<< '{
```

Atlas

Expected output keys:

from_date

to_date

ipos[]

get_senate_lobbying

Free

/api/v1/tools/get_senate_lobbying

CLI (curl)

Copy

```
curl -sS -X POST -H "Authorization: Bearer $ATLAS_KEY" -H "Content-Type: application/json" -d '{
  "symbol": "AAPL"
}'
https://atlasmpc.finmanagerai.com/api/v1/tools/get_senate_lobbying
```

CLI (HTTPIe)

Copy

```
http POST
https://atlasmpc.finmanagerai.com/api/v1/tools/get_senate_lobbying Authorization:"Bearer $ATLAS_KEY"
<<< '{
  "symbol": "AAPL"
}'
```

Expected output keys:

symbol

records[]

get_basic_financials

Free

/api/v1/tools/get_basic_financials

CLI (curl)

Copy

```
curl -sS -X POST -H "Authorization: Bearer $ATLAS_KEY" -H "Content-Type: application/json" -d '{
  "symbol": "AAPL",
  "metric": "all"
}'
https://atlasmpc.finmanagerai.com/api/v1/tools/get_basic_financials
```


Atlas

```
https://atlasmpc.finmanagerai.com/api/v1/tools/get_u
asic_financials    Authorization:"Bearer $ATLAS_KEY"
<<< '{
  "symbol": "AAPL",
  "metric": "all"
}'
```

Expected output keys:

symbol

metrics

updated_at

get_usa_spending

Free /api/v1/tools/get_usa_spending

CLI (curl)

Copy

```
curl -sS -X POST -H "Authorization: Bearer
$ATLAS_KEY" -H "Content-Type: application/json"
-d '{
  "symbol": "AAPL"
}'
https://atlasmpc.finmanagerai.com/api/v1/tools/get_u
sa_spending
```

CLI (HTTPIe)

Copy

```
http POST
https://atlasmpc.finmanagerai.com/api/v1/tools/get_u
sa_spending    Authorization:"Bearer $ATLAS_KEY"
<<< '{
  "symbol": "AAPL"
}'
```

Expected output keys:

symbol

awards[]

total_obligated_amount

get_income_statement

Free /api/v1/tools/get_income_statement

CLI (curl)

Copy

```
curl -sS -X POST -H "Authorization: Bearer
$ATLAS_KEY" -H "Content-Type: application/json"
-d '{
  "symbol": "AAPL",
```

Atlas

CLI (HTTPIe)

[Copy](#)

```
http POST
https://atlasmpc.finmanagerai.com/api/v1/tools/get_income_statement Authorization:"Bearer $ATLAS_KEY"
<<< '{
  "symbol": "AAPL",
  "freq": "yearly"
}'
```

Expected output keys:

[symbol](#)[freq](#)[statement\[\]](#)

get_balance_sheet

Free/api/v1/tools/get_balance_sheet

CLI (curl)

[Copy](#)

```
curl -sS -X POST -H "Authorization: Bearer $ATLAS_KEY" -H "Content-Type: application/json" -d '{
  "symbol": "AAPL",
  "freq": "yearly"
}'
https://atlasmpc.finmanagerai.com/api/v1/tools/get_balance_sheet
```

CLI (HTTPIe)

[Copy](#)

```
http POST
https://atlasmpc.finmanagerai.com/api/v1/tools/get_balance_sheet Authorization:"Bearer $ATLAS_KEY"
<<< '{
  "symbol": "AAPL",
  "freq": "yearly"
}'
```

Expected output keys:

[symbol](#)[freq](#)[statement\[\]](#)

get_cashflow_statement

Atlas

```
curl -sS -X POST -H "Authorization: Bearer
$ATLAS_KEY" -H "Content-Type: application/json"
-d '{
  "symbol": "AAPL",
  "freq": "yearly"
}'
https://atlas MCP.finmanagerai.com/api/v1/tools/get_c
ashflow_statement
```

CLI (HTTPIe)

[Copy](#)

```
http POST
https://atlas MCP.finmanagerai.com/api/v1/tools/get_c
ashflow_statement Authorization:"Bearer
$ATLAS_KEY" <<< '{
  "symbol": "AAPL",
  "freq": "yearly"
}'
```

Expected output keys:

[symbol](#)[freq](#)[statement\[\]](#)

get_earnings_dates

Free

/api/v1/tools/get_earnings_dates

CLI (curl)

[Copy](#)

```
curl -sS -X POST -H "Authorization: Bearer
$ATLAS_KEY" -H "Content-Type: application/json"
-d '{
  "symbol": "AAPL",
  "limit": 12
}'
https://atlas MCP.finmanagerai.com/api/v1/tools/get_e
arnings_dates
```

CLI (HTTPIe)

[Copy](#)

```
http POST
https://atlas MCP.finmanagerai.com/api/v1/tools/get_e
arnings_dates Authorization:"Bearer $ATLAS_KEY"
<<< '{
  "symbol": "AAPL",
  "limit": 12
}'
```

Atlas

get_earnings_estimates

Free `/api/v1/tools/get_earnings_estimates`

CLI (curl)

[Copy](#)

```
curl -sS -X POST -H "Authorization: Bearer  
$ATLAS_KEY" -H "Content-Type: application/json"  
-d '{  
  "symbol": "AAPL"  
}'  
https://atlasmpc.finmanagerai.com/api/v1/tools/get_e  
arnings_estimates
```

CLI (HTTPIe)

[Copy](#)

```
http POST  
https://atlasmpc.finmanagerai.com/api/v1/tools/get_e  
arnings_estimates Authorization:"Bearer  
$ATLAS_KEY" <<< '{  
  "symbol": "AAPL"  
}'
```

Expected output keys:

`symbol``estimates[]`

get_revenue_estimates

Free `/api/v1/tools/get_revenue_estimates`

CLI (curl)

[Copy](#)

```
curl -sS -X POST -H "Authorization: Bearer  
$ATLAS_KEY" -H "Content-Type: application/json"  
-d '{  
  "symbol": "AAPL"  
}'  
https://atlasmpc.finmanagerai.com/api/v1/tools/get_r  
evenue_estimates
```

CLI (HTTPIe)

[Copy](#)

```
http POST  
https://atlasmpc.finmanagerai.com/api/v1/tools/get_r  
evenue_estimates Authorization:"Bearer $ATLAS_KEY"
```

Atlas

Expected output keys:

symbol

estimates[]

get_eps_trend

Free

/api/v1/tools/get_eps_trend

CLI (curl)

Copy

```
curl -sS -X POST -H "Authorization: Bearer $ATLAS_KEY" -H "Content-Type: application/json" -d '{ "symbol": "AAPL" }' https://atlasmpc.finmanagerai.com/api/v1/tools/get_eps_trend
```

CLI (HTTPIe)

Copy

```
http POST https://atlasmpc.finmanagerai.com/api/v1/tools/get_eps_trend Authorization:"Bearer $ATLAS_KEY" <<< '{ "symbol": "AAPL" }'
```

Expected output keys:

symbol

trend[]

get_eps_revisions

Free

/api/v1/tools/get_eps_revisions

CLI (curl)

Copy

```
curl -sS -X POST -H "Authorization: Bearer $ATLAS_KEY" -H "Content-Type: application/json" -d '{ "symbol": "AAPL" }' https://atlasmpc.finmanagerai.com/api/v1/tools/get_eps_revisions
```

CLI (HTTPIe)

Copy

Atlas

```
<<< '{  
  "symbol": "AAPL"  
'
```

Expected output keys:

symbol

revisions[]

get_analyst_price_targets

Free

/api/v1/tools/get_analyst_price_targets

CLI (curl)

Copy

```
curl -sS -X POST -H "Authorization: Bearer  
$ATLAS_KEY" -H "Content-Type: application/json"  
-d '{  
  "symbol": "AAPL"  
'  
  
https://atlasmpc.finmanagerai.com/api/v1/tools/get_a  
nalyst_price_targets
```

CLI (HTTPIe)

Copy

```
http POST  
https://atlasmpc.finmanagerai.com/api/v1/tools/get_a  
nalyst_price_targets Authorization:"Bearer  
$ATLAS_KEY" <<< '{  
  "symbol": "AAPL"  
'
```

Expected output keys:

symbol

target_high

target_low

target_mean

get_upgrades_downgrades

Free

/api/v1/tools/get_upgrades_downgrades

CLI (curl)

Copy

```
curl -sS -X POST -H "Authorization: Bearer  
$ATLAS_KEY" -H "Content-Type: application/json"  
-d '{
```

Atlas

CLI (HTTPIe)

[Copy](#)

```
http POST
https://atlas MCP.finmanagerai.com/api/v1/tools/get_u
pgrades_downgrades Authorization:"Bearer
$ATLAS_KEY" <<< '{
  "symbol": "AAPL"
}'
```

Expected output keys:

[symbol](#)[ratings_changes\[\]](#)

get_dividends_and_splits

Free

/api/v1/tools/get_dividends_and_splits

CLI (curl)

[Copy](#)

```
curl -sS -X POST -H "Authorization: Bearer
$ATLAS_KEY" -H "Content-Type: application/json"
-d '{
  "symbol": "AAPL",
  "period": "max"
}'
https://atlas MCP.finmanagerai.com/api/v1/tools/get_d
ividends_and_splits
```

CLI (HTTPIe)

[Copy](#)

```
http POST
https://atlas MCP.finmanagerai.com/api/v1/tools/get_d
ividends_and_splits Authorization:"Bearer
$ATLAS_KEY" <<< '{
  "symbol": "AAPL",
  "period": "max"
}'
```

Expected output keys:

[symbol](#)[dividends\[\]](#)[splits\[\]](#)

get_institutional_holders

Atlas

CLI (curl)

Copy

```
curl -sS -X POST -H "Authorization: Bearer
$ATLAS_KEY" -H "Content-Type: application/json"
-d '{
  "symbol": "AAPL"
}'
https://atlas MCP.finmanagerai.com/api/v1/tools/get_institutional_holders
```

CLI (HTTPIe)

Copy

```
http POST
https://atlas MCP.finmanagerai.com/api/v1/tools/get_institutional_holders
Authorization:"Bearer
$ATLAS_KEY" <<< '{
  "symbol": "AAPL"
}'
```

Expected output keys:

symbol

holders[]

get_growth_estimates

Free

/api/v1/tools/get_growth_estimates

CLI (curl)

Copy

```
curl -sS -X POST -H "Authorization: Bearer
$ATLAS_KEY" -H "Content-Type: application/json"
-d '{
  "symbol": "AAPL"
}'
https://atlas MCP.finmanagerai.com/api/v1/tools/get_growth_estimates
```

CLI (HTTPIe)

Copy

```
http POST
https://atlas MCP.finmanagerai.com/api/v1/tools/get_growth_estimates
Authorization:"Bearer $ATLAS_KEY"
<<< '{
  "symbol": "AAPL"
}'
```

Expected output keys:

Atlas

Keep your key secret — anyone with it can call tools on your account. Rotate it anytime from the Atlas dashboard.