References

- Agarwal, A., Sant, S., Panwar, A., & Ningthoujam, S. S. (2023). Post-Operative lung functions after lowflow versus high-flow anaesthesia: A randomized, double blind comparative study. *Int J Acad Med Pharm*, *5*(4). 674-680. DOI: 10.47009/jamp.2023.5.4.134
- Anesthesia Patient Safety Foundation. (n.d). Low-Flow Anesthesia. https://www.apsf.org/apsf-technology-education-initiative/low-flow-anesthesia/
- American Association of Nurse Anesthesiology. (2023, November 15). American Association of

 Nurse Anesthesiology named a winner of the Chicago Tribune's top workplaces 2023 award.

 https://www.aana.com/news/american-association-of-nurse-anesthesiology-named-a-winner-of-the-chicago-tribunes-top-workplaces-2023-award/
- American Society of Anesthesiologists. (2023, October 18). Statement on the use of low gas flows for sevoflurane. https://www.asahq.org/standards-and-practice-parameters/statement-on-the-use-of-low-gas-flows-for-sevoflurane
- Armstrong Medical. (2015, June 25). Safety Data Sheet Amsorb Plus.

 https://www.medline.com/media/catalog/Docs/MSDS/MSD_SDSD91376.pdf
- Buckwalter, K. C., Cullen, L., Hanrahan, K., Kleiber, C., McCarthy, A. M., Rakel, B., Steelman, V.,

 Tripp-Reimer, T., & Tucker, S. (2017). Iowa Model of Evidence-Based Practice: Revisions and

 Validation. Worldviews on Evidence-Based Nursing, 14(3), 175–182.

 https://doi.org/10.1111/wvn.12223

- Chowdappa, G. K., Iolov, S. I., Abuamra, K. S., Kulkarni, P. P., Shariff, J. A., Abdelaziz, H. M. K., & Kumar, J. A. (2024). Precision in practice: An audit study on low-flow anesthesia techniques with desflurane and sevoflurane for cost-effective and sustainable care. *Saudi Journal of Anaesthesia*, 18(3), 388–394. https://doi.org/10.4103/sja.sja_142_24
- Edmonds, A., Stambaugh, H., Pettey, S., & Daratha, K. B. (2021). Evidence-based project: cost savings and reduction in environmental release with low-flow anesthesia. *AANA Journal*, 89(1), 27-33.
- Eminoglu, S., Ozgunay, S. E., Karaca, U., Demirel, A., Gamli, M., Ustundag, Y., Karasu, D., Eroglu, H., & Erel, O. (2022). Effect of fresh gas flow rate on thiol/disulphide hemostasis and ischemia-modified albumin in laparoscopic cholecystectomy. *Journal of the College of Physicians and Surgeons--Pakistan: JCPSP*, 32(2), 141–146.

 https://doi.org/10.29271/jcpsp.2022.02.141
- Feldman, J. M., Lo, C., & Hendrickx, J. (2020). Estimating the impact of carbon dioxide absorbent performance differences on absorbent cost during low-flow anesthesia. *Anesthesia & Analgesia*, 130(2), 374. https://doi.org/10.1213/ANE.0000000000000000099
- Food and Drug Administration. (2017, April). *ULTANE®* (sevoflurane) volatile liquid for inhalation. https://www.accessdata.fda.gov/drugsatfda_docs/label/2017/020478s030lbl.pdf
- Ganjoo, P., & Kapoor, I. (2017). Neuropharmacology. In *Essentials of Neuroanesthesia* (pp. 103–122). Elsevier. https://doi.org/10.1016/B978-0-12-805299-0.00006-3
- Grove, S. K., & Gray, J. (2023). *Understanding nursing research: Building an evidence-based practice* (8th edition). Elsevier.

- Hanrahan, K., Fowler, C., & McCarthy, A. M. (2019). Iowa Model Revised: Research and Evidence-based Practice Application. *Journal of Pediatric Nursing*, 48, 121–122. https://doi.org/10.1016/j.pedn.2019.04.023
- Henson, A., & Jeffrey, C. (2024). Utilizing the "Iowa Model Revised: Evidence-Based Practice" to Develop an Intervention for Use in a Hemodialysis Setting. *Nephrology Nursing Journal*, 51(2), 173–179. https://doi.org/10.37526/1526-744X.2024.51.2.173
- Jannotta, G. E., Gulek, B. G., Dempsey, J. S., Blissitt, P. A., Sullivan, H. C., Tran, K., Joffe, A., & Lele,
 A. V. (2021). Administration of 3% Sodium Chloride Through Peripheral Intravenous Access:

 Development and Implementation of a Protocol for Clinical Practice. Worldviews on

 Evidence-Based Nursing, 18(2), 147–153. https://doi.org/10.1111/wvn.12501
- Kaiser Permanente. (2023). Building a Better World: 2023 Sustainability & Responsibility Report

 https://about.kaiserpermanente.org/content/dam/kp/mykp/documents/reports/community

 -health/0729_2023-ESG_091724_ADA.pdf
- Kaşıkara, H., Dumanlı Özcan, A. T., Biçer, C. K., Şenat, A., Yalçın, A., Altın, C., Mustafa Aksoy, Ş., & But, A. (2022). The effect of low flow anesthesia with sevoflurane on oxidative status. *Saudi Medical Journal*, 43(3), 227–235. https://doi.org/10.15537/smj.2022.43.3.20210876
- Kalmar, A. F., Van Der Vekens, N., De Rydt, F., Allaert, S., Van De Velde, M., & Mulier, J. (2022).
 Minimizing sevoflurane wastage by sensible use of automated gas control technology in the flow-i workstation: An economic and ecological assessment. *Journal of Clinical Monitoring*& Computing, 36(6), 1601–1610. https://doi.org/10.1007/s10877-021-00803-z

- Kaşıkara, H., Dumanlı Özcan, A. T., Biçer, C. K., Şenat, A., Yalçın, A., Altın, C., Mustafa Aksoy, Ş., & But, A. (2022). The effect of low flow anesthesia with sevoflurane on oxidative status. *Saudi Medical Journal*, 43(3), 227–235. https://doi.org/10.15537/smj.2022.43.3.20210876
- Keijzer, C., Perez, R. S. G. M., & De Lange, J. J. (2007). Compound A and carbon monoxide production from sevoflurane and seven different types of carbon dioxide absorbent in a patient model. *Acta Anaesthesiologica Scandinavica*, *51*(1), 31–37. https://doi.org/10.1111/j.1399-6576.2006.01187.x
- Kobayashi, S., Bito, H., Obata, Y., Katoh, T., & Sato, S. (2003). Compound A concentration in the circle absorber system during low-flow sevoflurane anesthesia: Comparison of Drägersorb Free®, Amsorb®, and Sodasorb II®. *Journal of Clinical Anesthesia*, *15*(1), 33–37. https://doi.org/10.1016/S0952-8180(02)00478-6
- Köksal, B. G., Küçükosman, G., Özcan, P., Baytar, Ç., Bollucuoğlu, K., Okyay, R. D., & Ayoğlu, H. (2022). Effects of different fresh gas flows on carboxyhemoglobin levels: Non-invasive carbon monoxide monitoring. *Saudi Medical Journal*, *43*(8), 891–898. https://doi.org/10.15537/smj.2022.43.8.20220424
- Kutlusoy, S., Koca, E., & Aydin, A. (2022). Reliability of low-flow anesthesia procedures in patients undergoing laparoscopic cholecystectomy: Their effects on our costs and ecological balance. Nigerian Journal of Clinical Practice, 25(11), 1911–1917. https://doi.org/10.4103/njcp.njcp_387_22
- Levy, R. J. (2016). Anesthesia-related carbon monoxide exposure: Toxicity and potential therapy.

 Anesthesia and Analgesia, 123(3), 670–681.

 https://doi.org/10.1213/ANE.000000000001461

Lineburger, E. B., Módolo, N. S. P., Braz, L. G., & Do Nascimento, P. (2021). Minimal fresh gas flow sevoflurane anesthesia and post-operative acute kidney injury in on-pump cardiac surgery:

A randomized comparative trial. *Brazilian Journal of Anesthesiology*, 73(1), 46–53.

https://doi.org/10.1016/j.bjane.2021.11.004

https://www.jcdronline.org/admin/Uploads/Files/6451e4941e8e42.82964513.pdf

- Maheshwari, M., Sanwatsarkar, S., & Katakwar, M. (2019). Pharmacology related to paediatric anaesthesia. *Indian Journal of Anaesthesia*, 63(9), 698. https://doi.org/10.4103/ija.IJA_487_19
- Mermer, A. & Kozanhan, B. (2023). Comparison of the effects of low-flow and normal-flow anesthesia on intracranial pressure, cerebral oxygenation and bispectral index in laparoscopic cholecystectomy operation. *European Review for Medical and Pharmacological Sciences*, 27. https://doi.org/10.26355/eurrev_202309_33776
- Merugu, S. H., Padigela, P., & Sandeep, C. (2023). To compare the effects of sevoflurane under low-flow and medium-flow anaesthesia on cognitive function and recovery in patients undergoing elective laparoscopic cholecystectomy under general anaesthesia. *Journal of Cardiovascular Disease Research*, 14(4), 1-8.

https://www.jcdronline.org/admin/Uploads/Files/6451e4941e8e42.82964513.pdf

- Moody, A. E., Beutler, B. D., & Moody, C. E. (2020). Predicting cost of inhalational anesthesia at low fresh gas flows: Impact of a new generation carbon dioxide absorbent. *Medical Gas Research*, 10(2), 64–66. https://doi.org/10.4103/2045-9912.285558
- National Institute of General Medical Sciences (2023, September). *Anesthesia*.

 https://www.nigms.nih.gov/education/fact-sheets/Pages/anesthesia.aspx

- Öterkuş, M., Dönmez, İ., Nadir, A. H., Rencüzoğulları, İ., Karabağ, Y., & Binnetoğlu, K. (2021). The effect of low flow anesthesia on hemodynamic and peripheral oxygenation parameters in obesity surgery. *Saudi Medical Journal*, *42*(3), 264–269.

 https://doi.org/10.15537/smj.2021.42.3.20200575
- Pauchard, J.-C., Hafiani, E.-M., Pons, S., Bonnet, L., Cabelguenne, D., Carenco, P., Cassier, P., Garnier, J., Lallemant, F., Sautou, V., De Jong, A., & Caillard, A. (2023). Guidelines for reducing the environmental impact of general anaesthesia. *Anaesthesia Critical Care & Pain Medicine*, 42(5), 101291. https://doi.org/10.1016/j.accpm.2023.101291
- Polit, D. F., & Beck, C. T. (2021). *Nursing research: generating and assessing evidence for nursing practice*. Eleventh edition. Philadelphia, Wolters Kluwer.
- Prasad, T. K., Gnanasekar, N., Priyadharsini, K. S., & Chacko, R. S. Randomized double-blind trial comparing effects of low-flow vs high-flow anesthesia on post-operative lung functions using respirometer. *J Anaesthesial Clin Pharmacol* 2020(36), 535-40. DOI:

 10.4103/joacp.JOACP_410_19
- Rogers, E. M. (1983). Diffusion of innovations (3rd ed.). Free Press.
- Silver, S. A., McQuillan, R., Harel, Z., Weizman, A.V., Thomas, A., Nesrallah, G., Bell, C. M., Chan, C. T., & Chertow, G. M. (2016). How to Sustain Change and Support Continuous Quality

 Improvement. *Clin J Am Soc Nephrol*, *11*(5), 916-924. doi: 10.2215/CJN.11501015
- Simsek, T., Derman, S., Kordi, R. G. M., Saracoglu, A., & Saracoglu, K. T. (2022). Correction to: The effect of different flow levels and concentrations of sevoflurane during the wash-in phase on volatile agent consumption: a randomized controlled trial. *Journal of Clinical Monitoring and Computing*, 36(5), 1575–1575. https://doi.org/10.1007/s10877-022-00875-5

- Sondekoppam, R. V., Narsingani, K. H., Schimmel, T. A., McConnell, B. M., Buro, K., & Özelsel, T. J.-P. (2020). The impact of sevoflurane anesthesia on post-operative renal function: A systematic review and meta-analysis of randomized-controlled trials. *Canadian Journal of Anesthesia*, 67(11), 1595–1623. https://doi.org/10.1007/s12630-020-01791-5
- Speroni, K. G., McLaughlin, M. K., & Friesen, M. A. (2020). Use of Evidence-based Practice Models and Research Findings in Magnet-Designated Hospitals Across the United States: National Survey Results. *Worldviews on Evidence-Based Nursing*, *17*(2), 98–107. https://doi.org/10.1111/wvn.12428
- Sulbaek Andersen, M. P., Nielsen, O. J., Karpichev, B., Wallington, T. J., & Sander, S. P. (2012).

 Atmospheric chemistry of isoflurane, desflurane, and sevoflurane: kinetics and mechanisms of reactions with chlorine atoms and OH radicals and global warming potentials. *The Journal of Physical Chemistry A*, 116(24), 5806–5820.

 https://doi.org/10.1021/jp2077598
- Titler, M. G., Kleiber, C., Steelman, V. J., Rakel, B. A., Budreau, G., Everett, L. Q., Buckwalter, K. C.,

 Tripp-Reimer, T., & Goode, C. J. (2001). The Iowa Model of Evidence-Based Practice to

 Promote Quality Care. *Critical Care Nursing Clinics of North America*, 13(4), 497–509.

 https://doi.org/10.1016/S0899-5885(18)30017-0
- Vyaire. (2016, December 10). Safety Data Sheet. https://www.vyaire.com/sites/uk/files/2019-08/Medisorb%E2%84%A2-EF-multi-absorber%2C-disposable-SDS.pdf
- World Health Organization. (2023, October 12). *Climate change*. https://www.who.int/news-room/fact-sheets/detail/climate-change-and-health