





Design of a diagnosis and follow-up platform for patients with chronic headaches

Kiani Lannoye & Gilles Vandewiele

Faculty of Engineering and Architecture







rements

Mobile application

Backend and data exposure

Machine learning - DT's

Genetic merging of DT's

Visualization







Current process UH Ghent

Platform requirements

Mobile application

Backend and data exposure

Machine learning - DT's

Genetic merging of DT's

Visualization

Conclusion & future work

3 / 34







Introduction

ARCHITECTURE



Intro 4 / 34







FACULTY OF ENGINEERING AND
ARCHITECTURE

Headaches

(Headaches)







FACULTY OF ENGINEERING AND
ARCHITECTURE

Headaches

Headaches

Primary headaches








ACULTY OF ENGINEERING AND ARCHITECTURE

Headaches










FACULTY OF ENGINEERING AND
ARCHITECTURE

Headaches










FACULTY OF ENGINEERING AND
ARCHITECTURE

Headaches









Current process UH Ghent


Current process at UH Ghent is:

- ► Not digital
- **▶** cumbersome
- ► long-lasting





FACULTY OF ENGINEERING AND ARCHITECTURE









So there is need for a better (digital) alternative! This alternative has to:

- ▶ capture at least the same information as current solution
- ▶ be more efficient.
- provide a second opinion for the doctors (auto-diagnose)







Machine learning - DT's

Platform requirements

Genetic merging of DT's

Mobile application

Visualization

Backend and data exposure

Conclusion & future work

Platform requirements 9 / 34







Platform requirements

Our proposed alternative consists of:

- ► Headache journal: mobile app
- ► Doctor Dashboard: web application
- ► Machine learning module: auto-classify

Solution non-functional requirements:

- ► Security
- ► Availability
- ► Performance

► Usability

Platform requirements 10 / 34








Platform requirements

ARCHITECTURE



Platform requirements 11 / 34







Platform requirements

Mobile application
Development paradigms
Chronicals

Backend and data exposure

Machine learning - DT's

Genetic merging of DT's

Visualization

Conclusion & future work

Mobile application 12 / 34







Mobile Application

Why create a new application?

Competition

- ► Migraine Buddy
- ► Headache Diary
- ► Pfizer headache journal

Mobile application 13 / 34







Mobile Application

Why create a new application?

Competition

- ► Migraine Buddy
- ► Headache Diary
- ► Pfizer headache journal

All good, but:

Mobile application 13 / 34







Mobile Application

Why create a new application?

Competition

- ► Migraine Buddy
- ► Headache Diary
- ► Pfizer headache journal

All good, but:

- ▶ none offers usable data export
- ▶ none captures all data needed

Mobile application 13 / 34







Development paradigms

Different kinds of approaches for mobile application development:

- ► Web application
- ► Hybrid application
- ► Native application
- \rightarrow How do we choose?







Web application

Webapps are developed once and can be viewed on (almost) all smartphones (via built-in web engine).

- + "write once, run everywhere" ⇒ lower cost
- + No installation required
- limited use of device specific features (GPS, camera, ...)
- Not all devices same web engines ⇒ other view
- No native look and feel

\Rightarrow No web application







Native application

Native apps are developed once for each OS and installed on the device.

- + Best performance (optimized machine code at compile time)
- + Device specific features usable (GPS, camera, ...)
- + Native look and feel
- Write code for each OS (very costly dev + maintenance)
- Installation required

⇒ Native application?







Hybrid application

Hybrid apps are developed once and installed on the device. It uses the devices internal web engine, but has more control than web applications.

- + "write once, run everywhere" ⇒ lower cost
- + Better performance (semi-optimized machine code)
- + Device specific features usable (GPS, camera, ...)
- + Native look and feel (using libraries)
- Installation required
- Not all devices same web engines ⇒ other view (but manageable)

⇒ Hybrid application?

Mobile application Development paradigms 17 / 34





Hybrdid vs Native

	Native	Cross-platform
	+ Native UX	+ 1 language
+	+ device-specific features	+ Write once, run everywhere
	+ Better performance	+ Less maintenance
		- Slower (lower performance)
	- Multiple languages	- Less device specific
-	- Time consuming	features
	(development)	- Harder to release online
		(Play Store/App Store)





Hybrdid vs Native

	Native	Cross-platform
	+ Native UX	+ 1 language
+	+ device-specific features	+ Write once, run everywhere
	+ Better performance	+ Less maintenance
-		- Slower (lower performance)
	- Multiple languages	- Less device specific
	- Time consuming	features
	(development)	- Harder to release online
		(Play Store/App Store)











Chronicals

ARCHITECTURE







Chronicals

ARCHITECTURE













Nachine learning - DT

Platform requirements

Genetic merging of DT's

Mobile application

Visualization

Backend and data exposure







Platform requirements

Mobile application

Backend and data exposure

Machine learning - DT's

Genetic merging of DT's

Visualization







Platform requirements

Mobile application

Backend and data exposure

Machine learning - DT's

Genetic merging of DT's

Visualization







Many different induction algorithms



→ Which tree is the most beautiful?

Genetic merging of DT's Introduction 24 / 34









Current ensembles lack interpretability

Boosting, bagging, random forests, etc. require majority voting (classification) or mean calculation (regression) to obtain prediction





Genetic merging of DT's Introduction 25 / 34








Current ensembles lack interpretability

The final decision tree obtained by **stacking** contains uninterpretable internal nodes



Genetic merging of DT's Introduction 26 / 34





Decision tree \rightarrow decision space


Converting decision trees to decision spaces

We can define a one-to-one mapping between a decision tree and a set of k-dimensional hyperplanes (k = # features), called **decision space**. Each node in the decision tree corresponds to a hyperplane in the decision space.





Decision tree \rightarrow decision space











FACULTY OF ENGINEERING AND ARCHITECTURE

Merging decision spaces










Merging decision spaces









Platform requirements

Mobile application

Backend and data exposure

Machine learning - DT's

Genetic merging of DT's

Visualization

Conclusion & future work

Visualization 31 / 34







Platform requirements

Mobile application

Backend and data exposure

Machine learning - DT's

Genetic merging of DT's

Visualization







Bedankt

Bedank voor uw aandacht

No written word,
No spoken plea,
Can teach the youth what they should be,
Nor all the books on all the shelves,
It's what the teachers are themselves







Platform requirements

Mobile application

Backend and data exposure

Machine learning - DT's

Genetic merging of DT's

Visualization