





Design of a diagnosis and follow-up platform for patients with chronic headaches

Kiani Lannoye & Gilles Vandewiele

Faculty of Engineering and Architecture







Intro

Current process UH Ghent

Platform requirements

Mobile application

Backend and data exposure

Machine learning

Doctor dashboard

Conclusion & future work

2 / 49







Headaches









Headaches

(Headaches)







Headaches

Headaches


Primary headaches







Headaches










Headaches










Headaches










Current process UH Ghent

Current process at UH Ghent is:

- ► Not digital
- **▶** cumbersome
- ► long-lasting













So there is need for a better (digital) alternative! This alternative has to:

- ▶ capture at least the same information as current solution
- ▶ be more efficient.
- provide a second opinion for the doctors (auto-diagnose)







Intro

Platform requirements

Mobile application

Backend and data exposure

Machine learning

Doctor dashboard

Conclusion & future work

Platform requirements 7 / 49







Platform requirements

Our proposed alternative consists of:

- ► Headache journal: mobile app
- ► Doctor Dashboard: web application
- ► Machine learning module: decision support

Solution non-functional requirements:

- ► Security
- ► Availability
- ► Performance & learning curve

► Usability


Platform requirements 8 / 4







Platform requirements



Platform requirements 9 / 49







Intro

Platform requirements

Mobile application Chronicals

Backend and data exposure

Machine learning

Doctor dashboard

Conclusion & future work


Mobile application 10 / 49







Mobile Application




Mobile application 11 / 49









Mobile application 11 / 49







Why create a new application?

Competition

- ► Migraine Buddy
- ► Headache Diary
- ► Pfizer headache journal

Mobile application 12 / 49







Why create a new application?

Competition

- ► Migraine Buddy
- ► Headache Diary
- ► Pfizer headache journal

All good, but:

Mobile application 12 / 49







Why create a new application?

Competition

- ► Migraine Buddy
- ► Headache Diary
- ► Pfizer headache journal

All good, but:

- ▶ none captures all data needed
- ▶ none offers usable data export

Mobile application 12 / 49







Cross platform vs Native

	Native	Cross-platform
	+ Native UX	+ 1 language
+	+ device-specific features	+ Write once, run everywhere
	+ Better performance	+ Less maintenance
-		- Slower (lower performance)
	- Multiple languages	- Less device specific
	- Time consuming	features
	(development)	- Harder to release online
		(Play Store/App Store)

Mobile application 13 / 49







Cross platform vs Native

	Native	Cross-platform
+	+ Native UX	+ 1 language
	+ device-specific features	+ Write once, run everywhere
	+ Better performance	+ Less maintenance
-		- Slower (lower performance)
	- Multiple languages	- Less device specific
	- Multiple languages - Time consuming	features
	(development)	- Harder to release online
		(Play Store/App Store)

Mobile application 13 / 49





ARCHITECTURE

























Chronicals

ARCHITECTURE









Chronicals







Chronicals

ARCHITECTURE









Chronicals













Intro

Platform requirements

Mobile application

Backend and data exposure

Machine learning

Doctor dashboard


Conclusion & future work







Backend and data exposure










Backend and data exposure









Backend and data exposure

Components

- ▶ Database
- ► Connection to App
- ► Connection to Doctor Dashboard
- ► Connection Machine learning module








ARCHITECTURE

System










System

ARCHITECTURE

19 / 49









Intro

Platform requirements

Mobile application

Backend and data exposure

Machine learning

Doctor dashboard

Conclusion & future work


Machine learning 20 / 49







Machine learning




Machine learning 21 / 49







Machine learning



Machine learning 21 / 49







Machine Learning

Decision support (\neq decision making) \Rightarrow White box model

Possible models

- ▶ Decision trees
- ► Random Forests (Gray box)
- ► Bayesian networks







Machine Learning

Decision support (\neq decision making) \Rightarrow White box model

Possible models

- ▶ Decision trees
- ► Random Forests (Gray box)
- ► Bayesian networks







Genetic merging of DT's





CART



QUEST

→ Which tree is the most beautiful?

Machine learning Introduction 23 / 49









Current ensembles lack interpretability

Boosting, bagging, random forests, etc. require majority voting (classification) or mean calculation (regression) to obtain prediction





Machine learning Introduction 24 / 49








Current ensembles lack interpretability

The final decision tree obtained by **stacking** contains uninterpretable internal nodes



Machine learning Introduction 25 / 49







Decision tree \rightarrow decision space

Converting decision trees to decision spaces


We can define a one-to-one mapping between a decision tree and a set of k-dimensional hyperplanes (k = #features), called **decision space**. Each node in the decision tree corresponds to a hyperplane in the decision space.

Machine learning Merging different DT's 26 / 49





Decision tree \rightarrow decision space



Machine learning Merging different DT's 27 / 49









FACULTY OF ENGINEERING AND ARCHITECTURE

Merging decision spaces












FACULTY OF **ENGINEERING AND ARCHITECTURE**

Merging decision spaces










FACULTY OF ENGINEERING AND ARCHITECTURE

Pruning decision spaces










FACULTY OF ENGINEERING AND ARCHITECTURE

Pruning decision spaces









Decision space \rightarrow decision tree

Converting decision spaces to decision trees

One-to-one mapping from decision tree to space is lost during conversion because the order is lost. Therefore, a **heuristic** approach must be taken, identifying **hyperplane candidates** and calculating a metric to choose the 'best' plane.

Machine learning Merging different DT's 29 / 49








FACULTY OF ENGINEERING AND ARCHITECTURE

Decision space \rightarrow decision tree



Machine learning Merging different DT's 30 / 49








FACULTY OF ENGINEERING AND ARCHITECTURE

${\sf Decision \ space} \to {\sf decision \ tree}$



Machine learning Merging different DT's 30 / 49







Decision space \rightarrow decision tree

Finding 'best' candidate hyperplane


Apply metric function to each plane, these include:

- ▶ information gain and Gini
- ▶ pick plane from most correlated feature
- ▶ pick plane that divide space in two most equal subspaces
- combination





FACULTY OF ENGINEERING AND ARCHITECTURE








ACULTY OF ENGINEERING AND ARCHITECTURE


Splitting the data







Generate different decision trees




Machine learning Genetic algorithm 34 / 49





FACULTY OF ENGINEERING AND
ARCHITECTURE

Generate different decision trees




Machine learning Genetic algorithm 35 / 49





Genetic merging

ARCHITECTURE









PopulationRanker

Fitness function


A high accuracy is the most important property of a decision tree, followed by its' size (\rightarrow comprehensibility). Genetic algorithms are well suited for **multi-objective optimization**.

Machine learning Genetic algorithm 37 / 49





Final iteration









Headache dataset

Data collection could only start in March:

- ▶ the mobile application had to be finished first
- ▶ an ethical committee had to approve our application


 \rightarrow too few samples for machine learning

Machine learning Genetic algorithm 39 / 49















Evaluating our algorithm

5 datasets from UCI optimal parameters, feature selection when needed and k-fold CV

Name	#Samples	#Disc	#Cont	#Class	Imbalance rate
Heart	270	7	6	2	0.058
Car	1728	6	0	4	0.225
Iris	150	0	4	3	0
Shuttle	14500	0	9	7	0.18308
Nursery	12960	8	0	5	0.1498

Machine learning Genetic algorithm 41 / 49





ARCHITECTURE


Dataset	Folds	C4.5	CART	QUEST	Genetic
Heart disease	5	0.8067	0.7844	0.7844	0.8067
neart disease	10	0.8104	0.7732	0.7881	0.7993
Iris	3	0.9533	0.9467	0.9467	0.96
ITIS	5	0.9467	0.9333	0.9467	0.9533
	3	0.9722	0.9693	0.9229	0.9693
Cars	5	0.9711	0.9682	0.9241	<u>0.9786</u>
	10	0.9756	0.9751	0.9265	0.9803
	3	0.9987	0.9983	0.9964	0.9988
Shuttle	5	0.9986	0.9981	0.9962	0.9988
	10	0.9990	0.9987	0.9941	0.9992
	3	0.9890	0.9431	0.9147	0.9914
Nursery	5	0.9918	0.9498	0.9251	<u>0.9958</u>
	10	0.9937	0.9568	0.9259	0.9954





ARCHITECTURE

Accuracy on nursery dataset using 10 folds









Intro

Platform requirements

Mobile application

Backend and data exposure

Machine learning

Doctor dashboard

Conclusion & future work

Doctor dashboard 43 / 49








FACULTY OF ENGINEERING AND
ARCHITECTURE

Doctor dashboard



Doctor dashboard 44 / 49








FACULTY OF ENGINEERING AND
ARCHITECTURE

Doctor dashboard



Doctor dashboard 44 / 4:







Doctor Dashboard

- ► Web application in order for the doctors to access the data exposed by our REST API
- ► Preferably in the form of visualizations, which allow to process a lot of data in a small amount of time
- ► Developed by Maarten Vanden Berghe

Doctor dashboard 45 / 49







Intro

Platform requirements

Mobile application

Backend and data exposure

Machine learning

Doctor dashboard

Conclusion & future work







Conclusion

▶ It is shown that the current process in the UH of Ghent can be completely digitized. Our solution can significantly improve the efficiency and reduce the frequency of consults, leading to a reduction in health care costs.

► The foundations for a diagnosis support system are built, using a genetic approach to merge different induced decision trees to obtain a single decision tree with enhanced accuracy.

Conclusion & future work 47 / 49







Future work

- ► Develop native applications for iOS and Android to enhance look-&-feel
- ► Re-evaluate our machine learning models on a larger headache dataset
- ► Implement more induction algorithms and ensemble techniques to create a more diverse initial population
- ► Experiment with other selection techniques and fitness functions
- ► Optimize the heuristic approach to convert decision spaces to decision trees

Conclusion & future work 48 / 4







Thank you for your attention!

Intro

Platform requirements

Mobile application

Backend and data exposure

Machine learning

Doctor dashboard

Conclusion & future work