

Jericho C. Espinosa BSIT 4 – 102

4 Task PErformance1

PART 1

utorials

Reports

Compute Services Practice

00 : 48 : 44

End Exer

Cloud Exercise Account

Log in using an exercise account

Account ID: Sandbox-Voyager2688

Username: Sandbox-user

Password: *****

ng Tenants Who Can Use Shared Images

Return to the Sandbox console.On the Management Service page, click Private Image in the image list.

Subnets-Console

console.huaweicloud.com/vpc/?locale=en-us&agencyId=0c947c054700f3d91f0ac00ef7576d08®ion=ap-sout...

HUAWEI CLOUD | Console | AP-Singapore

Search for...

More

Usage Guidelines

Create Subnet

Network Console

Overview

Self-service

Troubleshooting

Favorites

Virtual Private Cloud

My VPCs

Subnets

Network Interfaces

Route Tables

VPC Peering Connections

Access Control

Network ACLs

Security Groups

IP Address Groups

Cloud Firewall

Internet Access

EIPs

Subnets

Export

VPC ID: f83fcb2f-8874-4a43-9ec9-427ce2197904

NameID

VPC

IPv4

IP...

St...

Netw...

Route...

Owner Project ID

subnet-01

020809e9-6994-4d4b-b21f-bfa5208120ff

vpc-01

192.168.0...

Enable IPv6

Availa...

Associate

rb-vpc-01

Default

136357b39fe841ed936d7d39f43af629

subnet-02

adba6a12-cf3-4502-a720-1782c7ea9d2d

vpc-01

192.168.1...

Enable IPv6

Availa...

Associate

rb-vpc-01

Default

136357b39fe841ed936d7d39f43af629

Total Records: 2

Selected: 0

Reports

Compute Services Practice

00 : 43 : 12

End Exe

Cloud Exercise Account

Log in using an exercise account

Account ID: Sandbox-Voyager2688

Username: Sandbox-user

Password: *****

to the Sandbox console.On the Management Service page, click Private Image in the image list.

ne name of the image to be shared.

h Tenants tab page, click Add

Security Groups-Console

console.huaweicloud.com/vpc/?locale=en-us&agencyId=0c947c054700f3d91f0ac00ef7576d08®ion=ap-sout...

HUAWEI CLOUD | Console | AP-Singapore

Search for...

More

Usage Guidelines

Create Security Group

sg-test

Summary

Inbound Rules

Outbound Rules

Associated Instances

Tag

Some security group rules may not be applied for cloud servers with certain specifications. Learn more

Add Rule

Fast-Add Rule

Delete

Allow Common Ports

Batch Selection

More

Inbound Rules: 0

View Security Group Configuration Examples

Select a property or enter a keyword.

Priority

Status

Action

Type

Protocol & Port

Source

Description

Last Modified

Operation

No Security Group Rules available.

Add Rule now.

PART 2

Go to Old Edition

Flexi Purchase

Go to Old Edition

Flexi Purchase

Configuration Summary

Generate Open API

Basic Configuration

Billing Mode: Pay-per-use

Region/AZ: AP-Singapore | Random

Instance

Specifications: General computing | s6.small.1 | 1 vCPU | 1 GiB

OS

Image: CentOS 7.9 64bit

Host Security: Basic edition enabled

One-month free trial

Configuration Summary

Generate Open API

Storage & Backup

System Disk: General Purpose SSD, 40 GiB

Network

VPC: vpc-01(192.168.0.0/16)

Primary NIC: subnet-01(192.168.0.0/24)

Source/Destination Check: Enable

Security Group

sg-test

Public Network Access

EIP: Not required

I have read and agree to Elastic Cloud Server

Cloud Exercise Account

using an exercise account

Sandbox-Voyager2688

Sandbox-user

Click on the Sandbox console on the Management Service page, click Private Image page list.

Image ID

Image Name

Image Size

Image Type

Image Status

Image Description

Click on the name of the image to be shared. On the Tenants tab page, click Add

Elastic Cloud Server - Console

Elastic Cloud Server - Console

New Tab

console.huaweicloud.com/ecm/?agencyId=0c947c054700f3d91f0ac00ef7576d08®ion=ap-southeast-3&loc...

Update

HUAWEI CLOUD

Console

AP-Singapore

Search for...

More

EN

Sandbox-Voyager2688

Sandbox-user

Cloud Server Console

Overview

Events

Scheduled O&M

Troubleshooting

Cloud Bastion Host

Servers and Images

Elastic Cloud Server

ECS Group

Huawei Cloud Flexus

Dedicated Hosts

Bare Metal Server

My ECSs: AP-Singapore (3)

Alarms

Security Risks

Pending Renewals

UniAgent not installed

Start

Stop

Restart

Reset Password

Renew

More

Export

Failures: 1

Search or filter by name.

Search

Reset

Name/ID	Mon...	S...	St...	AZ	Specifications/Image	OS	I...	Billin...	Operation
ecs-vcbasic-02 ba603119-94e2-4596-a...			Creating	AZ3	1 VCPU 1 GiB s6.small.1 CentOS 7.9 64bit	Linux	--	Pay-per-use Created on: 11/11/2023 10:00:00	Remote Login More
ecs-vcbasic-01 d1273a68-1746-4aff-9e...			Running	AZ3	1 VCPU 1 GiB s6.small.1 CentOS 7.9 64bit	Linux	1...	Pay-per-use Created on: 11/11/2023 10:00:00	Remote Login More
ecs-9linux 107a830c-2a1c-4310-9...			Running	AZ3	2 VCPUs 4 GiB s6.large.1 CentOS 7.9 64bit	Linux	9...	Pay-per-use Created on: 11/11/2023 10:00:00	Remote Login More
ecs-windows 7931a27a-efc4-42b2-9...			Running	AZ3	2 VCPUs 4 GiB s6.large.1 KooGallery Windows 5...	Windows	1...	Pay-per-use Created on: 11/11/2023 10:00:00	Remote Login More

Cloud Exercise Account

using an exercise account

Sandbox-Voyager2688

Sandbox-user

Click on the Sandbox console on the Management Service page, click Private Image page list.

Image ID

Image Name

Image Size

Image Type

Image Status

Image Description

Click on the name of the image to be shared. On the Tenants tab page, click Add

Elastic Cloud Server - Console

Elastic Cloud Server - Console

ecs-vcbasic-01

New Tab

console-intl.huaweicloud.com/vnc/pod01.ap-southeast-3c/vnc_auto.html?token=024b502b-b27f...

Send Remote Command

English

Connected (encrypted) to: d1273a68-1746-4aff-9e8e-9c536a99420e. Log out before you leave.

CentOS Linux 7 (Core)
Kernel 3.10.0-1160.119.1.el7.x86_64 on an x86_64

ecs-vcbasic-01 login: root

Password:

Welcome to Huawei Cloud Service

[root@ecs-vcbasic-01 ~]# ping 192.168.1.69 -t
ping: option requires an argument -- 't'
Usage: ping [-aAbBdDfHlNqRrUvA64] [-c count] [-i interval] [-I interface] [-m mark] [-M pmtudisc_option] [-l preload] [-p pattern] [-Q tos] [-s packetsize] [-S sndbuf] [-t ttl] [-T timestamp_option] [-w deadline] [-W timeout] [hop1 ...] destination
Usage: ping -6 [-aAbBdDfHlNqRrUvA64] [-c count] [-i interval] [-I interface] [-l preload] [-m mark] [-M pmtudisc_option] [-N nodeinfo_option] [-p pattern] [-Q tclass] [-s packetsize] [-S sndbuf] [-t ttl] [-T timestamp_option] [-w deadline] [-W timeout] destination
[root@ecs-vcbasic-01 ~]# ping 192.168.1.69
PING 192.168.1.69 (192.168.1.69) 56(84) bytes of data.
^C
--- 192.168.1.69 ping statistics ---
15 packets transmitted, 0 received, 100% packet loss, time 13999ms

[root@ecs-vcbasic-01 ~]# _

Cloud Exercise Account

using an exercise account

Sandbox-Voyager2688

Sandbox-user

Click on the Sandbox console on the Management Service page, click Private Image page list.

Image ID

Image Name

Image Size

Image Type

Image Status

Image Description

Click on the name of the image to be shared. On the Tenants tab page, click Add

Elastic Cloud Server

ecs-vcbasic-02

Elastic Cloud Server

ecs-vcbasic-01

New Tab

console-intl.huaweicloud.com/vnc/pod01.ap-southeast-3c/vnc_auto.html?token=fe0b1371-33a8-444d-8606-bab6e...

Send Remote Command

English

Connected (encrypted) to: ba603119-94e2-4596-a247-87c2a609aa25. Log out before you leave.

Local Cursor

CentOS Linux 7 (Core)
Kernel 3.10.0-1160.119.1.el7.x86_64 on an x86_64

ecs-vcbasic-02 login: root


Password:

Welcome to Huawei Cloud Service

[root@ecs-vcbasic-02 ~]# ping 192.168.0.289
PING 192.168.0.289 (192.168.0.289) 56(84) bytes of data.
^C
--- 192.168.0.289 ping statistics ---
7 packets transmitted, 0 received, 100% packet loss, time 5999ms

[root@ecs-vcbasic-02 ~]# ping 192.168.0.289 t
ping: t: Name or service not known
[root@ecs-vcbasic-02 ~]# ping 192.168.0.289 -t
ping: option requires an argument -- 't'
Usage: ping [-aAbBdDfHlNqRrUvA64] [-c count] [-i interval] [-I interface] [-m mark] [-M pmtudisc_option] [-l preload] [-p pattern] [-Q tos] [-s packetsize] [-S sndbuf] [-t ttl] [-T timestamp_option] [-w deadline] [-W timeout] [hop1 ...] destination
Usage: ping -6 [-aAbBdDfHlNqRrUvA64] [-c count] [-i interval] [-I interface] [-l preload] [-m mark] [-M pmtudisc_option] [-N nodeinfo_option] [-p pattern] [-Q tclass] [-s packetsize] [-S sndbuf] [-t ttl] [-T timestamp_option] [-w deadline] [-W timeout] destination
[root@ecs-vcbasic-02 ~]# ping 192.168.0.289 --t
ping: invalid option -- 't'
Usage: ping [-aAbBdDfHlNqRrUvA64] [-c count] [-i interval] [-I interface] [-m mark] [-M pmtudisc_option] [-l preload] [-p pattern] [-Q tos] [-s packetsize] [-S sndbuf] [-t ttl] [-T timestamp_option] [-w deadline] [-W timeout] [hop1 ...] destination
Usage: ping -6 [-aAbBdDfHlNqRrUvA64] [-c count] [-i interval] [-I interface] [-l preload] [-m mark] [-M pmtudisc_option] [-N nodeinfo_option] [-p pattern] [-Q tclass] [-s packetsize] [-S sndbuf] [-t ttl] [-T timestamp_option] [-w deadline] [-W timeout] destination
[root@ecs-vcbasic-02 ~]# ping 192.168.0.289
PING 192.168.0.289 (192.168.0.289) 56(84) bytes of data.
^C

Activ
Go to



PART 3

The benefits of implementing a security group is that it acts like a virtual firewall that controls the inbound and outbound traffic to your cloud resources. It helps protect servers by only allowing specific types of traffic, such as SSH or HTTP, based on your rules. This reduces the risk of unauthorized access and keeps applications safer. It also gives you flexibility to update rules easily without restarting your servers.