

若您的收件地址有所變動，
或是您有朋友也希望能收到這份資訊，
請將下表填妥，傳真至：(02) 8919-1725

- ☐ 我的地址要變動
- ☐ 我的朋友也想要收到這份資訊

收件人姓名

收件人所屬單位

單位負責人

新收件處電話

新收件地址

感謝您的配合！！

發行人：黃仁斌

編輯委員：李思穎、林雅亭、林舒敏、陳進生、黃尹柔、楊心語

發行所：創生生物科技股份有限公司

電話：(02) 8919-1730

傳真：(02) 8919-1725

地址：231台北縣新店市寶橋路235巷131號2樓之2

網址：www.genesisbio.com.tw

E-mail：info@genesisbio.com.tw


印刷：品晟股份有限公司

電話：(02) 2753-3040

傳真：(02) 8787-7080



板橋郵局許可證
板橋字第618號
中華郵政板橋誌字第51號
執照登記為雜誌交寄
(無法投遞時請免退回)



專題介紹

STAT 訊號傳導子和轉錄激活子

技術放大鏡

抗老、抗癌的新秘器

生長因子 Growth Factors: IGF-1、bFGF

人物專訪

專訪創生 黃仁斌總經理 讓您對創生有進一步的認識

國際展覽介紹

創生生技 邁向國際

好康報報-雙雙對對目錄型抗體促銷專案

詳情請參閱封底內頁

Genesis News

創生生物科技

2005 July No.3
www.genesisbio.com.tw

目錄型抗體產品

創生生物科技擁有開發兔子融合瘤與小鼠融合瘤之抗體專業技術平台。同時我們也利用免疫原性肽技術平台來開發以肽當作免疫原所製造出各類抗體。目前我們的抗體以各種研究領域作為區分，您可以上創生的網站瀏覽抗體目錄。另外，如果您需要的抗體項目我們目前沒有提供，您可以聯絡我們，我們的另一個抗體開發之雙贏策略，可以為您開發抗體，相信可以滿足您實驗上的需求。

優質抗體前10名

TEM1 (tumor endothelial marker 1)	Rabbit-Poly	#GB-30119
TEM5 (tumor endothelial marker 5)	Rabbit-Poly	#GB-30028
TEM8 (tumor endothelial marker 8)	Rabbit-Poly	#GB-10010
PRL-3 (protein tyrosine phosphatase type IVA, member 3)	Rabbit-Mono	#GB-63023
Dermokine (ZD52F10)	Rabbit-Poly	#GB-30025
8-OHdG	Mouse-Mono	#GB-52004
NNV (fish nervous necrosis virus particles)	Rabbit-Poly	#PG-10002
EDG3 (endothelial differentiation, sphingolipid G-protein-coupled receptor, 3)	Rabbit-Poly	#GB-30085
ARRB 2 (arrestin, beta 2)	Rabbit-Poly	#GB-30077
Influenza A Virus Matrix M1	Rabbit-Mono	#GB-60083

創生目錄型抗體客戶

美國：National Cancer Institute at Frederick, NIH, Johns Hopkins University
德國：ICS International Clinical Service GmbH, University of Munich
法國：Centre National de la Recherche Scientifique (CNRS)
日本：FUNAKOSHI CO., LTD., Kobe University
中國, 印尼, 泰國, 台灣, ---



創生生物科技

www.genesisbio.com.tw

服務電話：(02) 8919-1730 公司傳真：(02) 8919-1725

A Word From the Chairman 編者的話

再創佳績

「Genesis News」四月份第二期的推出再度獲得許多讀者的熱烈迴響，特別是鼓勵與嘉許創生自創品牌行銷全球已成功踏出第一步。我們必將讀者的鼓勵轉化成邁向成功之動力，並持續提供更豐富的內容。

本期將介紹創生近期所參與之國內外展出，包括在美國San Diego舉辦之實驗生物學大會(EB 2005)、第四屆日本國際生物科技展(4th International Bio Expo Japan)與第一屆南港生技展。藉由這些展覽，我們積極的拓展自創產品之通路、增加與國際間相關產業的互動、建立產品開發之策略聯盟，充分展現了創生要進軍國際的決心；也因此，創生又增加了許多合作之新產品，呈現於本期之產品目錄內。

在專題介紹和技術放大鏡的部分，我們將為您介紹本公司產品標的相關之「STAT訊號傳導子和轉錄激活子」以及「抗老、抗癌的新秘器 生長因子Growth Factors: IGF-I、bFGF」，相信許多科學家及生技化妝品開發之業者會感興趣。而這兩篇專題能成功地呈現，要特別感謝台大免疫所李建國教授以及中央研究院動物所臨海研究站陳志毅博士兩位專家給予的校稿與建議。

很高興「Genesis News」在本期再度有所突破，第一次推出「人物專訪」的單元，第一次的專訪，本人將自己及創生做了一些簡單的介紹，讓您可以更瞭解我們，爾後我們將陸續邀約台灣優秀的科學家接受專訪，分享其研究成果及心得，希望能藉此平台創造學術界與業界良好的互動互惠合作機會，共創台灣生物科技產業與學術研究成果之成功與國際化。

在豐富的內容中，穿插著以簡圖介紹之「Peptide Array技術及應用」與「客製單多株抗體」等的廣告；以及為因應浪漫的情人節，創生特別企劃了「雙雙對對目錄型抗體促銷專案」，相信許多讀者一定樂於瞭解，歡迎來電詢問，我們將誠摯地為您服務。

發行人

黃仁武

封面故事 福壽山農場之波斯菊花海



福壽山農場位於合歡山與雪山群峰間，海拔高1800公尺至2500公尺間，群山環抱，視野遼闊。農場佔地八百餘公頃，雲霧變化萬千，加上擁有獨特的田園景觀，被譽為「台灣小瑞士」之稱。福壽山農場四季氣候分明，晨昏雲彩變化萬千，孕育出四時迥然不同美麗景色！隨著四季更替，春季櫻花、李花、桃花、蘋果花相繼含苞綻放，為農場歡迎春日的到來～～緊接著夏日金黃貓耳葉菊點綴青山中，黃綠相間在陽光照射之下更顯光耀奪目～～接踵而來的則是豐收的季節，桃、梨、蘋果等結實纍纍，甜美飽實，嬌豔欲滴。每當秋風吹起，大片波斯菊花海翻騰與遠山（雪山山脈）相互呼應，楓紅妝點著農場處處，為福壽山農場色彩最豐富的時刻。初冬，梅花歲寒，白雪山頭，展現一幅北國風情畫。夜晚的福壽山農場更是罩上滿天星宿，向大夥傾述著希臘古老神話，如此豐富的景色，總是吸引遊人一再拜訪，福壽山農場是您絕對不行錯過的美麗天地！

資料來源

封面底圖：雪山山脈與波斯菊花海 照片作者 / 戴進元

文字介紹：福壽山農場網站

www.genesisbio.com.tw



目錄 CONTENTS

目錄型抗體暢銷排行榜	封面內頁
編者的話 / 封面故事 (雪山山脈與波斯菊花海)	01
目錄	02
抗體開發之雙贏策略廣告	03
專題介紹	
STAT 訊號傳導子和轉錄激活子	04
RNA Pure 廣告	07
人物專訪	
專訪創生黃仁斌總經理	08
單株抗體介紹	13
客製型抗體廣告	14
Peptide Array 廣告	15
技術放大鏡	
抗老、抗癌的新秘器 生長因子 Growth Factors: IGF-1、bFGF	16
TEM5 及 PRL-3 廣告	20
Phage Display-Peptide Library Screening Service	21
展覽介紹	
創生生技 邁向國際	22
創生產品目錄	28
廣告刊登辦法	39
員工旅遊公告	40
好康報報 促銷專案	封底內頁



**您給創生合作機會，
創生給您高Titer之實驗用抗體！**

► 方案簡介

創生提出此 <抗體開發雙贏策略> 構想，希望能成功的將台灣之抗體生物科技產業帶進國際市場，並成就您與創生的事業。

經由此 <抗體開發雙贏策略> 的互動，您可以極低的成本快速取得您需要的抗體，加速您的研發進展，而創生同時開發出新的目錄型抗體產品並擁有後續之銷售權利。

您選擇之策略方案	原價
► 兔子多株抗體血清 (以蛋白質抗原免疫)	
2ml \$ 5,000	40ml \$ 19,000
20ml \$ 10,000	
► 兔子多株抗體血清 (以胜肽抗原免疫)	
2ml \$ 12,000	40ml \$ 35,500
20ml \$ 25,000	
► 特異性多株抗體血清 (以磷酸化胜肽抗原免疫)	
20ml \$ 25,000	40ml \$ 42,500
► 磷酸化特異性多株抗體 (以磷酸化胜肽純化)	
2mg \$ 66,000	2mg \$ 120,000
► 單一融合瘤細胞株分泌之小鼠單株抗體 (含純化)	
2mg \$ 98,000	2mg \$ 170,000
► 單一融合瘤細胞株分泌之兔子單株抗體 (保存於培養液中)	
24ml \$ 106,000	24ml \$ 280,000

創生同時擁有後續開發應用及產品銷售之權利。

創生自行研發之目錄型抗體產品已成功行銷至下列地區：

美國
National Cancer Institute at Frederick,
NIH, Johns Hopkins University

法國
Centre National de la Recherche
Scientifique (CNRS)

德國
ICS International Clinical Service GmbH,
University of Munich

日本
FUNAKOSHI CO., LTD.,
Kobe University

創生生物科技 台北縣新店市寶橋路235巷131號2F-2.

TEL : 886-2-89191730. FAX : 886-2-89191725. www.genesisbio.com.tw E-mail : info@genesisbio.com.tw

STAT 訊號傳導子和轉錄激活子

作者 李思穎 創生生物科技 研究開發部抗體組副研究員

胞內訊號傳遞過程是細胞對外界刺激產生反應並最終引發特異性生物效應的有效模式。近年來，大量的研究工作已使在免疫系統中起重要作用的生長因子（growth factors）、細胞素（cytokine）的胞內訊號傳遞機制大為明朗化。與大多數具有酪氨酸激酶（tyrosine kinase）活性的生長因子受體不同，細胞素受體通常在胞漿區（cytoplasmic domain）沒有酪氨酸激酶活性架構域，因此不能像生長因子受體那樣在配體（ligand）作用下利用受體本身的酪氨酸激酶活性活化其

它訊號蛋白分子；但在細胞素作用的靶細胞中存在的非受體型酪氨酸激酶（nonreceptor tyrosine kinase, NRTK）可以引發細胞素與其受體結合後的訊號蛋白分子級聯活化反應。JAK酪氨酸激酶（Janus tyrosine kinase）即是近幾年來鑑定出來的在細胞素訊號傳遞過程中起重要作用的RTK。它可在細胞素受體與配體結合後活化，並進而激活另一種訊號蛋白分子“訊號傳導子和轉錄激活子”（Signal transducer and activator of transcription, STATs）而誘導目的基因表達。

STAT蛋白最先是在IFN α / β 以及IFN γ 訊號傳導機制的研究過程當中，發現了STAT1以及STAT2，之後才在其他實驗當中陸續發現了STAT3，4，5a，5b以及STAT6。

哺乳動物的STAT1-STAT6分子大小由734-851個氨基酸不等。在架構上可分為以下幾個功能區段：N-端的低保守序列、Coiled-coil domain,中部的DNA結合區、Linker domain、SH2架構域和C-端的轉錄激活區。一般來說，一種細胞素在其訊號傳導中可同時激活一或二種JAK激酶，隨著受體次單元（subunit）數目而定。但對STAT分子的選擇卻比較具有一定的特異性。例如IL-4激活STAT6、IL-6激活STAT3（高濃度的IL-6刺激還可激活STAT1 α ）、IL-12激活STAT4〔1，3，4〕等。

STAT分子除了在細胞素受體的訊號傳導中起廣泛作用以外，它也可以被一些具有酪氨酸激酶活性的生長

因子受體激活。例如EGFR可活化STAT1和STAT3〔5，6〕；PDGFR、CSF-1R可激活STAT1〔7〕；HGFR可激活STAT3〔8〕等。另外，血管緊張素II(Angiotensin II)受體雖然是一種G蛋白偶聯型受體（G-protein coupled receptor），但同樣也能激活STAT3〔2〕。

STAT蛋白的功能具有一定的細胞素特異性，這主要是透過對STAT基因剔除小鼠（knockout mice）的生物學功能的研究而確


定的。STAT1 α 基因剔除鼠沒有IFN α 、IFN γ 反應；STAT4基因剔除後IL-12引發的淋巴細胞增殖、NK細胞的細胞毒殺作用等反應缺失；STAT6基因剔除小鼠沒有IL-4引發的B細胞增殖和成熟反應，同時T細胞生長緩慢、分化受阻。STAT3的突變或STAT3 β 的過度表達會嚴重抑制IL-6對白血病細胞及前B細胞的生長刺激作用；而STAT5基因的缺失影響到乳腺的發育和乳汁的分泌〔3，4〕。

然而，不同的人類腫瘤細胞株或是初級培養腫瘤細胞中，通常也會表現至少一種的STAT蛋白（表1）〔10〕，而這些細胞中不同的STAT分子對於細胞生長與生存的調控，也成為了近來研究的熱門問題。

Table 1 STAT activation in human cancer cell lines and primary tumors^a

	Activated STAT
Blood tumors	
Multiple myeloma	Stat1, Stat3
Leukemias	
HTLV-I-dependent	Stat3, Stat5
Erythroleukemia	Stat1, Stat5
Acute lymphocytic leukemia	Stat1, Stat5
Chronic lymphocytic leukemia	Stat1, Stat3
Acute myelogenous leukemia	Stat1, Stat3, Stat5
Chronic myelogenous leukemia	Stat5
Megakaryotic leukemia	Stat5
Large granular lymphocyte leukemia	Stat3
Lymphomas	
EBV-related/Burkitt's	Stat3
Mycosis fungoides	Stat3
HSV saimiri-dependent (T-cell)	Stat3
Cutaneous T-cell lymphoma	Stat3
Hodgkin's disease	Stat3
Solid tumors	
Breast cancer	Stat1, Stat3
SCCHN	Stat1, Stat3
Renal cell carcinoma	Stat3
Melanoma	Stat3
Ovarian carcinoma	Stat3
Lung cancer	Stat3
Prostate carcinoma	Stat3
Pancreatic adenocarcinoma	Stat3

^a Based on references cited in Refs. 23, 25, and 26 and our unpublished results.



總結和展望

細胞內的訊號傳遞過程是非常複雜的，需要多種訊號蛋白分子的參與和配合。創生研發團隊目前已針對活化之STAT1、2以及3設計合成肽片斷，生產對磷酸化STAT1（

phosphotyrosyl-STAT1）、2以及3具專一性之抗體，不久的將來就可以提供給客戶做選擇，以便對JAK / STAT訊號途徑的研究進行進一步的探討。

參考資料

- [1] IHLE JN, WITTHUHN BA, QUELLE FW, et al. Signal through the hematopoietic cytokine receptors. Annu Rev Immunol, 1995, 13: 369~398.
- [2] BHAT JG, BAKER MK. Angiotensin II stimulates rapid serine phosphorylation of transcription factor STAT3. Mol Cell Biol, 1997, 17: 171~176.
- [3] PELLEGRINI S, DUSANTER-FI. The structure, re-gulation and function of the Janus kinase (JAKs) and the signal transducers and activators of transcriptions (STATs). Eur J Biochem, 1997, 248: 615~633.
- [4] IHLE JN. STATs: Signal transducers and activators of transcription. Cell, 1996, 84: 331~334.
- [5] SADOWKI HB, SHUAI K, DARNELL JE, et al. A common nuclear signal transduction pathway activated by growth factor and cytokine receptors. Science, 1993, 261: 1739~1743.
- [6] PARK OK, SCHAEFER TS, NATHANS D. In vitro activation of STAT3 by epidermal growth factor receptor kinase. Proc Natl Acad Sci USA, 1996, 93: 13704~13708.
- [7] ZHONG Z, ZILONG W, DARNELL J. STAT3: A STAT family member activated by tyrosine phosphorylation in response to epidermal growth factor and IL-6. Science, 1994, 264: 95~98.
- [8] SCHAPER F, SIEWERT E, GOMEZ-LECHON JM, et al. Hepatocyte growth factor / scatter factor (HGF / SF) signals via the STAT3 / APRF transcription factor in human hepatoma cells and hepatocytes. FEBS Lett, 1997, 405: 99~103.
- [9] <http://www.windrug.com/pic/30/15/11/19/0413.htm>
- [10] Ralf Buettner, Linda B. Mora, and Richard Jove, et al. Activated STAT Signaling in Human Tumors Provides Novel Molecular Targets for Therapeutic Intervention. Clinical Cancer Research, 2002, Vol. 8, 945~954.

RNApure™ Kit-

Total RNA Isolation System

產品說明

RNApure™ Kit是一種高效能萃取RNA的純化試劑組，可於第一時間阻斷RNase之活性，確保得到完整及高品質之Total RNA並防止DNA污染；本試劑組提供DEPC處理過的試劑，減少前處理的危險性同時降低成本，讓您快速簡便、經濟實惠地從動物組織、培養細胞及血液樣本中抽取到高純度、高產量的RNA。所獲得之RNA可直接應用至Northern blot analysis、RNase Protection Assays、RT-PCR。

產品特色

- 適用性廣：可處理多種類之樣本。
- 方便：提供DEPC處理過的試劑。
- 簡單快速：一小時內可完成全程操作。

產品包裝與目錄編號

Cat. #	Product	Component	Size	Preps / Kit
GRP-1100	RNApure™ Kit	1. RNApure™ solution	100 ml	100 test
		2. Buffer solution	10 ml	
		3. DEPC-treated water	50 ml	
GRP-1050	RNApure™ Kit	1. RNApure™ solution	50 ml	50 test
		2. Buffer solution	5 ml	
		3. DEPC-treated water	25 ml	

Storage: All reagents should be kept at 4°C




Figure 1. Procedure Outline for RNApure™ Reagent




Figure 2. Gel analysis of total RNA purified with the Q kit, RNApure™ kit and G reagent.

15 µg of total RNA isolated from different sources was loaded into each lane. H: heart, K: kidney, L: liver, respectively. All tissues were obtained from mice.

專訪

創生生物科技

黃仁斌

總經理



Special Planning 人物專訪

黃仁斌 Jen-Pin Huang

現職：創生生物科技公司 總經理

學歷：台灣大學動物學研究所博士

台灣大學海洋學研究所海洋生物暨漁業組 碩士

台灣大學動物學系學士

經歷：創生生物科技股份有限公司總經理

財團法人生物技術開發中心分子生物組研究員

中央研究院生物醫學科學研究所博士後副研究員

無論求學或工作 生物科技是他不變的興趣

問起黃總經理是如何開始接觸生物科技，他臉上馬上露出笑容，開心地說，他一直以來對生物都相當有興趣，大學時，他先是考上了台大植物系，後來因為對當時剛興起的生命科學及分子生物學相當有興趣而轉至台大動物系。

對於社團，黃總經理跟大多數的大學生一樣充滿熱誠，先後擔任了台大 社的活動組組長和社長的職務；經由社團所舉辦的野營垂釣、漁村服務、自然觀察研究等種種活動，讓他更有機會與大自然接觸，探索大自然的奧秘，也因此更加深了他往生物技術界發展的決心。

大學畢業之後，黃仁斌博士依循著他的興趣，繼續往動物研究這條路學習；他滿懷感激的說，當時他很有幸能接受台大漁科所

郭欽明教授（現為中央研究院動物所臨海研究站主任）的建議，跟隨中央研究院動物所的吳金洌研究員（現今的屏東農業生技園區動物科技組召集委員）做分子生物技術之研究。黃總經理算是國內第一個用粒線體DNA做魚類分子演化的研究，取得了台灣大學海洋生物暨漁業組研究所碩士。

黃仁斌先生之博士論文是在中央研究院生醫所唐堂教授的指導下完成，以分子生物的方法做細胞膜骨架蛋白質4.1及其衍生 alternative splicing RNA之分子遺傳學的研究，更因一篇Journal of Biological Chemistry（JBC）的研究論文發表，讓黃仁斌在三年半就拿到了台大動物學博士學位！

畢業後，黃仁斌博士進入中央研究院生物醫學研究所，繼續朝著生命科學領域研究，在工作的過程中學習了非常多先進的技術與知識。半年後，黃博士進入財團法人生物

技術開發中心（DCB）從事基因工程化動物疫苗研發。歷經近八年的研發工作與生物技術國際觀的薰陶，以致他對產品開發、生技產業的發展等等都相當有心得。

昔日的社團伙伴 今日共同為夢想打拼

隨著社會對生技產業評估的高漲及重視的程度，二〇〇一年，黃仁斌博士在一次生技產業投資評估討論中，與昔日在學校社團中擔任活動組組長的好伙伴-廖元滄先生（即今日創生生物科技之董事長）重逢，兩人十多年沒有聯絡，一碰面又相談甚歡，發現彼此對於未來生技產業的發展及經營創業的目標有著相同的理念及願景，於是，在一番嚴密的討論、審慎的評估及周詳的規劃後，身為電子新貴的廖元滄董事長便邀約黃仁斌博士、一些事業有成的年輕企業家及一群熱愛生物科技的科學家共同創業，2001年四月，創生生物科技股份有限公司就此成立。




圖一 2004年底部份創生同仁之團體照

創生的經營理念與目標

創生的主要目標是利用人類基因體計畫

（Human Genome Project）釋放出大量新穎性基因及蛋白質的資訊，從中篩選出治療的標的物（therapeutic targets）。再以創生研發團隊特有之技術平台進行新藥物或專一性抗體之開發，並將研發過程中產出之相關研發成果與技術，進行專利申請、授權與產品化。

一路走來,黃總表達：創生經營的理念始終如一，「提供基因功能研究與相關生物科技產品開發最專業的支援」。藉由抗體製備、胜肽合成、生化研究試劑等技術服務與產品，「以先進的技術與高品質的產品，提供生物科技研究或相關產業最專業之服務」建立優良商譽，間接協助國內生技產業的研究發展；並以策略聯盟推展商務、共同研發開發產品等模式創造創生及台灣生技發展之新希望。



圖二 策略聯盟示意圖

「求新、求變、求進步」的領導模式

黃仁斌總經理說自己一向重視「創新」，所以在辦公室內他盡可能的給員工自由思考的空間；無論是在業務的開拓或是研發的技術上，都希望員工可以盡量表達自己的想法和意見，讓每個員工之所長都能有所發揮。他笑稱自己不是一個嚴謹的主管，但卻也驕傲的表示：這樣的風格，確實讓創生有了許多創新的研發成果及產品，成為公司最大的特色。

另外，黃總經理也相當重視辦公室內所有員工互動與溝通的和諧，因此要求福委會每三個月辦一次全體員工的聚會餐敘，讓大家藉此機會交流感情，增加辦公室內的和諧氣氛，工作效率自然也會隨之提高；創生每年也一定會辦員工旅遊活動，黃總經理和全體同仁一起到戶外走一走，接觸大自然，卸下平日沈重的擔子、放鬆身心，正所謂休息是為了走更長遠的路，他希望員工可以在休息過後，對於工作更有衝勁，有更好的表現。



圖三 2004年員工旅遊-綠島行

對於創生的期許

問到黃總經理對於公司的期許，他說：打從創生成立開始，他與董事長就一直期許著創生能在人類基因功能解析（Gene Function Discovery We Connect）上扮演重要的角色，以發展為全球性客戶需求導向型生物技術服務中心、基因功能解析研發成果授權中心，及增進人類健康福祉為最大目標。所以目前創生正積極的研發癌症疫苗的雛形、目錄型抗體、SARS相關抗體與偵測試劑組等等；不過這畢竟是一個中長期的目標。以短期來說，黃總經理開心地表示：創生成立至今，營收每年都有近倍數的成長，他期許今年可以達到投資者的期望—營運狀況損益平衡，甚至可以有盈餘，讓公司早日達成上櫃的目標。

創生於2004年完成〈新藥開發，抗體與抗原設計〉投資計劃，合於「促進產業升級條例第八條規定」之記名股票，即公司新創立時之原始股東繼續持有時間長達三年以上者，已經從今年（2005年）開始可以分5年抵減所得稅額。創生不斷的研發創新之技術平台與卓越的產品，建立產品行銷之基礎，逐漸從數百家生技公司中脫穎而出，建立不錯的公司形象與口碑；加上此投資抵減之績效，可以算是回饋原始投資人之第一批成果。

至於在市場方面，除了希望國內的市場能持續成長之外，創生也不斷參加國內外的展覽與活動，積極的拓展國外市場，希望能在邁向國際化的路上更向前一步；2004年底更是在日本建立了代理商—FUNAKOSHI CO., LTD，期望可以在完善的日本通路中開創新的業績與希望。

最喜歡在大自然中放鬆自己

黃博士相當注重自己的身體健康，畢竟創業是一條很艱辛、很長遠的路，若是沒有好的身體，一切都是空談，因此，脫掉西裝後的黃仁斌博士依然維持他原本的興趣，喜歡回到大自然的懷抱，旅遊、釣魚、看海、潛水、水上活動...等等，他尤其鍾愛。他帶著他和藹的笑容，像說個秘密般地告訴記者：經常與朋友去

浮潛的他，可是有十幾年的潛水執照喔！黃博士認為這些回歸大自然的活動是對身體最有益的休閒娛樂，他相信有了健康的身體，一定可以帶領創生爬得更高。



圖四 黃總經理參加2004年員工旅遊活動,攝於綠島將軍岩



圖五 黃總經理於2003年創生研發成果發表會接受多家電子媒體採訪




圖六 2003年創生研發成果發表會後在台北國際會議廳宴請參與員工與來賓



圖七 2005年創生黃總經理與來自歐洲之生物科技兩位博士及參與會議之同仁合影


Rabbit Hybridoma Monoclonal Antibody

A better choice for you!



✱ One example of rabbit hybridoma monoclonal antibodies produced by Genesis Biotech Inc.: PRL-3 protein is associated with colorectal cancer metastasis (Science 294: 1343-1346, 2001). Intact anti-protein tyrosine phosphatase 4A3 (PRL-3) rabbit mAb specifically recognized the recombinant protein of human PRL-3. The secondary antibody used is goat anti-rabbit IgG (H+L) conjugated with HRP.

E. coli total cell lysate electrophoresis



PRL-3 rabbit polyclonal antibody



PRL-3 rabbit monoclonal antibody



Genesis Biotech Inc.

2F-2, No. 131, Lane 235, Bao-Chiao Rd., Hsintien, Taipei Hsien, Taiwan
TEL : 886-2-8919-1730 FAX : 886-2-8919-1725

E-mail : info@genesisbio.com.tw
Website : http://www.genesisbio.com.tw

客製型抗體服務

- ☆ 抗原決定位分析設計
- ☆ 專一性胜肽純化抗體
- ☆ 抗原需求量少
- ☆ 在一個半月內取得高效價之抗體

兔子多株抗體服務
由客戶提供抗原
19,000 元整



客製型多株抗體

抗原來源	操作時程(天)	抗原需求量	免疫方式	抗體提供量	宿主動物
客戶提供	45	1.5 mg	皮下注射	12 ml 抗體血清	三隻大鼠
	45	1.5 mg	皮下注射	1.5 ml 抗體血清	三隻小鼠
	45	2.5 mg	皮下注射	40 ml 抗體血清	一隻兔子
	40	1 mg	脾臟注射	40 ml 抗體血清	一隻兔子
由創生成胜肽	80		皮下注射	40 ml 抗體血清	一隻兔子
	70		脾臟注射	40 ml 抗體血清	一隻兔子

客製型單株抗體


抗原來源	操作時程(天)	抗原需求量	抗體提供量	宿主動物
客戶提供	150	1.5 mg	1~3 融合瘤細胞株 30 ml 多株抗體血清	三隻小鼠
	150	2.5 mg	1~3 融合瘤細胞株 300 μ l 多株抗體血清	一隻兔子
由創生成胜肽	170		1~3 融合瘤細胞株 300 μ l 多株抗體血清	三隻小鼠
	170		1~3 融合瘤細胞株 30 ml 多株抗體血清	一隻兔子

抗體純化

- ※ 專一性胜肽純化抗體
- ※ Protein A 純化抗體

相關服務：



- ◆ 抗原決定位預測及免疫原設計
- ◆ 腹水生產
- ◆ 利用胜肽矩陣做抗原決定位篩選




專一性胜肽純化抗體

Peptide Array

Using Peptide Array for epitope mapping
Getting more and more scientific papers



Epitope mapping



Kinase-substrate interaction

Cost

Specification	Length	Price
24 peptides	10 mer/peptide	NT\$24,000

Reference

Chun Ying Song, Wen Liang Chen, Ming Chi Yang, Jen-Pin Huang, and Simon J. T. Mao (2005) *J. Biol. Chem.* **280**, 3574-3582

Related Service---Peptide Synthesis

Price per aa	Quantity	Purity
NT\$700	10mg	>70%
NT\$800	20mg	>70%

Additional fee	Quantity	Purity
NT\$7,000	5-10mg	>80%
NT\$9,000	2- 5mg	>95%

抗老、抗癌的新秘器 生長因子 Growth Factors: IGF-I、bFGF


作者 林雅亭 創生生物科技研究開發部分生組 副研究員

生長因子 (Growth Factors, GFs) 是一個大家族，成員主要包括表皮生長因子 (EGF)、成纖維細胞生長因子 (FGF)、血小板源性生長因子 (PDGF)、轉化生長因子 (TGF)、類胰島素生長因子 (IGF)、神經生長因子 (NGF)，肝細胞生長因子 (HGF) 等。GFs 在臨床上的應用非常廣泛，目前常見應用於促進傷口癒合與抑制腫瘤的生長，本文將探討類胰島素生長因子 (IGF-I) 與成纖維細胞生長因子 (bFGF) 在生物體上的影響。

IGF-I (insulin-like growth factor-1)

生長賀爾蒙 (Growth Hormone, GH) 主要調控生物體內的生理機能，包含生長代謝等功能，生長賀爾蒙對於生理機能的影響可分為2種類型：(1) 直接影響:生長賀爾蒙直接與目標細胞上的結合體 (receptor) 結合，例如脂肪細胞 (adipocytes) 擁有生長賀爾蒙接受體，生長賀爾蒙可以促進三酸甘油酯的

分解，抑制細胞吸收的能力，累積循環性脂肪。(2) 間接影響：初期傳導是透過類胰島素生長因子 (insulin-like growth factor-I, IGF-I)，IGF-I可由肝臟或其他組織經GH刺激而分泌，IGF-I可以活化其他目標細胞，促進細胞生長，例如IGF-I可以促進軟骨細胞 (cartilage cells) 的增生，進而促進骨骼的生長。(圖一)



圖一：生長賀爾蒙對於生理的影響

IGF-I的研究發展與疾病治療的應用

1. 心血管疾病

許多研究報告指出，不論在生物體外或體內測試，IGF-I對於心肌的結構與功能都扮演重要的角色，例如IGF-I可以增強心臟功能並幫助恢復缺血性心肌症患者 (ischemic cardiomyopathy) 的心室功能；經動物實驗證實，注射IGF-I於心肌梗塞導致心臟衰竭之小鼠，可以增加心室壁厚度及心臟功能。還有關於IGF-I的研究報告是來自GH方面的研究。GH也有助於心臟功能的強化，因為GH的在生物體內作用經常是透過IGF-I的產生進行調節，IGF-I具有促進細胞生長與分化、抑制細胞凋零與延長細胞存活時間的功能。

2. 肌肉與骨骼的生長與重建

生物體的生長代謝過程十分複雜，同時需要多種賀爾蒙一起進行調節，GH在促進生物體生長最重要的角色為分泌IGF-I，IGF-I除了可促進軟骨細胞的增生，也可以促進肌細胞 (myoblast) 的分化生長，藉由促進胺基酸的吸收與蛋白質合成，可以強化肌肉與骨骼。在細胞培養試驗的研究上，IGF-I的

mRNA可在軟骨細胞內表現，也可以在小牛胚胎細胞內表現。IGF-I在醣蛋白 (proteoglycan) 的合成與細胞增殖上扮有重要的角色，而醣蛋白亦是軟骨重要的主成分之一。

3. 老化

生物體老化過程是非常複雜的現象，研究發現 insulin / IGF-I的訊息傳導影響生物體的壽命。人類在自然的情況下隨年齡的老化，其體內細胞對insulin的敏感度會降低，而insulin的抵抗性與老化中間現象 (例如：高血壓、動脈硬化、肥胖) 關係密切。最近研究報導證實，隨年齡或第二型糖尿病而引起的insulin抵抗性增加，會加速老化現象的產生，伴隨原生質內的insulin與glucose下降。因此增加insulin的敏感度可以是延長壽命的新方向，更有趣的是包含 C.elegan、saccharomyces cerevisiae、Drosophila melanogaster、rodents與人類都擁有相似的 insulin / IGF-I的訊息傳導路徑，在一些路徑突變試驗上都有延長壽命的例子。

bFGF (Basic Fibroblast Growth Factor)

目前為止發現之FGF家族成員約有20多個，成員之間基因序列相似，分子量介於17-34kD之間，與heparan sulfate proteoglycan (HSPG) 具有高度親和性，近期研究證實，bFGF能刺激和調節血管內皮細胞、上皮細胞、成肌細胞、成骨細胞和神經膠質細胞等多種起源於中胚層、外胚層的細胞分化增殖，在胚胎發育、組織癒合扮演重要角色。在神經方面，關於bFGF的研究集中在中樞神經，發現其活性廣泛，具保護神經元，促進突起增生的能力。而部分FGF家族成員與腫瘤的血管生成相關。

bFGF 的研究發展與疾病治療的應用

1. 腫瘤血管生成

血管的生成對於腫瘤的生長與轉移具有很大的影響力，目前已知的血管生成因子大約有20多種，以VEGF (vascular endothelial growth factor) 與bFGF的研究為最多，VEGF可增加為血管的通透性、促進內皮細胞的增殖分裂、血管生成、促進內皮細胞轉移等功能，VEGF多選擇性地作用於血管內皮細胞上的酪氨酸激酶受體。而bFGF是血管內皮

細胞的促分裂劑，也可刺激成纖維細胞與平滑肌的分裂。有研究報導顯示bFGF對於結腸癌細胞的增殖具有刺激的作用。亦有研究報告顯示bFGF對於腫瘤生長的抑制作用，Nibu等人研究發現bFGF具有誘導ONE細胞分化，分化作用與增殖作用是相對立的。除此之外，也有其他研究報告指出bFGF導致T-47D惡性減小並出現功能性分化。

2. 神經細胞再生

生物體內的內源性bFGF微量分佈於腦下垂體和下丘腦等器官，星形膠質細胞、垂體濾泡及部分神經細胞能分泌bFGF，在海馬皮質、中腦、紋狀體和小腦顆粒細胞均有其受體。神經損傷後，即能觀察到內源性bFGF表達增多，為神經損傷後之早期反應。在生物體外的研究試驗，以bFGF處理培養的海馬神經元軸細胞，實驗組較對照組軸突增生、突起增多，證明bFGF能促進培養的神經細胞增生，神經細胞損傷後運用bFGF，可減少細胞死亡，促進神經突起增生，證明bFGF在體外具有促進、保護神經細胞的功能。在活體實驗方面，將基因修飾後的成纖維細胞（具有分泌bFGF能力）移

植於脊髓損傷之大鼠中央灰質處，感覺神經均有纖維長入移植細胞，顯示GF具有誘發神經活性的功能。

結語


根據生長因子IGF-I與bFGF的研究報告顯示，其應用範圍包含心血管疾病治療、強化骨骼肌肉、腫瘤治療到神經細胞的修復再生，而其對血管生成與細胞修復的能力更可應用於美容抗老上，可說是商機無限。而目前創生生物科技公司研發團隊利用基因重組的方式，以大腸桿菌表達IGF-I與bFGF蛋白質，可以大量生產以供市場需求，提供客戶高品質的商品。

參考文獻

1. Cheng, C. L., *et al.* World Journal of Gastroenterology, 2005, 11(13):1891-1895.
2. Robson, H., *et al.* Pediatric Research, 2002, 52(2):137-147.
3. Lee, W. L., *et al.* Endocrinology, 2005, 140(10):4831-4840.
4. Korah, R. M., *et al.* Biochem Biophys Res Commun, 2000, 277:255-260.
5. Nibu, K. I., *et al.* Biochem Biophys Res Commun, 2000, 279:172-180.
6. Himmelseher, S., *et al.* J Trauma, 1997, 42:659-664.
7. Miyamoto, O., *et al.* Acta Med Okayama, 1993, 47:139-144.
8. Nakahara, Y., *et al.* Cell Transplant, 1996, 5:191-204.

TEM 5 monospecific polyclonal antibody

Tumor requires a blood supply for expansive growth, it is popular to be explored on tumor angiogenesis research recently. Inhibition of tumor angiogenesis is an anticancer strategy, so Genesis Biotech Inc. focuses on tumor endothelial markers (TEMs) that are highly expressed during tumor angiogenesis and this provides a useful target for therapeutics.




TEM5 is encoded a seven-pass transmembrane protein of 1,331 amino acids and is most similar to the cadherin-related Celsr1 proteins and members of the calcium-independent α -latrotoxin receptor family. TEM5 is likely to be a novel member of the classe^o GPCR (GPR 124) involved in transmitting signals across the cell membrane, but the signaling partners of TEM5 remain to be determined. GPCRs have been regarded as excellent drug targets because their natural ligands can often mimicked for agonistic or antagonistic purpose.

Antibody product:
TEM5 → Rabbit monospecific polyclonal antibody.

Tumor Metastasis Marker PRL-3 monoclonal antibody

This process refers to the spread of cancer from its original site to other areas in the body. Cancer cells have the ability to invade the blood vessels and travel through the bloodstream or lymphatic system to other parts of the body and form a new tumor.



The metastasis process

We are interested in developing metastasis-related and TEMs associated products and vaccine candidates for tumor growth inhibition. To find collaboration partners and potential customers are two major purpose of this exhibition.

PRL-3 (Protein-tyrosine phosphatase, Type 4A,3; PTP4A3) belongs to a small class of prenylated protein tyrosine phosphatases (PTPs). The human PRL-3 is associated with cell migration, invasion, and metastasis of colorectal cancer. PTPs are cell signal molecules that play regulatory roles in a variety of cellular processes. Studies of this class of PTPs in mice demonstrated that they were prenylated proteins in vivo, which suggested their association with cell plasma membrane. Over expression of this gene in mammalian cells was reported to inhibit angiotensin-II induced cell calcium mobilization and promote cell growth. It's predicted size is 20.9 KDa.

Antibody product:
PRL-3 → Rabbit hybridoma monoclonal antibody.




Genesis Biotech Inc.

2F-2, No. 131, Lane 235, Bao-Chiao Rd., Hsintien, Taipei Hsien, Taiwan
 TEL : 886-2-8919-1730 FAX : 886-2-8919-1725

E-mail : info@genesishio.com.tw
 Website : http://www.genesishio.com.tw

Phage Display-Peptide Library Screening Service

Phage display is a technology that allows the presentation of large peptide and protein libraries on the surface of phage. These libraries can be easily used to select and purify specific phage particles with sequences binding specificities that you interest by bio-panning. Unbound phages are removed by washing. These phages that specifically bind the antigen are eluted and enrich phage clones by infecting E.coli. After several rounds of selection, individual clones are isolated and characterized by DNA sequencing. Phage display widely is applied on development of medical preparation and studying molecular recognition in biological systems.




Random peptide libraries

Synthetic oligonucleotides with a constant length but with unspecified codons, randomized through site-directed mutagenesis, are cloned as fusions to the coat proteins of M13 phage. These peptide libraries are expressed on the surface of M13 phages.

The application of phage display-peptide library screening

- ◆ Epitope mapping
- ◆ Protein-protein interaction
- ◆ DNA-protein interaction



Dot Blot Assay

Phage clones that went through 3th screening are coating on the membrane. Using biotin-label antigen as primary antibody and streptavidin-AP as secondary antibody. Allow excess Lumi-PhosTM WB to drain from the membrane, then expose the blot to X-ray film for 3 mins. A1,A2: Negative control

創生生技 邁向國際

作者 林舒敏 創生生物科技, Genesis Biotech Inc. 行銷業務部專員

搭上全球化的列車，各國產業版圖已經無限延伸，台灣可以走出自己的小天地跟泱泱大國同場競技，在世界的舞台上，舉凡學術、藝文、乃至高科技產業，台灣都已佔有一席之地。

創生生物科技在新興的生物科技界中，也不斷積極尋找自己的定位及方向，尤其近年來國內生物科技相關的研究資源逐漸被稀釋，對本公司有部分代工服務之項目多少受到衝擊，因此打開海外市場成為必然走向，不過要能與眾多生物科技公司較勁，首先要了解本土生技產業之優勢在哪裡，才能發揮所長，成功進軍國際。



執行動物試驗與抗體製造

一、研發團隊精銳盡出

台灣生技業的研發規模跟國外大廠比起來真的只稱得上生技手工業，但也因此我們的目標不在量產，而是提供客戶量身訂做的服務，本公司的研發團隊共分為三個領域




基因選殖與重組蛋白表現

，胜肽組、抗體組、分生組，皆由知名學府如台大、交大、陽明等所培育出來的優秀人才，或是有多年相關實驗經驗之技術人員所組成，整個研發團隊各司其職、各有所長，負責公司的產品開發及代客服務部分，也由於整個流程皆由本公司研發人員自行操作，技術創新及經驗傳承為本公司的珍貴資源，從現有基礎不斷創新、改良，整合各專業領域的知

自動化胜肽合成

識，應用不同策略供客戶選擇最適用的實驗方法。

識，應用不同策略供客戶選擇最適用的實驗方法。



以8-OH dG單株抗體染大鼠口腔內皮細胞，褐色部分為陽性反應

二、產品開發獨步全球

創生的主力產品除單多株抗體、胜肽合成修飾、胜肽矩陣之外，目錄型抗體的研發也是針對獨特的標的，或有做為疫苗和診斷用抗體潛力等，列為重點開發對象。另外，目前已經有許多老師及生技廠商委託本公司共同開發，研發出的抗體將陸續增加至本公司抗體庫，相信品項會愈來愈豐富，我們除了期望可以滿足每一個客戶的需求外，也希望可以藉此促進生技界中的交流。

最值得一提的是：本公司並擁有的兔子單株抗體融合瘤專利技術，可以克服傳統以小鼠作為宿主動物時，對某些同源性較高的蛋白無法產生適當的免疫反應。此外，我們也成功開發出8-OH dG（DNA合成原料之一，dG的相似物，可用於偵測細

The Exhibit 展覽介紹

胞氧化損傷）單株抗體，對開發辨識小分子抗體，如賀爾蒙或磷酸化、醣化等化學修飾及困難度高的抗體也有相當開發能力。



以PRL-3多株抗體(左)及單株抗體(右)做西方墨點分析 E. coli表達之重組PRL-3蛋白

在胜肽部分，除了一般市面上常見的純化或修飾外，本公司已開發出環化、醣化及多分支狀合成的技術，或以相似物取代其中幾個胺基酸。創生的胜肽產品中，部份已開發為SARS 抗體ELISA檢測套組，抗老化與除皺精華露等產品，效果廣受好評。還有專門做質譜分析的老師委託我們合成胜肽作為機器校正的標準品，顯示本公司產品的品質相當受肯定。分生相關技術也在一直突破及擴大中，前兩年受到經濟部業界科專的補助，完成的人類單鍊的Fv抗體庫構築。Fv片段是由VH及VL區域所組成，此兩個免疫球蛋白可變區的基因，由人工的方式連接起來，然後表現出單鍊抗體，利用此法所製造出的抗體可打破物種之間產生免疫反應的限制，也避免了實驗動物間個體差異，產量及品

質都將能超越現有的抗體生產方式、經過最後測試、改良之後，未來抗體生產又多了一支生力軍。

三、市場開發主動出擊

創生生物科技的經營模式以往是自產自銷的模式，一步一腳印的打響了自己的品牌，甚至國外研究單位及廠商都會透過網路查詢或期刊搜尋前來訂購產品，目前已有美國、德國、法國、日本、新加坡、印尼、中國等國家的研究機構與生技廠商成為本公司客戶，因此我們深知有拓展國外市場的潛力，並且化被動為主動，積極地參與許多國際展覽，以下為本季參與的國內、外展覽心得。

美國聖地牙哥 EB2005 實驗生物學年會

今年四月初，總經理親自率領業務同仁前往美國聖地牙哥會議中心，參加為期七天的實驗生物年會，此年會至今已經舉辦了十六屆，每年都吸引很多研發人員與會，今年估計有一萬六千多人；會中安排了各個領域的巨擘發表特別演說，還有

許多最新的研究成果，藉由看板論文方式與大家分享交流，除此之外，許多生技廠商分別依解剖、生物化學、免疫學、營養、病理學、藥理學、生理學等相關之產品或器材共同參與展出，是相當具規模的國際交流盛會。



參加EB2005業務同仁與總經理合影



EB2005看板論文及廠商展出會場

創生這次的展覽規劃及目標，除了要將台灣的生技產業推廣到國際，也期望可以直接接觸到來自世界各地的研究人員與生技業者。在三天的展出時間內共有超過三百位參觀者蒞臨本公司攤位，對產品有興趣進而留下資料的則逾兩百筆，更令我們鼓舞的是許多台灣生物技術界的前輩也前來替我們加油打氣；還有遠東生技的夥伴，是展場裡六百多家廠商中除創生之外的台灣代表，兩家公司彼此互相砥礪、一起求進步；另一方面，許多國外廠商在展覽中積極尋求代理本公司產品的合作機會，而我們除了感謝大家的支持與肯定外，當然也會根據不同地區及適合銷售之產品做審慎的評估。

此行不但讓我們有機會實際接觸到各國的潛在客戶，並於五、六月取得多筆客製型兔子單、多株抗體訂單，更得以認識一些國際間不錯的商業夥伴，有助於創生之產品深入當地市場，可說是成果相當豐碩。


日本東京 BIO EXPO JAPAN 生物科技展

結束了EB2005實驗生物年會後，創生生物科技總經理黃仁斌先生隨即於五月十八日

至五月二十日赴日參加亞洲規模最大的國際生物產業年會-- 第四屆Bio Expo JAPAN，為了更能即時提供給參觀者滿意的服務，本公司特別聘請兩位日語專精人士參與創生產品介紹，其中，陳逸寧先生是位旅日的眼科醫師，目前在東京大學攻讀博士學位，此次為



顧問陳逸寧博士與總經理合影



第四屆Bio Expo JAPAN 展覽會場

創生第二次與他合作，彼此間建立了良好的默契，合作得非常愉快；陳博士對於創生的商品也具有相當的瞭解，因此黃總經理特聘陳逸寧醫師擔任本公司駐日本之顧問，為日本地區商務交流之窗口。

本次展覽共有四百六十五家廠商參加，三天內的參與人數超過一萬五千人，前來本公司攤位洽詢的人數也相當踴躍。展出期間還遇到從台灣至東京大學攻讀之林意雀博士，林博士目前已取得博士學位，並服務於日本DNA Data Bank。她亦前來創生攤位熱情協助介紹產品。



林意雀博士於東京有明國際展場前留影

本次參展之後，部分日本廠商對本公司的專業與產品相當有興趣，特地來本公司參觀討論技術和商務等合作事宜。這無非是給予創生所有同仁一個很大的鼓舞，也激勵我們繼續朝著「國際化」的目標努力。

台灣 2005 南港生技展

除了積極向海外發展之外，我們並沒有忘記自己是從台灣發跡的，在成長的過程中，創生受到政府及許多學術單位的支持與愛護；因此，當首屆南港生技展主辦單位 - 經濟部生物技術與醫藥工業發展推動小組主任陳啓祥博士熱情邀約時，黃總經理也表達相當樂意促成及參與本次的展出。



業務同仁與馬市長於創生攤位前合影

此次展覽為五月三十日至六月二日，為期四天，在南港軟體工業園區舉辦。開幕當天台北市長馬英九也親臨會場致詞，並參觀展出攤位，展場規劃分為三大主軸：生技博覽會、產業論壇、網路生技展；生技博覽會有政府主題區、教育娛樂區、廠商展覽區及支援服務區四個主題；產業論壇中，主辦位對針對生技創投風險與報酬、如何發展生技產業等議題，邀請學者專家演講；網路生技展則與網路會議應用服務廠商瑛聲合作，提供即時視訊服務。

藉由本次機會，也與其他生技廠商有良好的互動，同時也造就策略聯盟與合作共創商機之機會，獲益良多，未來不乏有合作機會。創生希望能透過台灣生技業間之合作，開創一個雙贏的局面，相信台灣可以再一次創造高科技產業的經濟奇蹟！



業務同仁於創生攤位前留影

GENESIS Epitope-driven Peptide and Antibody Products

Genesis Biotech Inc.

創生

Rabbit Hybridoma Technology
Mouse Monoclonal Antibody
Immunogenic Peptide Technology

www.genesisbio.com.tw

Custom Peptide

本公司提供各種純度的 peptide 合成服務，品質穩定，頗獲好評，並有各種 modification 服務，是基因功能及蛋白質研究之最佳利器。本公司並有提供抗原設計諮詢；另外，隨貨會附 HPLC 純度分析圖或 Mass spectrum 分子量分析圖（MAP除外）。



Service	Cat. No.	Service	Cat. No.
Peptide synthesis (10 mg)	GB-8001	Biotin modification	GB-8015
Peptide synthesis (>, =20 mg)	GB-8002	Benzyloxycarbonylation	GB-8016
Peptide purification, additional fee	GB-8003	Dansylation	GB-8017
Peptide purification, additional fee	GB-8004	Dinitrobenzoylation (DNP)	GB-8018
Peptide purification, additional fee	GB-8005	Fatty acid	GB-8019
Peptide conjugation to KLH	GB-8006	Formylation	GB-8020
Peptide conjugation to BSA	GB-8007	Nitration	GB-8021
Multiple antigenic peptide (8MAP), additional fee	GB-8008	Aminocoumarin (AMC)	GB-8022
Multiple antigenic peptide (4MAP), additional fee	GB-8009	Fluorescein (FITC)	GB-8023
Edans modification	GB-8010	NBD	GB-8025
Dabcyl modification	GB-8011	Tetramethylrhodamine (TAMRA)	GB-8026
Acetylation	GB-8012	Phosphorylation-Serine	GB-8027
Amidation (C-Terminal)	GB-8013	Phosphorylation-Threonine	GB-8028
		Phosphorylation-Tyrosine	GB-8029

Peptide Array


此胜肽陣列可以傳統的酵素或放射性標示的試劑探測，再以呈色或螢光或光敏感受質反應。由於胜肽是合成於不相連的點上，點與點之間的擴散極小（或不發生），所以一特定位置即表示一特定胜肽，篩選出之胜肽序列立即可用於其他應用。



Service	Cat. No.	Service	Cat. No.
Peptide array-24 dots	GB-7224	Peptide array-48 dots	GB-7248
Peptide array-72 dots	GB-7272	Peptide array-96 dots	GB-7296

Custom antibodies

本公司提供一套完整且先進之訂製型單 / 多株抗體服務。利用抗原免疫老鼠（或兔子）以引起對抗原具專一性的高度免疫反應，經由細胞融合過程產生可持續製造抗體之 hybridoma。抗原可由客戶提供或是由本公司提供抗原設計諮詢服務，亦可依客戶需求分析抗原決定部位，並合成胜肽抗原。本公司提供之高品質 hybridoma，可提供客戶長期生產對抗原具有高親和性及專一性之單株抗體。出貨時會隨貨附上單 / 多株抗體與抗原 ELISA分析資料及抗體 isotype 鑑定結果。



Service	Cat. No.	Service	Cat. No.
Mouse hybridoma-monoclonal antibody	GB-9004	Rabbit anti-peptide polyclonal antibody	GB-9007
Rabbit hybridoma-monoclonal antibody	GB-9005	Rat anti-protein polyclonal antibody	GB-9008
Rabbit anti-protein polyclonal antibody	GB-9006	Rat anti-peptide polyclonal antibody	GB-9009
Chicken anti-protein polyclonal antibody	GB-9010	Chicken anti-peptide polyclonal antibody	GB-9011

Catalogue antibody

創生大部分的目錄型抗體都很獨特，我們擁有兔子及小鼠融合瘤的專門技術，專注於具免疫原性胜肽技術平台之抗體及疫苗研發。這一期，除了以胜肽免疫原產出抗體外，我們也增加了許多以基因重組蛋白質為免疫原產出之新的目錄型抗體，並將之分類如下，除此之外，若您在下列項目中沒有發現所想要找的抗體，我們也有「抗體開發之雙贏策略」

* 藍色字體為新增之目錄型抗體。



Tumor and metastasis related antibodies

Products	Cat. No.	Products	Cat. No.
Anti-Tumor endothelial marker 1 (TEM1 or endosialin), Rabbit-Poly	GB-30119	Anti-Matrix metalloproteinase 2 (MMP-2), Rabbit-Poly	GB-10342
Anti-Tumor endothelial marker 1 (TEM1 or endosialin), Rabbit-Poly	GB-10374	Anti-Matrix metalloproteinase 11, stromelysin Chicken-Poly	PY-10020
Anti-Tumor endothelial marker 2 (TEM2), Rabbit-Poly	GB-30131	Anti-MMP12, Chicken-Poly	PY-10168
Anti-Tumor endothelial marker 3 (TEM3 or plexin domain containing 1), Rabbit-Poly	GB-30132	Anti-Bone morphogenetic protein 1 (BMP-1) Rabbit-Poly	GB-10001
Anti-Tumor endothelial marker 4 (TEM4 or Rho guanine nucleotide exchange factor (GEF) 17), Rabbit-Poly	GB-30133	Anti-Matrix metalloproteinase 16, isoform 2, Chicken-Poly	PY-10021
Anti-Tumor endothelial marker 5 (TEM5), Rabbit-Poly	GB-30028	Anti-Matrix metalloproteinase 17 (MMP-17), Rabbit-Poly	GB-10042
Anti-Tumor endothelial marker 5 (TEM5), Rabbit-Poly	GB-30088	Anti-protein tyrosine phosphatase type IVA, member 3 (PRL-3), Rabbit-Mono	GB-63023
Anti-Tumor endothelial marker 8 (TEM8), Rabbit-Poly	GB-10344	Anti-Protein tyrosine phosphatase-3 (PRL-3), Rabbit-Poly	GB-10343
Anti-Tumor endothelial marker 8 (TEM8), Rabbit-Poly	GB-10009	Anti-FLJ23603, Rabbit-Mono	GB-63024
Anti-Tumor endothelial marker 8 (TEM8), Rabbit-Poly	GB-10010	Anti-FLJ23603, Rabbit-Poly	GB-30024
Anti-Tumor endothelial marker 8 (TEM8), Rabbit-Poly	GB-30021	Anti-dermokine (ZD52F10), Rabbit-Poly	GB-30025
Anti-Tumor endothelial marker 8 (TEM8), Rabbit-Poly	GB-30021	Anti-LOC54675, Rabbit-Poly	GB-30032
Anti-MMP1, Chicken-Poly	PY-10174	Anti-alpha actinin 4, Rabbit-Poly	GB-10371

Growth factor related antibodies

Products	Cat. No.	Products	Cat. No.
Anti-Vascular endothelial growth factor receptor-3 (VEGFR3), Rabbit-Poly	GB-30015	Anti-Vascular endothelial growth factor (VEGF), Rabbit-Poly	GB-10050

Anti-Vascular endothelial growth factor, Chicken-Poly	PY-10031
Anti-VEGF receptor tyrosine kinase, Chicken-Poly	PY-10032
Anti-Connective tissue growth factor(CTGF), Chicken-Poly	PY-10242
Anti-FGFR1, Chicken-Poly	PY-10229
Anti-Her2/neu, Chicken-Poly	PY-10254
Anti-IGFBP6, Chicken-Poly	PY-10255

Anti- prothymosin alpha 1, Rabbit-Poly	GB-30019
Anti-Erythropoietin(EPO), Chicken-Poly	PY-10218
Anti-epidermal growth factor (EGF), Rabbit-Poly	GB-10357
Anti-Growth hormone (eel GH), Rabbit-Poly	GB-10058
Anti-Glycoprotein hormone α subunit (eel), Rabbit-Poly	GB-10059

G-protein coupled receptors (GPCRs) related antibodies

Products	Cat. No.
Anti-guanine nucleotide binding protein (G protein), q polypeptide (GNAQ), Rabbit-Poly	GB-30070
Anti-luteinizing hormone / choriogonadotropin receptor (LHCGR), Rabbit-Poly	GB-30071
Anti-adrenergic, beta-1-, receptor (ADRB1), Rabbit-Poly	GB-30072
Anti-adrenergic, beta-2-, receptor, surface (ADRB2), Rabbit-Poly	GB-30073
Anti-angiotensin II receptor, type 1 (AGTR1), Rabbit-Poly	GB-30074
Anti-angiotensin II receptor, type 2 (AGTR2), Rabbit-Poly	GB-30075
Anti-arrestin, beta 1 (ARRB1), Rabbit-Poly	GB-30076
Anti-arrestin, beta 2 (ARRB2), Rabbit-Poly	GB-30077
Anti-calcitonin receptor (CALCR), Rabbit-Poly	GB-30078
Anti-calcium-sensing receptor (CASR), Rabbit-Poly	GB-30079
Anti-chemokine-like receptor 1 (CMKLR1), Rabbit-Poly	GB-30080
Anti-dopamine receptor D1 (DRD1), Rabbit-Poly	GB-30081
Anti-dopamine receptor D2 (DRD2), Rabbit-Poly	GB-30082
Anti-endothelial differentiation, sphingolipid G-protein-coupled receptor, 1 (EDG1), Rabbit-Poly	GB-30083
Anti-endothelial differentiation, lysophosphatidic acid G-protein-coupled receptor, 2 (EDG2), Rabbit-Poly	GB-30084
Anti-endothelial differentiation, sphingolipid G-protein-coupled receptor, 3 (EDG3), Rabbit-Poly	GB-30085

Products	Cat. No.
Anti-endothelial differentiation, sphingolipid G-protein-coupled receptor, 4 (EDG4), Rabbit-Poly	GB-10086
Anti-endothelial differentiation, sphingolipid G-protein-coupled receptor, 5 (EDG5), Rabbit-Poly	GB-30104
Anti-dopamine receptor D5 (DRD5), Rabbit-Poly	GB-30087
Anti-glutamate receptor, metabotropic 2 (Grm2), Rabbit-Poly	GB-30102
Anti-glutamate receptor, metabotropic 7 (GRM7), Rabbit-Poly	GB-30101
Anti-glutamate receptor, metabotropic 8 (Grm8), Rabbit-Poly	GB-30105
Anti-opioid receptor, kappa 1 (OPRK1), Rabbit-Poly	GB-30103
Anti-thyroid stimulating hormone receptor (TSHR), Rabbit-Poly	GB-30094
Anti-prostaglandin D2 receptor (DP) (PTGDR), Rabbit-Poly	GB-30096
Anti-putative chemokine receptor (HM74), Rabbit-Poly	GB-30097
Anti-5-hydroxytryptamine (serotonin) receptor 2B, Rabbit-Poly	GB-30110
Anti-GPR103, Rabbit-Poly	GB-30112
Anti-cannabinoid receptor 1 (brain) (CNR1), variant 1 (long form), Rabbit-Poly	GB-10386
Anti-cannabinoid receptor 1 (brain) (CNR1), variant 2 (short form), Rabbit-Poly	GB-10387
Anti-cannabinoid receptor 2 (macrophage) (CNR2), Rabbit-Poly	GB-10388

Signal transduction related antibodies

Products	Cat. No.
Anti-phospho- mouse STAT1, Rabbit-Poly	GB-10383
Anti-phospho- mouse STAT2, Rabbit-Poly	GB-10384
Anti-phospho- mouse STAT3, Rabbit-Poly	GB-10385

Products	Cat. No.
Anti-STAT1, Chicken-Poly	PY-10181
Anti-STAT1 beta, Chicken-Poly	PY-10184
Anti-STAT4, Chicken-Poly	PY-10193

Anti-STAT6, Chicken-Poly	PY-10185
Anti-JAK1, Chicken-Poly	PY-10153
Anti-JNK2, Chicken-Poly	PY-10198
Anti-AKT, Chicken-Poly	PY-10176
Anti-AKT1, Chicken-Poly	PY-10178
Anti-AKT2, Chicken-Poly	PY-10179
Anti-AKT3, Chicken-Poly	PY-10200
Anti-FAS, Chicken-Poly	PY-10177
Anti-FAS 2, Chicken-Poly	PY-10191
Anti-ERK1, Chicken-Poly	PY-10201
Anti-ERK2, Chicken-Poly	PY-10152
Anti-ERK3, Chicken-Poly	PY-10188
Anti-ERK5, Chicken-Poly	PY-10199
Anti-ERK5_isoform1, 2, Chicken-Poly	PY-10186
Anti-CD34, Chicken-Poly	PY-10072
Anti-Zinc finger protein 207,Chicken-Poly	PY-10073
Anti-XPOT, Chicken-Poly	PY-10074
Anti-KIAA0701, Chicken-Poly	PY-10075
Anti-SOX15, Chicken-Poly	PY-10076
Anti-Chromobox homolog 5,Chicken-Poly	PY-10077
Anti-Regulator of G-protein signalling 1, Chicken-Poly	PY-10078
Anti-Regulator of G-protein signalling 5, Chicken-Poly	PY-10079
Anti-Regulator of G-protein signalling 6, Chicken-Poly	PY-10080
Anti-Regulator of G-protein signalling 7, Chicken-Poly	PY-10081
Anti-Regulator of G-protein signalling 10, Chicken-Poly	PY-10082

Anti-Regulator of G-protein signalling 11, Chicken-Poly	PY-10083
Anti-Regulator of G-protein signalling 12b, Chicken-Poly	PY-10084
Anti-Regulator of G-protein signalling 12c, Chicken-Poly	PY-10085
Anti-Regulator of G-protein signalling 16, Chicken-Poly	PY-10086
Anti-Regulator of G-protein signalling 17, Chicken-Poly	PY-10087
Anti-Regulator of G-protein signalling 19, Chicken-Poly	PY-10088
Anti-Regulator of G-protein signalling 20, Chicken-Poly	PY-10089
Anti-ITGA1, integrin α 1, Chicken-Poly	PY-10090
Anti-Integrin alpha 9, alpha 4-like, Chicken-Poly	PY-10091
Anti-Integrin alpha X, Chicken-Poly	PY-10092
Anti-Integrin beta 1 (fibronectin receptor), Chicken-Poly	PY-10093
Anti-Integrin beta 2, cell surface adhesion glycoprotein, Chicken-Poly	PY-10094
Anti-Integrin beta 8, Chicken-Poly	PY-10095
Anti-CD30 (Ki-1 Antigen), Chicken-Poly	PY-10096
Anti-Protein tyrosine phosphatase, non-receptor type 3, Chicken-Poly	PY-10097
Anti-Protein tyrosine phosphatase, non-receptor type sigma, Chicken-Poly	PY-10098
Anti-Protein tyrosine phosphatase, non-receptor type 12, Chicken-Poly	PY-10099
Anti-Cell division cycle 25B, Chicken-Poly	PY-10100
Anti-Cell division cycle 25C, Chicken-Poly	PY-10101
Anti-CD71, Chicken-Poly	PY-10102

SARS-CoV related antibodies

Products	Cat. No.
Anti-SARS Virus Spike Protein, Rabbit-Poly	GB-10311M
Anti-SARS Virus Spike Protein, Rabbit-Poly	GB-10314M
Anti-SARS Virus Spike Protein, Rabbit-Poly	GB-10322M
Anti-SARS Virus Spike Protein, Rabbit-Poly	GB-10326M
Anti-SARS Virus Spike Protein, Rabbit-Poly	GB-10333M
Anti-SARS Virus Nucleocapsid Protein, Mouse-pAb	GB-10139
Anti-SARS Virus Nucleocapsid Protein, Mouse-mAb	GB-51139

Products	Cat. No.
Anti-SARS Virus Nucleocapsid Protein, Rabbit-Poly	GB-10168M
Anti-SARS Virus Nucleocapsid Protein, Rabbit-Mono	GB-61170
Anti-SARS Virus Protein X2 (sars 3b), Rabbit-Poly	GB-10230M
Anti-SARS 3CL protease, Rabbit-Poly	PG-10001
Anti-SARS 3CL protease, Mouse-Mono	PG-20001
Anti-SARS 3CL protease, Mouse-Mono	PG-20002
Anti-SARS 3CL protease, Mouse-Mono	PG-20003
SARS ELISA kit	GB-7003

Human disease related antibodies

Products	Cat. No.	Products	Cat. No.
Anti-Influenza A Virus Matrix Protein M1, Rabbit-Poly	GB-10083M	Anti-Japanese encephalitis virus, Rabbit-Poly	PG-10004
Anti-Influenza A Virus Matrix Protein M1, Rabbit-Mono	GB-60083	Anti-flagellin, Rabbit-Poly	GB-10354
Anti-Influenza A Virus Matrix Protein M1, Rabbit-Mono	GB-60087	Anti-Cholera Toxin, Mouse-Mono	PG-20005
Anti-vaccinia virus fusion protein (14K, A27L), Rabbit-Poly	GB-10396	Anti-Cholera Toxin B Subunit Chicken-Poly	PY-10146
Anti-vaccinia virus fusion protein (14K, A27L), Rabbit-Poly	GB-10397	Anti-HIV-Tat 6B, Chicken-Poly	PY-10145
Anti-Dengue Viruses, Rabbit-Poly	PG-10003	Anti-Sigma 38 of <i>Serratia marcescens</i> , Rabbit-Poly	GB-10391
Anti-Hepatitis B Core protein, Chicken-Poly	PY-10144	Anti-Sigma 32 of <i>Serratia marcescens</i> , Rabbit-Poly	GB-10392

Animal disease related antibodies

Products	Cat. No.	Products	Cat. No.
Anti-White spot syndrome virus (WSSV) VP28, Rabbit-Poly	GB-10355	Anti-Fish nervous necrosis virus (NNV) coat protein, Rabbit-Poly	GB-10063
Anti-White spot syndrome virus (WSSV) VP28, Rabbit-Poly	GB-10006	Anti-Fish nervous necrosis virus (NNV) coat protein, Rabbit-Poly	GB-10064
Anti-White spot syndrome virus (WSSV) VP26, Rabbit-Poly	GB-10382	Anti-Fish nervous necrosis virus (NNV) particles, Rabbit-Poly	PG-10002
Anti-White spot syndrome virus (WSSV) VP664 (ORF167), Rabbit-Poly	GB-10372	Anti-fusion protein p10 [Avian orthoreovirus], Rabbit-Poly	GB-10378
Anti-Iridovirus capsid protein, Rabbit-Poly	GB-10373	Anti-p17 [avian reovirus], Rabbit-Poly	GB-10379

Plant related antibodies

Products	Cat. No.	Products	Cat. No.
Anti-methionine sulfoxide reductase domain-containing protein / SelR domain-containing protein, Rabbit-Poly	GB-10380	Anti-methionine sulfoxide reductase domain-containing protein / SelR domain-containing protein, Rabbit-Poly	GB-10381

Oxidative stress, DNA damage, and apoptosis related antibodies

Products	Cat. No.	Products	Cat. No.
Anti-8-OH dG, Mouse-Mono	GB-52004	Anti-ESR2. Estrogen receptor 2 (ER beta), Chicken-Poly	PY-10160
Anti-KRT8, Chicken-Poly	PY-10149	Anti-PGR, Chicken-Poly	PY-10161
Anti-KRT18, Chicken-Poly	PY-10150	Anti-HER2, Chicken-Poly	PY-10162
Anti-BAD, Chicken-Poly	PY-10151	Anti-NSE, Chicken-Poly	PY-10163
Anti-TLR3, 2, Chicken-Poly	PY-10154	Anti-TE2 ARD1, Chicken-Poly	PY-10164
Anti-TLR9, 2, Chicken-Poly	PY-10155	Anti-SPARCL1, Chicken-Poly	PY-10165
Anti-DNMT1, Chicken-Poly	PY-10156	Anti-MUC1, Chicken-Poly	PY-10166
Anti-DNMT3a, Chicken-Poly	PY-10157	Anti-FUT5, Chicken-Poly	PY-10167
Anti-MeCP2, Chicken-Poly	PY-10158	Anti-CXCL11, Chicken-Poly	PY-10169
Anti-HURP, Chicken-Poly	PY-10159	Anti-CEA7, Chicken-Poly	PY-10170

Anti-BGH3 (TGFB1), Chicken-Poly	PY-10171	Anti-MBD2, Chicken-Poly	PY-10189
Anti-TCN1, Chicken-Poly	PY-10172	Anti-CD14, Chicken-Poly	PY-10192
Anti-DAF, Chicken-Poly	PY-10173	Anti-TRL2, Chicken-Poly	PY-10194
Anti-CD44, Chicken-Poly	PY-10175	Anti-TRL3, Chicken-Poly	PY-10195
Anti-GSK-3B, Chicken-Poly	PY-10180	Anti-TRL7, Chicken-Poly	PY-10196
Anti-CD29, Chicken-Poly	PY-10182	Anti-TRL9, Chicken-Poly	PY-10197
Anti-CD105, Chicken-Poly	PY-10183	Anti-DNMT3b, Chicken-Poly	PY-10202
Anti-GSK-3A, Chicken-Poly	PY-10187		

Miscellaneous antibodies

Products	Cat. No.	Products	Cat. No.
Taq DNA Polymerase, Mouse-Mono	PG-30007	Anti-TRL3, Chicken-Poly	PY-10195
Anti-8-OH dG, Mouse-Mono	GB-52004	Anti-TRL7, Chicken-Poly	PY-10196
Anti-KRT8, Chicken-Poly	PY-10149	Anti-TRL9, Chicken-Poly	PY-10197
Anti-KRT18, Chicken-Poly	PY-10150	Anti-DNMT3b, Chicken-Poly	PY-10202
Anti-BAD, Chicken-Poly	PY-10151	Anti-Amyloid β (1-40), Rabbit-Poly	GB-10356
Anti-TLR3, 2, Chicken-Poly	PY-10154	Anti-human fibrinogen, Rabbit-Poly	PG-10006
Anti-TLR9, 2, Chicken-Poly	PY-10155	Anti-Taxol, Rabbit-Poly	PG-10007
Anti-DNMT1, Chicken-Poly	PY-10156	Anti-Heptoglobin, Chicken-Poly	PY-10203
Anti-DNMT3a, Chicken-Poly	PY-10157	Anti-Adiponectin, Chicken-Poly	PY-10204
Anti-MeCP2, Chicken-Poly	PY-10158	Anti-Resistin, Chicken-Poly	PY-10205
Anti-HURP, Chicken-Poly	PY-10159	Anti-Troponin I(TNNI3), Chicken-Poly	PY-10206
Anti-ESR2. Estrogen receptor 2 (ER beta), Chicken-Poly	PY-10160	Anti-Digoxin, Chicken-Poly	PY-10207
Anti-PGR, Chicken-Poly	PY-10161	Anti-GHRL, MTLRP, Growth hormone releasing peptide, Motilin-related peptide, M46 protein (Ghrelin), Chicken-Poly	PY-10208
Anti-HER2, Chicken-Poly	PY-10162	Anti-Glutamate decarboxylase, 65 kDa isoform, Chicken-Poly	PY-10209
Anti-NSE, Chicken-Poly	PY-10163	Anti-HLAB27, Chicken-Poly	PY-10210
Anti-TE2 ARD1, Chicken-Poly	PY-10164	Anti-Neuropeptide Y (NPY), Chicken-Poly	PY-10211
Anti-SPARCL1, Chicken-Poly	PY-10165	Anti-Alpha-fetoprotein (AFP), Chicken-Poly	PY-10212
Anti-MUC1, Chicken-Poly	PY-10166	Anti-Annexin A10, Chicken-Poly	PY-10213
Anti-FUT5, Chicken-Poly	PY-10167	Anti-Annexin A10, Chicken-Poly	PY-10214
Anti-CXCL11, Chicken-Poly	PY-10169	Anti-Annexin A10F4, Chicken-Poly	PY-10215
Anti-CEA7, Chicken-Poly	PY-10170	Anti-Peptide YY-2 (PYY2), Chicken-Poly	PY-10216
Anti-BGH3 (TGFB1), Chicken-Poly	PY-10171	Anti-Peptide YY, PYY-I(PYY), Chicken-Poly	PY-10217
Anti-TCN1, Chicken-Poly	PY-10172	Anti-Glutamate decarboxylase 1 isoform GAD25; glutamate decarboxylase 1 (brain, 68kD) (GAD1), Chicken-Poly	PY-10219
Anti-DAF, Chicken-Poly	PY-10173	Anti-Mitochondrial uncoupling protein 3(UCP3), Chicken-Poly	PY-10220
Anti-CD44, Chicken-Poly	PY-10175	Anti-Rh(D), Chicken-Poly	PY-10221
Anti-GSK-3B, Chicken-Poly	PY-10180	Anti-Podocalyxin (PODXL), Chicken-Poly	PY-10222
Anti-CD29, Chicken-Poly	PY-10182	Anti-CD4, Chicken-Poly	PY-10223
Anti-CD105, Chicken-Poly	PY-10183	Anti-CD8B, Chicken-Poly	PY-10224
Anti-GSK-3A, Chicken-Poly	PY-10187	Anti-Met proto-oncogene precursor(c-Met), Chicken-Poly	PY-10225
Anti-MBD2, Chicken-Poly	PY-10189		
Anti-CD14, Chicken-Poly	PY-10192		
Anti-TRL2, Chicken-Poly	PY-10194		

Anti-Osteoprotegerin (OPG), Chicken-Poly	PY-10226	Anti-HSPC029 , Chicken-Poly	PY-10244
Anti-SRY-box-5 (SOX5B), Chicken-Poly	PY-10227	Anti-HSPB1,heat shock 27kda protein 1 (HSP27), Chicken-Poly	PY-10245
Anti-Ubiquitin thiolesterase L1 (UCHL1), Chicken-Poly	PY-10228	Anti-Cation-dependent mannose-6-phosphate receptor precursor, Chicken-Poly	PY-10246
Anti-KLF7, Chicken-Poly	PY-10230	Anti-Osteopontin, Chicken-Poly	PY-10247
Anti-Cbp/p300-interacting transactivator, Chicken-Poly	PY-10231	Anti-Osteopontin 32 , Chicken-Poly	PY-10248
Anti-G8, Chicken-Poly	PY-10232	Anti-C-reactive protein (CRP), Chicken-Poly	PY-10252
Anti-GP12, Chicken-Poly	PY-10233	Anti-Corticotropin-lipotropin,Pro-opiomelanocortin (POMC), Chicken-Poly	PY-10253
Anti-L2DTL, Chicken-Poly	PY-10234	Anti-MUC1, Chicken-Poly	PY-10257
Anti-PSTI, Chicken-Poly	PY-10235	Anti-FUT5, Chicken-Poly	PY-10258
Anti-GPC3, Chicken-Poly	PY-10236	Anti-CEA7, Chicken-Poly	PY-10259
Anti-Transferrin (TTR), Chicken-Poly	PY-10237	Anti-CXCL11, Chicken-Poly	PY-10260
Anti-Human squamous cell carcinoma antigen (SCCA1), Chicken-Poly	PY-10238	Anti-DAF, Chicken-Poly	PY-10261
Anti-Melanoma antigen (MEGA8), Chicken-Poly	PY-10239	Anti-SPARCL1, Chicken-Poly	PY-10262
Anti-Peroxidase, Chicken-Poly	PY-10240	Anti-ApoB-100, Chicken-Poly	PY-10263
Anti-Thioredoxin, Chicken-Poly	PY-10241	Anti-AFP, Chicken-Poly	PY-10264
Anti-Paraoxonase B-type/arylesterase B-type precursor, Chicken-Poly	PY-10243	Anti-TCN1, Chicken-Poly	PY-10265

Tag antibodies

Products	Cat. No.	Products	Cat. No.
Anti-GST, Mouse-Mono	GB-52mA1	Anti-Beta-Actin, Chicken-Poly	PY-10190
Anti-GST, Rabbit-Poly	PG-10005	Anti-His -tag, Chicken-Poly	PY-10249
Anti-Beta-Galactosidase , Chicken-Poly	PY-10147	Anti-X-press, Chicken-Poly	PY-10250
Anti-Luciferase, Chicken-Poly	PY-10148		

Second antibodies

Products	Cat. No.	Products	Cat. No.
Anti-rat IgG, Rabbit-Poly-HRP	GB-10041H	Anti-Biotin IgG, Rabbit-Poly	GB-10018
Anti-rat IgG, Rabbit-Poly-Biotin	GB-10041B	Anti-chicken IgY, HRP label, Rabbit-Poly	PY-10266

Cytokine related antibodies

Products	Cat. No.	Products	Cat. No.
Anti-human Tumor Necrosis Factor alpha, Chicken-Poly	PY-10001	Anti-Interleukin-17, Chicken-Poly	PY-10007
Anti-human Interferon-gamma (IFNG) (IFN γ), Chicken-Poly	PY-10251	Anti-Interleukin-21, Chicken-Poly	PY-10008
Anti-Interleukin-11, Chicken-Poly	PY-10002	Anti-Interleukin-12 beta, Chicken-Poly	PY-10009
Anti-Interleukin-1 beta, Chicken-Poly	PY-10003	Anti-MIP1b, Chicken-Poly	PY-10052
Anti-Interleukin-8, Chicken-Poly	PY-10004	Anti-Rantes, Chicken-Poly	PY-10053
Anti-Interleukin-10, Chicken-Poly	PY-10005	Anti-Interferon-gamma inducible protein, 10 kD, Chicken-Poly	PY-10054
Anti-Interleukin-16, Chicken-Poly	PY-10006	Anti-GRO1, Chicken-Poly	PY-10055

Anti-Capping protein (actin filament), gelsolin-like, Chicken-Poly	PY-10056	Anti-Small inducible cytokine subfamily A, member 16, Chicken-Poly	PY-10065
Anti-Chemokine (C-C motif) receptor 1 (RANTES receptor), Chicken-Poly	PY-10057	Anti-Small inducible cytokine subfamily A, member 21, Chicken-Poly	PY-10066
Anti-Chemokine (C-C motif) CCL28, Chicken-Poly	PY-10058	Anti-Small inducible cytokine subfamily A, member 24, Chicken-Poly	PY-10067
Anti-CXC chemokine ligand 16, Chicken-Poly	PY-10059	Anti-SCYB6, Chicken-Poly	PY-10068
Anti-EFA5, Chicken-Poly	PY-10060	Anti-Small inducible cytokine subfamily C, member 1 (lymphotactin), Chicken-Poly	PY-10069
Anti-INIP human homolog on chromosome 19 (19p13.1), Chicken-Poly	PY-10061	Anti-Tec protein tyrosine kinase, Chicken-Poly	PY-10070
Anti-MCP-1 receptor, Chicken-Poly	PY-10062	Anti-TGFB1-induced anti-apoptotic factor 1, Chicken-Poly	PY-10071
Anti-MAP2K1, Chicken-Poly	PY-10063		
Anti-Small inducible cytokine A1; I-309, Chicken-Poly	PY-10064		

Cancer related antibodies

Products	Cat. No.	Products	Cat. No.
Anti-Human Arrestin 3, Chicken-Poly	PY-10010	Anti-Cyclin-dependent kinase inhibitor 2A, Chicken-Poly	PY-10036
Anti-Spermine synthase, Chicken-Poly	PY-10011	Anti-E-cadherin, Chicken-Poly	PY-10037
Anti-Human Calpastatin, Chicken-Poly	PY-10012	Anti-F-actin capping protein alpha-1 subunit (CAPZA1), Chicken-Poly	PY-10038
Anti-TFE3, Chicken-Poly	PY-10013	Anti-Heat shock transcription factor 2 binding protein, Chicken-Poly	PY-10039
Anti-Serine proteinase inhibitor, clade A, member 7, Chicken-Poly	PY-10014	Anti-KIAA0804, Chicken-Poly	PY-10040
Anti-G-alpha interacting protein, Chicken-Poly	PY-10015	Anti-C myc-1, Chicken-Poly	PY-10041
Anti-rbg00388-2, Chicken-Poly	PY-10016	Anti-Propionyl-Coenzyme A carboxylase (PCCA), Chicken-Poly	PY-10042
Anti-rbg00347-2, Chicken-Poly	PY-10017	Anti-ARNTL2, Chicken-Poly	PY-10043
Anti-Prostate Specific Antigen, Chicken-Poly	PY-10018	Anti-TRAF family member-associated NFKB activator, Chicken-Poly	PY-10044
Anti-RAS, Chicken-Poly	PY-10019	Anti-Human 54kDa subunit of signal recognition particle, Chicken-Poly	PY-10045
Anti-Jun kinase, Chicken-Poly	PY-10022	Anti-Hypothetical Protein HSPC014, Chicken-Poly	PY-10046
Anti-c-fos onco-protein, Chicken-Poly	PY-10023	Anti-Parathyroid hormone-related protein, Chicken-Poly	PY-10047
Anti-HER3, Chicken-Poly	PY-10024	Anti-Human Phosphoserine Aminotransferase, Chicken-Poly	PY-10048
Anti-mdm2-D, Chicken-Poly	PY-10025	Anti-Peroxisome Proliferative Activated Receptor Gamma, Chicken-Poly	PY-10049
Anti-Cyclin-dependent kinase inhibitor 1A(CDKN1A), Chicken-Poly	PY-10026	Anti-Cysteine and glycine-rich protein 2 (CSRP2), Chicken-Poly	PY-10050
Anti-TNF-related apoptosis inducing ligand TRAIL, Chicken-Poly	PY-10027	Anti-Ewing sarcoma breakpoint region 1, Chicken-Poly	PY-10051
Anti-IkB kinase beta subunit, Chicken-Poly	PY-10028		
Anti-p38 MAPK, Chicken-Poly	PY-10029		
Anti-ATM, Chicken-Poly	PY-10030		
Anti-Estrogen receptor 1 (alpha), Chicken-Poly	PY-10033		
Anti-Breast cancer 1, Chicken-Poly	PY-10034		
Anti-C-myc-2, Chicken-Poly	PY-10035		

Serum protein related antibodies

Products	Cat. No.	Products	Cat. No.
Anti-Growth Hormone, Chicken-Poly	PY-10103	Anti-Chorionic Gonadotropin, Chicken-Poly	PY-10121
Anti-Insulin, Chicken-Poly	PY-10104	Anti-Ferritin, Chicken-Poly	PY-10122
Anti-Albumin, Chicken-Poly	PY-10105	Anti-Fetuin, Chicken-Poly	PY-10123
Anti-C-Reactive Protein, Chicken-Poly	PY-10106	Anti-Gc-Globulin, Chicken-Poly	PY-10124
Anti-Plasmin, Chicken-Poly	PY-10107	Anti-Haptoglobin, Chicken-Poly	PY-10125
Anti-Macroglobulin, Chicken-Poly	PY-10108	Anti-IgA plasma, Chicken-Poly	PY-10126
Anti-Transferrin, Chicken-Poly	PY-10109	Anti-IgG Fc fragment, Chicken-Poly	PY-10127
Anti-Long EGF, Chicken-Poly	PY-10110	Anti-IgG, Mouse, Chicken-Poly	PY-10128
Anti-IgE, Chicken-Poly	PY-10111	Anti-IgG, Rabbit, Chicken-Poly	PY-10129
Anti-Fibronectin, Chicken-Poly	PY-10112	Anti-IgM, Human, Chicken-Poly	PY-10130
Anti-Microglobulin, Chicken-Poly	PY-10113	Anti-Immunoglobulin , light chain k, human, Chicken-Poly	PY-10131
Anti-Leptin, Chicken-Poly	PY-10114	Anti-Lipoprotein High Density, Chicken-Poly	PY-10132
Anti-Antithrombin III, Chicken-Poly	PY-10115	Anti-Lipoprotein Low Density, Chicken-Poly	PY-10133
Anti-Apolipoprotein A-1, Chicken-Poly	PY-10116	Anti-Lipoprotein Very Low Density, Chicken-Poly	PY-10134
Anti-Apolipoprotein B, Chicken-Poly	PY-10117	Anti-Prothrombin, Chicken-Poly	PY-10135
Anti-C1q, Chicken-Poly	PY-10118	Anti-phospholipase A2, group VII, Rabbit-Poly	GB-10395
Anti-C3, Chicken-Poly	PY-10119		
Anti-Ceruloplasmin, Chicken-Poly	PY-10120		

Subcellular marker related antibodies

Products	Cat. No.	Products	Cat. No.
Anti-Ubiquitin, Chicken-Poly	PY-10136	Anti-Histone H1, Chicken-Poly	PY-10140
Anti-Calnuc (Rat), Chicken-Poly	PY-10137	Anti-POMC, Chicken-Poly	PY-10141
Anti-Laminin, Chicken-Poly	PY-10138	Anti-Calreticulin, Chicken-Poly	PY-10142
Anti-Cytochrome C, Chicken-Poly	PY-10139	Anti-Adaptor-related protein complex 3, beta 2, Chicken-Poly	PY-10143

Antigenic protein

Products	Cat. No.	Products	Cat. No.
Haptoglobin	PY-20047	Peptide YY (PYY-I)	PY-20059
adiponectin	PY-20048	erythropoietin (EPO)	PY-20060
resistin	PY-20049	glutamate decarboxylase 1 (brain, 68kD)	PY-20061
Leptin	PY-20050	Mitochondrial uncoupling protein 3 (UCP3)	PY-20062
Troponin I(human cardiac muscle)	PY-20051	Rh(D)	PY-20063
Ghrelin	PY-20052	Podocalyxin (PODXL)	PY-20064
Glutamate decarboxylase, 65 kDa isoform	PY-20053	CD4	PY-20065
HLA B27	PY-20054	CD8B	PY-20066
Neuropeptide Y (NPY)	PY-20055	met proto-oncogene (c-Met)	PY-20067
alpha-fetoprotein (AFP)	PY-20056	osteoprotegerin (OPG)	PY-20068
Annexin A10 (Annexin 14)	PY-20057	SRY-box-5 (SOX5B)	PY-20069
Peptide YY-2 (PYY-2)	PY-20058	Ubiquitin thiolesterase L1 (UCHL1)	PY-20070

FGFR1 oncogene partner, isoform b (FGFR1)	PY-20071	cation-dependent mannose-6-phosphate receptor (M6PR)	PY-20088
KLF7 protein	PY-20072	osteopontin	PY-20089
Cbp/p300-interacting transactivator (CITED2)	PY-20073	interferon-gamma (IFN γ)	PY-20090
G8	PY-20074	C-reactive protein (CRP)	PY-20091
GP12	PY-20075	Pro-opiomelanocortin (POMC)	PY-20092
L2DTL	PY-20076	Her2/neu	PY-20093
PSTI	PY-20077	IGFBP6	PY-20094
GPC3	PY-20078	MMP12	PY-20095
transthyretin (TTR)	PY-20079	MUC1	PY-20096
Human squamous cell carcinoma antigen (SCCA1)	PY-20080	FUT5	PY-20097
melanoma antigen (MAGE-8)	PY-20081	CEA7	PY-20098
peroxidase	PY-20082	CXCL11	PY-20099
thioredoxin	PY-20083	DAF	PY-20100
connective tissue growth factor (CTGF)	PY-20084	SPARCL1	PY-20101
paraoxonase B-type/arylesterase B-type	PY-20085	ApoB-100	PY-20102
Eukaryotic translation initiation factor 3, subunit 12 (HSPC029)	PY-20086	AFP	PY-20103
heat shock 27 kDa protein 1 (HSP27)	PY-20087	TCN1	PY-20104

SARS ELISA KIT: SARS冠狀病毒抗體的ELISA試劑組，以合成之SARS- CoV 抗原決定位之胜肽做為抗原，係由比較受感染病患之血清及正常人血清中的抗原特性得來。此試劑組可用於SARS冠狀病毒抗體 (IgG) 檢測。



Molecular Biology-related Products

本公司為提供生命科學研究客戶最常用到之分子生物試劑產品，特別推出經策略聯盟合作產製之 Polymerase Chain Reaction (PCR) 相關之系列產品，包括 Taq DNA Polymerase，具 Proof reading 活性之 Pfu DNA Polymerase、Kleno fragment (Klen Taq DNA polymerase) 與 DNA Polymerase 專一性單株抗體組合成之系列產品 (Hotsfart 系列產品，減低非專一性 PCR 背景值)，Real-time PCR, one step RT-PCR kit 等。除由細胞或組織抽取 Total RNA 之試劑組外，另外也提供從全血或口腔黏膜抽取 DNA 之簡便試劑組產品。



Products	Cat. No.	Products	Cat. No.
TriPure kit	GB-7001	dNTP	PG-3008
RNApure kit	GB-7002	Real-time PCR Reagent	PG-3009
GeneCon Kit	GB-7003	One Step Real-time PCR Kit	PG-3010
Taq DNA Polymerase	PG-3001	Genotyping Kit	PG-3012
Hotstart Taq DNA Polymerase	PG-3002	Starter PCR kit (Taq)	PG-3013
Pr Taq DNA Polymerase (Taq + Pfu)	PG-3003	Combo PCR kit (Pfu + Taq)	PG-3014
Hotstart Pr Taq DNA Polymerase	PG-3004	Whole blood DNA extraction kit	PG-3015
KlenTaq DNA Polymerase	PG-3005	Mouth cavity DNA extraction kit	PG-3016
Hotstart KlenTaq DNA Polymerase	PG-3006	One Step RT-PCR kit	PG-3017

《 Genesis News 》廣告刊登辦法

出版日期：2005 年 10 月 (2005 No.4)

截稿日期：2005 年 09 月 05 日

發行量：中文版 3800 冊

規格：19cm X 26cm (即 B5 尺寸大小)，全彩

發行方式：(1) 主動贈予國內各機關研究單位及學術單位 (以寄送或發送的方式)

(2) 國內各大展覽時發送

內容：專題報導、台灣優秀科技學者專訪、技術性專題、展覽介紹、廣告等
可選擇廣告版面：

版 面	價 格	版 面	價 格
內頁一則	NT\$8,000	封底內頁	NT\$13,000
內頁跨頁 (2 頁)	NT\$12,000	封底內頁對頁	NT\$10,000
封面內頁	NT\$15,000	封底內頁跨頁	NT\$17,000
封面內頁對頁	NT\$12,000	封面內頁跨頁	NT\$18,000
※上列價格已含設計費			

備註：1. 出版後本公司將寄贈書冊，作為已刊出證明。


2. 廣告設計風格將配合季刊整體風格。

廣 告 刊 登 申 請 契 約 書

本公司決定在《2005 No.____ Genesis News》中刊登 (請勾選)
☐ 內頁 ☐ 內頁跨頁 ☐ 封面內頁 ☐ 封面內頁對頁 ☐ 封面內頁跨頁 ☐ 封底內頁
☐ 封底內頁對頁 ☐ 封底內頁跨頁

※委刊公司切結：本公司刊登廣告產品之圖文如涉及仿冒或版權事宜，願負全責。

名 公 稱 司	中文：	統一編號：	
	英文：	委刊金額：	
聯 絡 資 料	電話：	支票抬頭：創生生物科技股份有限公司	
	傳真：	茲附上即期支票 (支票請著名抬頭及禁止轉讓)	
	E-mail：	支票到期日_____	
	http://	支票號碼_____	
負 責 人	地址：	公司簽章：	業務請洽： 電話：(02) 8919-1730 # 10 黃 仁 斌 傳真：(02) 8919-1725
	經 手		




TriPure Kit：是一組可同時純化 total RNA、DNA、Protein 的試劑組。操作簡單、經濟實惠且省時。此試劑組不僅適用於大量組織 ($\geq 1g$) 及細胞 ($> 10^7$)，並突破傳統回收極限，針對微量細胞 ($1-5 \times 10^5$) 或組織 (50-100mg) 亦可得到高品質的核酸，同時也適用於植物、酵母菌、格蘭氏陰性及陽性菌之檢體。此試劑組的方法可同時操作大量的檢體，且所有的步驟可在一小時內完成。由 TriPure Kit 所得到 total RNA 不會有 DNA 及 protein 的污染，因此您可以直接應用在 Northern blot analysis、in vitro transcription/translation、RNase Protection assay、RT-PCR and poly(A)⁺ selection...等實驗。

Library screening service

噬菌體呈現技術可以將重組抗體和胜肽表現在噬菌體表面。經過幾次探針的篩選，相互作用的分子會被分離出來。未結合的噬菌體分子會被洗掉，剩下有專一性結合的會被沖提下來感染大腸桿菌，藉此來放大，再用 DNA 定序及結合測試來鑑定篩選到之陽性株特性。

噬菌體呈現胜肽庫篩選的結案報告內容：篩選的結果、DNA 定序結果、胜肽鑑定 (ID)、相似性分析 (blast result)。

噬菌體呈現胜肽庫篩選可應用於：(1) 尋找抗原決定位點 (2) 蛋白質-蛋白質間作用 (3) DNA-蛋白質間作用 (4) 目標分子的追蹤或標誌 (5) 診斷用試劑



Service	Cat. No.	Service	Cat. No.
Phage-display peptide library screening	GB-9001	Epitope mapping by peptide array (2x24-dots arrays)	GB-9003
Phage-display scFv antibody library screening	GB-9002		

Biologically active proteins related products

本公司研發團對利用基因工程技術：基因選直、表達及純化等產製具有生物活性之重組蛋白，提供客戶研究與其他應用之重要活性物質來源。包括生長因子與無血清培養基所需之血清代替劑等。



Recombinant proteins			
Products	Cat. No.	Products	Cat. No.
IGF-1 (insulin-like growth factor-1)	PG-30011	BFGF (basic fibroblast growth factor)	PG-30013
PDGF-B (platelet-derived growth factor B-chain)	PG-30012	Fibronectin	PG-30018

Serum substitute for serum free cell culture system and vaccine production			
Products	Cat. No.	Products	Cat. No.
Chemically Defined Serum substitute for growth phase	PG-40013	Chemically Defined Serum substitute for expression phase	PG-40014



創生員工旅遊

時間：2005 / 09 / 24 至 2005 / 09 / 28

創生將於這五天舉辦員工旅遊，
暫時無法提供您全方位的服務，
如有任何需要或疑問，
請洽留守人員，
或留下您的單位、姓名與聯絡方式，
專員將於9月29日立即與您聯絡。

感謝您！



歡度情人節

雙雙對對目錄型抗體促銷專案

方案一

同時訂購兩支標準規格目錄型抗體，
立即可享八折優惠

方案二

同時訂購三支小規格目錄型抗體，以一支標準規格目錄型抗體之價格計算

歡迎來電洽詢，我們將誠摯地為您服務！！



創生生物科技

TEL : (02) 8919-1730 FAX : (02) 8919-1725
<http://www.genesisbio.com.tw>