



Genesis Biotech Inc.

website: <http://www.genesisbio.com.tw> e-mail : info@genesisbio.com.tw

Serum free medium for BHK cell culture (B-SFM)

Catalog No. PG-40025

Quantity: 50 L working solution

Storage: 4°C ~ -20°C

Description

In the light of the growing worldwide shortage and consequent price instability associated with fetal bovine serum, the development of effective serum-free media formulations has become essential for the future growth of the biotechnology industries. In addition, the use of fetal bovine serum requires prior sampling of each lot, and leads to batch variations as well as purification difficulties in production. We have developed serum-free medium for BHK cell culture (B-SFM).

Related product

Cat. No.	Product	Package
PG-40021	Serum free medium for Vero cell culture (V-SFM)	100 L
PG-40022	Serum free medium for BHK cell culture (B-SFM)	100 L
PG-40023	Serum free medium for CHO cell culture (C-SFM)	100 L
PG-40024	Serum free medium for Vero cell culture (V-SFM)	50 L
PG-40026	Serum free medium for CHO cell culture (C-SFM)	50 L

Component

Part A : 50 L dry basal medium

The powder part, which is convenient for transportation and storage. The powder part can also be replaced by 199 medium in use.

Part B : 250 mL serum substitute

Liquid pre-dissolved part (supplied in sterile liquid form), which is to be added to **Part A** proportionally when used, no sterilization is required, so it's convenient to use.

It's not necessary to change your existing production process with our B-SFM medium.

Advantages

1. In the cell adherence and proliferation stages, **B-SFM can reduce or substitute the use of bovine serum.**
2. In the cell maintenance stage after virus inoculation, B-SFM can substitute the amount of use of human serum albumin as a cell protector, or even replace the use of human serum albumin completely. In addition, **the yield of virus can be higher or at least equivalent to that of conventional production process.**

FOR RESEARCH USE ONLY AND NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE