



Genesis Biotech Inc.

website: <http://www.genesisbio.com.tw> e-mail : info@genesisbio.com.tw

Anti-Krueppel-like factor 7 (KLF7) (aa 88~230), Chicken Polyclonal Antibody

Catalog No. PY-10277
Reactivity: Human
Type: polyclonal antibody

Quantity: 100 µg
Applications tested: Western Blot
Form: antigen affinity-purified IgY

Antigen species: Human
Host species: chicken

Target description

KLF7 protein is similar to human Krueppel-like factor 7 (Ubiquitous krueppel-like factor).

Antigen

This polyclonal antibody was raised by immunizing chicken with a KLF7 (88-230 amino acids) fusion protein. The fusion protein was further used for the antigen specific affinity purification of the specific IgY.

Application

The antibody specificity was assayed by Western blotting with the KLF7 (88-230 amino acids) fusion protein. The antibody titer is more than 2,000 for Western blot analysis. It has not been tested in the other applications. However, for the first testing, we recommend 1/10,000 dilution for ELISA, 1/3,000 dilution for WB of recombinant protein, 1/1,200 dilution for tissue extracts or cell lysates, 1/100 dilution for immunohistochemistry (IHC) staining on frozen cryosections, 1/50 dilution for IHC staining on paraffin embedded sections.

Related Products

Anti-KLF7 (1~230), Chicken-Poly, PY-10230
Anti-Troponin I (49-92), Chicken-Poly, PY-10269
Anti-Troponin I (93-122), Chicken-Poly, PY-10270
Anti-Haptoglobin, Chicken-Poly, PY-10203
Anti-Haptoglobin α, Mouse-Mono, PG-20010
Anti-Haptoglobin β, Mouse-Mono, PG-20011
Anti-Adiponectin, Chicken-Poly, PY-10204
Anti-Resistin, Chicken-Poly, PY-10205
Anti-Digoxin, Chicken-Poly, PY-10207

KDa

31 —

24 —

19 —

← KLF7 fusion protein

Western blot Procedure

Block the membrane with 3% BSA in TBS buffer at 37°C, 1hr. Wash the membrane with 0.05% Tween 20 in TBS (TBST). Incubate the membrane with diluted antibody (3000x) at 37°C for 1 hours. Wash unbound antibodies and add anti-IgY-HRP conjugated at 37°C for 1 hours. Wash the membrane and add substrate to develop the signal.

Storage

It is supplied as antigen affinity purified antibody/ PBS buffer in lyophilized powder. Redissolve the powder with 100µL sterile water will restore to the original concentration 1mg/mL. Store at 4°C for short-term application. For long-term storage, aliquot and store at -20°C.

References

1. PNAS | December 24, 2002 | vol. 99 | no. 26 | 16899-16903