

```

# Databricks notebook source
# MAGIC %sql
# MAGIC USE CATALOG `deltalake-catalog`;

# COMMAND -----

landing_zone = "/Volumes/deltalake-catalog/default/demo_managed_volume"
orders_data = landing_zone + "/OrdersHistory"
checkpoint_path = landing_zone + "/orders_checkpoint"

# COMMAND -----

orders_df = spark.readStream\
    .format("cloudFiles")\
    .option("cloudFiles.format","csv")\
    .option("cloudFiles.inferSchema","true")\
    .option("cloudFiles.inferColumnTypes","true")\
    .option("cloudFiles.schemaLocation",checkpoint_path)\
    .load(orders_data)

# COMMAND -----

# MAGIC %sql
# MAGIC DROP table if exists `deltalake-catalog`.default.ordersdelta;

# COMMAND -----

orders_df.writeStream\
    .format("delta")\
    .option("checkpointLocation",checkpoint_path)\
    .option("mergeSchema","True")\
    .outputMode("append")\
    .trigger(processingTime="10 seconds")\
    .toTable("`deltalake-catalog`.default.ordersdelta")

# COMMAND -----

# MAGIC %sql
# MAGIC SELECT * from`deltalake-catalog`.default.ordersdelta;

# COMMAND -----

print(orders_data)

# COMMAND -----

```

Check 2: Can Spark see the files in that path?

```
dbutils.fs.ls(orders_data)
```

COMMAND -----

```
dbutils.fs.rm(checkpoint_path, True)
```

```
print("Checkpoint cleared!")
```

COMMAND -----

COMMAND -----

COMMAND -----