

Lab04

1. Camera Calibration (50%)
2. Warping practice (50%)

How to get image from webcam?

```
import cv2

cap = cv2.VideoCapture(1) #device

while(True):

    ret, frame = cap.read()


    #ret is True if read() succeeded

    cv2.imshow('frame', frame)

    cv2.waitKey(33)
```


1. Camera Calibration(50%)

1. 假設好棋盤格的object point
2. 利用webcam讀取即時影像, 將影像轉成灰階
3. 拍攝棋盤格, 若有偵測到則儲存該影像中棋盤格的image point
4. 當儲存影像多於四張時, 開始計算參數
5. 得到參數並儲存於xml檔



1. Camera Calibration(50%)

- 假設棋盤格的object point, $z = 0$
- Prepare object points, like $(0,0,0)$, $(1,0,0)$, $(2,0,0)$, $(7,5,0)$



1. Camera Calibration(50%)

- `ret, corner = cv2.findChessboardCorners(image, patternSize, None)`
 - `patternSize` – Number of inner corners per a chessboard row and column (`patternSize = cvSize(points_per_row,points_per_colum) = cvSize(columns,rows)`).
 - `ret == True`, chessboard detected
- `cv2.cornerSubPix(image, corners, winSize, zeroZone, criteria)`
 - `image` – Input image.
 - `corners` – Initial coordinates of the input corners and refined coordinates provided for output.
 - `winSize` - (11, 11)
 - `zeroZone` - (-1,-1)
 - `criteria` - `criteria = (cv2.TERM_CRITERIA_EPS + cv2.TERM_CRITERIA_MAX_ITER, 30, 0.1)`

1. Camera Calibration(50%)


- `retval, cameraMatrix, distCoeffs, rvecs, tvecs = cv2.calibrateCamera(objectPoints, imagePoints, imageSize, None)`
 - **cameraMatrix** – Output 3x3 floating-point camera matrix
 - **distCoeffs** – Output vector of distortion coefficients
 - `rvecs, tvecs` - rotation and translation matrix
 - 有多少組imagepoint就要有多少組objectpoint
- `f = cv2.FileStorage(filename, cv2.FILE_STORAGE_WRITE)`
 - `f.write("intrinsic", mtx)`
 - `f.write("distortion", dist)`
 - `f.release()`

2. Warping (50%)



透視變換(Perspective Transformation)是將成像投影到一個新的視平面(Viewing Plane), 也稱作投影映射(Projective Mapping)



2. Warping (50%)



`cv2.getPerspectiveTransform(cap_corner, img_corner)`

- `cap_corner` , `img_corner` 為四個點的陣列，順序需要兩兩相對
- 返回一個3x3的matrix

2. Warping (50%)



不能使用 `cv2.warpPerspective(src, M, dsize)`

- 自己刻, 用bilinear interpolation將圖填上去

2. Warping (50%)

- 將webcam得到的即時影像warp到電視牆上
 1. 得到兩張圖中對應的四個點
 2. 利用cv2.getPerspectiveTransform得到轉換關係
 3. 透過bilinear interpolation將圖適當的填上

