```
# Install required packages
# pip install gradio transformers torch
!pip install gradio
import torch
import torch.nn as nn
import torch.optim as optim
from transformers import MarianMTModel, MarianTokenizer
import gradio as gr
# Load model and tokenizer
model_name = 'Helsinki-NLP/opus-mt-en-hi'
tokenizer = MarianTokenizer.from_pretrained(model_name)
model = MarianMTModel.from_pretrained(model_name)
# Define the translation function
def translate(text):
    tokenized_text = tokenizer.prepare_seq2seq_batch([text], return_tensors='pt')
    translation = model.generate(**tokenized_text)
    translated_text = tokenizer.decode(translation[0], skip_special_tokens=True)
    return translated_text
# Create the Gradio interface
iface = gr.Interface(
   fn=translate,
    inputs=gr.Textbox(label="Enter text to translate"),
    \verb"outputs=gr.Textbox(label="Translated text")",
    title="English to Hindi Translator",
    description="Enter English text and get the Hindi translation."
)
# Launch the interface
iface.launch()
```

```
→ Collecting gradio

      Downloading gradio-5.25.2-py3-none-any.whl.metadata (16 kB)
    Collecting aiofiles<25.0,>=22.0 (from gradio)
      Downloading aiofiles-24.1.0-py3-none-any.whl.metadata (10 kB)
    Requirement already satisfied: anyio<5.0,>=3.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (4.9.0)
    Collecting fastapi<1.0,>=0.115.2 (from gradio)
      Downloading fastapi-0.115.12-py3-none-any.whl.metadata (27 kB)
    Collecting ffmpy (from gradio)
      Downloading ffmpy-0.5.0-py3-none-any.whl.metadata (3.0 kB)
    Collecting gradio-client==1.8.0 (from gradio)
      Downloading gradio_client-1.8.0-py3-none-any.whl.metadata (7.1 kB)
    Collecting groovy~=0.1 (from gradio)
      Downloading groovy-0.1.2-py3-none-any.whl.metadata (6.1 kB)
    Requirement already satisfied: httpx>=0.24.1 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.28.1)
    Requirement already satisfied: huggingface-hub>=0.28.1 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.30.2)
    Requirement already satisfied: jinja24.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (3.1.6)
    Requirement already satisfied: markupsafe<4.0,>=2.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (3.0.2)
    Requirement already satisfied: numpy<3.0,>=1.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (2.0.2)
    Requirement already satisfied: orjson~=3.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (3.10.16)
    Requirement already satisfied: packaging in /usr/local/lib/python3.11/dist-packages (from gradio) (24.2)
    Requirement already satisfied: pandas<3.0,>=1.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (2.2.2)
    Requirement already satisfied: pillow<12.0,>=8.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (11.1.0)
    Requirement already satisfied: pydantic<2.12,>=2.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (2.11.3)
    Collecting pydub (from gradio)
      Downloading pydub-0.25.1-py2.py3-none-any.whl.metadata (1.4 kB)
    Collecting python-multipart>=0.0.18 (from gradio)
      Downloading python multipart-0.0.20-py3-none-any.whl.metadata (1.8 kB)
    Requirement already satisfied: pyyaml<7.0,>=5.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (6.0.2)
    Collecting ruff>=0.9.3 (from gradio)
      Downloading ruff-0.11.6-py3-none-manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (25 kB)
    Collecting safehttpx<0.2.0,>=0.1.6 (from gradio)
      Downloading safehttpx-0.1.6-py3-none-any.whl.metadata (4.2 kB)
    Collecting semantic-version~=2.0 (from gradio)
      Downloading semantic_version-2.10.0-py2.py3-none-any.whl.metadata (9.7 kB)
    Collecting starlette<1.0,>=0.40.0 (from gradio)
      Downloading starlette-0.46.2-py3-none-any.whl.metadata (6.2 kB)
    Collecting tomlkit<0.14.0,>=0.12.0 (from gradio)
      Downloading tomlkit-0.13.2-py3-none-any.whl.metadata (2.7 kB)
    Requirement already satisfied: typer<1.0,>=0.12 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.15.2)
    Requirement already satisfied: typing-extensions~=4.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (4.13.2)
    Collecting uvicorn>=0.14.0 (from gradio)
      Downloading uvicorn-0.34.2-py3-none-any.whl.metadata (6.5 kB)
    Requirement already satisfied: fsspec in /usr/local/lib/python3.11/dist-packages (from gradio-client==1.8.0->gradio) (2025.3.2)
    Requirement already satisfied: websockets<16.0,>=10.0 in /usr/local/lib/python3.11/dist-packages (from gradio-client==1.8.0->gradio) (15
    Requirement already satisfied: idna>=2.8 in /usr/local/lib/python3.11/dist-packages (from anyio<5.0,>=3.0->gradio) (3.10)
    Requirement already satisfied: sniffio>=1.1 in /usr/local/lib/python3.11/dist-packages (from anyio<5.0,>=3.0->gradio) (1.3.1)
    Requirement already satisfied: certifi in /usr/local/lib/python3.11/dist-packages (from httpx>=0.24.1->gradio) (2025.1.31)
    Requirement already satisfied: httpcore==1.* in /usr/local/lib/python3.11/dist-packages (from httpx>=0.24.1->gradio) (1.0.8)
    Requirement already satisfied: h1x0.15,>=0.13 in /usr/local/lib/python3.11/dist-packages (from httpcore==1.*->httpx>=0.24.1->gradio) (@
    Requirement already satisfied: filelock in /usr/local/lib/python3.11/dist-packages (from huggingface-hub>=0.28.1->gradio) (3.18.0)
    Requirement already satisfied: requests in /usr/local/lib/python3.11/dist-packages (from huggingface-hub>=0.28.1->gradio) (2.32.3)
    Requirement already satisfied: tqdm>=4.42.1 in /usr/local/lib/python3.11/dist-packages (from huggingface-hub>=0.28.1->gradio) (4.67.1)
    Requirement already satisfied: python-dateutil>=2.8.2 in /usr/local/lib/python3.11/dist-packages (from pandas<3.0,>=1.0->gradio) (2.8.2)
    Requirement already satisfied: pytz>=2020.1 in /usr/local/lib/python3.11/dist-packages (from pandas<3.0,>=1.0->gradio) (2025.2)
    Requirement already satisfied: tzdata>=2022.7 in /usr/local/lib/python3.11/dist-packages (from pandas<3.0,>=1.0->gradio) (2025.2)
    Requirement already satisfied: annotated-types>=0.6.0 in /usr/local/lib/python3.11/dist-packages (from pydantic<2.12,>=2.0->gradio) (0.7
    Requirement already satisfied: pydantic-core==2.33.1 in /usr/local/lib/python3.11/dist-packages (from pydantic<2.12,>=2.0->gradio) (2.33
    Requirement already satisfied: typing-inspection>=0.4.0 in /usr/local/lib/python3.11/dist-packages (from pydantic<2.12,>=2.0->gradio) (@
    Requirement already satisfied: click>=8.0.0 in /usr/local/lib/python3.11/dist-packages (from typer<1.0,>=0.12->gradio) (8.1.8)
    Requirement already satisfied: shellingham>=1.3.0 in /usr/local/lib/python3.11/dist-packages (from typer<1.0,>=0.12->gradio) (1.5.4)
    Requirement already satisfied: rich>=10.11.0 in /usr/local/lib/python3.11/dist-packages (from typer<1.0,>=0.12->gradio) (13.9.4)
    Requirement already satisfied: six>=1.5 in /usr/local/lib/python3.11/dist-packages (from python-dateutil>=2.8.2-pandas<3.0,>=1.0->gradi
    Requirement already satisfied: markdown-it-py>=2.2.0 in /usr/local/lib/python3.11/dist-packages (from rich>=10.11.0->typer<1.0,>=0.12->g
    Requirement already satisfied: pygments<3.0.0,>=2.13.0 in /usr/local/lib/python3.11/dist-packages (from rich>=10.11.0->typer<1.0,>=0.12-
    Requirement already satisfied: charset-normalizer<4,>=2 in /usr/local/lib/python3.11/dist-packages (from requests->huggingface-hub>=0.28
    Requirement already satisfied: urllib3<3,>=1.21.1 in /usr/local/lib/python3.11/dist-packages (from requests->huggingface-hub>=0.28.1->gr
    Requirement already satisfied: mdurl~=0.1 in /usr/local/lib/python3.11/dist-packages (from markdown-it-py>=2.2.0->rich>=10.11.0->typer<1
    Downloading gradio-5.25.2-py3-none-any.whl (46.9 MB)
                                               - 46.9/46.9 MB 19.8 MB/s eta 0:00:00
    Downloading gradio_client-1.8.0-py3-none-any.whl (322 kB)
                                               - 322.2/322.2 kB 19.8 MB/s eta 0:00:00
    Downloading aiofiles-24.1.0-py3-none-any.whl (15 kB)
    Downloading fastapi-0.115.12-py3-none-any.whl (95 kB)
                                               - 95.2/95.2 kB 6.7 MB/s eta 0:00:00
    Downloading groovy-0.1.2-py3-none-any.whl (14 kB)
    Downloading python_multipart-0.0.20-py3-none-any.whl (24 kB)
    Downloading ruff-0.11.6-py3-none-manylinux_2_17_x86_64.manylinux2014_x86_64.whl (11.5 MB)
                                               - 11.5/11.5 MB 106.9 MB/s eta 0:00:00
    Downloading safehttpx-0.1.6-py3-none-any.whl (8.7 kB)
    Downloading semantic_version-2.10.0-py2.py3-none-any.whl (15 kB)
    Downloading starlette-0.46.2-py3-none-any.whl (72 kB)
                                               72.0/72.0 kB 5.1 MB/s eta 0:00:00
    Downloading tomlkit-0.13.2-py3-none-any.whl (37 kB)
    Downloading uvicorn-0.34.2-py3-none-any.whl (62 kB)
```

- ๒๔.๖/๒๔.๖ кв **4./ мв/s** ета พ:พพ:พพ

Downloading ffmpy-0.5.0-py3-none-any.whl (6.0 kB)

Downloading pydub-0.25.1-py2.py3-none-any.whl (32 kB)

Installing collected packages: pydub, uvicorn, tomlkit, semantic-version, ruff, python-multipart, groovy, ffmpy, aiofiles, starlette, sa Successfully installed aiofiles-24.1.0 fastapi-0.115.12 ffmpy-0.5.0 gradio-5.25.2 gradio-client-1.8.0 groovy-0.1.2 pydub-0.25.1 python-m/usr/local/lib/python3.11/dist-packages/huggingface_hub/utils/_auth.py:94: UserWarning:

The secret `HF_TOKEN` does not exist in your Colab secrets.

To authenticate with the Hugging Face Hub, create a token in your settings tab (https://huggingface.co/settings/tokens), set it as secre You will be able to reuse this secret in all of your notebooks.

Please note that authentication is recommended but still optional to access public models or datasets.

warnings.warn(

config.json: 100%

tokenizer_config.json: 100% 44.0/44.0 [00:00<00:00, 2.55kB/s]

 source.spm: 100%
 812k/812k [00:00<00:00, 8.73MB/s]</td>

 target.spm: 100%
 1.07M/1.07M [00:00<00:00, 33.5MB/s]</td>

 vocab.json: 100%
 2.10M/2.10M [00:00<00:00, 20.9MB/s]</td>

/usr/local/lib/python3.11/dist-packages/transformers/models/marian/tokenization_marian.py:175: UserWarning: Recommended: pip install sac warnings.warn("Recommended: pip install sacremoses.")

1.39k/1.39k [00:00<00:00, 110kB/s]

 pytorch_model.bin:
 100%
 306M/306M [00:01<00:00, 278MB/s]</td>

 model.safetensors:
 100%
 306M/306M [00:01<00:00, 204MB/s]</td>

 generation_config.json:
 100%
 293/293 [00:00<00:00, 17.8kB/s]</td>

It looks like you are running Gradio on a hosted a Jupyter notebook. For the Gradio app to work, sharing must be enabled. Automatically

Colab notebook detected. To show errors in colab notebook, set debug=True in launch() * Running on public URL: https://fa5e62fd2cb491cdf4.gradio.live

This share link expires in 1 week. For free permanent hosting and GPU upgrades, run `gradio deploy` from the terminal in the working dir

English to Hindi Translator

Enter English text and get the Hindi translation.

Enter text t	o translate		
i am doin	g my work		

Translated text	
मैं अपना काम कर रहा हूँ	