

AI CHATBOT USING TRANSFORMERS

A PROJECT REPORT

for

AI Project (AI101B)

Session (2024-25)

Submitted by

Sangam kumar
(202410116100181)

Saqib Mehdi
(202410116100185)

Satyam Gupta
(202410116100186)

Ram Dubey
(202410116100160)

**Submitted in partial fulfilment of the
Requirements for the Degree of**

MASTER OF COMPUTER APPLICATION

Under the Supervision of

Mr. Apoorv Jain

Assistant Professor



Submitted to

DEPARTMENT OF COMPUTER APPLICATIONS

KIET Group of Institutions, Ghaziabad

Uttar Pradesh-201206

MAY 2025

DECLARATION

I hereby declare that the work presented in this report entitled “**AI CHATBOT USING TRANSFORMERS**” was carried out by me. I have not submitted the matter embodied in this report for the award of any other degree or diploma of any other University or Institute.

We have given due credit to the original authors/sources for all the words, ideas, diagrams, graphics, computer programs, experiments, results, that are not my original contribution. I have used quotation marks to identify verbatim sentences and given credit to the original authors/sources.

I affirm that no portion of my work is plagiarized, and the experiments and results reported in the report are not manipulated. In the event of a complaint of plagiarism and the manipulation of the experiments and results, I shall be fully responsible and answerable.

Sangam Kumar

(202410116100181)

Saqib Mehdi

(202410116100185)

Satyam Gupta

(202410116100186)

Ram Dubey

(202410116100160)

CERTIFICATE

Certified that Sangam Kumar (202410116100181), Saqib Mehdi (202410116100185), Satyam Gupta (202410116100186), Ram Dubey (202410116100160) has carried out the project work having “**AI CHATBOT USING TRANSFORMERS**” (INTRODUCTION TO AI) (AI101B) for Master of Computer Application from Dr. A.P.J. Abdul Kalam Technical University (AKTU) (formerly UPTU), Lucknow under my supervision. The project report embodies original work, and studies are carried out by the student themselves and the contents of the project report do not form the basis for the award of any other degree to the candidate or to anybody else from this or any other University/Institution.

This is to certify that the above statement made by the candidate is correct to the best of my knowledge.

Date:

Mr.Apoorv Jain
Assitant Professor
Department of Computer Applications
KIET Group of Institutions, Ghaziabad
An Autonomous Institutions

Dr. Akash Rajak
Dean
Department of Computer Applications
KIET Group of Institutions, Ghaziabad
An Autonomous Institution

ABSTRACT

The integration of Artificial Intelligence (AI) with Natural Language Processing (NLP) has significantly advanced the development of intelligent conversational agents, commonly known as chatbots. Traditional chatbots, based on rule-based or retrieval-based systems, were limited in their ability to understand context and generate human-like responses. With the emergence of deep learning and the Transformer architecture, modern chatbots have become more dynamic, interactive, and context-aware.

This project presents the design and implementation of an **AI chatbot using Transformer-based models**, specifically **DialoGPT**, a fine-tuned version of GPT-2 optimized for dialogue generation. The chatbot is built using the **Hugging Face Transformers library** and deployed in a **Google Colab environment**, enabling seamless interaction through natural language inputs. By leveraging the power of pre-trained language models and self-attention mechanisms, the chatbot can engage in coherent multi-turn conversations with users across a variety of topics.

The report details the theoretical background of conversational AI, the evolution of chatbot models, and the architecture of Transformer-based systems. It also discusses the practical aspects of implementation, including tokenization, response generation, and conversation history handling. The project demonstrates the effectiveness of DialoGPT in generating relevant and human-like responses, highlightin

ACKNOWLEDGEMENT

I would like to express my sincere gratitude to all those who supported me throughout the successful completion of this project titled "**AI Chatbot using Transformers.**"

First and foremost, I am deeply thankful to my project guide, **[Guide's Name]**, for their invaluable guidance, constant encouragement, and constructive feedback throughout the course of this project. Their expertise and insights greatly enhanced the quality and depth of this work.

I would also like to extend my heartfelt thanks to the **Department of Computer Applications**, KIET Group of Institutions for providing the academic environment and necessary resources to carry out this project effectively.

I am grateful to the developers and contributors of the **Hugging Face Transformers** library, whose open-source tools made it possible to explore and implement advanced NLP models such as **DialoGPT** with ease.

Special thanks to **my classmates, friends, and family** for their motivation, moral support, and valuable suggestions during various stages of this project.

Lastly, I would like to acknowledge the use of **Google Colab**, which provided a free and powerful cloud-based environment for model implementation and testing.

This project has been a great learning experience and has enriched my understanding of modern Artificial Intelligence and Natural Language Processing technologies.

Sangam Kumar

Saqib Mehdi

Satyam Gupta

Ram Dubey

TABLE OF CONTENTS

1. DECLARATION.....	2
2. CERTIFICATE.....	3
3. ABSTRACT	4
4. ACKNOWLEDGEMENT	5
5. TABLE OF CONTENTS.....	6
6. LIST OF FIGURES	7
7. INTRODUCTION	8-10
8. LITERATURE REVIEW	11-12
9. METHODOLOGY	13-14
10. CODE	15-26
11. CODE EXPLANATION	17-20
12. OUTPUTS SCREENSHOTS	21
13. OUTPUT EXPLANATION.....	22-23
14. FUTURE ENHANCEMENTS	24
15. CONCLUSION	25
16. REFERENCES	26
17. RESEARCH PAPER	27-30

LIST OF FIGURES

12 OUTPUT SCREENSHOTS

FIGURE 1	21
FIGURE 2	21

INTRODUCTION

In recent years, Artificial Intelligence (AI) has experienced rapid growth, leading to transformative changes across multiple sectors including healthcare, education, customer service, and entertainment. Among the most widely recognized applications of AI are **chatbots**, intelligent conversational agents capable of interacting with users in natural language. With advancements in **Natural Language Processing (NLP)** and deep learning, chatbots have evolved from rule-based systems to context-aware, AI-driven agents capable of understanding and generating human-like responses.

This project focuses on the development of an **AI chatbot using Transformer-based models**, specifically leveraging **DialoGPT**, a variant of OpenAI's GPT-2 fine-tuned for dialogue generation. The **Transformer architecture**, introduced in the paper "*Attention is All You Need*" by Vaswani et al. in 2017, revolutionized NLP by replacing traditional sequence models like RNNs and LSTMs. Transformers use self-attention mechanisms to process input data in parallel, enabling better handling of long-range dependencies and context awareness in text.

Unlike traditional chatbots that rely on predefined scripts or decision trees, **Transformer-based chatbots** dynamically generate responses based on the conversational context. This allows for more natural, diverse, and contextually relevant interactions. **DialoGPT** is trained on millions of dialogues from the internet, making it capable of engaging in open-domain conversations with a wide variety of topics.

The chatbot developed in this project is implemented using the **Hugging Face Transformers library** and is deployed in a **Google Colab environment**. This approach provides accessibility, ease of use, and powerful computational support without requiring local hardware setup. The chatbot maintains conversational history, enabling it to generate responses that reflect the flow of the conversation, making interactions more coherent and engaging.

This report details the architecture, implementation, functionality, and performance of the chatbot. It aims to provide a foundational understanding of how modern AI-powered conversational agents are built using cutting-edge NLP models and tools. The purpose is not only to demonstrate the practical application of Transformer models but also to explore their potential and limitations in real-world conversational AI systems.

Artificial Intelligence (AI) has rapidly advanced in recent years, fundamentally changing how humans interact with technology. Among its many applications, **AI-powered chatbots** have become increasingly important in sectors such as customer service, education, healthcare, and entertainment. These intelligent conversational agents are designed to simulate human-like interactions and respond to user queries in a coherent and contextually relevant manner. The development of such chatbots is closely tied to progress in **Natural Language Processing (NLP)** and **deep learning**, particularly through the adoption of Transformer architectures.

This project explores the creation of an **AI chatbot using Transformer-based language models**, specifically the microsoft/phi-2 model, which is a compact yet powerful pre-trained language model developed to engage in general-purpose conversation. Instead of relying on traditional rule-based systems or decision-tree logic, the chatbot in this project uses a **pre-trained transformer model** to generate dynamic and intelligent responses in real time. The model is deployed via an interactive **Gradio web interface** within a **Google Colab environment**, making it accessible for users and suitable for demonstration or research purposes.

Motivation and Background

Earlier chatbot systems, like ELIZA or early rule-based assistants, operated through hard-coded scripts that offered limited flexibility and a narrow scope of conversation. These systems lacked the ability to understand context or learn from previous interactions, resulting in repetitive and unnatural dialogues. The introduction of **deep learning-based NLP models** marked a significant shift in chatbot development. With models trained on massive text corpora and dialogues from the internet, the new generation of chatbots could interpret language more flexibly and produce human-like responses.

Transformers, introduced by Vaswani et al. in their groundbreaking 2017 paper “**Attention is All You Need**,” became the cornerstone of this advancement. Unlike traditional RNNs or LSTMs, which process input sequentially, Transformer models process entire sequences of input tokens simultaneously using **self-attention mechanisms**. This architecture enables models to understand long-range dependencies and maintain contextual awareness — crucial for generating coherent and relevant responses in a dialogue system.

Project Focus: AI Chatbot Using Transformers

This project implements an AI chatbot using the microsoft/phi-2 model — a **causal language model** fine-tuned to handle multi-turn conversations. Phi-2 is smaller than some of the latest large language models (LLMs) like GPT-3 or LLaMA, but it is optimized for high performance on consumer hardware and educational or research purposes. The chatbot maintains conversational history, allowing it to respond based not only on the current input but also on the context of recent exchanges. This improves both the **naturalness** and **relevance** of the replies.

The chatbot is built using the **Hugging Face Transformers library**, a widely adopted

open-source toolkit that provides access to hundreds of pre-trained language models for various NLP tasks. The user interface is developed using **Gradio**, a Python library that simplifies the creation of interactive applications by allowing developers to easily launch web UIs with just a few lines of code. Users can enter queries and view the chatbot's responses in a real-time, scrollable chat window.

Why Phi-2?

One of the key decisions in this project was selecting an appropriate model. While larger models like GPT-3 or ChatGPT variants offer greater conversational ability, they typically require heavy computational resources and access to paid APIs. `microsoft/phi-2`, on the other hand, is open-access, lightweight (1.3B parameters), and efficient enough to run in **Colab environments with CPU or moderate GPU**, making it ideal for academic or mid-scale research use.

Despite its relatively small size, Phi-2 exhibits strong capabilities in general-purpose reasoning, question answering, and dialogue. Its compactness ensures low memory usage while still producing high-quality text outputs, making it ideal for integration into small-scale applications like educational chatbots or prototype conversational agents.

Colab Deployment and User Interaction

To ensure broad accessibility, the chatbot is deployed within a **Google Colab** notebook. This platform allows users to run Python code in a browser environment without requiring any local setup. Additionally, Colab supports GPU acceleration, which can significantly improve response time and model performance when available. The integration with Gradio provides a **simple and user-friendly web interface**, complete with input fields, conversation history, and control buttons for sending or clearing messages.

Launching the chatbot within Colab automatically generates a **public URL**, making the chatbot easily accessible from any device with an internet connection. This is particularly useful for presentations, live demos, or sharing with peers and instructors.

Scope of the Report

This report presents the complete architecture, implementation, and functionality of the AI chatbot developed using Transformers. It delves into the underlying NLP techniques, the model selection rationale, and the tools used in deployment. It also includes a detailed output explanation, performance analysis, and future enhancement opportunities.

By the end of this report, readers will gain a solid understanding of how transformer-based conversational agents work, how to build one using open-source tools, and how to improve such systems for real-world applications.

LITERATURE REVIEW

The development of intelligent conversational agents has been a subject of extensive research over the past few decades. Early chatbots were rule-based and heavily dependent on manually crafted scripts. However, the evolution of **Natural Language Processing (NLP)** and **deep learning** has led to significant improvements in chatbot architectures, particularly through the introduction of **Transformer-based models**. This literature review outlines the progression from early chatbot models to the modern Transformer-based systems, highlighting key contributions and research milestones.

1. Early Rule-Based Systems

The earliest forms of chatbots, such as **ELIZA** (Weizenbaum, 1966) and **PARRY** (Colby, 1975), were based on predefined rules and pattern matching. These systems used scripts to identify keywords and provide templated responses, simulating basic conversation. Although they were groundbreaking at the time, they lacked understanding of context and semantic meaning, making conversations mechanical and repetitive.

2. Statistical and Retrieval-Based Models

With the rise of machine learning in the late 1990s and early 2000s, chatbots began to incorporate statistical models. **Information retrieval-based models** used similarity metrics to select the best response from a predefined database of responses. For example, **IR-based chatbots** used TF-IDF, cosine similarity, or sequence alignment methods to retrieve relevant responses. These models improved relevance but still failed to generate novel responses and struggled with context retention.

3. Neural Conversational Models

The introduction of **Sequence-to-Sequence (Seq2Seq)** models by Sutskever et al. (2014) marked a major breakthrough in the ability of machines to generate human-like responses. Based on **Recurrent Neural Networks (RNNs)** and **Long Short-Term Memory (LSTM)** units, these models could encode an input sentence into a fixed-length vector and decode it into a response. Projects like Google's **Smart Reply** and Facebook's early chatbot experiments utilized Seq2Seq architectures.

Despite their success, Seq2Seq models faced limitations:

- Difficulty in capturing long-range dependencies due to sequential processing.
- Lack of contextual awareness over multiple turns in a conversation.
- Tendency to produce generic responses like “I don’t know” or “Okay”.

4. The Transformer Architecture

In 2017, Vaswani et al. introduced the **Transformer architecture** in their seminal paper "*Attention is All You Need*". Unlike RNNs, Transformers use **self-attention mechanisms**, enabling them to process all words in a sentence simultaneously and capture relationships between them regardless of distance. This architecture significantly enhanced NLP tasks such as translation, summarization, and question answering.

5. Pre-trained Language Models

The concept of pre-training on large corpora followed by task-specific fine-tuning led to a new wave of NLP models:

- **BERT (Bidirectional Encoder Representations from Transformers)** by Devlin et al. (2018) introduced bidirectional attention but was more suited for understanding tasks rather than text generation.
- **GPT (Generative Pretrained Transformer)** by OpenAI (Radford et al., 2018–2020) introduced a unidirectional Transformer capable of generating fluent and contextually rich text.

6. DialoGPT: A Chatbot-Focused Transformer

DialoGPT, released by Microsoft Research in 2020, is a fine-tuned version of GPT-2 trained specifically on large-scale conversational data from Reddit. It inherits GPT-2's generative capabilities but is optimized for multi-turn dialogues. DialoGPT supports context retention, handles diverse topics, and produces human-like responses, making it ideal for chatbot development.

Key features of DialoGPT:

- Trained on 147M Reddit conversations.
- Supports multiple dialogue turns.
- Produces coherent and context-aware responses.
- Outperforms earlier models on several chatbot benchmarks.

7. Hugging Face Transformers and Accessibility

The **Hugging Face Transformers** library has played a crucial role in democratizing access to state-of-the-art NLP models. It provides simple APIs to load and fine-tune Transformer models such as BERT, GPT-2, and DialoGPT. With its integration into platforms like **Google Colab**, researchers and developers can implement powerful chatbot systems with minimal setup.

METHODOLOGY

The development of the **AI Chatbot using Transformers** involves a systematic approach combining theoretical research, model selection, environment setup, and implementation using pre-trained language models. The methodology adopted for this project ensures a balance between understanding the underlying technology and building a practical, functional chatbot capable of engaging in natural conversations.

1. Problem Definition

The primary objective is to design and implement a chatbot capable of generating human-like responses using a modern deep learning architecture. Unlike traditional chatbots that rely on hardcoded responses or retrieval mechanisms, this chatbot uses a **Transformer-based generative model** to understand and respond to user input dynamically.

2. Technology Stack

- **Programming Language:** Python
- **Model:** DialoGPT (from Microsoft Research)
- **Framework:** Hugging Face Transformers
- **Development Environment:** Google Colab
- **Hardware:** Cloud-based GPU provided by Colab (optional for faster performance)

3. Model Selection: DialoGPT

The core of the chatbot is the **DialoGPT model**, a conversational version of GPT-2 trained on over 147 million multi-turn dialogues from Reddit. DialoGPT is chosen due to:

- Its generative capabilities.
- Pre-training on diverse real-world dialogues.
- Its availability through Hugging Face, which simplifies integration and deployment.

4. Implementation Steps

Step 1: Environment Setup

- The development environment is prepared using **Google Colab**, which offers free GPU acceleration.
- Required libraries, particularly `transformers`, are installed using pip:

- The generated token IDs are decoded back to human-readable text and displayed as the chatbot's reply.
- Chat history is updated to maintain coherence across multiple conversation turns.

5. Features of the Chatbot

- **Multi-turn conversation:** Maintains session history for contextual responses.
- **Open-domain capability:** Can talk on a wide range of topics.
- **Dynamic response generation:** Does not rely on prewritten templates.
- **Scalability:** Can be extended to support UI, APIs, or deployment.

6. Testing and Evaluation

The chatbot is tested in Google Colab by simulating various user inputs across topics such as greetings, questions, and casual conversation. Evaluation is based on:

- Relevance and accuracy of responses.
- Coherence over multiple dialogue turns.
- Fluency and grammar.

Informal human judgment is used for qualitative assessment, as formal evaluation metrics like BLEU or ROUGE are not as effective for open-domain conversations.

7. Limitations and Scope for Improvement

- **Limitations:**
 - Sometimes produces irrelevant or repetitive responses.
 - No built-in memory beyond the session.
 - Sensitive to ambiguous input.
- **Future Improvements:**
 - Integrate with a user interface (e.g., Gradio or Streamlit).
 - Add filters for safety and content moderation.
 - Train on custom datasets for domain-specific use.

CODE

Import packages:

```
!pip install transformers torch gradio
```

```
--quiet
```

Code

```
# Install dependencies
```

```
!pip install transformers accelerate gradio --quiet
```

```
# Full chatbot code using Phi-2
```

```
from transformers import AutoTokenizer, AutoModelForCausalLM
```

```
import torch
```

```
import gradio as gr
```

```
# Load tokenizer and model
```

```
model_id = "microsoft/phi-2"
```

```
tokenizer = AutoTokenizer.from_pretrained(model_id)
```

```
model = AutoModelForCausalLM.from_pretrained(model_id,
```

```
torch_dtype=torch.float32) # Use float32 for Colab CPU
```

```
# Chat history management
```

```
history = []
```

```
# Chat function
```

```
def chat(user_input):
```

```
    global history
```

```
    prompt = ""
```

```
    for turn in history[-5:]: # Keep last 5 turns
```

```
        prompt += f"User: {turn['user']}\nBot: {turn['bot']}\n"
```

```
    prompt += f"User: {user_input}\nBot:"
```

```
    inputs = tokenizer(prompt, return_tensors="pt")
```

```
    outputs = model.generate(
```

```
        **inputs,
```

```
        max_new_tokens=100,
```

```
        do_sample=True,
```

```

        top_p=0.95,
        temperature=0.7
    )
    reply = tokenizer.decode(outputs[0], skip_special_tokens=True)

    # Extract new reply from output
    response = reply.split("Bot:")[1].strip()
    history.append({"user": user_input, "bot": response})
    return "\n".join([f"User: {x['user']}\nBot: {x['bot']}" for x in history])

def clear():
    global history
    history = []
    return ""

# Gradio UI
with gr.Blocks() as demo:
    gr.Markdown("## 🤖 AI Chatbot using Transformers (Phi-2)")
    chatbox = gr.Textbox(label="Conversation", lines=15, interactive=False)
    user_input = gr.Textbox(label="You", placeholder="Type your message here...")
    send = gr.Button("Send")
    clear_btn = gr.Button("Clear")

    send.click(chat, inputs=user_input, outputs=chatbox)
    clear_btn.click(clear, outputs=chatbox)

demo.launch(share=True)

```


CODE EXPLANATION

This Python script creates a web-based application using Gradio to perform sentiment analysis on tweets, specifically designed for analyzing tweets related to COVID-19. The application allows users to upload a CSV file containing tweet data—ideally with a text column for the tweet content and an optional date column for timestamped analysis. The core functionality of the app relies on the transformers library by Hugging Face, which provides access to a pretrained sentiment analysis model, `cardiffnlp/twitter-roberta-base-sentiment`, tailored for Twitter data. This model classifies each tweet as either *Positive*, *Neutral*, or *Negative*, and provides a confidence score for each prediction.

Once a CSV file is uploaded, the application processes up to the first 100 tweets, extracting the text and any associated dates. For each tweet, the model analyzes the sentiment and maps the model's internal labels to human-readable categories using a predefined dictionary. The results—including tweet text, sentiment, confidence score, and date—are stored in a global list and displayed in a formatted text box on the user interface. This provides users with an immediate summary of the sentiment classification for each tweet in the file.

Beyond textual output, the application also features visual analytics through the use of matplotlib. A bar chart visually displays the count of tweets per sentiment category, helping users quickly grasp the overall mood of the dataset. If the input data contains dates, the application can also generate a time series line chart to show how sentiment trends evolve over time. These features make the tool useful for tracking public sentiment on COVID-19 or similar topics over specific periods.

The app interface is built using Gradio's Blocks API, which offers a modular layout including a file uploader, text display area, chart output spaces, and control buttons. Three main buttons trigger the key functions: analyzing tweets, showing the sentiment distribution bar chart, and displaying the time series plot. While the script includes a function to save results as a CSV file, this feature is not currently hooked up to the user interface but can be added later.

In summary, this script demonstrates an effective integration of machine learning, data visualization, and user-friendly web interface to provide insights into the sentiment of social media content. It's a practical tool for researchers, journalists, or data scientists interested in understanding public opinion, especially during events like the COVID-19 pandemic.

1. Gradio App Initialization Message

What it Shows:

This is the console output when your AI chatbot web app (built with Gradio) is launched in a Google Colab notebook.

Key Details:

- Device set to use CPU: Model inference will run on CPU (or GPU if available).
- Colab notebook detected: Confirms the app is running inside Google Colab.
- share=True set automatically: Creates a publicly accessible URL for the chatbot interface.
- Public URL: e.g., <https://abcd1234.gradio.live> — click to open the live chatbot.
- Note on expiration: The link remains valid for a few days; for permanent hosting, Hugging Face Spaces is recommended.

Why It's Important:

- Confirms successful launch of the chatbot.
 - Lets users and evaluators test the chatbot interactively.
 - Encourages deployment thinking (e.g., public app hosting).
-

2. Chatbot Conversation Output (Textual UI)

What it Shows:

This is the main functional area where the chatbot interacts with users.

Components:

Each interaction consists of:

- User Message: The prompt/question typed by the user.
- Bot Response: Generated reply from the transformer model (like Phi-2 or FLAN-T5).
- Conversation History: Accumulated chat log visible in a multi-line textbox.

Examples:

vbnet

CopyEdit

User: Hello

Bot: Hi there! How can I assist you today?

User: Tell me a joke

Bot: Why did the computer catch a cold? Because it left its Windows open!

Why It's Important:

- Demonstrates real-time response generation.
 - Helps in evaluating the quality, tone, and accuracy of replies.
 - Useful for testing different prompt types (questions, small talk, knowledge queries, etc.).
-

3. Transformer Model Behavior & Response Quality

What it Shows:

The chatbot's capability to understand and respond depends heavily on the

underlying model (e.g., Phi-2).

Breakdown:

- FLAN-T5: May require structured prompts to behave like a chatbot.
- Phi-2 / LLaMA / Mistral: Pre-trained on dialogue, more natural responses.
- Sampling Settings: Top-p, temperature, max tokens affect creativity and accuracy.

Insight:

- Short inputs like "hello" or "hi" return relevant responses if the prompt is guided well.
- Long queries (e.g., "Explain AI") return multi-sentence answers with reasoning.

Why It's Important:

- Showcases how well the model generalizes across various user inputs.
- Useful for comparing models or tweaking prompt engineering strategies.
- Critical for chatbot quality evaluation in viva or grading.

4. Contextual Memory and Conversation History

What it Shows:

The chatbot interface maintains short-term memory by storing the last few exchanges (usually 3–5 turns).

Components:

- Stores prior user: ... and bot: ... messages.
- Forms a prompt block that mimics natural dialogue flow.

Example Prompt Passed to Model:

vbnet

CopyEdit

User: What is AI?

Bot: AI stands for Artificial Intelligence...

User: Who invented it?

Bot: The term was first coined by John McCarthy...

Why It's Important:

- Maintains context for follow-up questions.
- Mimics real human conversation patterns.
- Useful in advanced chatbot tasks like customer service or tutoring bots.

5. Full Gradio Chatbot App Interface

What it Shows:

The Gradio-powered user interface (UI) running the chatbot model in a web-accessible app.

Interface Breakdown:

1. Title: " AI Chatbot using Transformers"
2. Conversation Panel: Shows chat history in a scrollable text area.
3. Input Field: Textbox for typing user messages.
4. Buttons:
 - Send: Submits the user message and gets a response.

- Clear Chat: Resets the conversation log.
5. Visuals: Clean layout with markdown title, friendly interface design, and mobile compatibility.
- Why It's Important:
- Makes your chatbot visually demo-ready.
 - Perfect for live project presentations, exams, or showcasing to faculty.
 - Encourages further expansion (e.g., voice input, file-based prompts, chatbot personality customization)

Outputs

FIGURE 1:





FIGURE 2:



OUTPUT EXPLANATION

1. Gradio App Initialization Message

What it Shows:

When the AI chatbot application is launched in the Google Colab notebook, the terminal displays status messages confirming successful startup.

Key Details:

- **Device Usage:** Shows whether the model runs on CPU or GPU.
- **Colab Detection:** Indicates the app is running in a Google Colab environment.
- **Public URL Generation:** A unique shareable URL is generated (e.g., <https://abcd1234.gradio.live>), allowing anyone with the link to access the chatbot.
- **Expiration Notice:** The public link remains active for about a week; permanent hosting requires platforms like Hugging Face Spaces.

Why It's Important:

This message confirms the chatbot app is successfully deployed and accessible for testing or demonstration purposes.

2. Chat Interface & User Interaction

What it Shows:

The main chatbot UI allows users to type messages and receive responses generated by the transformer model.

Components:

- **Input Textbox:** Where users type their queries or greetings.
- **Conversation History:** Displays all prior messages between the user and the chatbot.
- **Response Display:** Shows the chatbot's generated replies in real-time.

Example:

vbnet

CopyEdit

User: Hello, who are you?

Chatbot: Hello! I am an AI-powered chatbot designed to help you.

Why It's Important:

The interface demonstrates interactive dialogue flow and user engagement, showcasing the chatbot's ability to comprehend and respond naturally.

3. Transformer Model Output

What it Shows:

The chatbot's replies are generated dynamically using the pre-trained transformer model (microsoft/phi-2), based on the conversational context.

Features:

- **Context Awareness:** The chatbot considers previous messages to maintain coherent conversations.

- Natural Language Generation: Responses are fluent, diverse, and contextually relevant.
- Real-time Processing: Replies are generated instantly after the user submits input.

Why It's Important:

This output reflects the practical performance of transformer architectures in generating human-like responses, validating the project's NLP goals.

4. Conversation History Handling

What it Shows:

The chatbot keeps track of recent exchanges (usually last 3–5 messages) to build context for ongoing conversations.

Details:

- Previous user inputs and chatbot replies are concatenated and passed as prompt context to the model.
- This mechanism enables the chatbot to answer follow-up questions accurately.

Why It's Important:

Maintaining conversational context is critical for making interactions feel natural and preventing irrelevant or repetitive answers.

5. Full Gradio App Interface

What it Shows:

The complete user interface created by Gradio includes:

- Title: "AI Chatbot using Transformers"
- Conversation Panel: Scrollable chat log displaying all messages.
- Input Field: Text box for user input.
- Send Button: Submits user messages to the model.
- Clear Button: Resets conversation history to start fresh.

Why It's Important:

A well-designed UI is essential for user engagement and ease of use, making the chatbot accessible to users without technical background.

FUTURE ENHANCEMENT

Although the current implementation of the AI chatbot using Transformer-based models like DialoGPT effectively demonstrates the capabilities of natural language generation, there are several areas where the system can be significantly improved and expanded. One major enhancement involves integrating the chatbot with a user-friendly graphical interface using tools such as Gradio, Streamlit, or even mobile frameworks like Flutter. This would provide a more interactive and accessible experience for end-users. Additionally, the chatbot can be equipped with long-term memory and user personalization features, allowing it to remember past conversations or user preferences, which would greatly improve the coherence and relevance of responses over extended sessions.

Another important enhancement is the introduction of multilingual capabilities. By leveraging multilingual models like mT5 or XLM-R, the chatbot can cater to a diverse user base, breaking language barriers and improving inclusivity. Furthermore, the factual reliability of the chatbot's responses can be enhanced by integrating external knowledge bases or using retrieval-augmented generation (RAG) techniques, enabling the system to reference real-time or domain-specific information.

The chatbot can also be fine-tuned for specific domains such as healthcare, education, or customer support by training it on relevant datasets. Voice interaction is another promising area of enhancement—adding speech-to-text (STT) and text-to-speech (TTS) capabilities would make the chatbot more interactive and accessible, especially for visually impaired users or those preferring hands-free operation.

In terms of deployment, the chatbot can be packaged as a REST API or integrated into messaging platforms like Telegram, WhatsApp, or Discord, making it more practical for real-world use. To ensure ethical and safe usage, content moderation tools and toxic language filters should be incorporated to prevent the generation of offensive or harmful content. Finally, the system can be optimized for performance through techniques like model quantization or pruning, making it suitable for deployment on low-resource or mobile devices. With these enhancements, the chatbot can evolve into a highly effective, intelligent, and domain-adaptable conversational assistant ready for real-world applications.

CONCLUSION

The development of an AI chatbot using Transformer-based models represents a significant advancement in the field of conversational artificial intelligence. Through this project, we have explored and implemented a powerful dialogue system using **DialoGPT**, a fine-tuned version of GPT-2 that is specifically optimized for generating context-aware, human-like responses in open-domain conversations. By leveraging the capabilities of the **Hugging Face Transformers** library and deploying the model in **Google Colab**, we were able to create an efficient and accessible prototype that showcases the potential of modern NLP technologies.

The project demonstrates how Transformer architectures, with their self-attention mechanisms and deep contextual understanding, outperform traditional rule-based and retrieval-based chatbots. The chatbot developed is capable of maintaining multi-turn dialogue, handling diverse topics, and responding fluently and coherently to user input. Although the model has some limitations—such as occasional inaccuracies, lack of long-term memory, and sensitivity to ambiguous queries—it serves as a strong foundation for building more advanced and intelligent conversational systems.

Overall, this project has provided valuable insights into the workings of large language models, the practical aspects of implementing AI-driven dialogue systems, and the future potential of Transformer-based technologies in real-world applications. With further enhancements such as voice integration, domain-specific fine-tuning, ethical safeguards, and deployment in various user-friendly platforms, the chatbot can be evolved into a fully functional virtual assistant capable of serving diverse needs across industries.

REFERENCES

1. Vaswani, A., Shazeer, N., Parmar, N., Uszkoreit, J., Jones, L., Gomez, A. N., ... & Polosukhin, I. (2017). *Attention is All You Need*. In Advances in Neural Information Processing Systems (NeurIPS). <https://arxiv.org/abs/1706.03762>
2. Radford, A., Wu, J., Child, R., Luan, D., Amodei, D., & Sutskever, I. (2019). *Language Models are Unsupervised Multitask Learners*. OpenAI. https://cdn.openai.com/better-language-models/language_models_are_unsupervised_multitask_learners.pdf
3. Zhang, Y., Sun, S., Galley, M., Chen, Y. C., Brockett, C., Gao, X., ... & Dolan, B. (2020). *DialoGPT: Large-Scale Generative Pre-training for Conversational Response Generation*. arXiv preprint arXiv:1911.00536. <https://arxiv.org/abs/1911.00536>
4. Hugging Face Transformers. (n.d.). *Transformers: State-of-the-art Natural Language Processing for Pytorch and TensorFlow 2.0*. <https://huggingface.co/transformers/>
5. Google Colab. (n.d.). *Google Colaboratory*. <https://colab.research.google.com/>
6. Brown, T. B., Mann, B., Ryder, N., Subbiah, M., Kaplan, J., Dhariwal, P., ... & Amodei, D. (2020). *Language Models are Few-Shot Learners*. In NeurIPS 2020. <https://arxiv.org/abs/2005.14165>
7. Wolf, T., Debut, L., Sanh, V., Chaumond, J., Delangue, C., Moi, A., ... & Rush, A. M. (2020). *Transformers: State-of-the-Art Natural Language Processing*. Proceedings of the 2020 Conference on Empirical Methods in Natural Language

AI Chatbot using Transformers

Sangam Kumar , Saqib Mehdi, Satyam Gupta, Ram Dubey

Mr. Apoorv Jain (Assistant Professor),

Master of Computer Application, KIET Group of Institution, Delhi-NCR,
Ghaziabad

AI Chatbot Using Transformers

Abstract

The rapid advancement of natural language processing (NLP) has revolutionized the development of conversational agents, commonly known as chatbots. Traditional chatbot models based on rule-based or retrieval methods often fail to generate coherent and contextually relevant responses in open-domain conversations. This research focuses on leveraging Transformer-based architectures, specifically DialoGPT, to build an AI chatbot capable of producing human-like, context-aware dialogue. The purpose of this study is to investigate how pre-trained Transformer models can be fine-tuned and applied to generate meaningful multi-turn conversations with improved fluency and adaptability across diverse topics. We analyze the architecture, training methodology, and performance of Transformer models in conversational tasks, comparing them with conventional approaches. Furthermore, the research aims to identify current limitations and potential future enhancements to develop more robust, personalized, and scalable chatbots. This work contributes to the

growing body of knowledge on deep learning-driven conversational AI and demonstrates practical implementations using open-source frameworks, providing a foundation for deploying intelligent virtual assistants in various real-world applications.

1. Introduction

In recent years, chatbots have evolved from simple rule-based systems to sophisticated conversational agents capable of understanding and generating natural language. The advancement of deep learning, particularly with Transformer-based architectures, has dramatically improved the quality of chatbot responses, making conversations more context-aware and human-like. This report explores the development of an AI chatbot leveraging Transformer models, focusing on DialoGPT, a state-of-the-art conversational model developed by Microsoft. We discuss the background of conversational AI, the key technology of Transformers, and the practical implementation of such a chatbot in Google Colab.

2. Background and Literature Review

2.1 Conversational AI and Chatbots

Conversational AI refers to technologies that enable machines to understand, process, and generate human language in a natural and meaningful way. Early chatbots such as ELIZA and ALICE were rule-based, relying heavily on pattern matching and scripted responses. While effective for limited domains, these approaches lacked scalability and flexibility.

2.2 Evolution of Neural Dialogue Systems

The introduction of Recurrent Neural Networks (RNNs) and Long Short-Term Memory (LSTM) networks marked a significant shift, enabling sequence-to-sequence models that could generate responses dynamically. However, these models struggled with long-range dependencies and were computationally expensive.

2.3 Transformer Architecture

Vaswani et al. (2017) introduced the Transformer architecture, which uses self-attention mechanisms instead of recurrence. Transformers allow models to consider all tokens simultaneously, enabling efficient training on large datasets and capturing long-range dependencies more effectively. This architecture underpins modern large-scale language models such as GPT, BERT, and their variants.

2.4 GPT and DialoGPT Models

GPT (Generative Pre-trained Transformer) models are autoregressive language models trained to predict the next token in a sequence. GPT-2, released by OpenAI, demonstrated remarkable text generation abilities. DialoGPT, a derivative of GPT-2, was fine-tuned on large-scale conversational data from Reddit, specifically optimized for dialogue generation. This makes DialoGPT particularly suited for chatbot applications.

2.5 Related Work

- **DialoGPT** (Zhang et al., 2019) demonstrated improved conversational fluency and relevance.
- **TransferTransfo** (Wolf et al., 2019) combined transfer learning with Transformers for persona-based chatbots.
- **GPT-3** (Brown et al., 2020) showcased few-shot learning capabilities enabling the model to perform multiple NLP tasks including conversation without fine-tuning.

3. Methodology

3.1 Problem Definition

The goal is to develop an AI chatbot that generates coherent, context-aware, and human-like responses in open-domain conversation using Transformer-based models.

3.2 Tools and Environment

- **Programming Language:** Python
- **Framework:** Hugging Face Transformers
- **Pretrained Model:** DialoGPT-medium
- **Platform:** Google Colab with GPU support

3.3 Data Source

DialoGPT is pretrained on large-scale Reddit conversations consisting of over 147 million multi-turn dialogues, enabling it to learn diverse conversational contexts.

3.4 Model Architecture

DialoGPT is based on the GPT-2 architecture consisting of multiple Transformer decoder layers, each with multi-head self-attention and feed-forward neural networks. The model is autoregressive, generating one token at a time conditioned on previous tokens.

3.5 Implementation Steps

- **Loading Model and Tokenizer:** Utilize Hugging Face APIs to load DialoGPT and the tokenizer.
- **Tokenization:** Convert user input text into token IDs that the model understands.
- **Input Formatting:** Concatenate new input with conversation history to maintain context.
- **Response Generation:** Use the model's `generate()` method with sampling parameters such as temperature and `top-k` to produce diverse and coherent responses.
- **Decoding:** Convert token IDs back to readable text.
- **Looping:** Implement a multi-turn conversation loop to continuously interact with the user.

3.6 Response Control and Sampling

To avoid repetitive or bland responses, sampling techniques like **top-k**, **top-p (nucleus sampling)**, and temperature scaling are applied during generation to balance randomness and coherence.

4. Results and Discussion

4.1 Chatbot Interaction Quality

The DialoGPT-based chatbot generates contextually relevant and grammatically coherent responses across diverse topics. It shows improvements over earlier rule-based and retrieval-based systems by producing more natural dialogue flow.

4.2 Multi-turn Conversation Handling

Maintaining conversation history enables the chatbot to reference earlier parts of the dialogue, allowing for more coherent multi-turn interactions.

4.3 Limitations

Despite its strengths, the chatbot sometimes produces generic or off-topic replies, especially with ambiguous or complex queries. The model also lacks explicit knowledge grounding, occasionally generating incorrect or nonsensical statements.

4.4 Comparison with Other Models

Compared to traditional seq2seq or retrieval-based chatbots, Transformer-based chatbots demonstrate superior language understanding and generation ability. However, they require substantial computational resources and may need fine-tuning for specific domains.

5. Future Enhancements

Several areas can further enhance the chatbot:

- **User Interface:** Integrating web or mobile GUI for better accessibility.
- **Long-term Memory:** Incorporating persistent user context for personalization.
- **Multilingual Support:** Extending support to multiple languages.
- **Knowledge Integration:** Combining retrieval-based methods or external knowledge bases for factual accuracy.
- **Domain Adaptation:** Fine-tuning the model on specialized datasets for applications like healthcare or customer service.
- **Voice Interaction:** Adding speech recognition and synthesis.
- **Ethical Filters:** Implementing toxicity and bias mitigation techniques.
- **Deployment:** Creating APIs and bots on platforms like Telegram or WhatsApp.

6. Conclusion

This project highlights the power of Transformer-based models in advancing chatbot technology. The DialoGPT chatbot developed demonstrates strong conversational capabilities

and opens avenues for future development in intelligent virtual assistants. Despite current limitations, Transformer architectures provide a scalable, flexible foundation for creating human-like, open-domain conversational agents.

7. References

- Vaswani, A., Shazeer, N., Parmar, N., Uszkoreit, J., Jones, L., Gomez, A. N., Kaiser, Ł., & Polosukhin, I. (2017). Attention is all you need. *Advances in Neural Information Processing Systems*, 30, 5998-6008. <https://arxiv.org/abs/1706.03762>
- Zhang, Y., Sun, S., Galley, M., Chen, Y. C., Brockett, C., Gao, X., ... & Dolan, B. (2020). DialoGPT: Large-scale generative pre-training for conversational response generation. *arXiv preprint arXiv:1911.00536*. <https://arxiv.org/abs/1911.00536>
- Radford, A., Wu, J., Child, R., Luan, D., Amodei, D., & Sutskever, I. (2019). Language models are unsupervised multitask learners. *OpenAI Blog*. https://cdn.openai.com/better-language-models/language_models_are_unsupervised_multitask_learners.pdf