ONLINE TIFFIN SERVICE SYSTEM

A Thesis Submitted In Partial Fulfillment of the Requirementsfor the Degree of

MASTER OF COMPUTER APPLICATION

in

FIELD OF SPECIALIZATION

by KAPIL KUMAR (1900290140018) DEVENDRA RAI (1900290140013) ABHISHEK JHA (1900290140001)

Under the Supervision of
Dr. VIPIN KUMAR
(Associate Professor)
KIET Group OF Institutions Ghaziabad Uttar Pradesh



to the

FACULTY OF COMPUTER APPLICATION

DR. APJ ABDUL KALAM TECHNICAL UNIVERSITYLUCKNOW

(Formerly Uttar Pradesh Technical University, Lucknow) August, 2021 **DECLARATION**

I hereby declare that the work presented in this report entitled

"ONLINE TIFFIN SERVICE SYSTEM", was carried out by me. I have

not submitted the matter embodied in this report for the award of any other

degree or diploma of any other University or Institute.

I have given due credit to the original authors/sources for all the words,

ideas, diagrams, graphics, computer programs, experiments, results, that are

not my original contribution. I have used quotation marks to identify

verbatim sentences and given credit to the original authors/sources.

I affirm that no portion of my work is plagiarized, and the experiments and

results reported in the report are not manipulated. In the event of a

complaint of plagiarism and the manipulation of the experiments and

results, I shall be fully responsible and answerable.

KAPIL KUMAR (1900290140018)

DEVENDRA RAI (1900290140013)

ABHISHEK JHA (1900290140001)

(Candidate Signature)

ii

CERTIFICATE

Certified KAPIL **KUMAR** that (1900290140018), DEVENDRA RAI (1900290140013), ABHISHEK JHA (1900290140001) has carried out the research work presented in this thesis entitled "ONLINE TIFFIN SERVICE SYSTEM" for the award of **MASTER OF COMPUTER APPLICATION** from Dr. APJ Abdul Kalam Technical University, Lucknow under my supervision. The thesis embodies results of original work, and studies are carried out by the student himself/herself (print only that is applicable) and the contents of the thesis do not form the basis for the award of any other degree to the candidate or to anybody else from this or any other University/Institution.

Signature	
(Name of Supervisor)	
(Designation)	
(Address)	
Date:	

ABSTRACT

Online Tiffin Service System (OTSS) is an established concept which is used to manage online Tiffin services lifecycle through various technologies and process oriented tools. This study identifies how web application can be utilized to provide food services to the customers and to understand the potential of web application in the business environment.

Online Tiffin Service System is a web based application which allows the administrator to handle all the activities online quickly and safely. Using Interactive GUI anyone can quickly learn to use the complete system. This system will give power and flexibility to administrator to manage the entire system from a single online portal.

In Online Tiffin Service System we use PHP and MySQL Database. This project keeps the records of Tiffin orders. This project has two module i.e. admin and user.

The aim of doing this project is to have practical knowledge of Tiffin service's team and their actual performance in the supply and management of food delivery service. Now a day's readymade food is easily available but homemade food and its taste is a different matter. In our busy schedule fresh and homemade food preparation is difficult in early mornings. But it is made possible by Tiffin service carry homemade food and deliver the same before our lunch time.

This web application allows food seekers to directly order a Tiffin for their afternoon lunch online. This application is built to be beneficial to student knowledge as well as help Tiffin service provider.

ACKNOWLEDGEMENTS

I would like to express my sincere gratitude to several individuals and organizations for supporting me throughout my Project. First, I wish to express my sincere gratitude to my supervisor, Dr. Vipin Kumar (Associate Professor), for his enthusiasm, patience, insightful comments, helpful information, practical advice and unceasing ideas that have helped me tremendously at all times in my research and writing of this thesis. His immense knowledge, profound experience and professional expertise in Data Quality Control has enabled me to complete this research successfully. Without his support and guidance, this project would not have been possible. I could not have imagined having a better supervisor in my study.

KAPIL KUMAR

DEVENDRA RAI

ABHISHEK JHA

Table of Contents

Chapter :	1. Introduction	Page No.
	1) Introduction to the System	4
	2) Problem Definition	4
	3) Aim	4
	4) Objective	4
	5) Goal	5
	6) Need of System	5
<u>Chapter</u>	2. Hardware and Software requ	<u>uirement</u>
	1) Introduction	7
	2) System environment	7
	3) Software requirement	8
	4) Hardware requirements	8
Chapte	r 3. System Analysis	
	1) Purpose	9
	2) Project Scope	9
	3) Existing System	9
	4) Proposed System	9
	5) System Description	10

Chapter 4.Implementation issues

1)	PHP	11
2)	HTML	13
3)	Cascading style sheet(CSS)	16
<u>Chapter :</u>	<u> 5. System Design</u>	
1)	Introduction	21
2)	Conceptual Design	22
3)	ER-Diagram	23
4)	Logical Design	23
5)	Physical Design	24
6)	Data Flow Diagram of "Tiffin Service System"	24
<u>Chapter</u>	6.User Screens	25-32
<u>Chapter</u>	7.Coding	33-113
<u>Chapter 8</u>	B. Conclusion	
7)	Features of "Tiffin Service System"	114
8)	Benefits Accrued from "Tiffin Service System"	114
9)	Limitations of "Tiffin Service System"	115

Bibliography

Online Tiffin Service System (OTSS) is an established concept which is used to manage online Tiffin services lifecycle through various technologies and process oriented tools. This study identifies how web application can be utilized to provide food services to the customers and to understand the potential of web application in the business environment.

Introduction

Introduction:-

Online Tiffin Service System is a web based application which allows the administrator to handle all the activities online quickly and safely. Using Interactive GUI anyone can quickly learn to use the complete system. This system will give power and flexibility to administrator to manage the entire system from a single online portal.

In Online Tiffin Service System we use PHP and MySQL Database. This project keeps the records of Tiffin orders. This project has two module i.e. admin and user.

Admin Module

- **1. Dashboard**: In this section, admin can briefly view the total new orders, total confirmed orders, total cancelled orders and total orders.
- **2. Tiffin:** In this section, admin can manage Tiffin (Add/Update).
- **3. Order:** In this section admin can view the Tiffin order details and they have also right to change order status according to current status.
- **4. Invoices:** In this section, admin can view invoices of the tiffin orders and also take print of invoice.
- **5. Reports:** In this section admin can view the Tiffin details and check the sales reports (month wise/year wise) in a particular period.
- **6. Search Invoice:** In this section, admin can search Tiffin invoice with the help of customer invoice number, Name and Mobile Number.

7. Search Order: In this section, admin can search tiffin orders invoice with the help of customer invoice number, Name and Mobile Number.

Admin can also update his profile, change the password and recover the password.

User Module

- 1. Home Page: In this section, user can view home page of web application and also view which food available in Tiffin service and order that food.
- 2. My orders: In this section, user can view order history and invoice after login.
- 3. My Profile: In this section, user can view and update his/her profile.
- 4. Setting: In this section, user can change his/her password.
- 5.Log out: The user can be logged off the system using this module.

Brief Information about the homepage

In this page guest user (user which not registered) can view Tiffin service, view about us and contact us of Tiffin provider and the guest user can also sign in and signup with Tiffin provider.

Objective

The aim of doing this project is to have practical knowledge of Tiffin service's team and their actual performance in the supply and management of food delivery service.

Now a day's readymade food is easily available but homemade food and its taste is a different matter. In our busy schedule fresh and homemade food preparation is difficult in early mornings. But it is made possible by Tiffin service carry homemade food and deliver the same before our lunch time. This web application allows food seekers to directly order a Tiffin for their afternoon lunch online. This application is built to be beneficial to student knowledge as well as help Tiffin service provider.

Existing System

The present scenario offers manual data entry. A lot of time is wasted in creating the reports as well as maintaining them. In case, if any query arises to get the information about the customer, the whole report is re-typed or xeroxed. This seriously affects the authentication of the system. This Online Tiffin Service System is totally outdated and involves high risk of ambiguity and redundancy.

Proposed System

The proposed Online Tiffin Service System is to have everything completely automated and computerized. The software is very easy to use and manage even for a non technical person. The redundancy and ambiguity will be removed by assigning every customer a unique order number.

Advantages of Online Tiffin Service System

• Website can be easily accessible to the customers and saves their time.

- It eliminates the use of ordering through phone that causes incessant load on the workers in taking and processing orders whereas online ordering automates this process.
- Customers can order online at any time of the day.

Disadvantages of Online Tiffin Service System

• One cannot cancel the order once given.

Requirement Specification

Hardware Configuration:

Client Side:

RAM	512 MB
Hard disk	10 GB
Processor	1.0 GHz

Table 1

Server side:

RAM	1 GB
Hard disk	20 GB
Processor	2.0 GHz

Table 2

Software Requirement:

Client Side:

Web Browser	Google Chrome or any compatible browser
Operating System	
	Windows or any equivalent OS

Table 3

Server Side:

Web Server	APACHE
Server side Language	PHP5.6 or above version
Database Server	MYSQL
	Google Chrome or any compatible
Web Browser	browser
Operating System	Windows or any equivalent OS

Table 4

APACHE

The Apache HTTP Server Project is an effort to develop and maintain an open-source HTTP server for modern operating systems including UNIX and Windows. The goal of this project is to provide a secure, efficient and extensible server that provides HTTP services in sync with the current HTTP standards.

The Apache HTTP Server ("httpd") was launched in 1995 and it has been the most popular web server on the Internet since April 1996. It has celebrated its 20th birthday as a project in February 2015.

PHP

• PHP stands for PHP: Hypertext Preprocessor.

- PHP is a server-side scripting language, like ASP.
- PHP scripts are executed on the server.
- PHP supports many databases (MYSQL, Informix, Oracle, Sybase, Solid, Generic ODBC, etc.).
- PHP is an open source software.
- PHP is free to download and use.

MYSQL

- MYSQL is a database server
- MYSQL is ideal for both small and large applications
- MYSQL supports standard SQL
- MYSQL compiles on a number of platforms
- MYSQL is free to download and use

How to access MySQL: http://localhost/phpmyadmin

Analysis and Design

Analysis:

The present scenario offers manual data entry. A lot of time is wasted in creating the reports as well as maintaining them. In case, if any query arises to get the information about the client, the whole report is re-typed or Xeroxed. This seriously affects the authentication of the system. This Client Management System is totally outdated and involves high risk of ambiguity and redundancy.

Disadvantage of present system:

- **Not user friendly:** The present system not user friendly because data is not stored in structure and proper format.
- **Manual Control:** All report calculation is done manually so there is a chance of error.
- Lots of paper work: Visitors maintain in the register so lots of paper require storing details.
- Time consuming

Design Introduction:

Design is the first step in the development phase for any techniques and principles for the purpose of defining a device, a process or system in

sufficient detail to permit its physical realization.

Once the software requirements have been analyzed and specified the software design involves three technical activities - design, coding, implementation and testing that are required to build and verify the software.

The design activities are of main importance in this phase, because in this activity, decisions ultimately affecting the success of the software implementation and its ease of maintenance are made. These decisions have the final bearing upon reliability and maintainability of the system. Design is the only way to accurately translate the customer's requirements into finished software or a system.

Design is the place where quality is fostered in development. Software design is a process through which requirements are translated into a representation of software. Software design is conducted in two steps. Preliminary design is concerned with the transformation of requirements into data

UML Diagrams:

Actor:

A coherent set of roles that users of use cases play when interacting with the use `cases.



Use case: A description of sequence of actions, including variants, that a system performs that yields an observable result of value of an actor.

UML stands for Unified Modeling Language. UML is a language for specifying, visualizing and documenting the system. This is the step while developing any product after analysis. The goal from this is to produce a model of the entities involved in the project which later need to be built. The representation of the entities that are to be used in the product being developed need to be designed.

USECASE DIAGRAMS:

Use case diagrams model behavior within a system and helps the developers understand of what the user require. The stick man represents what's called an actor.

Use case diagram can be useful for getting an overall view of the system and clarifying who can do and more importantly what they can't do.

Use case diagram consists of use cases and actors and shows the interaction between the use case and actors.

- The purpose is to show the interactions between the use case and actor.
- To represent the system requirements from user's perspective.
- An actor could be the end-user of the system or an external system.

USECASE DIAGRAM: A Use case is a description of set of sequence of actions. Graphically it is rendered as an ellipse with solid line including only its name. Use case diagram is a behavioral diagram that shows a set of use cases and actors and their relationship. It is an association between the use cases and actors. An actor represents a real-world object. Primary Actor – Sender, Secondary Actor Receiver.

Use Case Diagrams:





Figure 1



Class Diagram:

A description of set of objects that share the same attributes operations, relationships, and semantics




Figure 3

ER Diagram:

The Entity-Relationship (ER) model was originally proposed by Peter

in 1976 [Chen76] as a way to unify the network and relational database views. Simply stated the ER model is a conceptual data model that views the real world as entities and relationships. A basic component of the model is the Entity-Relationship diagram which is used to visually represent data objects. Since Chen wrote his paper the model has been extended and today it is commonly used for database design for the database designer, the utility of the ER model is:

- It maps well to the relational model. The constructs used in the ER model can easily be transformed into relational tables.
- It is simple and easy to understand with a minimum of training. Therefore, the model can be used by the database designer to communicate the design to the end user.
- In addition, the model can be used as a design plan by the database developer to implement a data model in specific database management software.

ER Notation

There is no standard for representing data objects in ER diagrams. Each modeling methodology uses its own notation. The original notation used by Chen is widely used in academics texts and journals but rarely seen in either CASE tools or publications by non-academics. Today, there are a number of notations used; among the more common are Bachman, crow's foot, and IDEFIX.

All notational styles represent entities as rectangular boxes and relationships as lines connecting boxes. Each style uses a special set of symbols to represent the cardinality of a connection. The notation used in this document is from Martin. The symbols used for the basic ER constructs are:

• Entities are represented by labeled rectangles. The label is the name of the entity. Entity names should be singular nouns.

- **Relationships** are represented by a solid line connecting two entities. The name of the relationship is written above the line. Relationship names should be verbs
- Attributes, when included, are listed inside the entity rectangle. Attributes
 which are identifiers are underlined. Attribute names should be singular
 nouns.
- Cardinality of many is represented by a line ending in a crow's foot. If the crow's foot is omitted, the cardinality is one.

Existence

It is represented by placing a circle or a perpendicular bar on the line. Mandatory existence is shown by the bar (looks like a 1) next to the entity for an instance is required. Optional existence is shown by placing a circle next to the entity that is optional.

ER Diagram



Figure 4 (ER diagram)

MySQL Data Tables:

Admin Table :(Table name is admin)

This store admin personal and login details.

#	Name	Туре	Collation	Attributes	Null	Default	Comments	Extra
1	ID 🔑	int(10)			No	None		AUTO_INCREMENT
2	AdminName	varchar(120)	utf8mb4_general_ci		Yes	NULL		
3	UserName	varchar(120)	utf8mb4_general_ci		Yes	NULL		
4	MobileNumber	bigint(10)			Yes	NULL		
5	Email	varchar(120)	utf8mb4_general_ci		Yes	NULL		
6	Password	varchar(120)	utf8mb4_general_ci		Yes	NULL		
7	AdminRegdate	timestamp			Yes	current_timestamp()		

Table

Order Table (Table name is tblorder)

This table store the date of order received.

#	Name	Туре	Collation	Attributes	Null	Default	Comments	Extra
1	ID 🔑	int(10)			No	None		AUTO_INCREMENT
2	TiffinID	int(10)			Yes	NULL		
3	UserID	int(5)			No	None		
4	OrderNumber	int(10)			Yes	NULL		
5	FullName	varchar(120)	utf8mb4_general_ci		Yes	NULL		
6	Email	varchar(200)	utf8mb4_general_ci		Yes	NULL		
7	MobileNumber	bigint(10)			Yes	NULL		
8	Quantity	int(10)			Yes	NULL		
9	FromDate	varchar(200)	utf8mb4_general_ci		Yes	NULL		
10	ToDate	varchar(200)	utf8mb4_general_ci		Yes	NULL		
11	Time	varchar(50)	utf8mb4_general_ci		Yes	NULL		
12	Address	mediumtext	utf8mb4_general_ci		Yes			
13	OrderDate	timestamp			Yes	current_timestamp()		
14	TotalCost	varchar(200)	utf8mb4_general_ci		No	None		
15	Remark	varchar(200)	utf8mb4_general_ci		No	None		
16	Status	varchar(50)	utf8mb4_general_ci		Yes	NULL		
17	UpdationDate	timestamp			Yes	NULL		ON UPDATE CURRENT_TIMESTAMP()

Table 6

Page Table: (Table name is tblpage)

This store the about us and contact us details.

#	Name	Туре	Collation	Attributes	Null	Default	Comments	Extra
1	ID 🔑	int(10)			No	None		AUTO_INCREMENT
2	PageType	varchar(120)	utf8mb4_general_ci		Yes	NULL		
3	PageTitle	mediumtext	utf8mb4_general_ci		Yes			
4	PageDescription	mediumtext	utf8mb4_general_ci		Yes			
5	Email	varchar(200)	utf8mb4_general_ci		Yes	NULL		
6	MobileNumber	bigint(10)			Yes	NULL	·	
7	UpdationDate	timestamp			Yes	NULL		ON UPDATE CURRENT_TIMESTAMP()

Table 7

Tiffin Service Table: (Table name is tbltiffin)

This store the detail of tiffin service

#	Name	Туре	Collation	Attributes	Null	Default	Comments	Extra
1	ID 🔊	int(10)			No	None		AUTO_INCREMENT
2	Туре	varchar(120)	utf8mb4_general_ci		Yes	NULL		
3	Title	varchar(200)	utf8mb4_general_ci		No	None		
4	Description	mediumtext	utf8mb4_general_ci		Yes			
5	Cost	int(10)			Yes	NULL		
6	Image	varchar(120)	utf8mb4_general_ci		Yes	NULL		
7	PostDate	timestamp			Yes	current_timestamp()		

Table 8

Registered User Table: (Table name is tbluser)

This store the detail of users

#	Name	Туре	Collation	Attributes	Null	Default	Comments	Extra
1	ID 🔑	int(10)			No	None		AUTO_INCREMENT
2	FullName	varchar(200)	utf8mb4_general_ci		Yes	NULL		
3	MobileNumber	bigint(10)			Yes	NULL		
4	Email	varchar(200)	utf8mb4_general_ci		Yes	NULL		
5	Password	varchar(200)	utf8mb4_general_ci		Yes	NULL		
6	RegDate	timestamp			Yes	current_timestamp()		

Table 9

Implementation and System Testing

After all phase have been perfectly done, the system will be implemented to the server and the system can be used.

System Testing

The goal of the system testing process was to determine all faults in our project. The program was subjected to a set of test inputs and many explanations were made and based on these explanations it will be decided whether the program behaves as expected or not. Our Project went through two levels of testing

- 1. Unit testing
- 2. Integration testing

UNIT TESTING

Unit testing is commenced when a unit has been created and effectively reviewed. In order to test a single module we need to provide a complete environment i.e. besides the section we would require

- The procedures belonging to other units that the unit under test calls
- Non local data structures that module accesses
- A procedure to call the functions of the unit under test with appropriate parameters

1. Test for the admin module

• **Testing admin login form-**This form is used for log in of administrator of the system. In this form we enter the username and password if both are correct administration page will open otherwise if any of data is wrong it will get redirected back to the login page and again ask the details

• Report Generation: admin can generate report from the main database.

INTEGRATION TESTING

In the Integration testing we test various combination of the project module by providing the input.

The primary objective is to test the module interfaces in order to confirm that no errors are occurring when one module invokes the other module.

EVALUATION

Project URL: http://localhost/otss

23

Home Page




Figure 5 (home page)

Contact Us Page




Figure 6 (contact us page)

About Us Page




Figure 7 (about us page)

User Registration Page




Figure 8 (user registration page)

User Login Page




Figure 9 (user login page)

User Forgot Page




Figure 10 (user forgot page)

Tiffin Order Form

Online Tiffin Service System	
HOME ABOUT CONTACT MY ORDER	My Profile Setting Logout
TIFFIN ORDER Home/Tiffin Order	
TIFFIN ORDER FORM Ordering Food Was Never So Simple !!!!!. Name Test test@gmail.com 6544644654 Quantity(eg:1,2 etc) From Date: dd-mm-yyyy To Date: dd-mm-yyyy Address	Title Small Veg Tiffin Cost:50 Description It's contains 1. One Sabji 2. Six Poori
	TIFFIN ORDER Home/Tiffin Order TIFFIN ORDER FORM Ordering Food Was Never So Simple !!!!!. Name Test test@gmail.com 6544644654 Quantity(eg:1,2 etc) From Date: dd-mm-yyyy To Date: dd-mm-yyyy Address

Figure 11 (tiffin order form)

Order Page




Figure 12 (order page)

Invoice Page




Figure 13 (invoice page)

User Profile




Figure 14 (user profile)

Change Password




Figure 15 (change password)

Admin Login Page




Figure 16 (admin login page)

Dashboard




Figure 17 (dashboard)

Profile




Figure 18 (profile)

Change Password




Figure 19 (change password)

Add Tiffin




Figure 20 (add tiffin)

Manage Tiffin




Figure 21 (manage tiffin)

Update Tiffin




Figure 22 (update tiffin)

Update Food Image




Figure 23 (update food image)

New Order




Figure 24 (new order)

View New Order




Figure 25 (view new order)

Confirmed Order




Figure 26 (confirmed order)

View Confirmed Order




Figure 27 (view confirmed order)

Cancelled Order




Figure 28 (cancelled order)

View Cancelled Order




Figure 29 (view cancelled order)

Invoice List




Figure 30 (invoice list)

View Invoice




Figure 31 (view invoice)

Search Order




Figure 32 (search order)

Search Invoice




Figure 33 (search invoice)

Between Dates Reports




Figure 34 (between dates reports)

View between Dates Report




Figure 35 (view between dates report)

Sales Report




Figure 36 (sales report)

View Sales Report




Figure 37 (view sales report)

About Us Page




Figure 38 (about us page)

Contact Us Page




Figure 39 (contact us page)

Forgot Page




Figure 40 (forgot page)

SOURCE CODE:

Home Page:

```
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
?>
<!DOCTYPE html>
<html>
<head>
<title>Online Tiffin Service System | Home Page</title>
<link href="css/bootstrap.css" rel='stylesheet' type='text/css' />
<!-- ¡Query (necessary for Bootstrap's JavaScript plugins) -->
<script src="js/jquery.min.js"></script>
<!-- Custom Theme files -->
k href="css/style.css" rel="stylesheet" type="text/css" media="all" />
<!-- Custom Theme files -->
<script type="application/x-javascript"> addEventListener("load", function() {
setTimeout(hideURLbar, 0); }, false); function hideURLbar(){
window.scrollTo(0,1); } </script>
<!--webfont-->
link
href='//fonts.googleapis.com/css?family=Source+Sans+Pro:200,300,400,600,700,9
00,200italic,300italic,400italic,600italic,700italic,900italic' rel='stylesheet'
type='text/css'>
link
href='//fonts.googleapis.com/css?family=Lobster+Two:400,400italic,700,700italic'
rel='stylesheet' type='text/css'>
<!--Animation-->
<script src="js/wow.min.js"></script>
<link href="css/animate.css" rel='stylesheet' type='text/css' />
<script>
      new WOW().init();
```

```
</script>
<script src="js/simpleCart.min.js"> </script>
<script type="text/javascript" src="js/move-top.js"></script>
<script type="text/javascript" src="js/easing.js"></script>
<script type="text/javascript">
                   iQuery(document).ready(function($) {
                         $(".scroll").click(function(event){
                                event.preventDefault();
      $('html,body').animate({scrollTop:$(this.hash).offset().top},1200);
                         });
                   });
            </script>
</head>
<body>
  <!-- header-section-starts -->
      <div class="header">
             <?php include_once('includes/header.php');?>
            <div class="banner wow fadeInUp" data-wow-delay="0.4s"</pre>
id="Home">
               <div class="container">
                         <div class="banner-info">
                                <div class="banner-info-head text-center wow</pre>
fadeInLeft" data-wow-delay="0.5s">
                                      <h1>Online Tiffin Service System</h1>
                                      <div class="line">
                                             <h2> To Order Online</h2>
                                      </div>
                                </div>
                         </div>
                   </div>
             </div>
      </div>
      <!-- header-section-ends -->
      <!-- content-section-starts -->
      <div class="content">
            <div class="ordering-section" id="Order">
                   <div class="container">
```

```
<div class="ordering-section-head text-center wow</pre>
bounceInRight" data-wow-delay="0.4s">
                              <h3>Ordering food was never so easy</h3>
                              <div class="dotted-line">
                                    <h4>Just 4 steps to follow </h4>
                              </div>
                        </div>
                        <div class="ordering-section-grids">
                              <div class="col-md-3 ordering-section-grid">
                                    <div class="ordering-section-grid-process</pre>
wow fadeInRight" data-wow-delay="0.4s">
                                           <i class="one"></i><br>
                                           <i class="one-icon"></i>
                                           Choose <span>Your Tiffin
Service</span>
                                           <label></label>
                                    </div>
                              </div>
                              <div class="col-md-3 ordering-section-grid">
                                    <div class="ordering-section-grid-process</pre>
wow fadeInRight" data-wow-delay="0.4s">
                                           <i class="two"></i><br>
                                           <i class="two-icon"></i>
                                           Order <span>Your
Tiffin</span>
                                           <label></label>
                                    </div>
                              </div>
                              <div class="col-md-3 ordering-section-grid">
                                     <div class="ordering-section-grid-process"</pre>
wow fadeInRight" data-wow-delay="0.4s">
                                           <i class="three"></i><br>
                                           <i class="three-icon"></i>
                                           Pay <span>on
delivery</span>
                                           <label></label>
                                    </div>
                              </div>
```

```
<div class="col-md-3 ordering-section-grid">
                                     <div class="ordering-section-grid-process</pre>
wow fadeInRight" data-wow-delay="0.4s">
                                           <i class="four"></i><br>
                                           <i class="four-icon"></i>
                                           Enjoy <span>your
tiffin</span>
                                     </div>
                               </div>
                               <div class="clearfix"></div>
                        </div>
                  </div>
            </div>
            <div class="popular-restaurents" id="Popular-Restaurants">
                  <div class="container">
                        <div class="special-offers-section-head text-center"</pre>
dotted-line">
                               <div>
                                     <h3>Food Available</h3>
                               </div>
                               <br/>>
                              <div class="top-cuisine-grids">
                                     <?php
           $sql="SELECT * from tbltiffin";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
if($query->rowCount() > 0)
foreach($results as $row)
          ?>
                                     <div class="col-md-3" data-wow-
delay="0.4s">
```

```
<a href="order.php?oid=<?php echo
$row->ID;?>"><img src="admin/images/<?php echo $row->Image;?>"
width="200" height="200" /> </a>
                                            <label style="padding-top:</pre>
20px;padding-bottom: 20px"><?php echo htmlentities($row->Title);?>: $<?php
echo htmlentities($row->Cost);?></label>
                                  </div>
                               <?php $cnt=$cnt+1;}} ?>
                                     <div class="clearfix"></div>
                               </div>
                         </div>
                         <div class="clearfix"></div>
                   </div>
            </div>
      </div>
      <!-- content-section-ends -->
      <!-- footer-section-starts -->
<?php include_once('includes/footer.php');?>
      <!-- footer-section-ends -->
       <script type="text/javascript">
                                     $(document).ready(function() {
                                            var defaults = {
                                                  containerID: 'toTop', // fading
element id
                                                  containerHoverID:
'toTopHover', // fading element hover id
                                                  scrollSpeed: 1200,
                                                  easingType: 'linear'
                                            };
                                            */
                                            $().UItoTop({ easingType:
```

```
'easeOutQuart' });

});

</script>

<a href="#" id="toTop" style="display: block;"> <span id="toTopHover" style="opacity: 1;"> </span></a>

</body>
</html>
```

Login Page Coding:

```
foreach ($results as $result) {
$_SESSION['otssuid']=$result->ID;
$_SESSION['login']=$_POST['email'];
echo "<script type='text/javascript'> document.location ='index.php'; </script>";
} else{
echo "<script>alert('Invalid Details');</script>";
}
?>
<!DOCTYPE html>
<html>
<head>
<title>Online Tiffin Service System | login page</title>
k href="css/bootstrap.css" rel='stylesheet' type='text/css' />
<!-- ¡Query (necessary for Bootstrap's JavaScript plugins) -->
<script src="js/jquery.min.js"></script>
<!-- Custom Theme files -->
k href="css/style.css" rel="stylesheet" type="text/css" media="all" />
<!-- Custom Theme files -->
<script type="application/x-javascript"> addEventListener("load", function() {
setTimeout(hideURLbar, 0); }, false); function hideURLbar(){ window.scrollTo(0,1); }
</script>
<!--webfont-->
link
href='//fonts.googleapis.com/css?family=Source+Sans+Pro:200,300,400,600,700,900,200italic,3
00italic,400italic,600italic,700italic,900italic' rel='stylesheet' type='text/css'>
link href='//fonts.googleapis.com/css?family=Lobster+Two:400,400italic,700,700italic'
rel='stylesheet' type='text/css'>
<!--Animation-->
<script src="js/wow.min.js"></script>
k href="css/animate.css" rel='stylesheet' type='text/css' />
<script>
       new WOW().init();
</script>
<script type="text/javascript" src="js/move-top.js"></script>
<script type="text/javascript" src="js/easing.js"></script>
<script type="text/javascript">
                      ¡Query(document).ready(function($) {
                             $(".scroll").click(function(event){
                                    event.preventDefault();
```

```
$('html,body').animate({scrollTop:$(this.hash).offset().top},1200);
                          });
                    });
             </script>
<script src="js/simpleCart.min.js"> </script>
</head>
<body>
  <!-- header-section-starts -->
      <div class="header">
      <?php include_once('includes/header.php');?>
      </div>
      <!-- header-section-ends -->
      <!-- content-section-starts -->
      <div class="content">
      <div class="container">
             <div class="login-page">
                      <div class="dreamcrub">
                           cli class="home">
            <a href="index.php" title="Go to Home Page">Home</a>&nbsp;
            <span>&gt;</span>
           cli class="women">
            Login
           <a href="index.php">Back to Previous Page</a>
         <div class="clearfix"></div>
                     <div class="account_grid">
                     <div class="col-md-6 login-left wow fadeInLeft" data-wow-</pre>
delay="0.4s">
                           <h3>NEW CUSTOMERS</h3>
                           Sy creating an account with our store, you will be able to
move through the checkout process faster, store multiple shipping addresses, view and track your
orders in your account and more.
                           <a class="acount-btn" href="register.php">Create an Account</a>
                     </div>
                     <div class="col-md-6 login-right wow fadeInRight" data-wow-</pre>
delay="0.4s">
                          <h3>REGISTERED CUSTOMERS</h3>
                          If you have an account with us, please log in.
```

```
<form method="post">
                              <div>
                                    <span>Email Address<label>*</label></span>
                                    <input type="email" placeholder="Email address"
name="email" required="true">
                              </div>
                              <div>
                                    <span>Password<label>*</label></span>
                                    <input type="password" placeholder="Password"
name="password" required="true">
                              <a href="forgot-password.php">Forgot your password?</a>
                              <input type="submit" value="Login" name="login">
                        </form>
                       </div>
                       <div class="clearfix"> </div>
                      </div>
                </div>
</div>
<div class="clearfix"></div>
       </div>
       <!-- content-section-ends -->
       <!-- footer-section-starts -->
       <?php include_once('includes/footer.php');?>
       <!-- footer-section-ends -->
        <script type="text/javascript">
                                           $(document).ready(function() {
                                                  var defaults = {
                                                         containerID: 'toTop', // fading
element id
                                                         containerHoverID: 'toTopHover', //
fading element hover id
                                                         scrollSpeed: 1200,
                                                         easingType: 'linear'
                                                  };
                                                  $().UItoTop({ easingType: 'easeOutQuart'
});
                                           });
                                    </script>
                            <a href="#" id="toTop" style="display: block;"> <span
```

```
id="toTopHover" style="opacity: 1;"> </span></a>
</body>
</html>
Registration Page Coding:
<?php
session start();
error_reporting(0);
include('includes/dbconnection.php');
if(isset($_POST['submit']))
  $fname=$ POST['fname'];
  $mobno=$_POST['mobno'];
  $email=$_POST['email'];
  $password=md5($_POST['password']);
  $ret="select Email from tbluser where Email=:email";
  $query=$dbh -> prepare($ret);
  $query-> bindParam(':email', $email, PDO::PARAM_STR);
  $query-> execute();
  $results = $query -> fetchAll(PDO::FETCH_OBJ);
if(\text{query -> rowCount}() == 0)
$sql="Insert Into
tbluser(FullName, MobileNumber, Email, Password) Values (:fname,:mobno,:email,:
password)";
$query = $dbh->prepare($sql);
$query->bindParam(':fname',$fname,PDO::PARAM STR);
$query->bindParam(':email',$email,PDO::PARAM STR);
$query->bindParam(':mobno',$mobno,PDO::PARAM_INT);
$query->bindParam(':password',$password,PDO::PARAM_STR);
$query->execute();
$lastInsertId = $dbh->lastInsertId();
if($lastInsertId)
{
echo "<script>alert('You have successfully registered with us');</script>";
else
```

```
echo "<script>alert('Something went wrong.Please try again');</script>";
}
else
echo "<script>alert('Email-id already exist. Please try again');</script>";
}
?>
<!DOCTYPE html>
<html>
<head>
<title>Online Tiffin Service System | Register page</title>
k href="css/bootstrap.css" rel='stylesheet' type='text/css' />
<!-- ¡Query (necessary for Bootstrap's JavaScript plugins) -->
<script src="js/jquery.min.js"></script>
<!-- Custom Theme files -->
k href="css/style.css" rel="stylesheet" type="text/css" media="all" />
<!-- Custom Theme files -->
<script type="application/x-javascript"> addEventListener("load", function() {
setTimeout(hideURLbar, 0); }, false); function hideURLbar(){
window.scrollTo(0,1); } </script>
<!--webfont-->
link
href='//fonts.googleapis.com/css?family=Source+Sans+Pro:200,300,400,600,700,9
00,200italic,300italic,400italic,600italic,700italic,900italic' rel='stylesheet'
type='text/css'>
link
href='//fonts.googleapis.com/css?family=Lobster+Two:400,400italic,700,700italic'
rel='stylesheet' type='text/css'>
<!--Animation-->
<script src="js/wow.min.js"></script>
<link href="css/animate.css" rel='stylesheet' type='text/css' />
<script>
      new WOW().init();
```

```
</script>
<script type="text/javascript" src="js/move-top.js"></script>
<script type="text/javascript" src="js/easing.js"></script>
<script type="text/javascript">
                 iQuery(document).ready(function($) {
                       $(".scroll").click(function(event){
                             event.preventDefault();
     $('html,body').animate({scrollTop:$(this.hash).offset().top},1200);
                       });
                 });
           </script>
<script src="js/simpleCart.min.js"> </script>
</head>
<body>
  <!-- header-section-starts -->
     <div class="header">
     <?php include_once('includes/header.php');?>
      </div>
      <!-- header-section-ends -->
      <!-- content-section-starts -->
      <div class="content">
      <div class="container">
           <div class="login-page">
                   <div class="dreamcrub">
                        cli class="home">
             <a href="index.php" title="Go to Home Page">Home</a>&nbsp;
             <span>&gt;</span>
           cli class="women">
             Sign Up
           <a href="index.php">Back to Previous Page</a>
         <div class="clearfix"></div>
```

```
</div>
                    <div class="account_grid">
                    <div class="col-md-6 login-left wow fadeInLeft" data-wow-
delay="0.4s">
                         <h3>Existing CUSTOMERS</h3>
                         Sy creating an account with our store, you will be
able to move through the checkout process faster, store multiple shipping
addresses, view and track your orders in your account and more.
                         <a class="acount-btn" href="login.php">Already Have
an Account</a>
                    </div>
                    <div class="col-md-6 login-right wow fadeInRight" data-</pre>
wow-delay="0.4s">
                        <h3>REGISTERED With Us</h3>
                        If you have not an account with us, please Sign
Up.
                        <form method="post">
                         <div>
                              <span>Full Name<label>*</label></span>
                              <input type="text" placeholder="Full Name"</pre>
name="fname" required="true">
                         </div>
                         <div>
                              <span>Mobile Number<label>*</label></span>
                                    <input type="text" placeholder="Mobile"</pre>
name="mobno" maxlength="10" pattern="[0-9]+" required="true">
                         </div>
                          <div>
                               <span>Email Address<label>*</label></span>
                                     <input type="email" placeholder="Email"</pre>
name="email" id="email" required="true" onBlur="userAvailability()">
                                      <span id="user-availability-status1"</pre>
 style="font-size:12px;"></span>
                          </div>
                          <div>
                              <span>Password<label>*</label></span>
```

```
<input type="password"</pre>
placeholder="Password" name="password" required="true">
                           </div>
                           <input type="submit" value="Sign Up" name="submit"</pre>
id="submit" style="cursor:pointer">
                      </form>
                     </div>
                     <div class="clearfix"> </div>
                    </div>
               </div>
</div>
<div class="clearfix"></div>
      </div>
      <!-- content-section-ends -->
      <!-- footer-section-starts -->
      <?php include_once('includes/footer.php');?>
      <!-- footer-section-ends -->
       <script type="text/javascript">
                                      $(document).ready(function() {
                                             var defaults = {
                                                   containerID: 'toTop', // fading
element id
                                                   containerHoverID:
'toTopHover', // fading element hover id
                                                   scrollSpeed: 1200,
                                                   easingType: 'linear'
                                             };
                                             */
                                             $().UItoTop({ easingType:
'easeOutQuart' });
                                       });
                                </script>
```

```
<a href="#" id="toTop" style="display: block;"> <span
id="toTopHover" style="opacity: 1;"> </span></a>
   <script>
function userAvailability() {
$("#loaderIcon").show();
iQuery.ajax({
url: "check_emailavailability.php",
data:'email='+$("#email").val(),
type: "POST",
success:function(data){
$("#user-availability-status1").html(data);
$("#loaderIcon").hide();
},
error:function(){}
});
</script>
</body>
</html>
```

Order Page Coding:

```
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['otssuid']==0)) {
header('location:logout.php');
} else{
if(isset($_POST['submit']))
{
$tid=$_GET['oid'];
$uid=$_SESSION['otssuid'];
$fullname=$_POST['fullname'];</pre>
```

```
$email=$_POST['email'];
 $mobnum=$_POST['mobnum'];
 $quantity=$ POST['quantity'];
 $fromdate=$_POST['fromdate'];
 $todate=$ POST['todate'];
 $time=$_POST['time'];
 $address=$ POST['address'];
 $ordernumber = mt_rand(100000000, 999999999);
 $sal="insert into
tblorder(TiffinID, UserID, OrderNumber, FullName, Email, MobileNumber, Quantity, FromDate, To
Date, Time, Address) values (:tid,:uid,:ordernumber,:fullname,:email,:mobnum,:quantity,:fromdate,
:todate,:time,:address)";
   $query = $dbh->prepare($sql);
   $query->bindParam(':tid',$tid,PDO::PARAM STR);
   $query->bindParam(':uid',$uid,PDO::PARAM STR);
   $query->bindParam(':ordernumber',$ordernumber,PDO::PARAM STR);
   $query->bindParam(':fullname',$fullname,PDO::PARAM STR);
   $query->bindParam(':email',$email,PDO::PARAM_STR);
   $query->bindParam(':mobnum',$mobnum,PDO::PARAM STR);
   $query->bindParam(':quantity',$quantity,PDO::PARAM_STR);
   $query->bindParam(':fromdate',$fromdate,PDO::PARAM STR);
   $query->bindParam(':todate',$todate,PDO::PARAM_STR);
   $query->bindParam(':time',$time,PDO::PARAM_STR);
   $query->bindParam(':address',$address,PDO::PARAM STR);
$query->execute();
    $LastInsertId=$dbh->lastInsertId();
 if ($LastInsertId>0) {
  echo '<script>alert("Your tiffin has been order successfully . Your Order number is
"+"'.$ordernumber."')</script>';
echo "<script>window.location.href = 'index.php'</script>";
 }
 else
     echo '<script>alert("Something Went Wrong. Please try again")</script>';
}
?>
<!DOCTYPE html>
```

```
<html>
<head>
<title>Online Tiffin Service System | Order Page</title>
k href="css/bootstrap.css" rel='stylesheet' type='text/css' />
<!-- ¡Query (necessary for Bootstrap's JavaScript plugins) -->
<script src="js/jquery.min.js"></script>
<!-- Custom Theme files -->
k href="css/style.css" rel="stylesheet" type="text/css" media="all" />
<!-- Custom Theme files -->
<script type="application/x-javascript"> addEventListener("load", function() {
setTimeout(hideURLbar, 0); }, false); function hideURLbar(){ window.scrollTo(0,1); }
</script>
<!--webfont-->
link
href='//fonts.googleapis.com/css?family=Source+Sans+Pro:200,300,400,600,700,900,200italic,3
00italic,400italic,600italic,700italic,900italic' rel='stylesheet' type='text/css'>
link href='//fonts.googleapis.com/css?family=Lobster+Two:400,400italic,700,700italic'
rel='stylesheet' type='text/css'>
<!--Animation-->
<script src="js/wow.min.js"></script>
link href="css/animate.css" rel='stylesheet' type='text/css' />
<script>
       new WOW().init();
</script>
<script type="text/javascript" src="js/move-top.js"></script>
<script type="text/javascript" src="js/easing.js"></script>
<script type="text/javascript">
                      ¡Query(document).ready(function($) {
                             $(".scroll").click(function(event){
                                     event.preventDefault();
       $('html,body').animate({scrollTop:$(this.hash).offset().top},1200);
                             });
                      });
              </script>
<script src="js/simpleCart.min.js"> </script>
</head>
<body>
  <!-- header-section-starts -->
       <div class="header">
              <?php include_once('includes/header.php');?>
       <!-- header-section-ends -->
```

```
<div class="contact-section-page">
              <div class="contact-head">
                <div class="container">
                            <h3>Tiffin Order</h3>
                            Home/Tiffin Order
                     </div>
              </div>
              <div class="contact_top">
                                   <div class="container">
                                         <div class="col-md-8 contact_left wow</pre>
fadeInRight" data-wow-delay="0.4s">
                                                 <h4>Tiffin Order Form</h4>
                                                 Ordering Food Was Never So Simple
!!!!!!.
                                                  <form method="post">
                                                        <div class="form details">
<?php
$uid=$_SESSION['otssuid'];
$sql ="SELECT Email,FullName,MobileNumber FROM tbluser WHERE ID=:uid";
$query= $dbh -> prepare($sql);
$query-> bindParam(':uid', $uid, PDO::PARAM_STR);
$query-> execute();
$results = $query -> fetchAll(PDO::FETCH_OBJ);
foreach ($results as $result) {
?>
<strong>Name</strong><br/>>
<input type="text" class="text" placeholder="Name" readonly="true" name="fullname"</pre>
value="<?php echo htmlentities($result->FullName)?>">
<input type="text" class="text" placeholder="Email Address" readonly="true" name="email"</pre>
value="<?php echo htmlentities($result->Email)?>">
<input type="text" class="text" placeholder="Mobile Number" maxlength="10" pattern="[0-</pre>
9]+" readonly="true" name="mobnum" value="<?php echo htmlentities($result-
>MobileNumber)?>">
                                                       <?php } ?>
                                                               <input type="text"
class="text" placeholder="Quantity(eg:1,2 etc)" required="true" name="quantity">
                                                                <div class="clearfix">
</div>
                                                               From Date: 
                                                               <input type="date"
required="true" name="fromdate" style="margin-top: -1%">
                                                               <div class="clearfix"
style="padding-top: 20px"> </div>
```

```
To Date: 
                                                                 <input type="date"
required="true" name="todate" style="margin-top: -1%">
                                                                 <div class="clearfix"
style="padding-top: 20px"> </div>
                                                                 <input type="time"
required="true" name="time" placeholder="Tiffin Required Time">
                                                                 <div class="clearfix"</pre>
style="padding-top: 20px"> </div>
                                                                 <textarea name="address"
rows="2" placeholder="Address" required="true"></textarea>
<div class="clearfix" style="padding-top: 20px"> </div>
                                                                 <div class="sub-button wow</pre>
swing animated" data-wow-delay= "0.4s">
                                                                       <input
name="submit" type="submit" value="Order Now" >
                                                                 </div>
                                                 </div>
                                               </form>
                                        </div>
                                        <div class="col-md-6 company-right wow fadeInLeft"</pre>
data-wow-delay="0.4s">
                                           <?php
                                          $oid=$_GET['oid'];
           $sql="SELECT * from tbltiffin where ID=$oid";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
cnt=1;
if(\text{query-}>rowCount()>0)
foreach($results as $row)
                     <img src="admin/images/<?php echo $row->Image;?>" width="400"
height="400"/>
              </div>
        <div class="company-right">
                                          <div class="company_ad">
                                                                < h4 > Title < /h4 >
                                                                <span><?php echo</pre>
```

```
htmlentities($row->Title);?></span>
<strong>Cost :</strong> <?php echo htmlentities($row->Cost);?>
                                                                 </div>
                                                                 </div>
                                                                 <div class="follow-us">
       <h4>Description</h4>
                                                                        <?php echo
htmlentities($row->Description);?>
                                                                 </div>
                                                   </div>
                                                   <?php $cnt=$cnt+1;}} ?>
                                           </div>
                                    </div>
       </div>
       <?php include_once('includes/footer.php');?>
        <script type="text/javascript">
                                           $(document).ready(function() {
                                                  var defaults = {
                                                         containerID: 'toTop', // fading
element id
                                                         containerHoverID: 'toTopHover', //
fading element hover id
                                                         scrollSpeed: 1200,
                                                         easingType: 'linear'
                                                  };
*/
                                                  $().UItoTop({ easingType: 'easeOutQuart'
});
                                           });
                                    </script>
                             <a href="#" id="toTop" style="display: block;"> <span
id="toTopHover" style="opacity: 1;"> </span></a>
</body>
```

```
</html><?php } ?>
```

My Tiffin Order Page Coding:

```
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
error_reporting(0);
if (strlen($_SESSION['otssuid']==0)) {
 header('location:logout.php');
 } else{
<!DOCTYPE html>
<html>
<head>
<title>Online Tiffin Service System | My Tiffin Order</title>
k href="css/bootstrap.css" rel='stylesheet' type='text/css' />
<!-- ¡Query (necessary for Bootstrap's JavaScript plugins) -->
<script src="js/jquery.min.js"></script>
<!-- Custom Theme files -->
k href="css/style.css" rel="stylesheet" type="text/css" media="all" />
<!-- Custom Theme files -->
<script type="application/x-javascript"> addEventListener("load", function() {
setTimeout(hideURLbar, 0); }, false); function hideURLbar(){ window.scrollTo(0,1); }
</script>
<!--webfont-->
link
href='//fonts.googleapis.com/css?family=Source+Sans+Pro:200,300,400,600,700,900,200italic,3
00italic,400italic,600italic,700italic,900italic' rel='stylesheet' type='text/css'>
k href='//fonts.googleapis.com/css?family=Lobster+Two:400,400italic,700,700italic'
rel='stylesheet' type='text/css'>
<!--Animation-->
<script src="js/wow.min.js"></script>
k href="css/animate.css" rel='stylesheet' type='text/css' />
<script>
       new WOW().init();
</script>
<script type="text/javascript" src="js/move-top.js"></script>
<script type="text/javascript" src="js/easing.js"></script>
```

```
<script type="text/javascript">
                     iQuery(document).ready(function($) {
                             $(".scroll").click(function(event){
                                    event.preventDefault();
       $('html,body').animate({scrollTop:$(this.hash).offset().top},1200);
                             });
                      });
              </script>
<script src="js/simpleCart.min.js"> </script>
</head>
<body>
  <!-- header-section-starts -->
       <div class="header">
              <?php include_once('includes/header.php');?>
                             </div>
<div class="cart-items">
       <div class="container">
                      <h1>My Order</h1>
                      <?php
                                            $uid=$_SESSION['otssuid'];
           $sql="SELECT DATEDIFF(tblorder.ToDate,tblorder.FromDate) as ddf,
tblorder.ID,tblorder.FullName,tblorder.UserID,tblorder.Email,tblorder.MobileNumber,tblorder.T
ime,tblorder.Address,tblorder.OrderDate,tblorder.FromDate,tblorder.ToDate,tblorder.OrderNum
ber,tblorder.TotalCost,tblorder.Remark,tblorder.Status,tblorder.Quantity,
tblorder.UpdationDate,tbltiffin.Type,tbltiffin.Title,tbltiffin.Description,tbltiffin.Cost,tbltiffin.Ima
ge from tblorder join tbltiffin on tbltiffin.ID=tblorder.TiffinID where tblorder.UserID=:uid";
$query = $dbh -> prepare($sql);
$query-> bindParam(':uid', $uid, PDO::PARAM_STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
cnt=1;
if(\text{query-}>rowCount()>0)
foreach($results as $row)
          ?>
                             <script>$(document).ready(function(c) {
                                    $('.close1').on('click', function(c){
                                            $('.cart-header').fadeOut('slow', function(c){
```

```
$('.cart-header').remove();
                                       });
                                       });
                                 });
                     </script>
                    <div class="cart-header">
                          <!-- <div class="close1"> </div> -->
                           <div class="cart-sec simpleCart_shelfItem">
                                       <div class="cart-item cyc">
                                               <img src="admin/images/<?php echo $row-</pre>
>Image;?>" class="img-responsive" alt="">
                                       </div>
                                   <div class="cart-item-info">
                                        <h3><a href="#"> <?php echo $row->Title;?>
</a><span>Order Number:</span><?php echo $row->OrderNumber;?></h3>
                                       Quantity: <?php echo $qty= $row-</p>
>Quantity;?>
                                              Total Days: <?php echo</li>
$ddf=$row->ddf;?>
                                              Total Cost: <?php echo $row-</p>
>TotalCost;?>
                                       <div class="delivery">
                                               <?php if($row->Status=="" || $row-
>Status=="Confirmed"){ ?>
                                                     <h3><a
href="invoice.php?invid=<?php echo $row->OrderNumber;?>"><strong style="color:
red">Invoice</strong> </a></h3>
                                               <?php } ?>
                                               Status : <?php if($row->Status==""){
?> <?php echo "Not Updated Yet"; ?>
                                               <?php } else { ?>
                                                     Status : <?php echo
htmlentities($row->Status);?><?php } ?>
                                               <span style="font-weight:bold">Total Cost:
<?php echo $row->TotalCost;?></span>
                                               <div class="clearfix"></div>
                               </div>
                                   </div>
                                  <div class="clearfix"></div>
```

```
</div>
                              <?php $cnt=$cnt+1;}} else {?>
                                    <h3 style="color:red" align="center">No order placed yet
</h3>
                              <?php } ?>
                      </div>
               </div>
               </div>
       <?php include_once('includes/footer.php');?>
        <script type="text/javascript">
                                            $(document).ready(function() {
                                                   var defaults = {
                                                          containerID: 'toTop', // fading
element id
                                                          containerHoverID: 'toTopHover', //
fading element hover id
                                                          scrollSpeed: 1200,
                                                          easingType: 'linear'
                                                   };
                                                   */
                                                   $().UItoTop({ easingType: 'easeOutQuart'
});
                                            });
                                    </script>
                             <a href="#" id="toTop" style="display: block;"> <span
id="toTopHover" style="opacity: 1;"> </span></a>
</body>
</html><?php } ?>
Invoice Page Coding:
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['otssuid']==0)) {
header('location:logout.php');
 } else{
 ?>
```

```
<!DOCTYPE html>
<html>
<head>
<title>Online Tiffin Service System | Order Page</title>
k href="css/bootstrap.css" rel='stylesheet' type='text/css' />
<!-- ¡Query (necessary for Bootstrap's JavaScript plugins) -->
<script src="js/jquery.min.js"></script>
<!-- Custom Theme files -->
link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
<!-- Custom Theme files -->
<script type="application/x-javascript"> addEventListener("load", function() {
setTimeout(hideURLbar, 0); }, false); function hideURLbar(){ window.scrollTo(0,1); }
</script>
<!--webfont-->
link
href='//fonts.googleapis.com/css?family=Source+Sans+Pro:200,300,400,600,700,900,200italic,3
00italic,400italic,600italic,700italic,900italic' rel='stylesheet' type='text/css'>
k href='//fonts.googleapis.com/css?family=Lobster+Two:400,400italic,700,700italic'
rel='stylesheet' type='text/css'>
<!--Animation-->
<script src="js/wow.min.js"></script>
k href="css/animate.css" rel='stylesheet' type='text/css' />
<script>
       new WOW().init();
</script>
<script type="text/javascript" src="js/move-top.js"></script>
<script type="text/javascript" src="js/easing.js"></script>
<script type="text/javascript">
                      iQuery(document).ready(function($) {
                             $(".scroll").click(function(event){
                                     event.preventDefault();
       $('html,body').animate({scrollTop:$(this.hash).offset().top},1200);
                             });
                      });
               </script>
<script src="js/simpleCart.min.js"> </script>
<script language="javascript" type="text/javascript">
function f2()
window.close();
function f3()
```

```
window.print();
</script>
</head>
<body>
      <!-- header-section-starts -->
                  <div class="header">
                                     <?php include_once('includes/header.php');?>
                  <!-- header-section-ends -->
                  <div class="contact-section-page">
                                     <div class="contact-head">
                                           <div class="container">
                                                                          <h3>Invoice</h3>
                                                                          Home/Invoice
                                                       </div>
                                     </div>
                                     <div class="contact_top">
                                                                                            <div class="container">
                                                                                                               <div class="col-md-6 contact_left wow</pre>
fadeInRight" data-wow-delay="0.4s">
                                                                                                                                  <h4>My Invoice</h4>
                                                                                                                                  View Your Invoice !!!!!!.
                                                                                                                                  <?php
                            $invid=$ GET['invid'];
$sql="SELECT tblorder.ID,DATEDIFF(tblorder.ToDate,tblorder.FromDate) as
ddf,tblorder.FullName,tblorder.Email,tblorder.MobileNumber,tblorder.Time,tblorder.Address,tbl
order. Order Date, tblorder. From Date, tblorder. To Date, tblorder. Order Number, tblorder. To tal Cost, tblord
lorder.Remark,tblorder.Status,tblorder.Quantity,
tblorder.UpdationDate,tbltiffin.Type,tbltiffin.Title,tbltiffin.Description,tbltiffin.Cost,tbltiffin.Ima
ge from tblorder join tbltiffin on tbltiffin.ID=tblorder.TiffinID where
tblorder.OrderNumber=:invid";
$query = $dbh -> prepare($sql);
$query-> bindParam(':invid', $invid, PDO::PARAM_STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
cnt=1;
if(\text{query-}>rowCount()>0)
foreach($results as $row)
                          ?>
```

```
<table border="1" class="table table-
bordered table-striped table-vcenter js-dataTable-full-pagination">
               Order Number: <?php</pre>
echo $row->OrderNumber:?>
Name of Customer
 <?php echo $row->FullName;?>
 Mobile Number
 <?php echo $row->MobileNumber;?>
Email
 <?php echo $row->Email;?>
 Order Date
 <?php echo $row->OrderDate;?>
Tiffin Title
 <?php echo $row->Title;?>
 Tiffin Image
 <img src="admin/images/<?php echo $row->Image;?>" width="200"
height="150" value="<?php echo $row->Image;?>">
Tiffin Cost
 <?php echo $row->Cost;?>
 Tiffin Quantity
 <?php echo $row->Quantity;?>
<table border="1" class="table table-bordered table-striped table-vcenter js-dataTable-full-
pagination">
 Invoice Detail
Total Days
 Total Quantity
 Tiffin Cost
 Total Cost
```

```
<?php echo $ddf=$row->ddf;?>
<?php echo $qty= $row->Quantity;?>
<?php echo $tp= $row->Cost;?>
<?php echo $total= $ddf*$tp*$qty;?>
<?php
$grandtotal+=$total;
$cnt=$cnt+1;} ?>
Grand Total 
<?php echo $grandtotal;?>
<?php $cnt=$cnt+1;} ?>
<input name="Submit2" type="submit" class="btn btn-success" style="color: red;font-size:</pre>
20px" value="Print" onClick="return f3();" style="cursor: pointer;" />
                           </div>
                                  </div>
                             </div>
                        </div>
    </div>
     <?php include_once('includes/footer.php');?>
     <script type="text/javascript">
                             $(document).ready(function() {
                                  var defaults = {
                                       containerID: 'toTop', // fading
element id
                                       containerHoverID: 'toTopHover', //
fading element hover id
                                       scrollSpeed: 1200,
```

```
easingType: 'linear'
};
*/

$().UItoTop({ easingType: 'easeOutQuart'});

});

</script>
<a href="#" id="toTop" style="display: block;"> <span
id="toTopHover" style="opacity: 1;"> </span></a>

</body>
</html><?php } ?>
```

Add Tiffing Page Coding:

```
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['otssaid']==0)) {
header('location:logout.php');
 } else{
  if(isset($_POST['submit']))
  $adminid=$_SESSION['otssaid'];
 $type=$_POST['type'];
 $title=$ POST['title'];
 $desc=$_POST['desc'];
 $cost=$_POST['cost'];
 $images=$_FILES["images"]["name"];
 $extension = substr($images,strlen($images)-4,strlen($images));
$allowed_extensions = array(".jpg","jpeg",".png",".gif",".pdf");
if(!in_array($extension,$allowed_extensions))
echo "<script>alert('Food Image has Invalid format. Only jpg / jpeg/ png /gif format
allowed');</script>";
```

```
else
$images=md5($images).time().$extension;
move_uploaded_file($_FILES["images"]["tmp_name"],"images/".$images);
 $sql="insert into
tbltiffin(Type,Title,Description,Cost,Image)values(:type,:title,:desc,:cost,:images)";
  $query = $dbh->prepare($sql);
  $query->bindParam(':type',$type,PDO::PARAM_STR);
  $query->bindParam(':title',$title,PDO::PARAM_STR);
   $query->bindParam(':desc',$desc,PDO::PARAM_STR);
  $query->bindParam(':cost',$cost,PDO::PARAM_STR);
   $query->bindParam(':images',$images,PDO::PARAM_STR);
$query->execute();
    $LastInsertId=$dbh->lastInsertId();
 if ($LastInsertId>0) {
  echo '<script>alert("Tiffin detail has been added.")</script>';
echo "<script>window.location.href = 'add-tiffin.php'</script>";
 else
     echo '<script>alert("Something Went Wrong. Please try again")</script>';
}
}
<!DOCTYPE html>
<html dir="ltr" lang="en">
<head>
  <title>Online Tiffine Service System - Add Tiffin</title>
  <link href="dist/css/style.min.css" rel="stylesheet">
 </head>
<body>
  <div class="preloader">
    <div class="lds-ripple">
       <div class="lds-pos"></div>
```

```
<div class="lds-pos"></div>
    </div>
 </div>
 <div id="main-wrapper" data-theme="light" data-layout="vertical" data-navbarbg="skin6"</pre>
data-sidebartype="full" data-sidebar-position="fixed" data-header-position="fixed" data-boxed-
layout="full">
    <!-- ====
-->
    <!-- Topbar header - style you can find in pages.scss -->
    <?php include_once('includes/header.php');?>
    <?php include_once('includes/sidebar.php');?>
    <div class="page-wrapper">
      <!--
      <!-- Bread crumb and right sidebar toggle -->
      <!--
                     <div class="page-breadcrumb">
       <div class="row">
         <div class="col-7 align-self-center">
           <h4 class="page-title text-truncate text-dark font-weight-medium mb-1">Add
Tiffin</h4>
           <div class="d-flex align-items-center">
             <nav aria-label="breadcrumb">

    class="breadcrumb m-0 p-0">

                 <a href="dashboard.php" class="text-</pre>
muted">Home</a>
                 Add
Tiffin
               </nav>
           </div>
          </div>
       </div>
      </div>
      <div class="container-fluid">
       <div class="row">
```

```
<div class="col-12">
              <div class="card">
                <div class="card-body">
                   <h4 class="card-title">Add Tiffin</h4>
                   <form action="" method="post" enctype="multipart/form-data">
                     <div class="form-body">
                        <div class="form-group row">
                          <label class="col-md-2">Type: </label>
                          <div class="col-md-10">
                            <div class="row">
                               <div class="col-md-10">
                                 <div class="form-group">
                                    <select type="text" class="form-control" id=""</pre>
name="type" value="" required='true'>
                                      <option value="">Choose Type</option>
                                      <option value="Veg">Veg</option>
                                      <option value="Non Veg">Non Veg</option>
                                   </select>
                                 </div>
                               </div>
                            </div>
                          </div>
                        </div>
                        <div class="form-group row">
                          <label class="col-md-2">Title: </label>
                          <div class="col-md-10">
                            <div class="row">
                               <div class="col-md-10">
                                 <div class="form-group">
                                  <input type="text" class="form-control" id="" name="title"</pre>
value="" required='true'>
                                 </div>
                               </div>
                            </div>
                          </div>
                        </div>
                        <div class="form-group row">
```

```
<label class="col-md-2">Description: </label>
                          <div class="col-md-10">
                             <div class="row">
                               <div class="col-md-10">
                                 <div class="form-group">
                                   <textarea type="text" class="form-control" id=""
name="desc" value="" required='true'></textarea>
                                  </div>
                               </div>
                             </div>
                          </div>
                        </div>
                        <div class="form-group row">
                          <label class="col-md-2">Cost: </label>
                          <div class="col-md-10">
                             <div class="row">
                               <div class="col-md-10">
                                 <div class="form-group">
                                    <input type="text" class="form-control" id="" name="cost"</pre>
value="" required='true'>
                                 </div>
                               </div>
                             </div>
                          </div>
                        </div>
                          <div class="form-group row">
                          <label class="col-md-2">Image: </label>
                          <div class="col-md-10">
                             <div class="row">
                               <div class="col-md-10">
                                 <div class="form-group">
                                    <input type="file" class="form-control" id=""</pre>
name="images" value="" required="true">
                                  </div>
                               </div>
                             </div>
                          </div>
                        </div>
```

```
</div>
                      <div class="form-actions">
                         <div class="text-center">
                           <button type="submit" class="btn btn-info"
name="submit">Submit</button>
                           </div>
                      </div>
                    </form>
                 </div>
               </div>
            </div>
          </div>
       </div>
      <?php include_once('includes/footer.php');?>
     </div>
  </div>
  <script src="assets/libs/jquery/dist/jquery.min.js"></script>
  <!-- Bootstrap tether Core JavaScript -->
  <script src="assets/libs/popper.js/dist/umd/popper.min.js"></script>
  <script src="assets/libs/bootstrap/dist/js/bootstrap.min.js"></script>
  <!-- apps -->
  <!-- apps -->
  <script src="dist/js/app-style-switcher.js"></script>
  <script src="dist/js/feather.min.js"></script>
  <!-- slimscrollbar scrollbar JavaScript -->
  <script src="assets/libs/perfect-scrollbar/dist/perfect-scrollbar.jquery.min.js"></script>
  <script src="assets/extra-libs/sparkline/sparkline.js"></script>
  <!--Wave Effects -->
  <!-- theme is -->
  <!--Menu sidebar -->
  <script src="dist/js/sidebarmenu.js"></script>
  <!--Custom JavaScript -->
  <script src="dist/js/custom.min.js"></script>
</body>
</html>
<?php } ?>
```

View Order Detail Page Coding:

```
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['otssaid']==0)) {
header('location:logout.php');
 } else{
if(isset($_POST['submit']))
$vid=$ GET['viewid'];
$reqid=$_GET['reqid'];
  $status=$_POST['status'];
 $remark=$_POST['remark'];
  $tcost=$_POST['cost'];
 $sql="insert into tblhistory(RequestNumber,Remark,Status)
value(:reqid,:remark,:status)";
  $query=$dbh->prepare($sql);
$query->bindParam(':reqid',$reqid,PDO::PARAM_STR);
  $query->bindParam(':remark',$remark,PDO::PARAM_STR);
  $query->bindParam(':status',$status,PDO::PARAM_STR);
    $query->execute();
$sql= "update tblorder set Status=:status,Remark=:remark,TotalCost=:tcost where
ID=:vid";
$query=$dbh->prepare($sql);
$query->bindParam(':status',$status,PDO::PARAM STR);
```

```
$query->bindParam(':remark',$remark,PDO::PARAM_STR);
$query->bindParam(':tcost',$tcost,PDO::PARAM_STR);
$query->bindParam(':vid',$vid,PDO::PARAM_STR);
$query->execute();
 echo '<script>alert("Remark has been updated")</script>';
echo "<script>window.location.href ='all-order.php'</script>";
 ?>
<!DOCTYPE html>
<html dir="ltr" lang="en">
<head>
  <title>Online Tiffine Service System - View Tiffin Order</title>
  <link href="assets/extra-libs/datatables.net-bs4/css/dataTables.bootstrap4.css"</pre>
rel="stylesheet">
  <link href="dist/css/style.min.css" rel="stylesheet">
</head>
<body>
  <div class="preloader">
     <div class="lds-ripple">
       <div class="lds-pos"></div>
       <div class="lds-pos"></div>
     </div>
  </div>
=== -->
  <!-- Main wrapper - style you can find in pages.scss -->
```

```
=== -->
  <div id="main-wrapper" data-theme="light" data-layout="vertical" data-</pre>
navbarbg="skin6" data-sidebartype="full" data-sidebar-position="fixed" data-
header-position="fixed" data-boxed-layout="full">
    <!--
    <!-- Topbar header - style you can find in pages.scss -->
    <!--
     <?php include_once('includes/header.php');?>
    <?php include_once('includes/sidebar.php');?>
    <div class="page-wrapper">
=== -->
      <!-- Bread crumb and right sidebar toggle -->
=== -->
      <div class="page-breadcrumb">
         <div class="row">
           <div class="col-7 align-self-center">
             <h4 class="page-title text-truncate text-dark font-weight-medium"
mb-1">View Tiffin Order</h4>
             <div class="d-flex align-items-center">
               <nav aria-label="breadcrumb">

    class="breadcrumb m-0 p-0">

                    <a href="dashboard.php"</pre>
class="text-muted">Home</a>
                    current="page">View Tiffin Order
                 </nav>
             </div>
           </div>
```

```
</div>
      </div>
      <div class="container-fluid">
         <div class="row">
           <div class="col-12">
             <div class="card">
               <div class="card-body">
                  <h4 class="card-title">View Tiffin Order</h4>
                  <div class="table-responsive">
                    <table id="zero_config" class="table table-striped table-
bordered no-wrap">
                     <?php
                 $vid=$ GET['viewid'];
$sql="SELECT tblorder.ID,DATEDIFF(tblorder.ToDate,tblorder.FromDate) as
ddf,tblorder.FullName,tblorder.Email,tblorder.MobileNumber,tblorder.Time,tblord
er.Address,tblorder.OrderDate,tblorder.FromDate,tblorder.ToDate,tblorder.OrderN
umber, tblorder. Total Cost, tblorder. Remark, tblorder. Status, tblorder. Quantity,
tblorder.UpdationDate,tbltiffin.Type,tbltiffin.Title,tbltiffin.Description,tbltiffin.Cos
t,tbltiffin.Image from tblorder join tbltiffin on tbltiffin.ID=tblorder.TiffinID
where tblorder.ID=:vid";
$query = $dbh -> prepare($sql);
$query-> bindParam(':vid', $vid, PDO::PARAM_STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
if(\text{query-}>rowCount()>0)
foreach($results as $row)
         ?>
```

```
Order Details
Order Number: <?php echo $row->OrderNumber;?>
 Full Name
 <?php echo $row->FullName;?>
 Email
 <?php echo $row->Email;?>
Mobile Number
 <?php echo $row->MobileNumber;?>
 Address
 <?php echo $row->Address;?>
Order Date
 <?php echo $row->OrderDate;?>
 Quantity
 <?php echo $qty= $row->Quantity;?>
From Date
 <?php echo $row->FromDate;?>
 To Date
 <?php echo $row->ToDate;?>
Total Days
 <?php echo $ddf=$row->ddf;?>
 Tiffin Price
 <?php echo $tp=$row->Cost;?>
```

```
<tr>
  Total Cost
 <?php echo $tc=$ddf*$tp*$qty;?>
 Tiffin Service Name
 <?php echo $row->Title;?>
 Tiffin Description
 <?php echo $row->Description;?>
 Tiffin Type
 <?php echo $row->Type;?>
 Image
 <img src="images/<?php echo $row->Image;?>" width="200"
height="150" value="<?php echo $row->Image;?>">
 Order Final Status
  <?php $status=$row->Status;
if($row->Status=="Confirmed")
echo "Your Order has been Confirmed";
if($row->Status=="Cancellled")
echo "Your Order has been cancelled";
if($row->Status=="")
echo "Not Response Yet";
```

```
;?>
 <?php }}?>
<?php if($status!="){</pre>
$ret="select * from tblorder where tblorder.ID=:vid";
$query = $dbh -> prepare($ret);
$query-> bindParam(':vid', $vid, PDO::PARAM_STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
?>
<table id="datatable" class="table table-bordered dt-responsive nowrap"
style="border-collapse: collapse; border-spacing: 0; width: 100%;">
 Response History
 #
TotalCost
Remark
Status
Response Time
<?php
if($query->rowCount() > 0)
foreach($results as $row)
<?php echo $cnt;?>
<?php echo $row->TotalCost;?>
```

```
<?php echo $row->Remark;?>
 <?php echo $status=$row->Status;?>
 <?php echo $row->UpdationDate;?>
<?php $cnt=$cnt+1;}} }?>
<?php
if ($status==""){
?>
<button class="btn btn-primary waves-effect waves-light w-lg" data-</pre>
toggle="modal" data-target="#myModal">Take Action</button>
<?php } ?>
<div class="modal fade" id="myModal" tabindex="-1" role="dialog" aria-</pre>
labelledby="exampleModalLabel" aria-hidden="true">
 <div class="modal-dialog" role="document">
  <div class="modal-content">
   <div class="modal-header">
                            <h5 class="modal-title"
id="exampleModalLabel">Take Action</h5>
                            <button type="button" class="close" data-
dismiss="modal" aria-label="Close">
                              <span aria-hidden="true">&times;</span>
                            </button>
                         </div>
                         <div class="modal-body">
                          <table class="table table-bordered table-hover data-
tables">
                 <form method="post" name="submit">
  Remark :
```

```
<textarea name="remark" placeholder="Remark" rows="12" cols="14"
class="form-control wd-450" required="true"></textarea>
 Total Cost :
  <input name="cost" value="<?php echo $tc?>" class="form-control wd-450"
required="true" readonly>
 Status :
  <select name="status" class="form-control wd-450" required="true" >
  <option value="Confirmed" selected="true">Confirmed</option>
  <option value="Cancellled">Cancellled</option>
 </select>
 </div>
<div class="modal-footer">
<button type="button" class="btn btn-secondary" data-
dismiss="modal">Close</button>
<button type="submit" name="submit" class="btn btn-primary">Update</button>
 </form>
                 </div>
               </div>
            </div>
          </div>
        </div>
      </div>
    <?php include_once('includes/footer.php');?>
    </div>
```

```
</div>
  <script src="assets/libs/jquery/dist/jquery.min.js"></script>
  <!-- Bootstrap tether Core JavaScript -->
             src="assets/libs/popper.js/dist/umd/popper.min.js"></script>
  <script
  <script
             src="assets/libs/bootstrap/dist/js/bootstrap.min.js"></script>
  <!-- apps -->
  <!-- apps -->
  <script src="dist/js/app-style-switcher.js"></script>
  <script src="dist/js/feather.min.js"></script>
  <!-- slimscrollbar scrollbar JavaScript -->
  <script src="assets/libs/perfect-scrollbar/dist/perfect-</pre>
scrollbar.jquery.min.js"></script>
  <script src="assets/extra-libs/sparkline.js"></script>
  <!--Wave Effects -->
  <!-- themeis -->
  <!--Menu sidebar -->
  <script src="dist/js/sidebarmenu.js"></script>
  <!--Custom JavaScript -->
  <script src="dist/js/custom.min.js"></script>
  <!--This page plugins -->
  <script src="assets/extra-</pre>
libs/datatables.net/js/jquery.dataTables.min.js"></script>
  <script src="dist/js/pages/datatable/datatable-basic.init.js"></script>
</body>
</html>
<?php } ?>
```

Sales Report Page Coding

```
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['otssaid']==0)) {
header('location:logout.php');
 } else{
?>
<!DOCTYPE html>
<html dir="ltr" lang="en">
<head>
  <title>Online Tiffine Service System - Sales Report</title>
  <link href="dist/css/style.min.css" rel="stylesheet">
  </head>
<body>
  <div class="preloader">
     <div class="lds-ripple">
       <div class="lds-pos"></div>
       <div class="lds-pos"></div>
     </div>
  </div>
  <div id="main-wrapper" data-theme="light" data-layout="vertical" data-navbarbg="skin6"</pre>
data-sidebartype="full" data-sidebar-position="fixed" data-header-position="fixed" data-boxed-
layout="full">
-->
     <!-- Topbar header - style you can find in pages.scss -->
   <?php include_once('includes/header.php');?>
     <?php include_once('includes/sidebar.php');?>
     <div class="page-wrapper">
```

```
<!--
      <!-- Bread crumb and right sidebar toggle -->
      <!--
      <div class="page-breadcrumb">
        <div class="row">
          <div class="col-7 align-self-center">
            <h4 class="page-title text-truncate text-dark font-weight-medium mb-1">Sales
Report</h4>
            <div class="d-flex align-items-center">
               <nav aria-label="breadcrumb">

    class="breadcrumb m-0 p-0">

                   <a href="dashboard.php" class="text-</pre>
muted">Home</a>
                   Sales
Report
                 </nav>
            </div>
          </div>
        </div>
      </div>
      <div class="container-fluid">
        <div class="row">
          <div class="col-12">
             <div class="card">
               <div class="card-body">
                 <h4 class="card-title">Sales Report</h4>
                 <form method="post" name="bwdatesreport" action="sales-reports-
detailed.php">
                   <div class="form-body">
                      <div class="form-group row">
                       <label class="col-md-2">From Date: </label>
                       <div class="col-md-10">
                         <div class="row">
                           <div class="col-md-10">
                              <div class="form-group">
```

```
<input type="date" class="form-control" id="fromdate"</pre>
name="fromdate" value="" required='true'>
                                  </div>
                               </div>
                             </div>
                          </div>
                        </div>
                        <div class="form-group row">
                          <label class="col-md-2">To Date:</label>
                          <div class="col-md-10">
                             <div class="row">
                               <div class="col-md-10">
                                 <div class="form-group">
                                    <input type="date" class="form-control" id="todate"</pre>
name="todate" value="" required='true'>
                                  </div>
                               </div>
                             </div>
                          </div>
                        </div>
                        <div class="form-group row">
                          <label class="col-md-2">Request Type:</label>
                          <div class="col-md-10">
                             <div class="row">
                               <div class="col-md-10">
                                  <div class="form-group">
                                    <input type="radio" name="requesttype" value="mtwise"</pre>
checked="true">Month wise
          <input type="radio" name="requesttype" value="yrwise">Year wise
                                 </div>
                               </div>
                             </div>
                          </div>
                        </div>
                        </div>
                     <div class="form-actions">
```

```
<div class="text-center">
                           <button type="submit" class="btn btn-info"
name="submit">Submit</button>
                          </div>
                      </div>
                   </form>
                 </div>
               </div>
            </div>
          </div>
       </div>
      <?php include_once('includes/footer.php');?>
     </div>
  </div>
  <script src="assets/libs/jquery/dist/jquery.min.js"></script>
  <!-- Bootstrap tether Core JavaScript -->
  <script src="assets/libs/popper.js/dist/umd/popper.min.js"></script>
  <script src="assets/libs/bootstrap/dist/js/bootstrap.min.js"></script>
  <!-- apps -->
  <!-- apps -->
  <script src="dist/js/app-style-switcher.js"></script>
  <script src="dist/js/feather.min.js"></script>
  <!-- slimscrollbar scrollbar JavaScript -->
  <script src="assets/libs/perfect-scrollbar/dist/perfect-scrollbar.jquery.min.js"></script>
  <script src="assets/extra-libs/sparkline/sparkline.js"></script>
  <!--Wave Effects -->
  <!-- themeis -->
  <!--Menu sidebar -->
  <script src="dist/js/sidebarmenu.js"></script>
  <!--Custom JavaScript -->
  <script src="dist/js/custom.min.js"></script>
</body>
</html>
<?php } ?>
```

Invoice Generating Page Code:

```
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['otssaid']==0)) {
header('location:logout.php');
 } else{
 ?>
<!DOCTYPE html>
<html dir="ltr" lang="en">
<head>
  <title>Online Tiffine Service System - Invoice of Tiffin Order</title>
  link href="assets/extra-libs/datatables.net-bs4/css/dataTables.bootstrap4.css"
rel="stylesheet">
  <link href="dist/css/style.min.css" rel="stylesheet">
  <script language="javascript" type="text/javascript">
function f2()
window.close();
function f3()
window.print();
</script>
</head>
<body>
  <div class="preloader">
```

```
<div class="lds-ripple">
      <div class="lds-pos"></div>
      <div class="lds-pos"></div>
    </div>
  </div>
  <!-- Main wrapper - style you can find in pages.scss -->
  <div id="main-wrapper" data-theme="light" data-layout="vertical" data-navbarbg="skin6"</pre>
data-sidebartype="full" data-sidebar-position="fixed" data-header-position="fixed" data-boxed-
layout="full">
    <!-- =========
-->
    <!-- Topbar header - style you can find in pages.scss -->
-->
    <?php include_once('includes/header.php');?>
    <?php include_once('includes/sidebar.php');?>
    <div class="page-wrapper">
      < !--
                       <!-- Bread crumb and right sidebar toggle -->
      <!--
      <div class="page-breadcrumb">
        <div class="row">
          <div class="col-7 align-self-center">
            <h4 class="page-title text-truncate text-dark font-weight-medium mb-1">Invoice
of Tiffin Order</h4>
            <div class="d-flex align-items-center">
              <nav aria-label="breadcrumb">

    class="breadcrumb m-0 p-0">

                   <a href="dashboard.php" class="text-</pre>
muted">Home</a>
                   current="page">Invoice of Tiffin Order
                </nav>
            </div>
          </div>
```

```
</div>
      <div class="container-fluid">
        <div class="row">
           <div class="col-12">
             <div class="card">
               <div class="card-body">
                 <h4 class="card-title">Invoice of Tiffin Order</h4>
                 <div class="table-responsive">
                             <?php
         $invid=$_GET['invid'];
$sql="SELECT tblorder.ID,DATEDIFF(tblorder.ToDate,tblorder.FromDate) as
ddf,tblorder.FullName,tblorder.Email,tblorder.MobileNumber,tblorder.Time,tblorder.Address,tbl
order.OrderDate,tblorder.FromDate,tblorder.ToDate,tblorder.OrderNumber,tblorder.TotalCost,tb
lorder.Remark,tblorder.Status,tblorder.Quantity,
tblorder.UpdationDate,tbltiffin.Type,tbltiffin.Title,tbltiffin.Description,tbltiffin.Cost,tbltiffin.Ima
ge from tblorder join tbltiffin on tbltiffin.ID=tblorder.TiffinID where tblorder.ID=:invid";
$query = $dbh -> prepare($sql);
$query-> bindParam(':invid', $invid, PDO::PARAM_STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
if(\text{query-}>rowCount()>0)
foreach($results as $row)
         ?>
               <table border="1" class="table table-bordered table-striped table-vcenter js-
dataTable-full-pagination">
  Order Number: <?php</pre>
echo $row->OrderNumber;?>
 Name of Customer
  <?php echo $row->FullName;?>
 Mobile Number
  <?php echo $row->MobileNumber;?>
```

</div>

```
Email
 <?php echo $row->Email;?>
 Order Date
 <?php echo $row->OrderDate;?>
Tiffin Title
 <?php echo $row->Title;?>
 Tiffin Image
 <img src="images/<?php echo $row->Image;?>" width="200" height="150"
value="<?php echo $row->Image;?>">
Tiffin Cost
 <?php echo $row->Cost;?>
 Tiffin Quantity
 <?php echo $row->Quantity;?>
<table border="1" class="table table-bordered table-striped table-vcenter is-dataTable-full-
pagination">
Invoice Detail
Total Days
Total Quantity
Tiffin Cost
Total Cost
<?php echo $ddf=$row->ddf;?>
<?php echo $qty= $row->Quantity;?>
<?php echo $tp= $row->Cost;?>
<?php echo $total= $ddf*$tp*$qty;?>
<?php
$grandtotal+=$total;
$cnt=$cnt+1;} ?>
Grand Total
```

```
<?php echo $grandtotal;?>
<?php $cnt=$cnt+1;} ?>
<input name="Submit2" type="submit" class="txtbox4" value="Print" onClick="return f3();"</pre>
style="cursor: pointer;" />
                  </div>
                </div>
             </div>
           </div>
         </div>
       </div>
     <?php include_once('includes/footer.php');?>
    </div>
  </div>
  <script src="assets/libs/jquery/dist/jquery.min.js"></script>
  <!-- Bootstrap tether Core JavaScript -->
  <script src="assets/libs/popper.js/dist/umd/popper.min.js"></script>
  <script src="assets/libs/bootstrap/dist/js/bootstrap.min.js"></script>
  <!-- apps -->
  <!-- apps -->
  <script src="dist/js/app-style-switcher.js"></script>
  <script src="dist/js/feather.min.js"></script>
  <!-- slimscrollbar scrollbar JavaScript -->
  <script src="assets/libs/perfect-scrollbar/dist/perfect-scrollbar.jquery.min.js"></script>
  <script src="assets/extra-libs/sparkline/sparkline.js"></script>
  <!--Wave Effects -->
  <!-- themeis -->
  <!--Menu sidebar -->
  <script src="dist/js/sidebarmenu.js"></script>
  <!--Custom JavaScript -->
  <script src="dist/js/custom.min.js"></script>
  <!--This page plugins -->
  <script src="assets/extra-libs/datatables.net/js/jquery.dataTables.min.js"></script>
  <script src="dist/js/pages/datatable/datatable-basic.init.js"></script>
</body>
```

</html> <?php } ?>

CONCLUSION:

This Application provides a computerized and automated version of Online Tiffin Service System which will benefit the users who search Tiffin service online.

It makes entire process online and can generate reports. It has a facility of user's login where users can book tiffin service and also view their invoice details.

The Application was designed in such a way that future changes can be done easily. The following conclusions can be deduced from the development of the project.

- Automation of the entire system improves the productivity.
- It provides a friendly graphical user interface which proves to be better when compared to the existing system.
- It gives appropriate access to the authorized users depending on their permissions.
- It effectively overcomes the delay in communications.
- Updating of information becomes so easier.
- System security, data security and reliability are the striking features.
- The System has adequate scope for modification in future if it is necessary.

References

For PHP

- https://www.w3schools.com/php/default.asp
- https://www.sitepoint.com/php/
- https://www.php.net/

For MySQL

- https://www.mysql.com/
- http://www.mysqltutorial.org

For XAMPP

• https://www.apachefriends.org/download.htmlG

GitHub Link

https://github.com/KapilChoudhury/online-tifin-servicesystem